

Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

1 Identification

· Product identifier

· Trade name: Toluene-d8 Standard (1X1 mL)

· Part number: ATS-170-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

• Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd.

5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· **Information department:** Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity - Category 1B H350 May cause cancer.

Reproductive Toxicity - Category 2 H361 Suspected of damaging fertility or the unborn

child.

Specific Target Organ Toxicity - Repeated Exposure - H373 May cause damage to organs through prolonged

Category 2 or repeated exposure.



Acute Toxicity (Oral) - Category 4

Skin Irritation - Category 2

H302 Harmful if swallowed.

H315 Causes skin irritation.

Eye Irritation - Category 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure - H335 May cause respiratory irritation.

Category 3

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: dichloromethane

(Contd. on page 2)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 1)

· Hazard statements

Harmful if swallowed.

Causes skin irritation.

Causes serious eve irritation.

May cause cancer.

Suspected of damaging fertility or the unborn child.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2Fire = 0

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

		(Contd. of page 2)
· Dangerou	s components:	
75-09-2	dichloromethane	99.849% w/w
2037-26-5	toluene-d8	0.151% w/w

4 First aid measures

- · Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

CA -



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 3)

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-09-2 dichloromethane

EL Long-term value: 25 ppm

IARC 2A

EV Long-term value: 175 mg/m³, 50 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- $\cdot \ General \ protective \ and \ hygienic \ measures:$

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

(Contd. on page 5)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 4)

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

• Eye protection: Safety glasses



Tightly sealed goggles

9 Physical and chemical proper	ties		
Information on basic physical and chemical properties General Information			
· Appearance:			
Form:	Fluid		
Color:	Colorless		
· Odor:	Like chlorine		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	-95.1 °C		
Boiling point/Boiling range:	40 °C		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	605 °C		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	13 Vol %		
Upper:	22 Vol %		
· Vapor pressure at 20 °C:	360 hPa		
· Density at 20 °C:	1.29946 g/cm ³		
· Relative density	Not determined.		
· Vapor density	Not determined.		
Evaporation rate	Not determined.		
· Solubility in / Miscibility with Water at 20 °C:	20 g/l		
· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic:	Not determined.		



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 5)

Kinematic:	Not determined.	
· Solvent content: Organic solvents:	100.0 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

	· LD/LC50 values that are relevant for classification:			
	ATE (Acute Toxicity Estimate)			
Γ	Oral	LD50	1,602 mg/kg (rat)	
	Dermal	LD50	>2,003 mg/kg (rat)	
	Inhalative	LC50/4 h	88.1 mg/L (rat)	

75-09-2 dichloromethane				
Oral	LD50	1,600 mg/kg (rat)		
Dermal	LD50	1,600 mg/kg (rat) >2,000 mg/kg (rat)		
Inhalative	LC50/4 h	88 mg/L (rat)		

2037-26-5 toluene-d8

Oral	LD50	>5,580 mg/kg (rat)
Dermal	LD50	12,196 mg/kg (rabbit)
Inhalative	LC50/4 h	12,500 mg/L (rat)

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (I	nternational Agency for Research on Cancer)		
75-09-2	dichloromethane		2A
		(0 1	

(Contd. on page 7)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 6)

· NTP (National Toxicology Program)

75-09-2 dichloromethane

R

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, TDG, IMDG, IATA	UN1593
· UN proper shipping name · DOT	Dichloromethane

- TDG 1593 DICHLOROMETHANE • IMDG, IATA DICHLOROMETHANE
- · Transport hazard class(es)
- · DOT, TDG, IMDG, IATA



Class 6.1 Toxic substances

(Contd. on page 8)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

	(Contd. of page
Label	6.1
Packing group	
DOT, TDG, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Toxic substances
Danger code (Kemler):	60
EMS Number:	F-A,S-A
Segregation groups	Liquid halogenated hydrocarbons
Stowage Category	A
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	On
Quantity limitations	On passenger aircraft/rail: 60 L
Hazardous substance:	On cargo aircraft only: 220 L 1000 lbs, 454 kg
	1000 los, 434 kg
TDG	C 1 F1
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

· Section 355	(extremely	hazardous	substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

· TSCA (Toxic Substances Control Act):

75-09-2 dichloromethane

- Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

75-09-2 dichloromethane

· Canadian Ingredient Disclosure list (limit 0.1%)

75-09-2 dichloromethane

(Contd. on page 9)



Printing date 03/27/2019 Version Number 2 Reviewed on 03/22/2019

Trade name: Toluene-d8 Standard (1X1 mL)

(Contd. of page 8)

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- Date of the latest revision of the safety data sheet 03/27/2019 / 1
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

CA