



Section 2. Hazards identification

| | | |
|---|----------------------------------|---|
| Hazard pictograms | : Shipping Blank |  |
| | Sample Tubes |  |
| Signal word | : Shipping Blank Sample Tubes | Warning Warning |
| Hazard statements | : Shipping Blank | H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. May form combustible dust concentrations in air. |
| | Sample Tubes | H315 - Causes skin irritation. H319 - Causes serious eye irritation. H335 - May cause respiratory irritation. May form combustible dust concentrations in air. |
| <u>Precautionary statements</u> | | |
| Prevention | : Shipping Blank | P280 - Wear protective gloves. Wear eye or face protection. P261 - Avoid breathing dust or mist. |
| | Sample Tubes | P264 - Wash thoroughly after handling. P280 - Wear protective gloves. Wear eye or face protection. P261 - Avoid breathing dust or mist. P264 - Wash thoroughly after handling. |
| Response | : Shipping Blank | P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. |
| | Sample Tubes | P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. |
| Storage | : Shipping Blank | P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. |
| | Sample Tubes | P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. |
| Disposal | : Shipping Blank | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| | Sample Tubes | P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. |
| Supplemental label elements | : Shipping Blank | Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation. |
| | Sample Tubes | Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation. |
| <u>2.3 Other hazards</u> | | |
| Hazards not otherwise classified | : Shipping Blank Sample Tubes | None known. None known. |

Section 3. Composition/information on ingredients

Substance/mixture : Shipping Blank
Sample Tubes

Substance
Mixture

| Ingredient name | % | CAS number |
|--|-----|------------|
| Shipping Blank Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | 100 | 24938-68-9 |
| Sample Tubes Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | ≥90 | 24938-68-9 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact : Shipping Blank

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Sample Tubes

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.

Inhalation : Shipping Blank

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Sample Tubes

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First aid measures

| | | |
|---------------------|------------------|---|
| Skin contact | : Shipping Blank | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | Sample Tubes | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| Ingestion | : Shipping Blank | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| | Sample Tubes | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

| | | |
|---------------------|----------------------------------|--|
| Eye contact | : Shipping Blank Sample Tubes | Causes serious eye irritation. Causes serious eye irritation. |
| Inhalation | : Shipping Blank Sample Tubes | May cause respiratory irritation. May cause respiratory irritation. |
| Skin contact | : Shipping Blank Sample Tubes | Causes skin irritation. Causes skin irritation. |
| Ingestion | : Shipping Blank Sample Tubes | No known significant effects or critical hazards. No known significant effects or critical hazards. |

Over-exposure signs/symptoms

Section 4. First aid measures

| | | |
|---------------------|------------------|--|
| Eye contact | : Shipping Blank | Adverse symptoms may include the following: pain or irritation watering redness |
| | Sample Tubes | Adverse symptoms may include the following: pain or irritation watering redness |
| Inhalation | : Shipping Blank | Adverse symptoms may include the following: respiratory tract irritation coughing |
| | Sample Tubes | Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : Shipping Blank | Adverse symptoms may include the following: irritation redness |
| | Sample Tubes | Adverse symptoms may include the following: irritation redness |
| Ingestion | : Shipping Blank | No specific data. |
| | Sample Tubes | No specific data. |

4.3 Indication of immediate medical attention and special treatment needed, if necessary

| | | |
|-----------------------------------|------------------|--|
| Notes to physician | : Shipping Blank | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | Sample Tubes | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | : Shipping Blank | No specific treatment. |
| | Sample Tubes | No specific treatment. |
| Protection of first-aiders | : Shipping Blank | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | Sample Tubes | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

| | | |
|---------------------------------------|------------------|---|
| Suitable extinguishing media | : Shipping Blank | Use dry chemical powder. |
| | Sample Tubes | Use dry chemical powder. |
| Unsuitable extinguishing media | : Shipping Blank | Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. |
| | Sample Tubes | Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. |

Section 5. Fire-fighting measures

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical : Shipping Blank
Sample Tubes

May form explosible dust-air mixture if dispersed.
May form explosible dust-air mixture if dispersed.

Hazardous thermal decomposition products : Shipping Blank

Decomposition products may include the following materials:

carbon dioxide
carbon monoxide

Sample Tubes

Decomposition products may include the following materials:

carbon dioxide
carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters : Shipping Blank

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Sample Tubes

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Special protective equipment for fire-fighters : Shipping Blank

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Sample Tubes

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : Shipping Blank

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Sample Tubes

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

| | | |
|--|------------------|--|
| For emergency responders | : Shipping Blank | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| | Sample Tubes | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Shipping Blank | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | Sample Tubes | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 6.3 Methods and materials for containment and cleaning up | | |
| Methods for cleaning up | : Shipping Blank | Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| | Sample Tubes | Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

7.1 Precautions for safe handling

| | | |
|----------------------------|------------------|--|
| Protective measures | : Shipping Blank | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container. Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with |
| | Sample Tubes | |

Section 7. Handling and storage

incompatible materials before handling or use.

7.3 Specific end use(s)

| | | |
|---|--|--|
| Recommendations | : Shipping Blank Sample Tubes | Industrial applications, Professional applications. Industrial applications, Professional applications. |
| Industrial sector specific solutions | : <input checked="" type="checkbox"/> Shipping Blank Sample Tubes | Not available. Not available. |

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

| Ingredient name | Exposure limits |
|--|-----------------|
| Shipping Blank Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | None. |
| Sample Tubes Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | None. |

8.2 Exposure controls

Appropriate engineering controls : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Section 8. Exposure controls/personal protection

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | | |
|---|--------------------------------------|--|
| Physical state | : Shipping Blank Sample Tubes | Solid. [Powder.] Solid. [Powder.] |
| Color | : Shipping Blank Sample Tubes | White. White. |
| Odor | : Shipping Blank Sample Tubes | Odorless. Odorless. |
| Odor threshold | : Shipping Blank Sample Tubes | Not available. Not available. |
| pH | : Shipping Blank Sample Tubes | Not available. Not available. |
| Melting point | : Shipping Blank Sample Tubes | 460°C (860°F) 460°C (860°F) |
| Boiling point | : Shipping Blank Sample Tubes | Not available. Not available. |
| Flash point | : Shipping Blank Sample Tubes | Not available. Not available. |
| Evaporation rate | : Shipping Blank Sample Tubes | Not available. Not available. |
| Flammability (solid, gas) | : Shipping Blank Sample Tubes | Not available. Not available. |
| Lower and upper explosive (flammable) limits | : Shipping Blank Sample Tubes | Not available. Not available. |
| Vapor pressure | : Shipping Blank Sample Tubes | Not available. Not available. |
| Vapor density | : Shipping Blank Sample Tubes | Not available. Not available. |
| Relative density | : Shipping Blank Sample Tubes | 0.25 0.25 |
| Solubility | : Shipping Blank Sample Tubes | Insoluble in the following materials: cold water and hot water. Insoluble in the following materials: cold water and hot water. |
| Partition coefficient: n-octanol/water | : Shipping Blank Sample Tubes | Not available. Not available. |
| Auto-ignition temperature | : Shipping Blank Sample Tubes | Not available. Not available. |
| Decomposition temperature | : Shipping Blank Sample Tubes | Not available. Not available. |
| Viscosity | : Shipping Blank Sample Tubes | Not available. Not available. |

Section 10. Stability and reactivity

| | | |
|--|--|--|
| 10.1 Reactivity | : Shipping Blank Sample Tubes | No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients. |
| 10.2 Chemical stability | : Shipping Blank Sample Tubes | The product is stable. The product is stable. |
| 10.3 Possibility of hazardous reactions | : Shipping Blank Sample Tubes | Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| 10.4 Conditions to avoid | : Shipping Blank Sample Tubes | Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation. |
| 10.5 Incompatible materials | : Shipping Blank Sample Tubes | Reactive or incompatible with the following materials: oxidizing materials Reactive or incompatible with the following materials: oxidizing materials |
| 10.6 Hazardous decomposition products | : Shipping Blank Sample Tubes | Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Section 11. Toxicological information

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

| Name | Category | Route of exposure | Target organs |
|--|------------|-------------------|------------------------------|
| Shipping Blank Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | Category 3 | - | Respiratory tract irritation |
| Sample Tubes Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | Category 3 | - | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Shipping Blank
Sample Tubes

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Shipping Blank
Sample Tubes

Causes serious eye irritation.

Causes serious eye irritation.

Inhalation : Shipping Blank
Sample Tubes

May cause respiratory irritation.

May cause respiratory irritation.

Skin contact : Shipping Blank
Sample Tubes

Causes skin irritation.

Causes skin irritation.

Ingestion : Shipping Blank
Sample Tubes

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Shipping Blank

Adverse symptoms may include the following:
pain or irritation

watering

redness

Sample Tubes

Adverse symptoms may include the following:
pain or irritation

watering

redness

Inhalation : Shipping Blank

Adverse symptoms may include the following:
respiratory tract irritation

coughing

Sample Tubes

Adverse symptoms may include the following:
respiratory tract irritation

coughing

Section 11. Toxicological information

| | | |
|---------------------|------------------|--|
| Skin contact | : Shipping Blank | Adverse symptoms may include the following: irritation redness |
| | Sample Tubes | Adverse symptoms may include the following: irritation redness |
| Ingestion | : Shipping Blank | No specific data. |
| | Sample Tubes | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General : Shipping Blank
Sample Tubes

Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Carcinogenicity : Shipping Blank
Sample Tubes

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Mutagenicity : Shipping Blank
Sample Tubes

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Reproductive toxicity : Shipping Blank
Sample Tubes

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

N/A

Section 12. Ecological information

12.1 Toxicity

Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Section 12. Ecological information

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 307: benzene; Toluene
Clean Water Act (CWA) 311: benzene; Toluene; o-xylene

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

Section 15. Regulatory information

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Shipping Blank

COMBUSTIBLE DUSTS
SKIN IRRITATION - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
COMBUSTIBLE DUSTS
SKIN IRRITATION - Category 2
EYE IRRITATION - Category 2A
SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Sample Tubes

Composition/information on ingredients

| Name | % | Classification |
|--|-----|---|
| Shipping Blank Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | 100 | COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |
| Sample Tubes Poly(oxy[1,1':3',1"-terphenyl]-2',5'-diyl)- | ≥90 | COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |

State regulations


Massachusetts : None of the components are listed.

New York : None of the components are listed.

New Jersey : None of the components are listed.

Pennsylvania : None of the components are listed.

California Prop. 65

 **WARNING:** This product can expose you to chemicals including Benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Toluene, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Ingredient name | No significant risk level | Maximum acceptable dosage level |
|---|---------------------------|---------------------------------|
| Sample Tubes Benzene Toluene | Yes. - | Yes. Yes. |

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Section 15. Regulatory information

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| | |
|--------------------------|--|
| Australia | : Not determined. |
| Canada | : Not determined. |
| China | : All components are listed or exempted. |
| Europe | : All components are listed or exempted. |
| Japan | : Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): All components are listed or exempted. |
| New Zealand | : Not determined. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : All components are listed or exempted. |
| Thailand | : Not determined. |
| Turkey | : All components are listed or exempted. |
| United States | : <input checked="" type="checkbox"/> All components are active or exempted. |
| Viet Nam | : Not determined. |

Section 16. Other information

History

Date of issue : 07/15/2021

Date of previous issue : 10/22/2018

Version : 2

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

| Classification | Justification |
|--|---|
| Shipping Blank COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 | On basis of test data Calculation method Calculation method Calculation method |
| Sample Tubes COMBUSTIBLE DUSTS SKIN IRRITATION - Category 2 | On basis of test data Calculation method |

Section 16. Other information

| | |
|--|--------------------|
| EYE IRRITATION - Category 2A | Calculation method |
| SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 | Calculation method |

✔ Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.