

Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

1 Identification

· Product identifier

· Trade name: CLP Volatiles Standard (1X1 mL)

· Part number: CLP-159-1

· Relevant identified uses of the substance or mixture and uses advised against

Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mulgrave

Victoria 3170, Australia

· Further information obtainable from:

Telephone: 1800 802 402

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: +(61) - 290372994

2 Hazard(s) Identification

· Classification of the substance or mixture



flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



health hazard

Muta. 1B H340 May cause genetic defects.

Carc. 1B H350 May cause cancer.

STOT SE 1 H370 Causes damage to organs.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Hazard pictograms







GHS02

2 GHS06

GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

methanol

1,2-dibromoethane



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 1)

1,2-dibromo-3-chloropropane

· Hazard statements

Highly flammable liquid and vapour.

Toxic if inhaled.

May cause genetic defects.

May cause cancer.

Causes damage to organs.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT:

120-82-1 1,2,4-trichlorobenzene

· vPvB: Not applicable.

3 Composition and Information on Ingredients

- · Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

| · Dangerous components: | |
|---|----------|
| 67-56-1 methanol | 96.9664% |
| ♦ Flam. Liq. 2, H225; ♦ Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; ♦ STOT SE 1, H370 | |
| 96-12-8 1,2-dibromo-3-chloropropane | 0.253% |
| Acute Tox. 3, H301; Muta. 1B, H340; Carc. 1B, H350; Repr. 1A, H360; STOT RE 2, H373; Acute Tox. 4, H312; Flam. Liq. 4, H227 | |

(Contd. on page 3)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

| | (Contd. of page 2) |
|---|--------------------|
| 106-93-4 1,2-dibromoethane | 0.253% |
| Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; & Carc. 1E Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 | 3, H350; |
| 106-46-7 1,4-dichlorobenzene | 0.253% |
| & Carc. 2, H351; () Eye Irrit. 2A, H319 | |
| 120-82-1 1,2,4-trichlorobenzene | 0.253% |
| PBT | |
| ♠ Acute Tox. 4, H302; Skin Irrit. 2, H315 | |
| Additional information: For the wording of the listed hazard phrases refer to section 16. | • |

4 First Aid Measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental Release Measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 3)

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters

· Ingredients with limit values that require monitoring at the workplace:

67-56-1 methanol

NES Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Sk

SK

WES Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm

106-93-4 1,2-dibromoethane

NES Sk WES Sk

(Contd. on page 5)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 4)

106-46-7 1,4-dichlorobenzene

NES Short-term value: 300 mg/m³, 50 ppm Long-term value: 150 mg/m³, 25 ppm WES Short-term value: 300 mg/m³, 50 ppm Long-term value: 150 mg/m³, 25 ppm

120-82-1 1,2,4-trichlorobenzene

NES Peak limitation: 37 mg/m³, 5 ppm WES Peak limitation: 37 mg/m³, 5 ppm

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

· Respiratory protection:

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: > 4 hours

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Colour: Colourless
Odour: Alcohol-like

(Contd. on page 6)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

| | (Contd. of pag |
|---|---|
| Odour threshold: | Not determined. |
| pH-value: | Not determined. |
| Change in condition | |
| Melting point/freezing point: | -98 °C |
| Initial boiling point and boiling range | :: 64 °C |
| Flash point: | 9 °C |
| Flammability (solid, gas): | Not applicable. |
| Ignition temperature: | 455 °C |
| Decomposition temperature: | Not determined. |
| Auto-ignition temperature: | Product is not selfigniting. |
| Explosive properties: | Product is not explosive. However, formation of explosive air/vapou |
| | mixtures are possible. |
| Explosion limits: | |
| Lower: | 5.5 Vol % |
| Upper: | 44 Vol % |
| Vapour pressure at 20 °C: | 100 hPa |
| Density at 20 °C: | 0.81429 g/cm ³ |
| Relative density | Not determined. |
| Vapour density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| water: | Not miscible or difficult to mix. |
| Partition coefficient: n-octanol/water: | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Solvent content: | |
| Organic solvents: | 99.2 % |
| VOC (EC) | 99.24 % |
| Solids content: | 0.3 % |
| Other information | No further relevant information available. |

10 Stability and Reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 7)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 6)

· Hazardous decomposition products: No dangerous decomposition products known.

| 11 Toxicolo | gical Inf | formation |
|---------------------------------------|-------------|---------------------------|
| · Acute toxi | city | cological effects |
| | | evant for classification: |
| · · · · · · · · · · · · · · · · · · · | | y Estimates) |
| | LD50 | 8,359 mg/kg |
| | LD50 | 91,285 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 3.09 mg/L |
| 67-56-1 m | ethanol | |
| Oral | LD50 | 5,628 mg/kg (rat) |
| Dermal | LD50 | 15,800 mg/kg (rabbit) |
| 96-12-8 1, | 2-dibromo | o-3-chloropropane |
| Oral | LD50 | 170 mg/kg (rat) |
| Dermal | LD50 | 1,420 mg/kg (rat) |
| | | 1,400 mg/kg (rabbit) |
| 106-93-4 1 | ,2-dibrom | oethane |
| Oral | LD50 | 108 mg/kg (rat) |
| | | 55 mg/kg (rabbit) |
| Dermal | LD50 | 300 mg/kg (rabbit) |
| 95-50-1 1, | 2-dichloro | benzene |
| Oral | LD50 | 500 mg/kg (rat) |
| Dermal | LD50 | >10,000 mg/kg (rabbit) |
| 106-46-7 1 | ,4-dichlor | obenzene |
| Oral | LD50 | >2,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |
| Inhalative | LC50/4 h | >5.07 mg/L (rat) |
| 76-13-1 1, | 1,2-trichlo | rotrifluoroethane |
| Oral | LD50 | 43 mg/kg (rat) |
| Inhalative | LC50/4 h | 52,500 mg/L (rat) |
| 120-82-1 1 | ,2,4-trichl | orobenzene |
| Oral | LD50 | 756 mg/kg (rat) |
| Dermal | LD50 | 6,139 mg/kg (rat) |
| 110-82-7 c | yclohexan | ne |
| Oral | LD50 | >5,000 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | 13.9 mg/L (rat) |

- · Primary irritant effect:
- · Skin corrosion/irritation No irritant effect.
- · Serious eye damage/irritation No irritating effect.

(Contd. on page 8)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 7)

- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Toxic

The product can cause inheritable damage.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Muta. 1B, Carc. 1B

12 Ecological Information

- ·Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT:

120-82-1 1,2,4-trichlorobenzene

- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

| 4 4 7 | • | | o , • |
|-------|---------|---|----------|
| 4 | ransnor | m | ormation |

| · Not Regulated, De minimus Quantities | - |
|--|--|
| · UN-Number · ADG, IMDG, IATA | UN1992 |
| · UN proper shipping name · ADG | 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) |
| · IMDG, IATA | FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL) |

(Contd. on page 9)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 8) · Transport hazard class(es) · ADG 3 Flammable liquids. · Class ·Label 3+6.1·IMDG 3 Flammable liquids. · Class ·Label 3/6.1 \cdot IATA 3 Flammable liquids. · Class ·Label 3(6.1)· Packing group · ADG, IMDG, IATA Not applicable. · Environmental hazards: · Special precautions for user Warning: Flammable liquids. · Danger code (Kemler): 336 · EMS Number: F-E,S-D · Stowage Category · Stowage Code SW2 Clear of living quarters. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADG · Limited quantities (LQ) 1L Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · Transport category 2 · Tunnel restriction code D/E · IMDG · Limited quantities (LQ) 1L (Contd. on page 10)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 9)

| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
|----------------------------|---|
| · UN "Model Regulation": | UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL), 3 (6.1), II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| | are and environmental regulations, registation specific for the substance of mixture | |
|-------------|--|--------|
| · Australia | n Inventory of Chemical Substances | |
| 67-56-1 | methanol | |
| 106-93-4 | 1,2-dibromoethane | |
| 95-50-1 | 1,2-dichlorobenzene | |
| 541-73-1 | 1,3-dichlorobenzene | |
| 106-46-7 | 1,4-dichlorobenzene | |
| 76-13-1 | 1,1,2-trichlorotrifluoroethane | |
| 120-82-1 | 1,2,4-trichlorobenzene | |
| 110-82-7 | cyclohexane | |
| 108-87-2 | methylcyclohexane | |
| 98-82-8 | cumene | |
| 1634-04-4 | tert-butyl methyl ether | |
| 79-20-9 | methyl acetate | |
| ·Standard | for the Uniform Scheduling of Medicines and Poisons | |
| 67-56-1 | methanol | S5, S6 |
| 96-12-8 | 1,2-dibromo-3-chloropropane | S7 |
| 106-93-4 | 1,2-dibromoethane | S7 |

| Standard for the Childrin Scheduling of Medicines and Poisons | | |
|---|-----------------------------|--------|
| 67-56-1 | methanol | S5, S6 |
| 96-12-8 | 1,2-dibromo-3-chloropropane | S7 |
| 106-93-4 | 1,2-dibromoethane | S7 |
| 95-50-1 | 1,2-dichlorobenzene | S6 |
| 106-46-7 | 1,4-dichlorobenzene | S5 |

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

H2 ACUTE TOXIC

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- · Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group III (dangerous).
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

(Contd. on page 11)



Printing date 27.03.2019 Version number 2 Revision: 22.03.2019

Trade name: CLP Volatiles Standard (1X1 mL)

(Contd. of page 10)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 4: Flammable liquids - Category 4

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Muta. 1B: Germ cell mutagenicity - Category 1B

Carc. 1B: Carcinogenicity - Category 1B

Carc. 2: Carcinogenicity – Category 2

Repr. 1A: Reproductive toxicity – Category 1A

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 $\,$