

SAFETY DATA SHEET



ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: ClearSeq HS Target Enrichment Kits - ILM - 16 reactions
Part no. (chemical kit)	: G9933A, G9943A, G9963A
Part no.	: <input checked="" type="checkbox"/> ClearSeq Cancer Probe 5190-7879 (Cancer) / 5190-7883 (Cardiomyopathy) / HS ILM 5190-9401 (AML) RE Buffer 5190-4980 BSA Solution 5190-5347 Enzyme Strip 1 5190-8843 Enzyme Strip 2 5190-8844 Enrichment Control DNA 5190-5339 Hybridization Solution 5190-5345 HS Hybridization Stop Solution 5190-9106 10 mM rATP 5190-9107 HS Ligation Solution 5190-9108 HS DNA Ligase 5190-9109 HS Capture Solution 5190-9110 HS Wash 1 Solution 5190-9111 HS Wash 2 Solution 5190-9112 Primer 1 5190-9113 Primer 2 5190-9114 HS Elution Buffer 5190-9115 Herculase II Fusion DNA Polymerase 5190-9116 Herculase II Reaction Buffer 5190-9117 100 mM dNTP Mix 5190-9118 HaloPlex HS Indexing Primer A01-H02 Various*

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.
ClearSeq Cancer Probe HS ILM	0.104 ml (16 reactions)
RE Buffer	0.8 ml (16 reactions)
BSA Solution	0.03 ml (16 reactions)
Enzyme Strip 1	8 x 0.01 ml
Enzyme Strip 2	8 x 0.01 ml
Enrichment Control DNA	0.12 ml (16 reactions)
Hybridization Solution	1.12 ml (16 reactions)
HS Hybridization Stop Solution	0.448 ml (16 reactions)
10 mM rATP	0.006 ml (16 reactions)
HS Ligation Solution	0.224 ml (16 reactions)
HS DNA Ligase	0.056 ml (16 reactions)
HS Capture Solution	0.896 ml (16 reactions)
HS Wash 1 Solution	2.02 ml (16 reactions)
HS Wash 2 Solution	3.36 ml (16 reactions)
Primer 1	0.09 ml (16 reactions)
Primer 2	0.18 ml (16 reactions)
HS Elution Buffer	5 ml (16 reactions)
Herculase II Fusion DNA Polymerase	0.09 ml (16 reactions)
Herculase II Reaction Buffer	0.68 ml (16 reactions)
100 mM dNTP Mix	0.02 ml (16 reactions)
HaloPlex HS Indexing Primer A01-H02	0.12 ml (16 reactions)

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

Note * : * HaloPlex HS Indexing Primer A01-H02: 5190-9119, 5190-9120, 5190-9121, 5190-9122, 5190-9123, 5190-9124, 5190-9125, 5190-9126, 5190-9127, 5190-9128, 5190-9129, 5190-9130, 5190-9131, 5190-9132, 5190-9133, 5190-9134

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	:	ClearSeq Cancer Probe	Mixture
		HS ILM	
		RE Buffer	Mixture
		BSA Solution	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture
		Enrichment Control DNA	Mixture
		Hybridization Solution	Mixture
		HS Hybridization Stop Solution	Mixture
		10 mM rATP	Mixture
		HS Ligation Solution	Mixture
		HS DNA Ligase	Mixture
		HS Capture Solution	Mixture
		HS Wash 1 Solution	Mixture
		HS Wash 2 Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HS Elution Buffer	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		Herculase II Reaction Buffer	Mixture
		100 mM dNTP Mix	Mixture
		HaloPlex HS Indexing Primer A01-H02	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Hybridization Solution

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
H360D REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

HS Capture Solution

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Herculase II Reaction Buffer

H400 SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1

Date of issue/Date of revision : 21/05/2018

2/71

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

Ingredients of unknown toxicity	: RE Buffer	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	Enzyme Strip 1	Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
	Enzyme Strip 2	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
	Hybridization Solution	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 10 - 30% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%
	HS Hybridization Stop Solution	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
	HS Ligation Solution	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	HS DNA Ligase	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
	HS Capture Solution	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	Herculase II Fusion DNA Polymerase	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
	Herculase II Reaction Buffer	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
	100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10%
Ingredients of unknown ecotoxicity	: BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%
	HS Capture Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 9.4%
	100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%




See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

Hazard pictograms	: Hybridization Solution	
	HS Capture Solution	
	Herculase II Reaction Buffer	

Signal word	: ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No signal word. No signal word. No signal word. No signal word. No signal word. No signal word. Danger No signal word. No signal word. No signal word. Warning No signal word. No signal word. No signal word. No signal word. No signal word. No signal word. No signal word. Warning No signal word. No signal word.
--------------------	---	--

Hazard statements	: ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. H319 - Causes serious eye irritation. H360D - May damage the unborn child. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. H319 - Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
--------------------------	--	--

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	H400 - Very toxic to aquatic life.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

Precautionary statements

Prevention

: <input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM	Not applicable.
RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
Enrichment Control DNA Hybridization Solution	Not applicable. P201 - Obtain special instructions before use. P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	P273 - Avoid release to the environment.
100 mM dNTP Mix	Not applicable.
HaloPlex HS Indexing Primer A01-H02	Not applicable.

Response

: <input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM	Not applicable.
RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
Enrichment Control DNA Hybridization Solution	Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HS Elution Buffer	Not applicable.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	P391 - Collect spillage.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS Indexing Primer A01-H02	Not applicable.
Storage	: ClearSeq Cancer Probe HS ILM	Not applicable.
	RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	P405 - Store locked up.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS Indexing Primer A01-H02	Not applicable.
Disposal	: <input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM	Not applicable.
	RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS Indexing Primer A01-H02	Not applicable.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

Hazardous ingredients	:	Hybridization Solution	- formamide
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
Supplemental label elements	:	<input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM	Not applicable.
		RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	Not applicable.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Safety data sheet available on request.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS Indexing Primer A01-H02	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	ClearSeq Cancer Probe HS ILM	Not applicable.
		RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	Restricted to professional users.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS Indexing Primer A01-H02	Not applicable.

Special packaging requirements

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 2: Hazards identification

Tactile warning of danger	:	ClearSeq Cancer Probe HS ILM	Not applicable.
		RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	Not applicable.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS Indexing Primer A01-H02	Not applicable.

2.3 Other hazards

Other hazards which do not result in classification	:	ClearSeq Cancer Probe HS ILM	None known.
		RE Buffer	None known.
		BSA Solution	None known.
		Enzyme Strip 1	None known.
		Enzyme Strip 2	None known.
		Enrichment Control DNA	None known.
		Hybridization Solution	None known.
		HS Hybridization Stop Solution	None known.
		10 mM rATP	None known.
		HS Ligation Solution	None known.
		HS DNA Ligase	None known.
		HS Capture Solution	None known.
		HS Wash 1 Solution	None known.
		HS Wash 2 Solution	None known.
		Primer 1	None known.
		Primer 2	None known.
		HS Elution Buffer	None known.
		Herculase II Fusion DNA Polymerase	None known.
		Herculase II Reaction Buffer	None known.
		100 mM dNTP Mix	None known.
		HaloPlex HS Indexing Primer A01-H02	None known.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 3: Composition/information on ingredients

3.1 Substances	:	ClearSeq Cancer Probe HS ILM	Mixture
		RE Buffer	Mixture
		BSA Solution	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture
		Enrichment Control DNA	Mixture
		Hybridization Solution	Mixture
		HS Hybridization Stop Solution	Mixture
		10 mM rATP	Mixture
		HS Ligation Solution	Mixture
		HS DNA Ligase	Mixture
		HS Capture Solution	Mixture
		HS Wash 1 Solution	Mixture
		HS Wash 2 Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HS Elution Buffer	Mixture
		Herculase II Fusion DNA	Mixture
		Polymerase	
		Herculase II Reaction Buffer	Mixture
		100 mM dNTP Mix	Mixture
		HaloPlex HS Indexing Primer	Mixture
		A01-H02	

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
BSA Solution Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≤10	Not classified.	[2]
Enzyme Strip 1 Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Enzyme Strip 2 Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Hybridization Solution Formamide	EC: 200-842-0 CAS: 75-12-7 Index: 616-052-00-8	≥25 - ≤50	Repr. 1B, H360D (Unborn child)	[1] [2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≥10 - ≤25	Eye Irrit. 2, H319	[1]
HS Ligation Solution Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
HS DNA Ligase Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]- omega.-hydroxy-	CAS: 9036-19-5	<0.25	Eye Irrit. 2, H319 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	[1] [5]
HS Capture Solution				

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 3: Composition/information on ingredients

Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	EC: 205-358-3 CAS: 6381-92-6	<10	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
Herculase II Fusion DNA Polymerase Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Herculase II Reaction Buffer Ammonium sulphate	EC: 231-984-1 CAS: 7783-20-2	≤3	Aquatic Acute 1, H400 (M=10) Aquatic Chronic 3, H412	[1]
Trometamol	EC: 201-064-4 CAS: 77-86-1	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: <input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	HS Hybridization Stop	Immediately flush eyes with plenty of water, occasionally

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

Solution	lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
10 mM rATP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
HS Wash 1 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Wash 2 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
100 mM dNTP Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex HS Indexing Primer A01-H02	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	
: ClearSeq Cancer Probe HS ILM	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SECTION 4: First aid measures

Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HS Hybridization Stop Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
10 mM rATP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HS Wash 1 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Wash 2 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Elution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be

SECTION 4: First aid measures

Skin contact

		dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	100 mM dNTP Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	HaloPlex HS Indexing Primer A01-H02	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	ClearSeq Cancer Probe HS ILM	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	RE Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BSA Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enzyme Strip 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enzyme Strip 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enrichment Control DNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Hybridization Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	HS Hybridization Stop Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	10 mM rATP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	HS Wash 1 Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Wash 2 Solution	Flush contaminated skin with plenty of water. Remove

SECTION 4: First aid measures


		contaminated clothing and shoes. Get medical attention if symptoms occur.
	Primer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Primer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	100 mM dNTP Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HaloPlex HS Indexing Primer A01-H02	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	:  ClearSeq Cancer Probe HS ILM	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Enzyme Strip 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Enzyme Strip 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Enrichment Control DNA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Hybridization Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position

SECTION 4: First aid measures

	<p>comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
HS Hybridization Stop Solution	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
10 mM rATP	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HS Ligation Solution	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HS DNA Ligase	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HS Capture Solution	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
HS Wash 1 Solution	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HS Wash 2 Solution	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 1	<p>Wash out mouth with water. Remove victim to fresh air and</p>

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

	keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Elution Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
100 mM dNTP Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex HS Indexing Primer A01-H02	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders :  ClearSeq Cancer Probe HS ILM RE Buffer	No action shall be taken involving any personal risk or without suitable training.
BSA Solution	No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	No action shall be taken involving any personal risk or

SECTION 4: First aid measures

	without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
HS Hybridization Stop Solution	No action shall be taken involving any personal risk or without suitable training.
10 mM rATP	No action shall be taken involving any personal risk or without suitable training.
HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training.
HS Capture Solution	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training.
HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training.
Primer 1	No action shall be taken involving any personal risk or without suitable training.
Primer 2	No action shall be taken involving any personal risk or without suitable training.
HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training.
Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
100 mM dNTP Mix	No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS Indexing Primer A01-H02	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	:	ClearSeq Cancer Probe	No known significant effects or critical hazards.
		HS ILM	
		RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	Causes serious eye irritation.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	Causes serious eye irritation.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1	No known significant effects or critical hazards.
		Primer 2	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction	No known significant effects or critical hazards.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

	Buffer	
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing	No known significant effects or critical hazards.
	Primer A01-H02	
Inhalation	: ClearSeq Cancer Probe	No known significant effects or critical hazards.
	HS ILM	
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop	No known significant effects or critical hazards.
	Solution	
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	Herculase II Reaction	No known significant effects or critical hazards.
	Buffer	
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing	No known significant effects or critical hazards.
	Primer A01-H02	
Skin contact	: ClearSeq Cancer Probe	No known significant effects or critical hazards.
	HS ILM	
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop	No known significant effects or critical hazards.
	Solution	
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	Herculase II Reaction	No known significant effects or critical hazards.
	Buffer	
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing	No known significant effects or critical hazards.
	Primer A01-H02	

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

Inhalation	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
Skin contact	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

Ingestion	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
------------------	---	---	--

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	<input checked="" type="checkbox"/> ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution	<p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p> <p>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</p>
---------------------------	---	---	--

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 4: First aid measures

	Primer 1	immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Primer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HS Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	100 mM dNTP Mix	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	HaloPlex HS Indexing Primer A01-H02	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: ClearSeq Cancer Probe HS ILM	No specific treatment.
	RE Buffer	No specific treatment.
	BSA Solution	No specific treatment.
	Enzyme Strip 1	No specific treatment.
	Enzyme Strip 2	No specific treatment.
	Enrichment Control DNA Hybridization Solution	No specific treatment.
	HS Hybridization Stop Solution	No specific treatment.
	10 mM rATP	No specific treatment.
	HS Ligation Solution	No specific treatment.
	HS DNA Ligase	No specific treatment.
	HS Capture Solution	No specific treatment.
	HS Wash 1 Solution	No specific treatment.
	HS Wash 2 Solution	No specific treatment.
	Primer 1	No specific treatment.
	Primer 2	No specific treatment.
	HS Elution Buffer	No specific treatment.
	Herculase II Fusion DNA Polymerase	No specific treatment.
	Herculase II Reaction Buffer	No specific treatment.
	100 mM dNTP Mix	No specific treatment.
	HaloPlex HS Indexing Primer A01-H02	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	: ClearSeq Cancer Probe HS ILM	Use an extinguishing agent suitable for the surrounding fire.
	RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
	BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.
	Enrichment Control DNA Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
	HS Hybridization Stop Solution	Use an extinguishing agent suitable for the surrounding fire.
	10 mM rATP	Use an extinguishing agent suitable for the surrounding fire.
	HS Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
	HS DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
	HS Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
	HS Wash 1 Solution	Use an extinguishing agent suitable for the surrounding fire.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 5: Firefighting measures

	HS Wash 2 Solution	Use an extinguishing agent suitable for the surrounding fire.
	Primer 1	Use an extinguishing agent suitable for the surrounding fire.
	Primer 2	Use an extinguishing agent suitable for the surrounding fire.
	HS Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
	Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
	Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
	100 mM dNTP Mix	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex HS Indexing Primer A01-H02	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	ClearSeq Cancer Probe HS ILM	None known.
	RE Buffer	None known.
	BSA Solution	None known.
	Enzyme Strip 1	None known.
	Enzyme Strip 2	None known.
	Enrichment Control DNA	None known.
	Hybridization Solution	None known.
	HS Hybridization Stop Solution	None known.
	10 mM rATP	None known.
	HS Ligation Solution	None known.
	HS DNA Ligase	None known.
	HS Capture Solution	None known.
	HS Wash 1 Solution	None known.
	HS Wash 2 Solution	None known.
	Primer 1	None known.
	Primer 2	None known.
	HS Elution Buffer	None known.
	Herculase II Fusion DNA Polymerase	None known.
	Herculase II Reaction Buffer	None known.
	100 mM dNTP Mix	None known.
	HaloPlex HS Indexing Primer A01-H02	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	ClearSeq Cancer Probe	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS ILM	
	RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Hybridization Stop Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	10 mM rATP	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS DNA Ligase	In a fire or if heated, a pressure increase will occur and the

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 5: Firefighting measures

Hazardous combustion products

HS Capture Solution	container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
HS Wash 1 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Wash 2 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is very toxic to aquatic life. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
100 mM dNTP Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex HS Indexing Primer A01-H02	In a fire or if heated, a pressure increase will occur and the container may burst.
ClearSeq Cancer Probe HS ILM RE Buffer	No specific data.
BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Enzyme Strip 1	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides
Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enrichment Control DNA Hybridization Solution	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
HS Hybridization Stop Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
10 mM rATP HS Ligation Solution	No specific data. Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
HS DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
HS Capture Solution	Decomposition products may include the following materials: carbon dioxide

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 5: Firefighting measures

	carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1	No specific data.
Primer 2	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
100 mM dNTP Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
HaloPlex HS Indexing Primer A01-H02	No specific data.

5.3 Advice for firefighters

Special precautions for fire-fighters

: ClearSeq Cancer Probe HS ILM	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Hybridization Stop Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
10 mM rATP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Ligation Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be

SECTION 5: Firefighting measures

	HS Capture Solution	taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	HS Wash 1 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	HS Wash 2 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Primer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Primer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	HS Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Herculase II Reaction Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	100 mM dNTP Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	HaloPlex HS Indexing Primer A01-H02	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: ClearSeq Cancer Probe HS ILM	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	Enzyme Strip 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 5: Firefighting measures

Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Hybridization Stop Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
10 mM rATP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Wash 1 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Wash 2 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Primer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

SECTION 5: Firefighting measures

HS Elution Buffer	face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
100 mM dNTP Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex HS Indexing Primer A01-H02	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: ClearSeq Cancer Probe HS ILM	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	RE Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on

SECTION 6: Accidental release measures

Enrichment Control DNA	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
HS Hybridization Stop Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
10 mM rATP	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 6: Accidental release measures

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

Herculase II Fusion DNA Polymerase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

Herculase II Reaction Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

100 mM dNTP Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

HaloPlex HS Indexing Primer A01-H02

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders

: ClearSeq Cancer Probe HS ILM

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

RE Buffer

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

BSA Solution

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Enzyme Strip 1

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Enzyme Strip 2

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Enrichment Control DNA

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Hybridization Solution

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

HS Hybridization Stop Solution

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

10 mM rATP

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

HS Ligation Solution

If specialised clothing is required to deal with the spillage,

SECTION 6: Accidental release measures

	take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Capture Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 1 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 2 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Elution Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Reaction Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM dNTP Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex HS Indexing Primer A01-H02	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

ClearSeq Cancer Probe HS ILM	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
RE Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant

SECTION 6: Accidental release measures

Enzyme Strip 2	authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Hybridization Stop Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
10 mM rATP	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Ligation Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Capture Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Wash 1 Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Wash 2 Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Elution Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Fusion DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Reaction Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 6: Accidental release measures

	May be harmful to the environment if released in large quantities. Collect spillage.
100 mM dNTP Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex HS Indexing Primer A01-H02	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	ClearSeq Cancer Probe HS ILM	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		RE Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		HS Hybridization Stop Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		10 mM rATP	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
		HS Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose

SECTION 6: Accidental release measures

HS DNA Ligase	of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 1 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 2 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
100 mM dNTP Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex HS Indexing Primer A01-H02	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	:	ClearSeq Cancer Probe	Put on appropriate personal protective equipment (see Section 8).
		HS ILM	Put on appropriate personal protective equipment (see Section 8).
		RE Buffer	Put on appropriate personal protective equipment (see Section 8).
		BSA Solution	Put on appropriate personal protective equipment (see Section 8).
		Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8).
		Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8).
		Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
		Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		HS Hybridization Stop Solution	Put on appropriate personal protective equipment (see Section 8).
		10 mM rATP	Put on appropriate personal protective equipment (see Section 8).
		HS Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
		HS DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
		HS Capture Solution	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		HS Wash 1 Solution	Put on appropriate personal protective equipment (see Section 8).
		HS Wash 2 Solution	Put on appropriate personal protective equipment (see Section 8).
		Primer 1	Put on appropriate personal protective equipment (see Section 8).
		Primer 2	Put on appropriate personal protective equipment (see Section 8).
		HS Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
		Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8).
		Herculase II Reaction Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		100 mM dNTP Mix	Put on appropriate personal protective equipment (see Section 8).

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 7: Handling and storage

Advice on general occupational hygiene

<p>HaloPlex HS Indexing Primer A01-H02</p>	<p>: ClearSeq Cancer Probe HS ILM</p>	<p>Section 8). Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>RE Buffer</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>BSA Solution</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>Enzyme Strip 1</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>Enzyme Strip 2</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>Enrichment Control DNA</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>Hybridization Solution</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>HS Hybridization Stop Solution</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>10 mM rATP</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>HS Ligation Solution</p>		<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also</p>

SECTION 7: Handling and storage

HS DNA Ligase	Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Capture Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 1 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 2 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM dNTP Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex HS Indexing	Eating, drinking and smoking should be prohibited in areas

SECTION 7: Handling and storage

Primer A01-H02

where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: ClearSeq Cancer Probe
HS ILM

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

RE Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

BSA Solution

Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Enzyme Strip 1

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Enzyme Strip 2

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Enrichment Control DNA

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see

SECTION 7: Handling and storage

	<p>Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Hybridization Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
HS Hybridization Stop Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
10 mM rATP	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
HS Ligation Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
HS DNA Ligase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
HS Capture Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have</p>

SECTION 7: Handling and storage

	been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HS Wash 1 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HS Wash 2 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Primer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Primer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HS Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Herculase II Fusion DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 7: Handling and storage

Herculase II Reaction Buffer	appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
100 mM dNTP Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex HS Indexing Primer A01-H02	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds (in tonnes)

Danger criteria

Category	Notification and MAPP threshold	Safety report threshold
Herculase II Reaction Buffer E1	100	200

7.3 Specific end use(s)

Recommendations	: ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
------------------------	--	---

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 7: Handling and storage

	HS Elution Buffer	Industrial applications, Professional applications.
	Herculase II Fusion DNA Polymerase	Industrial applications, Professional applications.
	Herculase II Reaction Buffer	Industrial applications, Professional applications.
	100 mM dNTP Mix	Industrial applications, Professional applications.
	HaloPlex HS Indexing Primer A01-H02	Industrial applications, Professional applications.
Industrial sector specific solutions	ClearSeq Cancer Probe HS ILM	Not applicable.
	RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS Indexing Primer A01-H02	Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
BSA Solution Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Enzyme Strip 1 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Enzyme Strip 2 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Hybridization Solution Formamide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 56 mg/m ³ 15 minutes. STEL: 30 ppm 15 minutes. TWA: 37 mg/m ³ 8 hours. TWA: 20 ppm 8 hours.
HS DNA Ligase	

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 8: Exposure controls/personal protection

Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Herculase II Fusion DNA Polymerase Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 8: Exposure controls/personal protection

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	ClearSeq Cancer Probe HS ILM	Liquid.
		RE Buffer	Liquid.
		BSA Solution	Liquid. [Clear.]
		Enzyme Strip 1	Liquid.
		Enzyme Strip 2	Liquid.
		Enrichment Control	Liquid.
		DNA	
		Hybridization Solution	Liquid.
		HS Hybridization Stop Solution	Liquid.
		10 mM rATP	Liquid.
		HS Ligation Solution	Liquid.
		HS DNA Ligase	Liquid.
		HS Capture Solution	Liquid.
		HS Wash 1 Solution	Liquid.
		HS Wash 2 Solution	Liquid.
		Primer 1	Liquid.
		Primer 2	Liquid.
		HS Elution Buffer	Liquid.
		Herculase II Fusion	Liquid.
		DNA Polymerase	
		Herculase II Reaction Buffer	Liquid.
		100 mM dNTP Mix	Liquid.
		HaloPlex HS Indexing	Liquid.
		Primer A01-H02	

Colour	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	Colourless.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

	HaloPlex HS Indexing Primer A01-H02	Not available.
Odour	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	Odourless.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.
Odour threshold	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

pH	:	ClearSeq Cancer	Not available.
		Probe HS ILM	
		RE Buffer	7.9
		BSA Solution	7
		Enzyme Strip 1	7.4
		Enzyme Strip 2	7.4
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	7.5
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	7
		HS Ligation Solution	8
		HS DNA Ligase	7.5
		HS Capture Solution	7.5
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	8.5
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	8.5
		Herculase II Fusion	8.2
		DNA Polymerase	
		Herculase II Reaction Buffer	10
		100 mM dNTP Mix	7.5
		HaloPlex HS Indexing Primer A01-H02	Not available.

Melting point/freezing point	:	ClearSeq Cancer	0°C
		Probe HS ILM	
		RE Buffer	0°C
		BSA Solution	20°C
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control	0°C
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	0°C
		HS Ligation Solution	0°C
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	0°C
		HS Wash 2 Solution	0°C
		Primer 1	0°C
		Primer 2	0°C
		HS Elution Buffer	0°C
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS Indexing Primer A01-H02	0°C

Initial boiling point and boiling range	:	ClearSeq Cancer	100°C
		Probe HS ILM	
		RE Buffer	100°C
		BSA Solution	182°C
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Enrichment Control	100°C		

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

DNA	
Hybridization Solution	Not available.
HS Hybridization Stop Solution	Not available.
10 mM rATP	100°C
HS Ligation Solution	100°C
HS DNA Ligase	Not available.
HS Capture Solution	Not available.
HS Wash 1 Solution	100°C
HS Wash 2 Solution	100°C
Primer 1	100°C
Primer 2	100°C
HS Elution Buffer	100°C
Herculase II Fusion	Not available.
DNA Polymerase	
Herculase II Reaction Buffer	Not available.
100 mM dNTP Mix	Not available.
HaloPlex HS Indexing Primer A01-H02	100°C
Flash point	
: ClearSeq Cancer Probe HS ILM	Not available.
RE Buffer	Not available.
BSA Solution	Closed cup: 160°C
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.
Enrichment Control	Not available.
DNA	
Hybridization Solution	Not available.
HS Hybridization Stop Solution	Not available.
10 mM rATP	Not available.
HS Ligation Solution	Not available.
HS DNA Ligase	Not available.
HS Capture Solution	Not available.
HS Wash 1 Solution	Not available.
HS Wash 2 Solution	Not available.
Primer 1	Not available.
Primer 2	Not available.
HS Elution Buffer	Not available.
Herculase II Fusion	Not available.
DNA Polymerase	
Herculase II Reaction Buffer	Not available.
100 mM dNTP Mix	Not available.
HaloPlex HS Indexing Primer A01-H02	Not available.
Evaporation rate	
: ClearSeq Cancer Probe HS ILM	Not available.
RE Buffer	Not available.
BSA Solution	Not available.
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.
Enrichment Control	Not available.
DNA	
Hybridization Solution	Not available.
HS Hybridization Stop Solution	Not available.
10 mM rATP	Not available.
HS Ligation Solution	Not available.
HS DNA Ligase	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

HS Capture Solution	Not available.
HS Wash 1 Solution	Not available.
HS Wash 2 Solution	Not available.
Primer 1	Not available.
Primer 2	Not available.
HS Elution Buffer	Not available.
Herculase II Fusion	Not available.
DNA Polymerase	
Herculase II Reaction Buffer	Not available.
100 mM dNTP Mix	Not available.
HaloPlex HS Indexing Primer A01-H02	Not available.

Flammability (solid, gas)	:	ClearSeq Cancer Probe HS ILM	Not applicable.
		RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	Not applicable.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion	Not applicable.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS Indexing Primer A01-H02	Not applicable.

Upper/lower flammability or explosive limits	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.
Vapour pressure	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	<0.13 kPa [room temperature]
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control	Not available.
	DNA	
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.
Vapour density	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	3.1 [Air = 1]
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control	Not available.
	DNA	
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

Relative density	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	1.262
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS Indexing Primer A01-H02	Not available.
Solubility(ies)	:	ClearSeq Cancer Probe HS ILM	Easily soluble in the following materials: cold water and hot water.
		RE Buffer	Easily soluble in the following materials: cold water and hot water.
		BSA Solution	Soluble in the following materials: cold water and hot water.
		Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
		Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
		Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.
		Hybridization Solution	Soluble in the following materials: cold water and hot water.
		HS Hybridization Stop Solution	Soluble in the following materials: cold water and hot water.
		10 mM rATP	Easily soluble in the following materials: cold water and hot water.
		HS Ligation Solution	Easily soluble in the following materials: cold water and hot water.
		HS DNA Ligase	Soluble in the following materials: cold water and hot water.
		HS Capture Solution	Easily soluble in the following materials: cold water and hot water.
		HS Wash 1 Solution	Easily soluble in the following materials: cold water and hot water.
		HS Wash 2 Solution	Easily soluble in the following materials: cold water and hot water.
		Primer 1	Easily soluble in the following materials: cold water and hot water.
		Primer 2	Easily soluble in the following materials: cold water and hot water.
		HS Elution Buffer	Easily soluble in the following materials: cold water and hot water.
		Herculase II Fusion	Soluble in the following materials: cold water and hot

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

	DNA Polymerase	water.
	Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
	100 mM dNTP Mix	Easily soluble in the following materials: cold water and hot water.
	HaloPlex HS Indexing Primer A01-H02	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.
Auto-ignition temperature	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	370°C
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

Decomposition temperature	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS Indexing Primer A01-H02	Not available.
Viscosity	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS Indexing Primer A01-H02	Not available.
Explosive properties	:	ClearSeq Cancer Probe HS ILM	Not available.
		RE Buffer	Not available.
		BSA Solution	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		Enrichment Control	Not available.
		DNA	

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 9: Physical and chemical properties

	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.
Oxidising properties	: ClearSeq Cancer Probe HS ILM	Not available.
	RE Buffer	Not available.
	BSA Solution	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS Indexing Primer A01-H02	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: ClearSeq Cancer Probe HS ILM	No specific test data related to reactivity available for this product or its ingredients.
	RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 10: Stability and reactivity

Enrichment Control DNA	product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
HS Hybridization Stop Solution	No specific test data related to reactivity available for this product or its ingredients.
10 mM rATP	No specific test data related to reactivity available for this product or its ingredients.
HS Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
HS DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
HS Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
HS Wash 1 Solution	No specific test data related to reactivity available for this product or its ingredients.
HS Wash 2 Solution	No specific test data related to reactivity available for this product or its ingredients.
Primer 1	No specific test data related to reactivity available for this product or its ingredients.
Primer 2	No specific test data related to reactivity available for this product or its ingredients.
HS Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
100 mM dNTP Mix	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex HS Indexing Primer A01-H02	No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: ClearSeq Cancer Probe	The product is stable.
HS ILM	
RE Buffer	The product is stable.
BSA Solution	The product is stable.
Enzyme Strip 1	The product is stable.
Enzyme Strip 2	The product is stable.
Enrichment Control DNA	The product is stable.
Hybridization Solution	The product is stable.
HS Hybridization Stop Solution	The product is stable.
10 mM rATP	The product is stable.
HS Ligation Solution	The product is stable.
HS DNA Ligase	The product is stable.
HS Capture Solution	The product is stable.
HS Wash 1 Solution	The product is stable.
HS Wash 2 Solution	The product is stable.
Primer 1	The product is stable.
Primer 2	The product is stable.
HS Elution Buffer	The product is stable.
Herculase II Fusion DNA Polymerase	The product is stable.
Herculase II Reaction Buffer	The product is stable.
100 mM dNTP Mix	The product is stable.
HaloPlex HS Indexing Primer A01-H02	The product is stable.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 10: Stability and reactivity

Herculase II Fusion DNA Polymerase No specific data.
 Herculase II Reaction Buffer No specific data.
 100 mM dNTP Mix No specific data.
 HaloPlex HS Indexing Primer A01-H02 No specific data.

10.5 Incompatible materials

: ClearSeq Cancer Probe HS ILM May react or be incompatible with oxidising materials.
 RE Buffer May react or be incompatible with oxidising materials.
 BSA Solution May react or be incompatible with oxidising materials.
 Enzyme Strip 1 May react or be incompatible with oxidising materials.
 Enzyme Strip 2 May react or be incompatible with oxidising materials.
 Enrichment Control DNA Hybridization Solution May react or be incompatible with oxidising materials.
 HS Hybridization Stop Solution May react or be incompatible with oxidising materials.
 10 mM rATP May react or be incompatible with oxidising materials.
 HS Ligation Solution May react or be incompatible with oxidising materials.
 HS DNA Ligase May react or be incompatible with oxidising materials.
 HS Capture Solution May react or be incompatible with oxidising materials.
 HS Wash 1 Solution May react or be incompatible with oxidising materials.
 HS Wash 2 Solution May react or be incompatible with oxidising materials.
 Primer 1 May react or be incompatible with oxidising materials.
 Primer 2 May react or be incompatible with oxidising materials.
 HS Elution Buffer May react or be incompatible with oxidising materials.
 Herculase II Fusion DNA Polymerase May react or be incompatible with oxidising materials.
 Herculase II Reaction Buffer May react or be incompatible with oxidising materials.
 100 mM dNTP Mix May react or be incompatible with oxidising materials.
 HaloPlex HS Indexing Primer A01-H02 May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products

: ClearSeq Cancer Probe HS ILM Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 RE Buffer Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 BSA Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 Enzyme Strip 1 Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 Enzyme Strip 2 Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 Enrichment Control DNA Hybridization Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 HS Hybridization Stop Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 10 mM rATP Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 HS Ligation Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 HS DNA Ligase Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 HS Capture Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.
 HS Wash 1 Solution Under normal conditions of storage and use, hazardous decomposition products should not be produced.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 10: Stability and reactivity

HS Wash 2 Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
100 mM dNTP Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex HS Indexing Primer A01-H02	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hybridization Solution Formamide	LC50 Inhalation Dusts and mists	Rat	>21 mg/l	4 hours
	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
HS Ligation Solution Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
HS DNA Ligase Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3, 3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	LD50 Oral	Rat	2800 mg/kg	-
HS Capture Solution Acetic acid, (ethylenedinitrilo) tetra-, disodium salt, dihydrate	LD50 Oral	Rat	2214.37 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Herculase II Reaction Buffer Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	5000 mg/kg	-

Acute toxicity estimates

Route	ATE value
HS Capture Solution Oral	5319.1 mg/kg
Dermal	11702.1 mg/kg
Inhalation (vapours)	117 mg/l

Irritation/Corrosion

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hybridization Solution Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
HS Ligation Solution Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
HS DNA Ligase Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	Eyes - Severe irritant	Rabbit	-	1 Percent	-
HS Capture Solution Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Herculase II Reaction Buffer Trometamol	Skin - Moderate irritant	Rabbit	-	25 Percent	-
	Skin - Severe irritant	Rabbit	-	500 milligrams	-

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	Category 3	Not applicable.	Respiratory tract irritation
Herculase II Reaction Buffer Trometamol	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

: ClearSeq Cancer Probe	Not available.
HS ILM	
RE Buffer	Not available.
BSA Solution	Not available.
Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enrichment Control DNA	Not available.
Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Hybridization Stop Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
10 mM rATP	Not available.
HS Ligation Solution	Not available.
HS DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Capture Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Wash 1 Solution	Not available.
HS Wash 2 Solution	Not available.
Primer 1	Not available.
Primer 2	Not available.
HS Elution Buffer	Not available.
Herculase II Fusion DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
Herculase II Reaction Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
100 mM dNTP Mix	Not available.
HaloPlex HS Indexing Primer A01-H02	Not available.

Potential acute health effects

Inhalation

: ClearSeq Cancer Probe	No known significant effects or critical hazards.
HS ILM	
RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

Ingestion	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution 10 mM rATP HS Ligation Solution HS DNA Ligase HS Capture Solution HS Wash 1 Solution HS Wash 2 Solution Primer 1 Primer 2 HS Elution Buffer Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer 100 mM dNTP Mix HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	:	ClearSeq Cancer Probe HS ILM RE Buffer BSA Solution Enzyme Strip 1 Enzyme Strip 2 Enrichment Control DNA Hybridization Solution HS Hybridization Stop Solution	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes serious eye irritation. No known significant effects or critical hazards.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	Causes serious eye irritation.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation

: ClearSeq Cancer Probe HS ILM	No specific data.
RE Buffer	No specific data.
BSA Solution	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.
Enrichment Control DNA Hybridization Solution	No specific data.
HS Hybridization Stop Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.
HS DNA Ligase	No specific data.
HS Capture Solution	No specific data.
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1	No specific data.
Primer 2	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
Herculase II Reaction Buffer	No specific data.
100 mM dNTP Mix	No specific data.
HaloPlex HS Indexing Primer A01-H02	No specific data.

Ingestion

: ClearSeq Cancer Probe HS ILM	No specific data.
RE Buffer	No specific data.
BSA Solution	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.
Enrichment Control DNA Hybridization Solution	No specific data.
HS Hybridization Stop Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS Indexing Primer A01-H02	No specific data.
Skin contact	: ClearSeq Cancer Probe	No specific data.
	HS ILM	
	RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	Enrichment Control DNA Hybridization Solution	No specific data.
		Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS Indexing Primer A01-H02	No specific data.
Eye contact	: ClearSeq Cancer Probe	No specific data.
	HS ILM	
	RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	Enrichment Control DNA Hybridization Solution	No specific data.
		Adverse symptoms may include the following: pain or irritation watering redness
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	Adverse symptoms may include the following: pain or irritation watering

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

	redness
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1	No specific data.
Primer 2	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
Herculase II Reaction Buffer	No specific data.
100 mM dNTP Mix	No specific data.
HaloPlex HS Indexing Primer A01-H02	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: ClearSeq Cancer Probe	No known significant effects or critical hazards.
	HS ILM	
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.
Carcinogenicity	: ClearSeq Cancer Probe	No known significant effects or critical hazards.
	HS ILM	
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

Mutagenicity

: ClearSeq Cancer Probe HS ILM	No known significant effects or critical hazards.
RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

Teratogenicity

: ClearSeq Cancer Probe HS ILM	No known significant effects or critical hazards.
RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
Enrichment Control DNA Hybridization Solution	May damage the unborn child.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 11: Toxicological information

	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.
Developmental effects	: ClearSeq Cancer Probe HS ILM	No known significant effects or critical hazards.
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.
Fertility effects	: ClearSeq Cancer Probe HS ILM	No known significant effects or critical hazards.
	RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS Indexing Primer A01-H02	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Hybridization Solution Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
HS Ligation Solution Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
HS DNA Ligase Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Acute EC50 210 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 10800 µg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours
	Acute LC50 8600 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 7200 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
HS Capture Solution Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 12: Ecological information

Herculase II Reaction Buffer Ammonium sulphate	Acute LC50 2.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Young	48 hours
	Acute LC50 14000 µg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 68 µg/l Fresh water	Fish - Oncorhynchus gorboscha - Alevin	96 hours
	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
	Chronic NOEC 143 µg/l Marine water	Fish - Salmo salar - Post-smolt	5 weeks
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Hybridization Solution Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Hybridization Solution Formamide	-	-	Readily
Herculase II Reaction Buffer Ammonium sulphate	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Hybridization Solution Formamide	-0.82	-	low
HS DNA Ligase Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	3.77	78.67	low
Herculase II Reaction Buffer Ammonium sulphate Trometamol	-5.1	-	low
	-1.56	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 12: Ecological information

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
Hybridization Solution Formamide	Toxic to reproduction	Candidate	ED/87/2012	6/18/2012
HS DNA Ligase Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	Substance of equivalent concern for environment	Recommended	ED/169/2012	2/10/2014

Date of issue/Date of revision : 21/05/2018

68/71

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: ClearSeq Cancer Probe HS	Not applicable.
	ILM	
	RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Restricted to professional users.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.	
Herculase II Reaction Buffer	Not applicable.	
100 mM dNTP Mix	Not applicable.	
HaloPlex HS Indexing Primer A01-H02	Not applicable.	

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

Danger criteria

Category

Herculase II Reaction Buffer
E1

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.

Canada : Not determined.

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 15: Regulatory information

China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Hybridization Solution Eye Irrit. 2, H319 Repr. 1B, H360D (Unborn child)	Calculation method Calculation method
HS Capture Solution Eye Irrit. 2, H319	Calculation method
Herculase II Reaction Buffer Aquatic Acute 1, H400	Calculation method

Full text of abbreviated H statements

Hybridization Solution H319 H360D	Causes serious eye irritation. May damage the unborn child.
HS Ligation Solution H319	Causes serious eye irritation.
HS DNA Ligase H319 H400 H410	Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
HS Capture Solution H302 H312 H315	Harmful if swallowed. Harmful in contact with skin. Causes skin irritation.

Date of issue/Date of revision : 21/05/2018

ClearSeq HS Target Enrichment Kits - ILM - 16 reactions

SECTION 16: Other information

H319 H332 H335	Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation.
Herculase II Reaction Buffer H315 H319 H335 H400 H412	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

[Full text of classifications \[CLP/GHS\]](#)

Hybridization Solution Eye Irrit. 2, H319 Repr. 1B, H360D	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 REPRODUCTIVE TOXICITY (Unborn child) - Category 1B
HS Ligation Solution Eye Irrit. 2, H319	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
HS DNA Ligase Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Eye Irrit. 2, H319	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
HS Capture Solution Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3
Herculase II Reaction Buffer Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Eye Irrit. 2, H319 Skin Irrit. 2, H315 STOT SE 3, H335	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3

Date of issue/ Date of revision : 21/05/2018

Date of previous issue : 31/05/2017

Version : 3

Note * : * HaloPlex HS Indexing Primer A01-H02: 5190-9119, 5190-9120, 5190-9121, 5190-9122, 5190-9123, 5190-9124, 5190-9125, 5190-9126, 5190-9127, 5190-9128, 5190-9129, 5190-9130, 5190-9131, 5190-9132, 5190-9133, 5190-9134

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.