

# SAFETY DATA SHEET

## FISH Hybridization Buffer and Mounting Buffer with DAPI

### Section 1. Identification

**Product identifier** : FISH Hybridization Buffer and Mounting Buffer with DAPI  
**Part no. (chemical kit)** : G9405A, G9406A  
**Part no.** : FISH Hybridization Buffer G9400-60000  
 FISH Mounting Buffer with DAPI G9404-60000

Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
 FISH Hybridization Buffer 0.1 ml  
 FISH Mounting Buffer with DAPI 0.1 ml

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
 679 Springvale Road  
 Mulgrave  
 Victoria 3170, Australia  
 1800 802 402

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(61)-290372994

### Section 2. Hazard(s) identification

Classification of the substance or mixture

**FISH Hybridization Buffer**  
 H315 SKIN CORROSION/IRRITATION - Category 2  
 H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A  
 H351 CARCINOGENICITY - Category 2  
 H360 REPRODUCTIVE TOXICITY - Category 1  
 H373 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

**FISH Mounting Buffer with DAPI**  
 H412 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3  
**FISH Hybridization Buffer** Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 65%

GHS label elements

**Hazard pictograms** : FISH Hybridization Buffer



**Signal word** : FISH Hybridization Buffer DANGER  
 FISH Mounting Buffer with DAPI No signal word.

**Hazard statements** : **FISH Hybridization Buffer**  
 H315 - Causes skin irritation.  
 H319 - Causes serious eye irritation.  
 H351 - Suspected of causing cancer.  
 H360 - May damage fertility or the unborn child.  
 H373 - May cause damage to organs through prolonged or repeated exposure.  
**FISH Mounting Buffer with DAPI**  
 H412 - Harmful to aquatic life with long lasting effects.

## Section 2. Hazard(s) identification

### Precautionary statements

<b>Prevention</b>	: FISH Hybridization Buffer	P201 - Obtain special instructions before use. P281 - Use personal protective equipment as required. P280 - Wear protective gloves. Wear eye or face protection. P260 - Do not breathe vapour. P273 - Avoid release to the environment.
	FISH Mounting Buffer with DAPI	
<b>Response</b>	: FISH Hybridization Buffer	P308 + P313 - IF exposed or concerned: Get medical advice or attention. Not applicable.
	FISH Mounting Buffer with DAPI	
<b>Storage</b>	: FISH Hybridization Buffer	Not applicable.
	FISH Mounting Buffer with DAPI	Not applicable.
<b>Disposal</b>	: FISH Hybridization Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	FISH Mounting Buffer with DAPI	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Supplemental label elements</b>		
<b>Additional warning phrases</b>	: FISH Hybridization Buffer	Not applicable.
	FISH Mounting Buffer with DAPI	Not applicable.
<b>Other hazards which do not result in classification</b>	: FISH Hybridization Buffer	None known.
	FISH Mounting Buffer with DAPI	None known.

## Section 3. Composition and ingredient information

<b>Substance/mixture</b>	: FISH Hybridization Buffer	Mixture
	FISH Mounting Buffer with DAPI	Mixture

### CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
<b>FISH Hybridization Buffer</b>		
Formamide	≥30 - ≤60	75-12-7
Dextran sulfate sodium	≥10 - <20	9011-18-1
<b>FISH Mounting Buffer with DAPI</b>		
Glycerol	≥90	56-81-5
p-Phenylenediamine	<0.25	106-50-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: FISH Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	FISH Mounting Buffer with DAPI	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
<b>Inhalation</b>	: FISH Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	FISH Mounting Buffer with DAPI	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Skin contact</b>	: FISH Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	FISH Mounting Buffer with DAPI	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	: FISH Hybridization Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	FISH Mounting Buffer with DAPI	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a

## Section 4. First aid measures

position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Causes serious eye irritation. No known significant effects or critical hazards.
<b>Inhalation</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Causes skin irritation. No known significant effects or critical hazards.
<b>Ingestion</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: pain or irritation watering redness No specific data.
<b>Inhalation</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations No specific data.
<b>Skin contact</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: irritation redness reduced foetal weight increase in foetal deaths skeletal malformations No specific data.
<b>Ingestion</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

## Section 4. First aid measures

<b>Notes to physician</b>	: FISH Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	FISH Mounting Buffer with DAPI	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No specific treatment. No specific treatment.
<b>Protection of first-aiders</b>	: FISH Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	FISH Mounting Buffer with DAPI	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	: FISH Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
	FISH Mounting Buffer with DAPI	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	None known. None known.
<b>Specific hazards arising from the chemical</b>	: FISH Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	FISH Mounting Buffer with DAPI	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<b>Hazardous thermal decomposition products</b>	: FISH Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds metal oxide/oxides
	FISH Mounting Buffer with DAPI	Decomposition products may include the following materials: carbon dioxide carbon monoxide

## Section 5. Firefighting measures

<b>Special protective actions for fire-fighters</b>	: FISH Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	FISH Mounting Buffer with DAPI	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: FISH Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	FISH Mounting Buffer with DAPI	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: FISH Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	FISH Mounting Buffer with DAPI	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: FISH Hybridization Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	FISH Mounting Buffer with DAPI	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b>	: FISH Hybridization Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	FISH Mounting Buffer with DAPI	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### Methods and material for containment and cleaning up

## Section 6. Accidental release measures

<b>Methods for cleaning up</b>	: FISH Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	FISH Mounting Buffer with DAPI	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b>	: FISH Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	FISH Mounting Buffer with DAPI	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	: FISH Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	FISH Mounting Buffer with DAPI	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

<b>Conditions for safe storage, including any incompatibilities</b>	: FISH Hybridization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
---	-----------------------------	--

## Section 7. Handling and storage

FISH Mounting Buffer with DAPI

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

### Control parameters

### Occupational exposure limits

Ingredient name	Exposure limits
<b>FISH Hybridization Buffer</b> Formamide	<b>Safe Work Australia (Australia, 12/2019).            Absorbed through skin.</b> TWA: 18 mg/m <sup>3</sup> 8 hours. TWA: 10 ppm 8 hours.
<b>FISH Mounting Buffer with DAPI</b> Glycerol  p-Phenylenediamine	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours. <b>Safe Work Australia (Australia, 12/2019).            Skin sensitiser.</b> TWA: 0.1 mg/m <sup>3</sup> 8 hours.

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## Section 8. Exposure controls and personal protection

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Liquid. Liquid.
<b>Colour</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Odour</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Odour threshold</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>pH</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. 7.5 to 8
<b>Melting point</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Boiling point</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Flash point</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Evaporation rate</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Flammability (solid, gas)</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not applicable. Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Vapour pressure</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Vapour density</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Relative density</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Solubility</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Easily soluble in the following materials: cold water and hot water.  Easily soluble in the following materials: cold water and hot water.

## Section 9. Physical and chemical properties

<b>Partition coefficient: n-octanol/water</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Auto-ignition temperature</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Decomposition temperature</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.
<b>Viscosity</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Not available. Not available.

## Section 10. Stability and reactivity

<b>Reactivity</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No specific test data related to reactivity available for this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	The product is stable. The product is stable.
<b>Possibility of hazardous reactions</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No specific data. No specific data.
<b>Incompatible materials</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>Hazardous decomposition products</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>FISH Hybridization Buffer</b> Formamide	LC50 Inhalation Dusts and mists	Rat - Male	>21 mg/l	4 hours
	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
	LD50 Oral	Rat	20600 mg/kg	-
<b>FISH Mounting Buffer with DAPI</b> Glycerol p-Phenylenediamine	LD50 Oral	Rat	12600 mg/kg	-
	LC50 Inhalation Dusts and mists	Rat	920 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	80 mg/kg	-

## Section 11. Toxicological information

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
FISH Hybridization Buffer Formamide	Eyes - Severe irritant	Rabbit	-	100 mg	-
FISH Mounting Buffer with DAPI Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
p-Phenylenediamine	Skin - Mild irritant	Mouse	-	24 hours 250 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 12500 ug	-
	Skin - Moderate irritant	Rabbit	-	24 hours 250 mg	-
	Skin - Moderate irritant	Man	-	1 %	-

### Sensitisation

Not available.

### Conclusion/Summary

**Skin** : May cause skin sensitisation.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
FISH Hybridization Buffer Dextran sulfate sodium	Category 3	-	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
FISH Hybridization Buffer Formamide	Category 2	-	-

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : FISH Hybridization Buffer Routes of entry anticipated: Oral, Dermal, Inhalation.  
FISH Mounting Buffer with DAPI Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Eye contact** : FISH Hybridization Buffer Causes serious eye irritation.  
FISH Mounting Buffer with DAPI No known significant effects or critical hazards.

**Inhalation** : FISH Hybridization Buffer No known significant effects or critical hazards.  
FISH Mounting Buffer with DAPI No known significant effects or critical hazards.

## Section 11. Toxicological information

<b>Skin contact</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	Causes skin irritation. No known significant effects or critical hazards.
<b>Ingestion</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No known significant effects or critical hazards. No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: pain or irritation watering redness No specific data.
<b>Inhalation</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations No specific data.
<b>Skin contact</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: irritation redness reduced foetal weight increase in foetal deaths skeletal malformations No specific data.
<b>Ingestion</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

<b>Potential immediate effects</b>	: Not available.
<b>Potential delayed effects</b>	: Not available.

#### Long term exposure

<b>Potential immediate effects</b>	: Not available.
<b>Potential delayed effects</b>	: Not available.

#### Potential chronic health effects

<b>General</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	May cause damage to organs through prolonged or repeated exposure. No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: FISH Hybridization Buffer  FISH Mounting Buffer with DAPI	Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. No known significant effects or critical hazards.
<b>Mutagenicity</b>	: FISH Hybridization Buffer FISH Mounting Buffer with DAPI	No known significant effects or critical hazards. No known significant effects or critical hazards.

## Section 11. Toxicological information

**Reproductive toxicity** : FISH Hybridization Buffer May damage fertility or the unborn child.  
 FISH Mounting Buffer with DAPI No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>FISH Hybridization Buffer</b> Formamide Dextran sulfate sodium	4000 20600	17000 N/A	N/A N/A	N/A N/A	N/A N/A
<b>FISH Mounting Buffer with DAPI</b> Glycerol p-Phenylenediamine	12600 80	N/A 300	N/A N/A	N/A N/A	N/A 0.92

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
<b>FISH Mounting Buffer with DAPI</b> Glycerol p-Phenylenediamine	Acute LC50 54000 mg/l Fresh water Acute LC50 3.9 mg/l Fresh water Chronic NOEC 0.00501 mg/l Fresh water	Fish - Oncorhynchus mykiss Fish - Oncorhynchus mykiss Daphnia - Daphnia magna	96 hours 96 hours 21 days

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>FISH Hybridization Buffer</b> Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
<b>FISH Mounting Buffer with DAPI</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>FISH Hybridization Buffer</b> Formamide	-	-	Readily
<b>FISH Mounting Buffer with DAPI</b> p-Phenylenediamine	-	-	Not readily

### Bioaccumulative potential

## Section 12. Ecological information

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>FISH Hybridization Buffer</b> Formamide	-0.82	-	low
<b>FISH Mounting Buffer with DAPI</b> Glycerol	-1.76	-	low
p-Phenylenediamine	-0.839	-	low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**ADG / IMDG / IATA** : Not regulated as Dangerous Goods according to the ADG Code .

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Standard for the Uniform Scheduling of Medicines and Poisons

6, 5

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

## Section 15. Regulatory information

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : Not determined.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: Not determined.
<b>Viet Nam</b>	: Not determined.

## Section 16. Any other relevant information

### History

<b>Date of issue/Date of revision</b>	: 22/02/2021
<b>Date of previous issue</b>	: 13/03/2019
<b>Version</b>	: 5

### Key to abbreviations

: ADG = Australian Dangerous Goods
: ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: SUSMP = Standard Uniform Schedule of Medicine and Poisons
: UN = United Nations

### Procedure used to derive the classification

Classification	Justification
<b>FISH Hybridization Buffer</b> SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 REPRODUCTIVE TOXICITY - Category 1 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2	Calculation method Calculation method Calculation method Calculation method Calculation method
<b>FISH Mounting Buffer with DAPI</b> LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3	Calculation method

**References** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

## Section 16. Any other relevant information

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.