

# SAFETY DATA SHEET



APCI Chemical Kit, Part Number G1947-60600

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : APCI Chemical Kit, Part Number G1947-60600  
**Part no. (chemical kit)** : G1947-60600  
**Part no.** : APCI/APPI Tuning mix G2432A, G2432-60001  
ES/APCI Positive Ion G1946-85004  
Performance Standard

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Reagents and Standards for Analytical Chemistry Laboratory Use  
APCI/APPI Tuning mix A 100 mL. container (For R&D Use Only)  
ES/APCI Positive Ion Performance 5 x 1 ml ampoule  
Standard

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : APCI/APPI Tuning mix Mixture  
ES/APCI Positive Ion Mixture  
Performance Standard

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

##### APCI/APPI Tuning mix

H225 FLAMMABLE LIQUIDS - Category 2  
H302 ACUTE TOXICITY (oral) - Category 4  
H311 ACUTE TOXICITY (dermal) - Category 3  
H331 ACUTE TOXICITY (inhalation) - Category 3  
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2  
H351 CARCINOGENICITY - Category 2  
H370 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1  
H373 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2

##### ES/APCI Positive Ion

##### Performance Standard

H225 FLAMMABLE LIQUIDS - Category 2  
H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2  
H336 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Narcotic effects) - Category 3

**Date of issue/Date of revision** : 12/02/2018

1/22

APCI Chemical Kit, Part Number G1947-60600

## SECTION 2: Hazards identification

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Hazard pictograms** : APCI/APPI Tuning mix



ES/APCI Positive Ion  
Performance Standard



**Signal word** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

Danger  
Danger

**Hazard statements** : APCI/APPI Tuning mix

H225 - Highly flammable liquid and vapour.  
H311 + H331 - Toxic in contact with skin or if inhaled.  
H302 - Harmful if swallowed.  
H319 - Causes serious eye irritation.  
H351 - Suspected of causing cancer.  
H370 - Causes damage to organs.  
H373 - May cause damage to organs through prolonged or repeated exposure.

ES/APCI Positive Ion  
Performance Standard

H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation.  
H336 - May cause drowsiness or dizziness.

### Precautionary statements

**Prevention** : APCI/APPI Tuning mix

P201 - Obtain special instructions before use.  
P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P260 - Do not breathe vapour.

ES/APCI Positive Ion  
Performance Standard

P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

**Response** : APCI/APPI Tuning mix

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

ES/APCI Positive Ion  
Performance Standard

**Storage** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

P405 - Store locked up.  
P405 - Store locked up.

**Disposal** : APCI/APPI Tuning mix

P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.  
P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.

ES/APCI Positive Ion  
Performance Standard

APCI Chemical Kit, Part Number G1947-60600

## SECTION 2: Hazards identification

|                                                                                                                                           |                                                                     |                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|---------------------------------------------------------------------|
| <b>Hazardous ingredients</b>                                                                                                              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | - acetonitrile<br>- methanol<br>- trichloromethane<br>- propan-2-ol |
| <b>Supplemental label elements</b>                                                                                                        | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Not applicable.<br>Not applicable.                                  |
| <b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | For use in industrial installations only.<br>Not applicable.        |
| <b>Special packaging requirements</b>                                                                                                     |                                                                     |                                                                     |
| <b>Tactile warning of danger</b>                                                                                                          | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Not applicable.<br>Not applicable.                                  |

### 2.3 Other hazards

|                                                            |                                                                     |                            |
|------------------------------------------------------------|---------------------------------------------------------------------|----------------------------|
| <b>Other hazards which do not result in classification</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | None known.<br>None known. |
|------------------------------------------------------------|---------------------------------------------------------------------|----------------------------|

## SECTION 3: Composition/information on ingredients

|                       |                                                                     |                    |
|-----------------------|---------------------------------------------------------------------|--------------------|
| <b>3.1 Substances</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Mixture<br>Mixture |
|-----------------------|---------------------------------------------------------------------|--------------------|

| Product/ingredient name                                  | Identifiers                                          | %         | Regulation (EC) No. 1272/2008 [CLP]                                                                                                                        | Type    |
|----------------------------------------------------------|------------------------------------------------------|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| APCI/APPI Tuning mix<br>Acetonitrile                     | EC: 200-835-2<br>CAS: 75-05-8<br>Index: 608-001-00-3 | ≥50 - ≤75 | Flam. Liq. 2, H225<br>Acute Tox. 4, H302<br>Acute Tox. 4, H312<br>Acute Tox. 4, H332<br>Eye Irrit. 2, H319                                                 | [1] [2] |
| Methanol                                                 | EC: 200-659-6<br>CAS: 67-56-1<br>Index: 603-001-00-X | ≥10 - ≤16 | Flam. Liq. 2, H225<br>Acute Tox. 3, H301<br>Acute Tox. 3, H311<br>Acute Tox. 3, H331<br>STOT SE 1, H370                                                    | [1] [2] |
| Acetone                                                  | EC: 200-662-2<br>CAS: 67-64-1<br>Index: 606-001-00-8 | ≤5        | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336<br>EUH066                                                                                      | [1] [2] |
| Trichloromethane                                         | EC: 200-663-8<br>CAS: 67-66-3<br>Index: 602-006-00-4 | ≤1.9      | Acute Tox. 4, H302<br>Acute Tox. 3, H331<br>Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>Carc. 2, H351<br>Repr. 2, H361d (Unborn child)<br>STOT RE 1, H372 | [1] [2] |
| ES/APCI Positive Ion Performance Standard<br>Propan-2-ol | EC: 200-661-7<br>CAS: 67-63-0<br>Index: 603-117-00-0 | ≥50 - ≤75 | Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                                                                                                | [1] [2] |

**Date of issue/Date of revision** : 12/02/2018

APCI Chemical Kit, Part Number G1947-60600

### SECTION 3: Composition/information on ingredients

See Section 16 for the full text of the H statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

|                     |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : APCI/APPI Tuning mix                    | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|                     | ES/APCI Positive Ion Performance Standard | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Inhalation</b>   | : APCI/APPI Tuning mix                    | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                     | ES/APCI Positive Ion Performance Standard | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.                                                                                                                                                                     |
| <b>Skin contact</b> | : APCI/APPI Tuning mix                    | Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. If necessary, call a poison center or physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|                     | ES/APCI Positive Ion Performance Standard | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 4: First aid measures

**Ingestion** : APCI/APPI Tuning mix

symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

ES/APCI Positive Ion  
Performance Standard

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. If necessary, call a poison center or physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

**Protection of first-aiders** : APCI/APPI Tuning mix

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

ES/APCI Positive Ion  
Performance Standard

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

Causes serious eye irritation.  
Causes serious eye irritation.

**Inhalation** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

Toxic if inhaled.  
Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.

**Skin contact** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

Toxic in contact with skin.  
No known significant effects or critical hazards.

**Ingestion** : APCI/APPI Tuning mix  
ES/APCI Positive Ion  
Performance Standard

Harmful if swallowed.  
Can cause central nervous system (CNS) depression.

#### Over-exposure signs/symptoms

**Date of issue/Date of revision** : 12/02/2018

5/22

APCI Chemical Kit, Part Number G1947-60600

## SECTION 4: First aid measures

|                     |                                                                     |                                                                                                                                                                                      |
|---------------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>  | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Adverse symptoms may include the following:<br>pain or irritation<br>watering<br>redness<br>Adverse symptoms may include the following:<br>pain or irritation<br>watering<br>redness |
| <b>Inhalation</b>   | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | No specific data.<br>Adverse symptoms may include the following:<br>nausea or vomiting<br>headache<br>drowsiness/fatigue<br>dizziness/vertigo<br>unconsciousness                     |
| <b>Skin contact</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | No specific data.<br>No specific data.                                                                                                                                               |
| <b>Ingestion</b>    | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | No specific data.<br>No specific data.                                                                                                                                               |

### 4.3 Indication of any immediate medical attention and special treatment needed

|                            |                                                                     |                                                                                                                                                                                                                                                                                                  |
|----------------------------|---------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to physician</b>  | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.<br>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| <b>Specific treatments</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | No specific treatment.<br>No specific treatment.                                                                                                                                                                                                                                                 |

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

|                                       |                                                                     |                                                                                                                                  |
|---------------------------------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam.<br>Use dry chemical, CO <sub>2</sub> , water spray (fog) or foam. |
| <b>Unsuitable extinguishing media</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Do not use water jet.<br>Do not use water jet.                                                                                   |

### 5.2 Special hazards arising from the substance or mixture

|                                              |                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazards from the substance or mixture</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion Performance Standard | Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapour/gas is heavier than air and will spread along the ground. Vapours may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back.<br>Highly flammable liquid and vapour. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. |
|----------------------------------------------|---------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

APCI Chemical Kit, Part Number G1947-60600

## SECTION 5: Firefighting measures

|                                      |                                           |                                                                                                                                                                                               |
|--------------------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Hazardous combustion products</b> | : APCI/APPI Tuning mix                    | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>carbonyl halides<br>cyanides<br>Formaldehyde. |
|                                      | ES/APCI Positive Ion Performance Standard | Decomposition products may include the following materials:<br><br>carbon dioxide<br>carbon monoxide                                                                                          |

### 5.3 Advice for firefighters

|                                              |                                           |                                                                                                                                                                                                                                                                                                                    |
|----------------------------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special precautions for fire-fighters</b> | : APCI/APPI Tuning mix                    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
|                                              | ES/APCI Positive Ion Performance Standard | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |

|                                                       |                                           |                                                                                                                                                                                                                                                                                                                                                         |
|-------------------------------------------------------|-------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special protective equipment for fire-fighters</b> | : APCI/APPI Tuning mix                    | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
|                                                       | ES/APCI Positive Ion Performance Standard | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

|                                    |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------------------------------|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>For non-emergency personnel</b> | : APCI/APPI Tuning mix                    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.  |
|                                    | ES/APCI Positive Ion Performance Standard | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 6: Accidental release measures

|                                                                 |                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                    |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>For emergency responders</b>                                 | : APCI/APPI Tuning mix                                                                                                                                                                          | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".                                                                                                                                          |
|                                                                 | ES/APCI Positive Ion Performance Standard                                                                                                                                                       | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".                                                                                                                                          |
| <b>6.2 Environmental precautions</b>                            | : APCI/APPI Tuning mix                                                                                                                                                                          | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).                                                                                                                              |
|                                                                 | ES/APCI Positive Ion Performance Standard                                                                                                                                                       | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).                                                                                                                              |
| <b>6.3 Methods and material for containment and cleaning up</b> |                                                                                                                                                                                                 |                                                                                                                                                                                                                                                                                                                                                    |
| <b>Methods for cleaning up</b>                                  | : APCI/APPI Tuning mix                                                                                                                                                                          | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                                                 | ES/APCI Positive Ion Performance Standard                                                                                                                                                       | Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| <b>6.4 Reference to other sections</b>                          | : See Section 1 for emergency contact information.<br>See Section 8 for information on appropriate personal protective equipment.<br>See Section 13 for additional waste treatment information. |                                                                                                                                                                                                                                                                                                                                                    |

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

|                            |                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------------------|-------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Protective measures</b> | : APCI/APPI Tuning mix                    | Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|                            | ES/APCI Positive Ion Performance Standard | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |



APCI Chemical Kit, Part Number G1947-60600

## SECTION 7: Handling and storage

### Advice on general occupational hygiene

: APCI/APPI Tuning mix

ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.

ES/APCI Positive Ion Performance Standard

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage

: APCI/APPI Tuning mix

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

ES/APCI Positive Ion Performance Standard

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Seveso Directive - Reporting thresholds (in tonnes)

#### Danger criteria

APCI Chemical Kit, Part Number G1947-60600

## SECTION 7: Handling and storage

| Category                                         | Notification and MAPP threshold | Safety report threshold |
|--------------------------------------------------|---------------------------------|-------------------------|
| <b>APCI/APPI Tuning mix</b>                      |                                 |                         |
| H2                                               | 50                              | 200                     |
| H3                                               | 50                              | 200                     |
| P5c                                              | 5000                            | 50000                   |
| <b>ES/APCI Positive Ion Performance Standard</b> |                                 |                         |
| P5c                                              | 5000                            | 50000                   |

### 7.3 Specific end use(s)

|                                             |                                                                        |                                                                                                            |
|---------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>Recommendations</b>                      | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Industrial applications, Professional applications.<br>Industrial applications, Professional applications. |
| <b>Industrial sector specific solutions</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not applicable.<br>Not applicable.                                                                         |

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

| Product/ingredient name                                         | Exposure limit values                                                                                                                                                                                                |
|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>APCI/APPI Tuning mix</b><br>Acetonitrile                     | <b>EH40/2005 WELs (United Kingdom (UK), 12/2011).</b><br>STEL: 102 mg/m <sup>3</sup> 15 minutes.<br>STEL: 60 ppm 15 minutes.<br>TWA: 40 ppm 8 hours.<br>TWA: 68 mg/m <sup>3</sup> 8 hours.                           |
| Methanol                                                        | <b>EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin.</b><br>STEL: 333 mg/m <sup>3</sup> 15 minutes.<br>STEL: 250 ppm 15 minutes.<br>TWA: 266 mg/m <sup>3</sup> 8 hours.<br>TWA: 200 ppm 8 hours. |
| Acetone                                                         | <b>EH40/2005 WELs (United Kingdom (UK), 12/2011).</b><br>STEL: 3620 mg/m <sup>3</sup> 15 minutes.<br>STEL: 1500 ppm 15 minutes.<br>TWA: 500 ppm 8 hours.<br>TWA: 1210 mg/m <sup>3</sup> 8 hours.                     |
| Trichloromethane                                                | <b>EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin.</b><br>TWA: 2 ppm 8 hours.<br>TWA: 9.9 mg/m <sup>3</sup> 8 hours.                                                                           |
| <b>ES/APCI Positive Ion Performance Standard</b><br>Propan-2-ol | <b>EH40/2005 WELs (United Kingdom (UK), 12/2011).</b><br>STEL: 1250 mg/m <sup>3</sup> 15 minutes.<br>STEL: 500 ppm 15 minutes.<br>TWA: 999 mg/m <sup>3</sup> 8 hours.<br>TWA: 400 ppm 8 hours.                       |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 8: Exposure controls/personal protection

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

### DNELs/DMELs

No DNELs/DMELs available.

### PNECs

No PNECs available

## 8.2 Exposure controls

**Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

APCI Chemical Kit, Part Number G1947-60600

## SECTION 8: Exposure controls/personal protection

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

|                                                     |                                                                        |                                                                                                                                       |
|-----------------------------------------------------|------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| <b>Physical state</b>                               | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Liquid.<br>Liquid.                                                                                                                    |
| <b>Colour</b>                                       | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Ether. [Light]<br>Colourless.                                                                                                         |
| <b>Odour</b>                                        | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available.                                                                                                      |
| <b>Odour threshold</b>                              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 70 ppm<br>Not available.                                                                                                              |
| <b>pH</b>                                           | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available.                                                                                                      |
| <b>Melting point/freezing point</b>                 | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | -45°C<br>Not available.                                                                                                               |
| <b>Initial boiling point and boiling range</b>      | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 81.6°C<br>Not available.                                                                                                              |
| <b>Flash point</b>                                  | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Closed cup: 12.8°C<br>Closed cup: -18 to 23°C                                                                                         |
| <b>Evaporation rate</b>                             | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 5.79 (butyl acetate = 1)<br>Not available.                                                                                            |
| <b>Flammability (solid, gas)</b>                    | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not applicable.<br>Not applicable.                                                                                                    |
| <b>Upper/lower flammability or explosive limits</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Lower: 4.4%<br>Upper: 16%<br>Not available.                                                                                           |
| <b>Vapour pressure</b>                              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 11.6 kPa [room temperature]<br>Not available.                                                                                         |
| <b>Vapour density</b>                               | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 1.42 [Air = 1]<br>Not available.                                                                                                      |
| <b>Relative density</b>                             | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available.                                                                                                      |
| <b>Solubility(ies)</b>                              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Easily soluble in the following materials: cold water and hot water.<br>Soluble in the following materials: cold water and hot water. |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 9: Physical and chemical properties

|                                               |                                                                        |                                  |
|-----------------------------------------------|------------------------------------------------------------------------|----------------------------------|
| <b>Partition coefficient: n-octanol/water</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | -0.34<br>Not available.          |
| <b>Auto-ignition temperature</b>              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | 524°C<br>Not available.          |
| <b>Decomposition temperature</b>              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available. |
| <b>Viscosity</b>                              | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available. |
| <b>Explosive properties</b>                   | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available. |
| <b>Oxidising properties</b>                   | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Not available.<br>Not available. |

### 9.2 Other information

No additional information.

## SECTION 10: Stability and reactivity

|                                                |                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>10.1 Reactivity</b>                         | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | No specific test data related to reactivity available for this product or its ingredients.<br>No specific test data related to reactivity available for this product or its ingredients.                                                                                                                                                                                                                       |
| <b>10.2 Chemical stability</b>                 | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | The product is stable.<br>The product is stable.                                                                                                                                                                                                                                                                                                                                                               |
| <b>10.3 Possibility of hazardous reactions</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Under normal conditions of storage and use, hazardous reactions will not occur.<br>Under normal conditions of storage and use, hazardous reactions will not occur.                                                                                                                                                                                                                                             |
| <b>10.4 Conditions to avoid</b>                | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapour to accumulate in low or confined areas.<br>Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. |
| <b>10.5 Incompatible materials</b>             | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Reactive or incompatible with the following materials:<br>oxidizing materials<br>Reactive or incompatible with the following materials:<br>oxidizing materials                                                                                                                                                                                                                                                 |
| <b>10.6 Hazardous decomposition products</b>   | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard | Under normal conditions of storage and use, hazardous decomposition products should not be produced.<br>Under normal conditions of storage and use, hazardous decomposition products should not be produced.                                                                                                                                                                                                   |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                                         | Result                 | Species | Dose                    | Exposure |
|-----------------------------------------------------------------|------------------------|---------|-------------------------|----------|
| <b>APCI/APPI Tuning mix</b><br>Acetonitrile                     | LC50 Inhalation Vapour | Rat     | 17100 ppm               | 4 hours  |
|                                                                 | LD50 Oral              | Rat     | 2460 mg/kg              | -        |
| Methanol                                                        | LC50 Inhalation Vapour | Rat     | 145000 ppm              | 1 hours  |
|                                                                 | LC50 Inhalation Vapour | Rat     | 64000 ppm               | 4 hours  |
|                                                                 | LD50 Dermal            | Rabbit  | 15800 mg/kg             | -        |
|                                                                 | LD50 Oral              | Rat     | 5600 mg/kg              | -        |
| Acetone                                                         | LD50 Oral              | Rat     | 5800 mg/kg              | -        |
| Trichloromethane                                                | LC50 Inhalation Vapour | Rat     | 47702 mg/m <sup>3</sup> | 4 hours  |
|                                                                 | LD50 Dermal            | Rabbit  | >20 g/kg                | -        |
|                                                                 | LD50 Oral              | Rat     | 300 mg/kg               | -        |
| <b>ES/APCI Positive Ion Performance Standard</b><br>Propan-2-ol | LD50 Dermal            | Rabbit  | 12800 mg/kg             | -        |
|                                                                 | LD50 Oral              | Rat     | 5000 mg/kg              | -        |

#### Acute toxicity estimates

| Route                               | ATE value   |
|-------------------------------------|-------------|
| <b>APCI/APPI Tuning mix</b><br>Oral | 331.6 mg/kg |
| Dermal                              | 852.7 mg/kg |
| Inhalation (vapours)                | 8.112 mg/l  |

#### Irritation/Corrosion

| Product/ingredient name                                         | Result                                               | Species          | Score  | Exposure                                | Observation |
|-----------------------------------------------------------------|------------------------------------------------------|------------------|--------|-----------------------------------------|-------------|
| <b>APCI/APPI Tuning mix</b><br>Acetonitrile                     | Eyes - Moderate irritant                             | Rabbit           | -      | 24 hours 100 microliters                | -           |
|                                                                 | Skin - Mild irritant                                 | Rabbit           | -      | 500 milligrams                          | -           |
| Methanol                                                        | Eyes - Moderate irritant                             | Rabbit           | -      | 24 hours 100 milligrams                 | -           |
|                                                                 | Eyes - Moderate irritant<br>Skin - Moderate irritant | Rabbit<br>Rabbit | -<br>- | 40 milligrams<br>24 hours 20 milligrams | -<br>-      |
| Acetone                                                         | Eyes - Mild irritant                                 | Rabbit           | -      | 10 microliters                          | -           |
|                                                                 | Eyes - Moderate irritant                             | Rabbit           | -      | 24 hours 20 milligrams                  | -           |
|                                                                 | Skin - Mild irritant                                 | Rabbit           | -      | 24 hours 500 milligrams                 | -           |
|                                                                 | Skin - Mild irritant                                 | Rabbit           | -      | 395 milligrams                          | -           |
| Trichloromethane                                                | Eyes - Moderate irritant                             | Rabbit           | -      | 24 hours 20 milligrams                  | -           |
|                                                                 | Skin - Mild irritant                                 | Rabbit           | -      | 24 hours 500 milligrams                 | -           |
| <b>ES/APCI Positive Ion Performance Standard</b><br>Propan-2-ol | Eyes - Moderate irritant                             | Rabbit           | -      | 24 hours 100 milligrams                 | -           |
|                                                                 | Eyes - Moderate irritant<br>Skin - Mild irritant     | Rabbit<br>Rabbit | -<br>- | 10 milligrams<br>500 milligrams         | -<br>-      |

APCI Chemical Kit, Part Number G1947-60600

## SECTION 11: Toxicological information

### Sensitiser

**Conclusion/Summary** : Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

| Product/ingredient name                                         | Category                 | Route of exposure                 | Target organs                      |
|-----------------------------------------------------------------|--------------------------|-----------------------------------|------------------------------------|
| <b>APCI/APPI Tuning mix</b><br>Methanol<br>Acetone              | Category 1<br>Category 3 | Not determined<br>Not applicable. | Not determined<br>Narcotic effects |
| <b>ES/APCI Positive Ion Performance Standard</b><br>Propan-2-ol | Category 3               | Not applicable.                   | Narcotic effects                   |

### Specific target organ toxicity (repeated exposure)

| Product/ingredient name                         | Category   | Route of exposure | Target organs  |
|-------------------------------------------------|------------|-------------------|----------------|
| <b>APCI/APPI Tuning mix</b><br>Trichloromethane | Category 1 | Not determined    | Not determined |

### Aspiration hazard

Not available.

**Information on likely routes of exposure** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 Routes of entry anticipated: Oral, Dermal, Inhalation.  
 Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Inhalation** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 Toxic if inhaled.  
 Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.

**Ingestion** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 Harmful if swallowed.  
 Can cause central nervous system (CNS) depression.

**Skin contact** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 Toxic in contact with skin.  
 No known significant effects or critical hazards.

**Eye contact** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 Causes serious eye irritation.  
 Causes serious eye irritation.

### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation** : APCI/APPI Tuning mix ES/APCI Positive Ion Performance Standard  
 No specific data.  
 Adverse symptoms may include the following:  
 nausea or vomiting  
 headache  
 drowsiness/fatigue  
 dizziness/vertigo  
 unconsciousness

APCI Chemical Kit, Part Number G1947-60600

## SECTION 11: Toxicological information

|                     |                                                                            |                                                                                                                                                                                          |
|---------------------|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Ingestion</b>    | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No specific data.<br>No specific data.                                                                                                                                                   |
| <b>Skin contact</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No specific data.<br>No specific data.                                                                                                                                                   |
| <b>Eye contact</b>  | : APCI/APPI Tuning mix<br><br>ES/APCI Positive Ion<br>Performance Standard | Adverse symptoms may include the following:<br>pain or irritation<br>watering<br>redness<br>Adverse symptoms may include the following:<br><br>pain or irritation<br>watering<br>redness |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

|                              |                                                                            |                                                                                                                                                                                                                                                                                                                           |
|------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General</b>               | : APCI/APPI Tuning mix<br><br>ES/APCI Positive Ion<br>Performance Standard | May cause damage to organs through prolonged or repeated exposure.<br>No known significant effects or critical hazards.                                                                                                                                                                                                   |
| <b>Carcinogenicity</b>       | : APCI/APPI Tuning mix<br><br>ES/APCI Positive Ion<br>Performance Standard | Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.<br>No known significant effects or critical hazards.                                                                                                                                                                               |
| <b>Mutagenicity</b>          | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.                                                                                                                                                                                                                    |
| <b>Teratogenicity</b>        | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.                                                                                                                                                                                                                    |
| <b>Developmental effects</b> | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.                                                                                                                                                                                                                    |
| <b>Fertility effects</b>     | : APCI/APPI Tuning mix<br>ES/APCI Positive Ion<br>Performance Standard     | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.                                                                                                                                                                                                                    |
| <b>Other information</b>     | : APCI/APPI Tuning mix<br><br>ES/APCI Positive Ion<br>Performance Standard | Adverse symptoms may include the following: headache ,<br>redness , blurred or double vision . Eye contact can result in<br>corneal damage or blindness. Repeated exposure may<br>cause skin dryness or cracking.<br>Adverse symptoms may include the following: Repeated<br>exposure may cause skin dryness or cracking. |



APCI Chemical Kit, Part Number G1947-60600

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/ingredient name                                  | Result                                | Species                                                      | Exposure                              |          |
|----------------------------------------------------------|---------------------------------------|--------------------------------------------------------------|---------------------------------------|----------|
| APCI/APPI Tuning mix<br>Acetonitrile                     | Acute IC50 3685000 µg/l Fresh water   | Aquatic plants - Lemna minor                                 | 96 hours                              |          |
|                                                          | Acute LC50 3600000 µg/l Fresh water   | Daphnia - Daphnia magna                                      | 48 hours                              |          |
|                                                          | Acute LC50 1000000 µg/l Fresh water   | Fish - Pimephales promelas                                   | 96 hours                              |          |
|                                                          | Chronic NOEC 1000000 µg/l Fresh water | Aquatic plants - Lemna minor                                 | 96 hours                              |          |
|                                                          | Chronic NOEC 160000 µg/l Fresh water  | Daphnia - Daphnia magna                                      | 21 days                               |          |
|                                                          | Methanol                              | Acute LC50 2500000 µg/l Marine water                         | Crustaceans - Crangon crangon - Adult | 48 hours |
|                                                          |                                       | Acute LC50 3289 mg/l Fresh water                             | Daphnia - Daphnia magna - Neonate     | 48 hours |
|                                                          | Acetone                               | Acute LC50 290 mg/l Fresh water                              | Fish - Danio rerio - Egg              | 96 hours |
|                                                          |                                       | Chronic NOEC 9.96 mg/l Marine water                          | Algae - Ulva pertusa                  | 96 hours |
|                                                          |                                       | Acute EC50 20.565 mg/l Marine water                          | Algae - Ulva pertusa                  | 96 hours |
|                                                          |                                       | Acute LC50 6000000 µg/l Fresh water                          | Crustaceans - Gammarus pulex          | 48 hours |
|                                                          |                                       | Acute LC50 10000 µg/l Fresh water                            | Daphnia - Daphnia magna               | 48 hours |
| Acute LC50 5600 ppm Fresh water                          |                                       | Fish - Poecilia reticulata                                   | 96 hours                              |          |
| Chronic NOEC 4.95 mg/l Marine water                      |                                       | Algae - Ulva pertusa                                         | 96 hours                              |          |
| Chronic NOEC 0.016 ml/L Fresh water                      |                                       | Crustaceans - Daphniidae                                     | 21 days                               |          |
| Chronic NOEC 0.1 ml/L Fresh water                        |                                       | Daphnia - Daphnia magna - Neonate                            | 21 days                               |          |
| Trichloromethane                                         |                                       | Chronic NOEC 0.1 mg/l Fresh water                            | Fish - Fundulus heteroclitus          | 4 weeks  |
|                                                          | Acute EC50 13.3 mg/l Fresh water      | Algae - Chlamydomonas reinhardtii - Exponential growth phase | 72 hours                              |          |
|                                                          | Acute EC50 2.803 mg/l Fresh water     | Crustaceans - Cypris subglobosa                              | 48 hours                              |          |
|                                                          | Acute LC50 29000 µg/l Fresh water     | Daphnia - Daphnia magna                                      | 48 hours                              |          |
|                                                          | Acute LC50 13.3 ppm Fresh water       | Fish - Lepomis macrochirus                                   | 96 hours                              |          |
|                                                          | Chronic EC10 3.61 mg/l Fresh water    | Algae - Chlamydomonas reinhardtii - Exponential growth phase | 72 hours                              |          |
|                                                          | Chronic NOEC 1.8 mg/l Fresh water     | Daphnia - Daphnia magna                                      | 21 days                               |          |
| ES/APCI Positive Ion Performance Standard<br>Propan-2-ol | Acute EC50 10100 mg/l Fresh water     | Daphnia - Daphnia magna                                      | 48 hours                              |          |
|                                                          | Acute LC50 1400000 µg/l Marine water  | Crustaceans - Crangon crangon                                | 48 hours                              |          |
|                                                          | Acute LC50 4200 mg/l Fresh water      | Fish - Rasbora heteromorpha                                  | 96 hours                              |          |

### 12.2 Persistence and degradability

| Product/ingredient name              | Test                                                  | Result                   | Dose             | Inoculum |
|--------------------------------------|-------------------------------------------------------|--------------------------|------------------|----------|
| APCI/APPI Tuning mix<br>Acetone      | OECD 301B Ready Biodegradability - CO2 Evolution Test | 95 % - Readily - 28 days | -                | -        |
| Product/ingredient name              | Aquatic half-life                                     | Photolysis               | Biodegradability |          |
| APCI/APPI Tuning mix<br>Acetonitrile | -                                                     | -                        | Readily          |          |
| Acetone                              | -                                                     | -                        | Readily          |          |

### 12.3 Bioaccumulative potential

APCI Chemical Kit, Part Number G1947-60600

## SECTION 12: Ecological information

| Product/ingredient name                          | LogP <sub>ow</sub> | BCF | Potential |
|--------------------------------------------------|--------------------|-----|-----------|
| <b>APCI/APPI Tuning mix</b>                      |                    |     |           |
| APCI/APPI Tuning mix                             | -0.34              | -   | low       |
| Acetonitrile                                     | -0.34              | 3   | low       |
| Methanol                                         | -0.77              | <10 | low       |
| Acetone                                          | -0.23              | 3   | low       |
| Trichloromethane                                 | 1.97               | 690 | high      |
| <b>ES/APCI Positive Ion Performance Standard</b> |                    |     |           |
| Propan-2-ol                                      | 0.05               | -   | low       |

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.

#### Packaging







**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapour from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

APCI Chemical Kit, Part Number G1947-60600

## SECTION 14: Transport information

|                                 | ADR/RID                                                                                | IMDG                                                                                   | IATA                                                                                     |
|---------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|
| 14.1 UN number                  | UN3316                                                                                 | UN3316                                                                                 | UN3316                                                                                   |
| 14.2 UN proper shipping name    | CHEMICAL KIT                                                                           | CHEMICAL KIT                                                                           | Chemical kit                                                                             |
| 14.3 Transport hazard class(es) | 9<br> | 9<br> | 9<br> |
| 14.4 Packing group              |       |       |       |
| 14.5 Environmental hazards      | No.                                                                                    | No.                                                                                    | No.                                                                                      |

### Additional information

**ADR/RID** : **Hazard identification number** 90  
**Limited quantity** See SP 251  
**Special provisions** 251, 340  
**Tunnel code** (E)

**IMDG** : **Emergency schedules** F-A, \_S-P\_  
**Special provisions** 251, 340

**IATA** : **Quantity limitation** Passenger and Cargo Aircraft: 10 kg. Packaging instructions: 960.  
Cargo Aircraft Only: 10 kg. Packaging instructions: 960. Limited Quantities - Passenger Aircraft: 1 kg. Packaging instructions: Y960.  
**Special provisions** A44, A163

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**EU Regulation (EC) No. 1907/2006 (REACH)**

### Annex XIV - List of substances subject to authorisation

#### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles** : APCI/APPI Tuning mix  
ES/APCI Positive Ion Performance Standard

For use in industrial installations only.  
Not applicable.

### Other EU regulations

APCI Chemical Kit, Part Number G1947-60600

## SECTION 15: Regulatory information

**Industrial emissions (integrated pollution prevention and control) - Air** : Listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Listed

### Ozone depleting substances (1005/2009/EU)

Not listed.

### Prior Informed Consent (PIC) (649/2012/EU)

| Ingredient name                    | Annex            | Status |
|------------------------------------|------------------|--------|
| APCI/APPI Tuning mix<br>Chloroform | Annex I - Part 1 | Listed |

### Seveso Directive

This product is controlled under the Seveso Directive.

#### Danger criteria

| Category                                         |
|--------------------------------------------------|
| APCI/APPI Tuning mix<br>H2<br>H3<br>P5c          |
| ES/APCI Positive Ion Performance Standard<br>P5c |

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

**Australia** : Not determined.  
**Canada** : Not determined.  
**China** : Not determined.  
**Europe** : Not determined.  
**Japan** : **Japan inventory (ENCS)**: Not determined.  
**Japan inventory (ISHL)**: Not determined.  
**Malaysia** : Not determined.  
**New Zealand** : Not determined.  
**Philippines** : Not determined.  
**Republic of Korea** : Not determined.

**Date of issue/Date of revision** : 12/02/2018

20/22

APCI Chemical Kit, Part Number G1947-60600

## SECTION 15: Regulatory information

|               |                   |
|---------------|-------------------|
| Taiwan        | : Not determined. |
| Thailand      | : Not determined. |
| Turkey        | : Not determined. |
| United States | : Not determined. |
| Viet Nam      | : Not determined. |

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification                                                                                                                                                                                   | Justification                                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>APCI/APPI Tuning mix</b><br>Flam. Liq. 2, H225<br>Acute Tox. 4, H302<br>Acute Tox. 3, H311<br>Acute Tox. 3, H331<br>Eye Irrit. 2, H319<br>Carc. 2, H351<br>STOT SE 1, H370<br>STOT RE 2, H373 | On basis of test data<br>Calculation method<br>Calculation method<br>Calculation method<br>Calculation method<br>Calculation method<br>Calculation method<br>Calculation method |
| <b>ES/APCI Positive Ion Performance Standard</b><br>Flam. Liq. 2, H225<br>Eye Irrit. 2, H319<br>STOT SE 3, H336                                                                                  | On basis of test data<br>Calculation method<br>Calculation method                                                                                                               |

### Full text of abbreviated H statements

|                                                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>APCI/APPI Tuning mix</b><br>H225<br>H301<br>H302<br>H311<br>H312<br>H315<br>H319<br>H331<br>H332<br>H336<br>H351<br>H361d<br>H370<br>H372<br>H373 | Highly flammable liquid and vapour.<br>Toxic if swallowed.<br>Harmful if swallowed.<br>Toxic in contact with skin.<br>Harmful in contact with skin.<br>Causes skin irritation.<br>Causes serious eye irritation.<br>Toxic if inhaled.<br>Harmful if inhaled.<br>May cause drowsiness or dizziness.<br>Suspected of causing cancer.<br>Suspected of damaging the unborn child.<br>Causes damage to organs.<br>Causes damage to organs through prolonged or repeated exposure.<br>May cause damage to organs through prolonged or repeated exposure. |
| <b>ES/APCI Positive Ion Performance Standard</b><br>H225<br>H319                                                                                     | Highly flammable liquid and vapour.<br>Causes serious eye irritation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

**Date of issue/Date of revision** : 12/02/2018

21/22

APCI Chemical Kit, Part Number G1947-60600

**SECTION 16: Other information**

H336

May cause drowsiness or dizziness.

[Full text of classifications \[CLP/GHS\]](#)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>APCI/APPI Tuning mix</b><br/>                 Acute Tox. 3, H301<br/>                 Acute Tox. 3, H311<br/>                 Acute Tox. 3, H331<br/>                 Acute Tox. 4, H302<br/>                 Acute Tox. 4, H312<br/>                 Acute Tox. 4, H332<br/>                 Carc. 2, H351<br/>                 EUH066<br/>                 Eye Irrit. 2, H319<br/>                 Flam. Liq. 2, H225<br/>                 Repr. 2, H361d<br/>                 Skin Irrit. 2, H315<br/>                 STOT RE 1, H372<br/><br/>                 STOT RE 2, H373<br/><br/>                 STOT SE 1, H370<br/><br/>                 STOT SE 3, H336</p> <p><b>ES/APCI Positive Ion Performance Standard</b><br/>                 Eye Irrit. 2, H319<br/>                 Flam. Liq. 2, H225<br/>                 STOT SE 3, H336</p> | <p>ACUTE TOXICITY (oral) - Category 3<br/>                 ACUTE TOXICITY (dermal) - Category 3<br/>                 ACUTE TOXICITY (inhalation) - Category 3<br/>                 ACUTE TOXICITY (oral) - Category 4<br/>                 ACUTE TOXICITY (dermal) - Category 4<br/>                 ACUTE TOXICITY (inhalation) - Category 4<br/>                 CARCINOGENICITY - Category 2<br/>                 Repeated exposure may cause skin dryness or cracking.<br/>                 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2<br/>                 FLAMMABLE LIQUIDS - Category 2<br/>                 REPRODUCTIVE TOXICITY (Unborn child) - Category 2<br/>                 SKIN CORROSION/IRRITATION - Category 2<br/>                 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 1<br/>                 SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE - Category 2<br/>                 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 1<br/>                 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Narcotic effects) - Category 3</p> <p>SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2<br/>                 FLAMMABLE LIQUIDS - Category 2<br/>                 SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Narcotic effects) - Category 3</p> |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Date of issue/ Date of revision** : 12/02/2018

**Date of previous issue** : 22/01/2018

**Version** : 2.1

[Notice to reader](#)

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.