

SAFETY DATA SHEET



SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|--------------------------------|--|
| Product name | : SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A |
| Part no. (chemical kit) | : G3367A |
| Part no. | : <input checked="" type="checkbox"/> SureSelect AB 5972-3581 |
| | P1Adapter |
| | SureSelect AB IA Adapter 5972-3582 |
| | SureSelect AB Pre-Capture Primer 5972-3583 |
| | SureSelect AB BC1 5972-3584 |
| | SureSelect AB BC2 5972-3585 |
| | SureSelect AB BC3 5972-3586 |
| | SureSelect AB BC4 5972-3587 |
| | SureSelect AB BC5 5972-3588 |
| | SureSelect AB BC6 5972-3589 |
| | SureSelect AB BC7 5972-3590 |
| | SureSelect AB BC8 5972-3591 |
| | SureSelect AB BC9 5972-3592 |
| | SureSelect AB BC10 5972-3593 |
| | SureSelect AB BC11 5972-3594 |
| | SureSelect AB BC12 5972-3595 |
| | SureSelect AB BC13 5972-3596 |
| | SureSelect AB BC14 5972-3597 |
| | SureSelect AB BC15 5972-3598 |
| | SureSelect AB BC16 5972-3599 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|----------------------|--|
| Material uses | : Analytical reagent. |
| | <input checked="" type="checkbox"/> SureSelect AB P1Adapter 3 x 1.5 ml |
| | SureSelect AB IA Adapter 3 x 1.5 ml |
| | SureSelect AB Pre-Capture Primer 3 x 1.1 ml |
| | SureSelect AB BC1 0.05 ml |
| | SureSelect AB BC2 0.05 ml |
| | SureSelect AB BC3 0.05 ml |
| | SureSelect AB BC4 0.05 ml |
| | SureSelect AB BC5 0.05 ml |
| | SureSelect AB BC6 0.05 ml |
| | SureSelect AB BC7 0.05 ml |
| | SureSelect AB BC8 0.05 ml |
| | SureSelect AB BC9 0.05 ml |
| | SureSelect AB BC10 0.05 ml |
| | SureSelect AB BC11 0.05 ml |
| | SureSelect AB BC12 0.05 ml |
| | SureSelect AB BC13 0.05 ml |
| | SureSelect AB BC14 0.05 ml |
| | SureSelect AB BC15 0.05 ml |
| | SureSelect AB BC16 0.05 ml |

1.3 Details of the supplier of the safety data sheet

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

| | | |
|---------------------------|----------------------------------|---------|
| Product definition | : SureSelect AB | Mixture |
| | P1Adapter | |
| | SureSelect AB IA | Mixture |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Mixture |
| | SureSelect AB BC1 | Mixture |
| | SureSelect AB BC2 | Mixture |
| | SureSelect AB BC3 | Mixture |
| | SureSelect AB BC4 | Mixture |
| | SureSelect AB BC5 | Mixture |
| | SureSelect AB BC6 | Mixture |
| | SureSelect AB BC7 | Mixture |
| | SureSelect AB BC8 | Mixture |
| | SureSelect AB BC9 | Mixture |
| | SureSelect AB BC10 | Mixture |
| | SureSelect AB BC11 | Mixture |
| | SureSelect AB BC12 | Mixture |
| | SureSelect AB BC13 | Mixture |
| | SureSelect AB BC14 | Mixture |
| | SureSelect AB BC15 | Mixture |
| | SureSelect AB BC16 | Mixture |

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

| | | |
|--------------------|----------------------------------|-----------------|
| Signal word | : SureSelect AB | No signal word. |
| | P1Adapter | |
| | SureSelect AB IA | No signal word. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No signal word. |
| | SureSelect AB BC1 | No signal word. |
| | SureSelect AB BC2 | No signal word. |
| | SureSelect AB BC3 | No signal word. |
| | SureSelect AB BC4 | No signal word. |

Date of issue/Date of revision : 30/04/2018

SECTION 2: Hazards identification

| | | |
|---------------------------------|----------------------------------|---|
| | SureSelect AB BC5 | No signal word. |
| | SureSelect AB BC6 | No signal word. |
| | SureSelect AB BC7 | No signal word. |
| | SureSelect AB BC8 | No signal word. |
| | SureSelect AB BC9 | No signal word. |
| | SureSelect AB BC10 | No signal word. |
| | SureSelect AB BC11 | No signal word. |
| | SureSelect AB BC12 | No signal word. |
| | SureSelect AB BC13 | No signal word. |
| | SureSelect AB BC14 | No signal word. |
| | SureSelect AB BC15 | No signal word. |
| | SureSelect AB BC16 | No signal word. |
| Hazard statements | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA | No known significant effects or critical hazards. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | SureSelect AB BC16 | No known significant effects or critical hazards. |
| Precautionary statements | | |
| Prevention | : SureSelect AB | Not applicable. |
| | P1Adapter | |
| | SureSelect AB IA | Not applicable. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |
| | SureSelect AB BC5 | Not applicable. |
| | SureSelect AB BC6 | Not applicable. |
| | SureSelect AB BC7 | Not applicable. |
| | SureSelect AB BC8 | Not applicable. |
| | SureSelect AB BC9 | Not applicable. |
| | SureSelect AB BC10 | Not applicable. |
| | SureSelect AB BC11 | Not applicable. |
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| | SureSelect AB BC14 | Not applicable. |
| | SureSelect AB BC15 | Not applicable. |
| | SureSelect AB BC16 | Not applicable. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 2: Hazards identification

| | | |
|-----------------|--|---|
| Response | : <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. |
| Storage | : <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. |
| Disposal | : <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 | Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 2: Hazards identification

| | | |
|---|---|-----------------|
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| | SureSelect AB BC14 | Not applicable. |
| | SureSelect AB BC15 | Not applicable. |
| | SureSelect AB BC16 | Not applicable. |
| Supplemental label elements | : <input checked="" type="checkbox"/> SureSelect AB | Not applicable. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not applicable. |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |
| | SureSelect AB BC5 | Not applicable. |
| | SureSelect AB BC6 | Not applicable. |
| | SureSelect AB BC7 | Not applicable. |
| | SureSelect AB BC8 | Not applicable. |
| | SureSelect AB BC9 | Not applicable. |
| | SureSelect AB BC10 | Not applicable. |
| | SureSelect AB BC11 | Not applicable. |
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| | SureSelect AB BC14 | Not applicable. |
| | SureSelect AB BC15 | Not applicable. |
| | SureSelect AB BC16 | Not applicable. |
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | : <input checked="" type="checkbox"/> SureSelect AB | Not applicable. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not applicable. |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |
| | SureSelect AB BC5 | Not applicable. |
| | SureSelect AB BC6 | Not applicable. |
| | SureSelect AB BC7 | Not applicable. |
| | SureSelect AB BC8 | Not applicable. |
| | SureSelect AB BC9 | Not applicable. |
| | SureSelect AB BC10 | Not applicable. |
| | SureSelect AB BC11 | Not applicable. |
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| | SureSelect AB BC14 | Not applicable. |
| | SureSelect AB BC15 | Not applicable. |
| | SureSelect AB BC16 | Not applicable. |
| Special packaging requirements | | |
| Tactile warning of danger | : <input checked="" type="checkbox"/> SureSelect AB | Not applicable. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not applicable. |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 2: Hazards identification

| | |
|--------------------|-----------------|
| SureSelect AB BC5 | Not applicable. |
| SureSelect AB BC6 | Not applicable. |
| SureSelect AB BC7 | Not applicable. |
| SureSelect AB BC8 | Not applicable. |
| SureSelect AB BC9 | Not applicable. |
| SureSelect AB BC10 | Not applicable. |
| SureSelect AB BC11 | Not applicable. |
| SureSelect AB BC12 | Not applicable. |
| SureSelect AB BC13 | Not applicable. |
| SureSelect AB BC14 | Not applicable. |
| SureSelect AB BC15 | Not applicable. |
| SureSelect AB BC16 | Not applicable. |

2.3 Other hazards

| | | |
|--|---|-------------|
| Other hazards which do not result in classification | <input checked="" type="checkbox"/> SureSelect AB | None known. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | None known. |
| | SureSelect AB Pre-Capture Primer | None known. |
| | SureSelect AB BC1 | None known. |
| | SureSelect AB BC2 | None known. |
| | SureSelect AB BC3 | None known. |
| | SureSelect AB BC4 | None known. |
| | SureSelect AB BC5 | None known. |
| | SureSelect AB BC6 | None known. |
| | SureSelect AB BC7 | None known. |
| | SureSelect AB BC8 | None known. |
| | SureSelect AB BC9 | None known. |
| | SureSelect AB BC10 | None known. |
| | SureSelect AB BC11 | None known. |
| | SureSelect AB BC12 | None known. |
| SureSelect AB BC13 | None known. | |
| SureSelect AB BC14 | None known. | |
| SureSelect AB BC15 | None known. | |
| SureSelect AB BC16 | None known. | |

SECTION 3: Composition/information on ingredients

| | | |
|-----------------------|---|---------|
| 3.1 Substances | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | Mixture |
| | SureSelect AB IA Adapter | Mixture |
| | SureSelect AB Pre-Capture Primer | Mixture |
| | SureSelect AB BC1 | Mixture |
| | SureSelect AB BC2 | Mixture |
| | SureSelect AB BC3 | Mixture |
| | SureSelect AB BC4 | Mixture |
| | SureSelect AB BC5 | Mixture |
| | SureSelect AB BC6 | Mixture |
| | SureSelect AB BC7 | Mixture |
| | SureSelect AB BC8 | Mixture |
| | SureSelect AB BC9 | Mixture |
| | SureSelect AB BC10 | Mixture |
| | SureSelect AB BC11 | Mixture |
| | SureSelect AB BC12 | Mixture |
| | SureSelect AB BC13 | Mixture |
| SureSelect AB BC14 | Mixture | |
| SureSelect AB BC15 | Mixture | |
| SureSelect AB BC16 | Mixture | |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 3: Composition/information on ingredients

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

| | | | |
|--------------------|---|---|---|
| Eye contact | : | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB IA Adapter | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB Pre-Capture Primer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC1 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC2 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC3 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC4 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC5 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC6 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC7 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC8 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC9 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC10 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC11 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC12 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC13 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | | SureSelect AB BC14 | Immediately flush eyes with plenty of water, occasionally |

SECTION 4: First aid measures

Inhalation

| | |
|----------------------------------|---|
| SureSelect AB BC15 | lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| SureSelect AB BC16 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| SureSelect AB P1Adapter | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB IA Adapter | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB Pre-Capture Primer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC1 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC2 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC3 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC4 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC5 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC6 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC7 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC8 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC9 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC10 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC11 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC12 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC13 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC14 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect AB BC15 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |

SECTION 4: First aid measures

| | | |
|---------------------|----------------------------------|--|
| | SureSelect AB BC16 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : SureSelect AB P1Adapter | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB IA Adapter | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB Pre-Capture Primer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC1 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC2 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC3 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC4 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC5 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC6 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC7 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC8 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC9 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC10 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC11 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC12 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC13 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC14 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC15 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect AB BC16 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 4: First aid measures

Ingestion

| | |
|----------------------------------|---|
| SureSelect AB P1Adapter | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB IA Adapter | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB Pre-Capture Primer | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC1 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC2 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC3 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC4 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC5 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC6 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC7 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC8 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If |

SECTION 4: First aid measures

| | |
|-------------------------------------|---|
| | material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC9 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC10 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC11 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC12 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC13 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC14 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC15 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect AB BC16 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Protection of first-aiders : | |
| SureSelect AB | No action shall be taken involving any personal risk or without suitable training. |
| P1Adapter | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB IA | No action shall be taken involving any personal risk or without suitable training. |
| Adapter | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB Pre-Capture Primer | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC1 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC2 | No action shall be taken involving any personal risk or |

SECTION 4: First aid measures

| | |
|--------------------|--|
| SureSelect AB BC3 | without suitable training. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC4 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC5 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC6 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC7 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC8 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC9 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC10 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC11 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC12 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC13 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC14 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC15 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC16 | No action shall be taken involving any personal risk or without suitable training. |

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

| | | | |
|--------------------|---|----------------------------------|---|
| Eye contact | : | SureSelect AB P1Adapter | No known significant effects or critical hazards. |
| | | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | | SureSelect AB BC16 | No known significant effects or critical hazards. |

SECTION 4: First aid measures

| | | |
|---------------------|--|---|
| Inhalation | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Skin contact | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |
| Ingestion | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 | No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 4: First aid measures

| | |
|--------------------|---|
| SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. |
| SureSelect AB BC14 | No known significant effects or critical hazards. |
| SureSelect AB BC15 | No known significant effects or critical hazards. |
| SureSelect AB BC16 | No known significant effects or critical hazards. |

Over-exposure signs/symptoms

Eye contact

| | |
|---|-------------------|
| : <input checked="" type="checkbox"/> SureSelect AB P1Adapter | No specific data. |
| SureSelect AB IA Adapter | No specific data. |
| SureSelect AB Pre-Capture Primer | No specific data. |
| SureSelect AB BC1 | No specific data. |
| SureSelect AB BC2 | No specific data. |
| SureSelect AB BC3 | No specific data. |
| SureSelect AB BC4 | No specific data. |
| SureSelect AB BC5 | No specific data. |
| SureSelect AB BC6 | No specific data. |
| SureSelect AB BC7 | No specific data. |
| SureSelect AB BC8 | No specific data. |
| SureSelect AB BC9 | No specific data. |
| SureSelect AB BC10 | No specific data. |
| SureSelect AB BC11 | No specific data. |
| SureSelect AB BC12 | No specific data. |
| SureSelect AB BC13 | No specific data. |
| SureSelect AB BC14 | No specific data. |
| SureSelect AB BC15 | No specific data. |
| SureSelect AB BC16 | No specific data. |

Inhalation

| | |
|---|-------------------|
| : <input checked="" type="checkbox"/> SureSelect AB P1Adapter | No specific data. |
| SureSelect AB IA Adapter | No specific data. |
| SureSelect AB Pre-Capture Primer | No specific data. |
| SureSelect AB BC1 | No specific data. |
| SureSelect AB BC2 | No specific data. |
| SureSelect AB BC3 | No specific data. |
| SureSelect AB BC4 | No specific data. |
| SureSelect AB BC5 | No specific data. |
| SureSelect AB BC6 | No specific data. |
| SureSelect AB BC7 | No specific data. |
| SureSelect AB BC8 | No specific data. |
| SureSelect AB BC9 | No specific data. |
| SureSelect AB BC10 | No specific data. |
| SureSelect AB BC11 | No specific data. |
| SureSelect AB BC12 | No specific data. |
| SureSelect AB BC13 | No specific data. |
| SureSelect AB BC14 | No specific data. |
| SureSelect AB BC15 | No specific data. |
| SureSelect AB BC16 | No specific data. |

Skin contact

| | |
|---|-------------------|
| : <input checked="" type="checkbox"/> SureSelect AB P1Adapter | No specific data. |
| SureSelect AB IA Adapter | No specific data. |
| SureSelect AB Pre-Capture Primer | No specific data. |
| SureSelect AB BC1 | No specific data. |
| SureSelect AB BC2 | No specific data. |
| SureSelect AB BC3 | No specific data. |
| SureSelect AB BC4 | No specific data. |

SECTION 4: First aid measures

| | | |
|------------------|----------------------------------|-------------------|
| | SureSelect AB BC5 | No specific data. |
| | SureSelect AB BC6 | No specific data. |
| | SureSelect AB BC7 | No specific data. |
| | SureSelect AB BC8 | No specific data. |
| | SureSelect AB BC9 | No specific data. |
| | SureSelect AB BC10 | No specific data. |
| | SureSelect AB BC11 | No specific data. |
| | SureSelect AB BC12 | No specific data. |
| | SureSelect AB BC13 | No specific data. |
| | SureSelect AB BC14 | No specific data. |
| | SureSelect AB BC15 | No specific data. |
| | SureSelect AB BC16 | No specific data. |
| Ingestion | : SureSelect AB | No specific data. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | No specific data. |
| | SureSelect AB Pre-Capture Primer | No specific data. |
| | SureSelect AB BC1 | No specific data. |
| | SureSelect AB BC2 | No specific data. |
| | SureSelect AB BC3 | No specific data. |
| | SureSelect AB BC4 | No specific data. |
| | SureSelect AB BC5 | No specific data. |
| | SureSelect AB BC6 | No specific data. |
| | SureSelect AB BC7 | No specific data. |
| | SureSelect AB BC8 | No specific data. |
| | SureSelect AB BC9 | No specific data. |
| | SureSelect AB BC10 | No specific data. |
| | SureSelect AB BC11 | No specific data. |
| | SureSelect AB BC12 | No specific data. |
| | SureSelect AB BC13 | No specific data. |
| | SureSelect AB BC14 | No specific data. |
| | SureSelect AB BC15 | No specific data. |
| | SureSelect AB BC16 | No specific data. |

4.3 Indication of any immediate medical attention and special treatment needed

| | | |
|---------------------------|----------------------------------|---|
| Notes to physician | : SureSelect AB | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB Pre-Capture Primer | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC1 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC2 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC3 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC4 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC5 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC6 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC7 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC8 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | SureSelect AB BC9 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 4: First aid measures

| | |
|--------------------|---|
| SureSelect AB BC10 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC11 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC12 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC13 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC14 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC15 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB BC16 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |

Specific treatments

| | |
|----------------------------------|------------------------|
| : SureSelect AB P1Adapter | No specific treatment. |
| SureSelect AB IA Adapter | No specific treatment. |
| SureSelect AB Pre-Capture Primer | No specific treatment. |
| SureSelect AB BC1 | No specific treatment. |
| SureSelect AB BC2 | No specific treatment. |
| SureSelect AB BC3 | No specific treatment. |
| SureSelect AB BC4 | No specific treatment. |
| SureSelect AB BC5 | No specific treatment. |
| SureSelect AB BC6 | No specific treatment. |
| SureSelect AB BC7 | No specific treatment. |
| SureSelect AB BC8 | No specific treatment. |
| SureSelect AB BC9 | No specific treatment. |
| SureSelect AB BC10 | No specific treatment. |
| SureSelect AB BC11 | No specific treatment. |
| SureSelect AB BC12 | No specific treatment. |
| SureSelect AB BC13 | No specific treatment. |
| SureSelect AB BC14 | No specific treatment. |
| SureSelect AB BC15 | No specific treatment. |
| SureSelect AB BC16 | No specific treatment. |

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

| | |
|----------------------------------|---|
| : SureSelect AB P1Adapter | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB IA Adapter | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB Pre-Capture Primer | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC1 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC2 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC3 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC4 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC5 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC6 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC7 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC8 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC9 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC10 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC11 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC12 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC13 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC14 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC15 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB BC16 | Use an extinguishing agent suitable for the surrounding fire. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 5: Firefighting measures

| | | |
|---------------------------------------|----------------------------------|-------------|
| Unsuitable extinguishing media | : SureSelect AB | None known. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | None known. |
| | SureSelect AB Pre-Capture Primer | None known. |
| | SureSelect AB BC1 | None known. |
| | SureSelect AB BC2 | None known. |
| | SureSelect AB BC3 | None known. |
| | SureSelect AB BC4 | None known. |
| | SureSelect AB BC5 | None known. |
| | SureSelect AB BC6 | None known. |
| | SureSelect AB BC7 | None known. |
| | SureSelect AB BC8 | None known. |
| | SureSelect AB BC9 | None known. |
| | SureSelect AB BC10 | None known. |
| | SureSelect AB BC11 | None known. |
| | SureSelect AB BC12 | None known. |
| | SureSelect AB BC13 | None known. |
| SureSelect AB BC14 | None known. | |
| SureSelect AB BC15 | None known. | |
| SureSelect AB BC16 | None known. | |

5.2 Special hazards arising from the substance or mixture

| | | |
|--|---|---|
| Hazards from the substance or mixture | : SureSelect AB | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB Pre-Capture Primer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC1 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC2 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC3 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC4 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC5 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC6 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC7 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC8 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC9 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC10 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC11 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC12 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect AB BC13 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| SureSelect AB BC14 | In a fire or if heated, a pressure increase will occur and the container may burst. | |
| SureSelect AB BC15 | In a fire or if heated, a pressure increase will occur and the container may burst. | |
| SureSelect AB BC16 | In a fire or if heated, a pressure increase will occur and the | |

SECTION 5: Firefighting measures

Hazardous combustion products

| | |
|----------------------------------|-------------------|
| : SureSelect AB P1Adapter | No specific data. |
| SureSelect AB IA Adapter | No specific data. |
| SureSelect AB Pre-Capture Primer | No specific data. |
| SureSelect AB BC1 | No specific data. |
| SureSelect AB BC2 | No specific data. |
| SureSelect AB BC3 | No specific data. |
| SureSelect AB BC4 | No specific data. |
| SureSelect AB BC5 | No specific data. |
| SureSelect AB BC6 | No specific data. |
| SureSelect AB BC7 | No specific data. |
| SureSelect AB BC8 | No specific data. |
| SureSelect AB BC9 | No specific data. |
| SureSelect AB BC10 | No specific data. |
| SureSelect AB BC11 | No specific data. |
| SureSelect AB BC12 | No specific data. |
| SureSelect AB BC13 | No specific data. |
| SureSelect AB BC14 | No specific data. |
| SureSelect AB BC15 | No specific data. |
| SureSelect AB BC16 | No specific data. |

container may burst.

5.3 Advice for firefighters

Special precautions for fire-fighters

| | |
|----------------------------------|---|
| : SureSelect AB P1Adapter | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB IA Adapter | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB Pre-Capture Primer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC1 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC2 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC3 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC4 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC5 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC6 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC7 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC8 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB BC9 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |

SECTION 5: Firefighting measures

| | | |
|---|---|---|
| | SureSelect AB BC10 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC11 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC12 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC13 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC14 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC15 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect AB BC16 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB IA Adapter | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB Pre-Capture Primer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB BC1 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB BC2 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB BC3 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| | SureSelect AB BC4 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a |

SECTION 5: Firefighting measures

| | |
|--------------------|---|
| SureSelect AB BC5 | basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC6 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC7 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC8 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC9 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC10 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC11 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC12 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC13 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC14 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. |
| SureSelect AB BC15 | Fire-fighters should wear appropriate protective equipment |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 5: Firefighting measures

SureSelect AB BC16

and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: SureSelect AB P1Adapter

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB IA Adapter

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB Pre-Capture Primer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC1

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC2

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC3

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC4

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC5

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC6

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB BC7

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.

SECTION 6: Accidental release measures

| | |
|----------------------------------|---|
| | Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC8 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC9 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC10 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC11 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC12 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC13 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC14 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC15 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect AB BC16 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| For emergency responders | |
| : SureSelect AB P1Adapter | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB IA Adapter | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB Pre-Capture Primer | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC1 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and |

SECTION 6: Accidental release measures

| | |
|--------------------|---|
| | unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC2 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC3 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC4 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC5 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC6 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC7 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC8 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC9 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC10 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC11 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC12 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC13 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC14 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC15 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect AB BC16 | If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

SECTION 6: Accidental release measures

6.2 Environmental precautions

| | |
|----------------------------------|---|
| ☑ SureSelect AB P1Adapter | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB IA Adapter | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB Pre-Capture Primer | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC1 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC2 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC3 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC4 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC5 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC6 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC7 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC8 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC9 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC10 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC11 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC12 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC13 | Avoid dispersal of spilt material and runoff and contact with |

SECTION 6: Accidental release measures

| | |
|--------------------|---|
| | soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC14 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC15 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect AB BC16 | Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

6.3 Methods and material for containment and cleaning up

| | | |
|--------------------------------|----------------------------------|---|
| Methods for cleaning up | : SureSelect AB P1Adapter | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB IA Adapter | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB Pre-Capture Primer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC1 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC2 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC3 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC4 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC5 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | SureSelect AB BC6 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose |

SECTION 6: Accidental release measures

| | |
|--------------------|---|
| SureSelect AB BC7 | of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC8 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC9 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC10 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC11 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC12 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC13 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC14 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC15 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB BC16 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

6.4 Reference to other sections

- : See Section 1 for emergency contact information.
- See Section 8 for information on appropriate personal protective equipment.
- See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | | |
|---|----------------------------------|---|
| Protective measures | : SureSelect AB P1Adapter | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB IA Adapter | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB Pre-Capture Primer | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC1 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC2 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC3 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC4 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC5 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC6 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC7 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC8 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC9 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC10 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC11 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC12 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC13 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC14 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC15 | Put on appropriate personal protective equipment (see Section 8). |
| | SureSelect AB BC16 | Put on appropriate personal protective equipment (see Section 8). |
| Advice on general occupational hygiene | : SureSelect AB P1Adapter | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | SureSelect AB IA Adapter | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | SureSelect AB Pre-Capture Primer | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| | SureSelect AB BC1 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and |

SECTION 7: Handling and storage

| | |
|--------------------|---|
| SureSelect AB BC2 | protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC3 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC4 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC5 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC6 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC7 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC8 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC9 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC10 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC11 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 7: Handling and storage

| | |
|--------------------|---|
| SureSelect AB BC12 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC13 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC14 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC15 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect AB BC16 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Storage

| | |
|----------------------------------|---|
| : SureSelect AB P1Adapter | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB IA Adapter | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB Pre-Capture Primer | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials |

SECTION 7: Handling and storage

| | |
|-------------------|--|
| SureSelect AB BC1 | before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC2 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC3 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC4 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC5 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC6 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC7 | Store in accordance with local regulations. Store in original |

SECTION 7: Handling and storage

| | |
|--------------------|--|
| | <p>container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC8 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC9 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC10 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC11 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC12 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect AB BC13 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see</p> |

SECTION 7: Handling and storage

| | |
|--------------------|---|
| | Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC14 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC15 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect AB BC16 | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

7.3 Specific end use(s)

Recommendations

| | |
|----------------------------------|---|
| ☑ SureSelect AB | Industrial applications, Professional applications. |
| P1Adapter | |
| SureSelect AB IA Adapter | Industrial applications, Professional applications. |
| SureSelect AB Pre-Capture Primer | Industrial applications, Professional applications. |
| SureSelect AB BC1 | Industrial applications, Professional applications. |
| SureSelect AB BC2 | Industrial applications, Professional applications. |
| SureSelect AB BC3 | Industrial applications, Professional applications. |
| SureSelect AB BC4 | Industrial applications, Professional applications. |
| SureSelect AB BC5 | Industrial applications, Professional applications. |
| SureSelect AB BC6 | Industrial applications, Professional applications. |
| SureSelect AB BC7 | Industrial applications, Professional applications. |
| SureSelect AB BC8 | Industrial applications, Professional applications. |
| SureSelect AB BC9 | Industrial applications, Professional applications. |
| SureSelect AB BC10 | Industrial applications, Professional applications. |
| SureSelect AB BC11 | Industrial applications, Professional applications. |
| SureSelect AB BC12 | Industrial applications, Professional applications. |
| SureSelect AB BC13 | Industrial applications, Professional applications. |
| SureSelect AB BC14 | Industrial applications, Professional applications. |
| SureSelect AB BC15 | Industrial applications, Professional applications. |
| SureSelect AB BC16 | Industrial applications, Professional applications. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 7: Handling and storage

| | | | |
|---|----------|----------------------------------|-----------------|
| Industrial sector specific solutions | : | SureSelect AB P1Adapter | Not applicable. |
| | | SureSelect AB IA Adapter | Not applicable. |
| | | SureSelect AB Pre-Capture Primer | Not applicable. |
| | | SureSelect AB BC1 | Not applicable. |
| | | SureSelect AB BC2 | Not applicable. |
| | | SureSelect AB BC3 | Not applicable. |
| | | SureSelect AB BC4 | Not applicable. |
| | | SureSelect AB BC5 | Not applicable. |
| | | SureSelect AB BC6 | Not applicable. |
| | | SureSelect AB BC7 | Not applicable. |
| | | SureSelect AB BC8 | Not applicable. |
| | | SureSelect AB BC9 | Not applicable. |
| | | SureSelect AB BC10 | Not applicable. |
| | | SureSelect AB BC11 | Not applicable. |
| | | SureSelect AB BC12 | Not applicable. |
| | | SureSelect AB BC13 | Not applicable. |
| | | SureSelect AB BC14 | Not applicable. |
| | | SureSelect AB BC15 | Not applicable. |
| | | SureSelect AB BC16 | Not applicable. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A



SECTION 8: Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| | | |
|-----------------------|---|----------------|
| Physical state | :  SureSelect AB P1Adapter | Liquid. |
| | SureSelect AB IA Adapter | Liquid. |
| | SureSelect AB Pre-Capture Primer | Liquid. |
| | SureSelect AB BC1 | Liquid. |
| | SureSelect AB BC2 | Liquid. |
| | SureSelect AB BC3 | Liquid. |
| | SureSelect AB BC4 | Liquid. |
| | SureSelect AB BC5 | Liquid. |
| | SureSelect AB BC6 | Liquid. |
| | SureSelect AB BC7 | Liquid. |
| | SureSelect AB BC8 | Liquid. |
| | SureSelect AB BC9 | Liquid. |
| | SureSelect AB BC10 | Liquid. |
| | SureSelect AB BC11 | Liquid. |
| | SureSelect AB BC12 | Liquid. |
| | SureSelect AB BC13 | Liquid. |
| | SureSelect AB BC14 | Liquid. |
| | SureSelect AB BC15 | Liquid. |
| | SureSelect AB BC16 | Liquid. |
| Colour | :  SureSelect AB P1Adapter | Not available. |
| | SureSelect AB IA Adapter | Not available. |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |

SECTION 9: Physical and chemical properties

| | | |
|------------------------|----------------------------------|----------------|
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Odour | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Odour threshold | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 9: Physical and chemical properties

| | | | |
|--|--------------------|----------------------------------|----------------|
| pH | : | ☑ SureSelect AB P1Adapter | Not available. |
| | | SureSelect AB IA Adapter | Not available. |
| | | SureSelect AB Pre-Capture Primer | Not available. |
| | | SureSelect AB BC1 | Not available. |
| | | SureSelect AB BC2 | Not available. |
| | | SureSelect AB BC3 | Not available. |
| | | SureSelect AB BC4 | Not available. |
| | | SureSelect AB BC5 | Not available. |
| | | SureSelect AB BC6 | Not available. |
| | | SureSelect AB BC7 | Not available. |
| | | SureSelect AB BC8 | Not available. |
| | | SureSelect AB BC9 | Not available. |
| | | SureSelect AB BC10 | Not available. |
| | | SureSelect AB BC11 | Not available. |
| | | SureSelect AB BC12 | Not available. |
| | | SureSelect AB BC13 | Not available. |
| | | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. | |
| | SureSelect AB BC16 | Not available. | |
| Melting point/freezing point | : | ☑ SureSelect AB P1Adapter | 0°C |
| | | SureSelect AB IA Adapter | 0°C |
| | | SureSelect AB Pre-Capture Primer | 0°C |
| | | SureSelect AB BC1 | 0°C |
| | | SureSelect AB BC2 | 0°C |
| | | SureSelect AB BC3 | 0°C |
| | | SureSelect AB BC4 | 0°C |
| | | SureSelect AB BC5 | 0°C |
| | | SureSelect AB BC6 | 0°C |
| | | SureSelect AB BC7 | 0°C |
| | | SureSelect AB BC8 | 0°C |
| | | SureSelect AB BC9 | 0°C |
| | | SureSelect AB BC10 | 0°C |
| | | SureSelect AB BC11 | 0°C |
| | | SureSelect AB BC12 | 0°C |
| | | SureSelect AB BC13 | 0°C |
| | | SureSelect AB BC14 | 0°C |
| | SureSelect AB BC15 | 0°C | |
| | SureSelect AB BC16 | 0°C | |
| Initial boiling point and boiling range | : | ☑ SureSelect AB P1Adapter | 100°C |
| | | SureSelect AB IA Adapter | 100°C |
| | | SureSelect AB Pre-Capture Primer | 100°C |
| | | SureSelect AB BC1 | 100°C |
| | | SureSelect AB BC2 | 100°C |
| | | SureSelect AB BC3 | 100°C |
| | | SureSelect AB BC4 | 100°C |
| | | SureSelect AB BC5 | 100°C |
| | | SureSelect AB BC6 | 100°C |
| | | SureSelect AB BC7 | 100°C |
| | | SureSelect AB BC8 | 100°C |
| | | SureSelect AB BC9 | 100°C |
| | SureSelect AB BC10 | 100°C | |
| | SureSelect AB BC11 | 100°C | |

SECTION 9: Physical and chemical properties

| | | |
|----------------------------------|----------------------------------|-----------------|
| | SureSelect AB BC12 | 100°C |
| | SureSelect AB BC13 | 100°C |
| | SureSelect AB BC14 | 100°C |
| | SureSelect AB BC15 | 100°C |
| | SureSelect AB BC16 | 100°C |
| Flash point | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Evaporation rate | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Flammability (solid, gas) | : SureSelect AB | Not applicable. |
| | P1Adapter | |
| | SureSelect AB IA | Not applicable. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |
| | SureSelect AB BC5 | Not applicable. |
| | SureSelect AB BC6 | Not applicable. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 9: Physical and chemical properties

| | | |
|---|----------------------------------|-----------------|
| | SureSelect AB BC7 | Not applicable. |
| | SureSelect AB BC8 | Not applicable. |
| | SureSelect AB BC9 | Not applicable. |
| | SureSelect AB BC10 | Not applicable. |
| | SureSelect AB BC11 | Not applicable. |
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| | SureSelect AB BC14 | Not applicable. |
| | SureSelect AB BC15 | Not applicable. |
| | SureSelect AB BC16 | Not applicable. |
| Upper/lower flammability or explosive limits | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not available. |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Vapour pressure | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not available. |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |

SECTION 9: Physical and chemical properties

| | | |
|-------------------------|--|--|
| Vapour density | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | Not available. |
| Relative density | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC16 | Not available. |
| Solubility(ies) | : SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB Pre-Capture Primer SureSelect AB BC1 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 | Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 9: Physical and chemical properties

| | | |
|---|----------------------------------|--|
| | SureSelect AB BC7 | hot water. Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC8 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC9 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC10 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC11 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC12 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC13 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC14 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC15 | Easily soluble in the following materials: cold water and hot water. |
| | SureSelect AB BC16 | Easily soluble in the following materials: cold water and hot water. |
| Partition coefficient: n-octanol/water | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not available. |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| SureSelect AB BC14 | Not available. | |
| SureSelect AB BC15 | Not available. | |
| SureSelect AB BC16 | Not available. | |
| Auto-ignition temperature | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | Not available. |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |

SECTION 9: Physical and chemical properties

| | | |
|----------------------------------|----------------------------------|----------------|
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Decomposition temperature | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Viscosity | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Explosive properties | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 9: Physical and chemical properties

| | | |
|-----------------------------|----------------------------------|----------------|
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |
| Oxidising properties | : SureSelect AB | Not available. |
| | P1Adapter | |
| | SureSelect AB IA | Not available. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | Not available. |
| | SureSelect AB BC1 | Not available. |
| | SureSelect AB BC2 | Not available. |
| | SureSelect AB BC3 | Not available. |
| | SureSelect AB BC4 | Not available. |
| | SureSelect AB BC5 | Not available. |
| | SureSelect AB BC6 | Not available. |
| | SureSelect AB BC7 | Not available. |
| | SureSelect AB BC8 | Not available. |
| | SureSelect AB BC9 | Not available. |
| | SureSelect AB BC10 | Not available. |
| | SureSelect AB BC11 | Not available. |
| | SureSelect AB BC12 | Not available. |
| | SureSelect AB BC13 | Not available. |
| | SureSelect AB BC14 | Not available. |
| | SureSelect AB BC15 | Not available. |
| | SureSelect AB BC16 | Not available. |

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

| | | |
|------------------------|----------------------------------|--|
| 10.1 Reactivity | : SureSelect AB | No specific test data related to reactivity available for this product or its ingredients. |
| | P1Adapter | |
| | SureSelect AB IA | No specific test data related to reactivity available for this product or its ingredients. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC1 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC2 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC3 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC4 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC5 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC6 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC7 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC8 | No specific test data related to reactivity available for this product or its ingredients. |
| | SureSelect AB BC9 | No specific test data related to reactivity available for this product or its ingredients. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 10: Stability and reactivity

| | |
|--------------------|--|
| SureSelect AB BC10 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC11 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC12 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC13 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC14 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC15 | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect AB BC16 | No specific test data related to reactivity available for this product or its ingredients. |

10.2 Chemical stability

| | |
|--|------------------------|
| <input checked="" type="checkbox"/> SureSelect AB P1Adapter | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB IA Adapter | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB Pre-Capture Primer | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC1 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC2 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC3 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC4 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC5 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC6 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC7 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC8 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC9 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC10 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC11 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC12 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC13 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC14 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC15 | The product is stable. |
| <input checked="" type="checkbox"/> SureSelect AB BC16 | The product is stable. |

10.3 Possibility of hazardous reactions

| | |
|--|---|
| <input checked="" type="checkbox"/> SureSelect AB P1Adapter | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB IA Adapter | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB Pre-Capture Primer | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC1 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC2 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC3 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC4 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC5 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC6 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC7 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC8 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| <input checked="" type="checkbox"/> SureSelect AB BC9 | Under normal conditions of storage and use, hazardous reactions will not occur. |

SECTION 10: Stability and reactivity

| | |
|--------------------|--|
| SureSelect AB BC10 | reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC11 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC12 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC13 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC14 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC15 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect AB BC16 | Under normal conditions of storage and use, hazardous reactions will not occur. |

| | | | |
|---------------------------------|---|----------------------------------|-------------------|
| 10.4 Conditions to avoid | : | ☒ SureSelect AB P1Adapter | No specific data. |
| | | SureSelect AB IA Adapter | No specific data. |
| | | SureSelect AB Pre-Capture Primer | No specific data. |
| | | SureSelect AB BC1 | No specific data. |
| | | SureSelect AB BC2 | No specific data. |
| | | SureSelect AB BC3 | No specific data. |
| | | SureSelect AB BC4 | No specific data. |
| | | SureSelect AB BC5 | No specific data. |
| | | SureSelect AB BC6 | No specific data. |
| | | SureSelect AB BC7 | No specific data. |
| | | SureSelect AB BC8 | No specific data. |
| | | SureSelect AB BC9 | No specific data. |
| | | SureSelect AB BC10 | No specific data. |
| | | SureSelect AB BC11 | No specific data. |
| | | SureSelect AB BC12 | No specific data. |
| | | SureSelect AB BC13 | No specific data. |
| | | SureSelect AB BC14 | No specific data. |
| | | SureSelect AB BC15 | No specific data. |
| | | SureSelect AB BC16 | No specific data. |

| | | | |
|------------------------------------|---|----------------------------------|--|
| 10.5 Incompatible materials | : | ☒ SureSelect AB P1Adapter | May react or be incompatible with oxidising materials. |
| | | SureSelect AB IA Adapter | May react or be incompatible with oxidising materials. |
| | | SureSelect AB Pre-Capture Primer | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC1 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC2 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC3 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC4 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC5 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC6 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC7 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC8 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC9 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC10 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC11 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC12 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC13 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC14 | May react or be incompatible with oxidising materials. |
| | | SureSelect AB BC15 | May react or be incompatible with oxidising materials. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 10: Stability and reactivity

| | | |
|--|---|--|
| | SureSelect AB BC16 | May react or be incompatible with oxidising materials. |
| 10.6 Hazardous decomposition products | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB IA Adapter | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB Pre-Capture Primer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC1 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC2 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC3 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC4 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC5 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC6 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC7 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC8 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC9 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC10 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC11 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC12 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC13 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC14 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC15 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | SureSelect AB BC16 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 11: Toxicological information

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

| | |
|----------------------------------|----------------|
| SureSelect AB P1Adapter | Not available. |
| SureSelect AB IA Adapter | Not available. |
| SureSelect AB Pre-Capture Primer | Not available. |
| SureSelect AB BC1 | Not available. |
| SureSelect AB BC2 | Not available. |
| SureSelect AB BC3 | Not available. |
| SureSelect AB BC4 | Not available. |
| SureSelect AB BC5 | Not available. |
| SureSelect AB BC6 | Not available. |
| SureSelect AB BC7 | Not available. |
| SureSelect AB BC8 | Not available. |
| SureSelect AB BC9 | Not available. |
| SureSelect AB BC10 | Not available. |
| SureSelect AB BC11 | Not available. |
| SureSelect AB BC12 | Not available. |
| SureSelect AB BC13 | Not available. |
| SureSelect AB BC14 | Not available. |
| SureSelect AB BC15 | Not available. |
| SureSelect AB BC16 | Not available. |

Potential acute health effects

Inhalation

| | |
|----------------------------------|---|
| SureSelect AB P1Adapter | No known significant effects or critical hazards. |
| SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| SureSelect AB BC1 | No known significant effects or critical hazards. |
| SureSelect AB BC2 | No known significant effects or critical hazards. |
| SureSelect AB BC3 | No known significant effects or critical hazards. |
| SureSelect AB BC4 | No known significant effects or critical hazards. |
| SureSelect AB BC5 | No known significant effects or critical hazards. |
| SureSelect AB BC6 | No known significant effects or critical hazards. |
| SureSelect AB BC7 | No known significant effects or critical hazards. |
| SureSelect AB BC8 | No known significant effects or critical hazards. |
| SureSelect AB BC9 | No known significant effects or critical hazards. |
| SureSelect AB BC10 | No known significant effects or critical hazards. |
| SureSelect AB BC11 | No known significant effects or critical hazards. |
| SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. |
| SureSelect AB BC14 | No known significant effects or critical hazards. |
| SureSelect AB BC15 | No known significant effects or critical hazards. |
| SureSelect AB BC16 | No known significant effects or critical hazards. |

SECTION 11: Toxicological information

| | | |
|---------------------|---|---|
| Ingestion | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA | No known significant effects or critical hazards. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. | |
| SureSelect AB BC14 | No known significant effects or critical hazards. | |
| SureSelect AB BC15 | No known significant effects or critical hazards. | |
| SureSelect AB BC16 | No known significant effects or critical hazards. | |
| Skin contact | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA | No known significant effects or critical hazards. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. | |
| SureSelect AB BC14 | No known significant effects or critical hazards. | |
| SureSelect AB BC15 | No known significant effects or critical hazards. | |
| SureSelect AB BC16 | No known significant effects or critical hazards. | |
| Eye contact | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA | No known significant effects or critical hazards. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| SureSelect AB BC9 | No known significant effects or critical hazards. | |
| SureSelect AB BC10 | No known significant effects or critical hazards. | |
| SureSelect AB BC11 | No known significant effects or critical hazards. | |
| SureSelect AB BC12 | No known significant effects or critical hazards. | |

SECTION 11: Toxicological information

| | |
|--------------------|---|
| SureSelect AB BC13 | No known significant effects or critical hazards. |
| SureSelect AB BC14 | No known significant effects or critical hazards. |
| SureSelect AB BC15 | No known significant effects or critical hazards. |
| SureSelect AB BC16 | No known significant effects or critical hazards. |

Symptoms related to the physical, chemical and toxicological characteristics

| | | | |
|---------------------|---|---|-------------------|
| Inhalation | : | <input checked="" type="checkbox"/> SureSelect AB | No specific data. |
| | | P1Adapter | |
| | | SureSelect AB IA Adapter | No specific data. |
| | | SureSelect AB Pre-Capture Primer | No specific data. |
| | | SureSelect AB BC1 | No specific data. |
| | | SureSelect AB BC2 | No specific data. |
| | | SureSelect AB BC3 | No specific data. |
| | | SureSelect AB BC4 | No specific data. |
| | | SureSelect AB BC5 | No specific data. |
| | | SureSelect AB BC6 | No specific data. |
| | | SureSelect AB BC7 | No specific data. |
| | | SureSelect AB BC8 | No specific data. |
| | | SureSelect AB BC9 | No specific data. |
| | | SureSelect AB BC10 | No specific data. |
| | | SureSelect AB BC11 | No specific data. |
| | | SureSelect AB BC12 | No specific data. |
| | | SureSelect AB BC13 | No specific data. |
| | | SureSelect AB BC14 | No specific data. |
| | | SureSelect AB BC15 | No specific data. |
| | | SureSelect AB BC16 | No specific data. |
| Ingestion | : | <input checked="" type="checkbox"/> SureSelect AB | No specific data. |
| | | P1Adapter | |
| | | SureSelect AB IA Adapter | No specific data. |
| | | SureSelect AB Pre-Capture Primer | No specific data. |
| | | SureSelect AB BC1 | No specific data. |
| | | SureSelect AB BC2 | No specific data. |
| | | SureSelect AB BC3 | No specific data. |
| | | SureSelect AB BC4 | No specific data. |
| | | SureSelect AB BC5 | No specific data. |
| | | SureSelect AB BC6 | No specific data. |
| | | SureSelect AB BC7 | No specific data. |
| | | SureSelect AB BC8 | No specific data. |
| | | SureSelect AB BC9 | No specific data. |
| | | SureSelect AB BC10 | No specific data. |
| | | SureSelect AB BC11 | No specific data. |
| | | SureSelect AB BC12 | No specific data. |
| | | SureSelect AB BC13 | No specific data. |
| | | SureSelect AB BC14 | No specific data. |
| | | SureSelect AB BC15 | No specific data. |
| | | SureSelect AB BC16 | No specific data. |
| Skin contact | : | <input checked="" type="checkbox"/> SureSelect AB | No specific data. |
| | | P1Adapter | |
| | | SureSelect AB IA Adapter | No specific data. |
| | | SureSelect AB Pre-Capture Primer | No specific data. |
| | | SureSelect AB BC1 | No specific data. |
| | | SureSelect AB BC2 | No specific data. |
| | | SureSelect AB BC3 | No specific data. |
| | | SureSelect AB BC4 | No specific data. |
| | | SureSelect AB BC5 | No specific data. |
| | | SureSelect AB BC6 | No specific data. |

SECTION 11: Toxicological information

| | | |
|--------------------|----------------------------------|-------------------|
| | SureSelect AB BC7 | No specific data. |
| | SureSelect AB BC8 | No specific data. |
| | SureSelect AB BC9 | No specific data. |
| | SureSelect AB BC10 | No specific data. |
| | SureSelect AB BC11 | No specific data. |
| | SureSelect AB BC12 | No specific data. |
| | SureSelect AB BC13 | No specific data. |
| | SureSelect AB BC14 | No specific data. |
| | SureSelect AB BC15 | No specific data. |
| | SureSelect AB BC16 | No specific data. |
| Eye contact | : SureSelect AB | No specific data. |
| | P1Adapter | |
| | SureSelect AB IA | No specific data. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No specific data. |
| | SureSelect AB BC1 | No specific data. |
| | SureSelect AB BC2 | No specific data. |
| | SureSelect AB BC3 | No specific data. |
| | SureSelect AB BC4 | No specific data. |
| | SureSelect AB BC5 | No specific data. |
| | SureSelect AB BC6 | No specific data. |
| | SureSelect AB BC7 | No specific data. |
| | SureSelect AB BC8 | No specific data. |
| | SureSelect AB BC9 | No specific data. |
| | SureSelect AB BC10 | No specific data. |
| | SureSelect AB BC11 | No specific data. |
| | SureSelect AB BC12 | No specific data. |
| | SureSelect AB BC13 | No specific data. |
| | SureSelect AB BC14 | No specific data. |
| | SureSelect AB BC15 | No specific data. |
| | SureSelect AB BC16 | No specific data. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

| | | |
|----------------|----------------------------------|---|
| General | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA | No known significant effects or critical hazards. |
| | Adapter | |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |

SECTION 11: Toxicological information

| | | |
|------------------------|---|---|
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | SureSelect AB BC16 | No known significant effects or critical hazards. |
| Carcinogenicity | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. | |
| SureSelect AB BC14 | No known significant effects or critical hazards. | |
| SureSelect AB BC15 | No known significant effects or critical hazards. | |
| SureSelect AB BC16 | No known significant effects or critical hazards. | |
| Mutagenicity | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| SureSelect AB BC13 | No known significant effects or critical hazards. | |
| SureSelect AB BC14 | No known significant effects or critical hazards. | |
| SureSelect AB BC15 | No known significant effects or critical hazards. | |
| SureSelect AB BC16 | No known significant effects or critical hazards. | |
| Teratogenicity | : SureSelect AB | No known significant effects or critical hazards. |
| | P1Adapter | |
| | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| SureSelect AB BC2 | No known significant effects or critical hazards. | |
| SureSelect AB BC3 | No known significant effects or critical hazards. | |
| SureSelect AB BC4 | No known significant effects or critical hazards. | |

SECTION 11: Toxicological information

| | | |
|------------------------------|---|---|
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | SureSelect AB BC16 | No known significant effects or critical hazards. |
| Developmental effects | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | No known significant effects or critical hazards. |
| | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | SureSelect AB BC16 | No known significant effects or critical hazards. |
| Fertility effects | <input checked="" type="checkbox"/> SureSelect AB P1Adapter | No known significant effects or critical hazards. |
| | SureSelect AB IA Adapter | No known significant effects or critical hazards. |
| | SureSelect AB Pre-Capture Primer | No known significant effects or critical hazards. |
| | SureSelect AB BC1 | No known significant effects or critical hazards. |
| | SureSelect AB BC2 | No known significant effects or critical hazards. |
| | SureSelect AB BC3 | No known significant effects or critical hazards. |
| | SureSelect AB BC4 | No known significant effects or critical hazards. |
| | SureSelect AB BC5 | No known significant effects or critical hazards. |
| | SureSelect AB BC6 | No known significant effects or critical hazards. |
| | SureSelect AB BC7 | No known significant effects or critical hazards. |
| | SureSelect AB BC8 | No known significant effects or critical hazards. |
| | SureSelect AB BC9 | No known significant effects or critical hazards. |
| | SureSelect AB BC10 | No known significant effects or critical hazards. |
| | SureSelect AB BC11 | No known significant effects or critical hazards. |
| | SureSelect AB BC12 | No known significant effects or critical hazards. |
| | SureSelect AB BC13 | No known significant effects or critical hazards. |
| | SureSelect AB BC14 | No known significant effects or critical hazards. |
| | SureSelect AB BC15 | No known significant effects or critical hazards. |
| | SureSelect AB BC16 | No known significant effects or critical hazards. |

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Not available.

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

| | | |
|---|---|-----------------|
| Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles | SureSelect AB P1Adapter | Not applicable. |
| | SureSelect AB IA Adapter | Not applicable. |
| | SureSelect AB Pre-Capture Primer | Not applicable. |
| | SureSelect AB BC1 | Not applicable. |
| | SureSelect AB BC2 | Not applicable. |
| | SureSelect AB BC3 | Not applicable. |
| | SureSelect AB BC4 | Not applicable. |
| | SureSelect AB BC5 | Not applicable. |
| | SureSelect AB BC6 | Not applicable. |
| | SureSelect AB BC7 | Not applicable. |
| | SureSelect AB BC8 | Not applicable. |
| | SureSelect AB BC9 | Not applicable. |
| | SureSelect AB BC10 | Not applicable. |
| | SureSelect AB BC11 | Not applicable. |
| | SureSelect AB BC12 | Not applicable. |
| | SureSelect AB BC13 | Not applicable. |
| SureSelect AB BC14 | Not applicable. | |
| SureSelect AB BC15 | Not applicable. | |
| SureSelect AB BC16 | Not applicable. | |

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| | |
|------------------|--|
| Australia | : All components are listed or exempted. |
| Canada | : All components are listed or exempted. |
| China | : All components are listed or exempted. |

SureSelect AB Indexing Construction Kit - 10 x 16 Reaction, Part Number G3367A

SECTION 15: Regulatory information

| | |
|--------------------------|--|
| Europe | : All components are listed or exempted. |
| Japan | : Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined. |
| Malaysia | : Not determined. |
| New Zealand | : All components are listed or exempted. |
| Philippines | : All components are listed or exempted. |
| Republic of Korea | : Not determined. |
| Taiwan | : All components are listed or exempted. |
| Thailand | : <input checked="" type="checkbox"/> Not determined. |
| Turkey | : Not determined. |
| United States | : All components are listed or exempted. |
| Viet Nam | : <input checked="" type="checkbox"/> Not determined. |

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
DNEL = Derived No Effect Level
EUH statement = CLP-specific Hazard statement
PNEC = Predicted No Effect Concentration
RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

| Classification | Justification |
|-----------------|---------------|
| Not classified. | |

Full text of abbreviated H statements

Not applicable.

Full text of classifications [CLP/GHS]

Not applicable.

Date of issue/ Date of revision : 30/04/2018

Date of previous issue : 29/02/2016

Version : 2

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.