

# SAFETY DATA SHEET



SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A

## Section 1. Identification

<b>Product identifier</b>	: SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A
<b>Part No. (Chemical Kit)</b>	: G3369A
<b>Part No.</b>	: SureSelect AB P1Adapter 5972-3581
	SureSelect AB IA Adapter 5972-3582
	SureSelect AB BC1 5972-3600
	SureSelect AB BC14 5972-3607
	SureSelect AB BC15 5972-3608
	SureSelect AB BC2 5972-3609
	SureSelect AB BC3 5972-3610
	SureSelect AB BC4 5972-3611
	SureSelect AB BC5 5972-3612
	SureSelect AB BC6 5972-3613
	SureSelect AB BC7 5972-3614
	SureSelect AB BC8 5972-3615
	SureSelect AB BC9 5972-3616
	SureSelect AB BC10 5972-3617
	SureSelect AB BC11 5972-3618
	SureSelect AB BC12 5972-3619
	SureSelect AB BC13 5972-3620
	SureSelect AB BC16 5972-3621
	SureSelect AB Pre Capture Primer 5972-3622

### Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

SureSelect AB P1Adapter	14 x 1.5 ml
SureSelect AB IA Adapter	14 x 1.5 ml
SureSelect AB BC1	2 x 0.125 ml
SureSelect AB BC14	2 x 0.125 ml
SureSelect AB BC15	2 x 0.125 ml
SureSelect AB BC2	2 x 0.125 ml
SureSelect AB BC3	2 x 0.125 ml
SureSelect AB BC4	2 x 0.125 ml
SureSelect AB BC5	2 x 0.125 ml
SureSelect AB BC6	2 x 0.125 ml
SureSelect AB BC7	2 x 0.125 ml
SureSelect AB BC8	2 x 0.125 ml
SureSelect AB BC9	2 x 0.125 ml
SureSelect AB BC10	2 x 0.125 ml
SureSelect AB BC11	2 x 0.125 ml
SureSelect AB BC12	2 x 0.125 ml
SureSelect AB BC13	2 x 0.125 ml
SureSelect AB BC16	2 x 0.125 ml
SureSelect AB Pre Capture Primer	12 x 1.35 ml

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia  
1800 802 402

**Emergency telephone number (with hours of operation)** : CHEMTREC®: (61)-290372994

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

Not classified.

### GHS label elements

#### Signal word

☑ SureSelect AB P1Adapter	No signal word.
SureSelect AB IA Adapter	No signal word.
SureSelect AB BC1	No signal word.
SureSelect AB BC14	No signal word.
SureSelect AB BC15	No signal word.
SureSelect AB BC2	No signal word.
SureSelect AB BC3	No signal word.
SureSelect AB BC4	No signal word.
SureSelect AB BC5	No signal word.
SureSelect AB BC6	No signal word.
SureSelect AB BC7	No signal word.
SureSelect AB BC8	No signal word.
SureSelect AB BC9	No signal word.
SureSelect AB BC10	No signal word.
SureSelect AB BC11	No signal word.
SureSelect AB BC12	No signal word.
SureSelect AB BC13	No signal word.
SureSelect AB BC16	No signal word.
SureSelect AB Pre Capture Primer	No signal word.

#### Hazard statements

☑ SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

### Precautionary statements

#### Prevention

☑ SureSelect AB P1Adapter	Not applicable.
SureSelect AB IA Adapter	Not applicable.
SureSelect AB BC1	Not applicable.
SureSelect AB BC14	Not applicable.
SureSelect AB BC15	Not applicable.
SureSelect AB BC2	Not applicable.
SureSelect AB BC3	Not applicable.
SureSelect AB BC4	Not applicable.
SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.
SureSelect AB BC7	Not applicable.
SureSelect AB BC8	Not applicable.
SureSelect AB BC9	Not applicable.
SureSelect AB BC10	Not applicable.
SureSelect AB BC11	Not applicable.
SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.

## Section 2. Hazard(s) identification

		SureSelect AB BC16	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
<b>Response</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
		SureSelect AB IA Adapter	Not applicable.
		SureSelect AB BC1	Not applicable.
		SureSelect AB BC14	Not applicable.
		SureSelect AB BC15	Not applicable.
		SureSelect AB BC2	Not applicable.
		SureSelect AB BC3	Not applicable.
		SureSelect AB BC4	Not applicable.
		SureSelect AB BC5	Not applicable.
		SureSelect AB BC6	Not applicable.
		SureSelect AB BC7	Not applicable.
		SureSelect AB BC8	Not applicable.
		SureSelect AB BC9	Not applicable.
		SureSelect AB BC10	Not applicable.
		SureSelect AB BC11	Not applicable.
		SureSelect AB BC12	Not applicable.
		SureSelect AB BC13	Not applicable.
		SureSelect AB BC16	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
<b>Storage</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
		SureSelect AB IA Adapter	Not applicable.
		SureSelect AB BC1	Not applicable.
		SureSelect AB BC14	Not applicable.
		SureSelect AB BC15	Not applicable.
		SureSelect AB BC2	Not applicable.
		SureSelect AB BC3	Not applicable.
		SureSelect AB BC4	Not applicable.
		SureSelect AB BC5	Not applicable.
		SureSelect AB BC6	Not applicable.
		SureSelect AB BC7	Not applicable.
		SureSelect AB BC8	Not applicable.
		SureSelect AB BC9	Not applicable.
		SureSelect AB BC10	Not applicable.
		SureSelect AB BC11	Not applicable.
		SureSelect AB BC12	Not applicable.
		SureSelect AB BC13	Not applicable.
		SureSelect AB BC16	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
<b>Disposal</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
		SureSelect AB IA Adapter	Not applicable.
		SureSelect AB BC1	Not applicable.
		SureSelect AB BC14	Not applicable.
		SureSelect AB BC15	Not applicable.
		SureSelect AB BC2	Not applicable.
		SureSelect AB BC3	Not applicable.
		SureSelect AB BC4	Not applicable.
		SureSelect AB BC5	Not applicable.
		SureSelect AB BC6	Not applicable.
		SureSelect AB BC7	Not applicable.
		SureSelect AB BC8	Not applicable.
		SureSelect AB BC9	Not applicable.
		SureSelect AB BC10	Not applicable.
		SureSelect AB BC11	Not applicable.
		SureSelect AB BC12	Not applicable.
		SureSelect AB BC13	Not applicable.
		SureSelect AB BC16	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.

## Section 2. Hazard(s) identification

<b>Supplemental label elements</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
------------------------------------	--	--

<b>Other hazards which do not result in classification</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known.
--	--	--

## Section 3. Composition and ingredient information

<b>Substance/mixture</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture
--------------------------	--	---

## Section 3. Composition and ingredient information

### [CAS number/other identifiers](#)

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### [Description of necessary first aid measures](#)

<b>Eye contact</b>	: SureSelect AB P1Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB IA Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

## Section 4. First aid measures

	SureSelect AB BC10	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC13	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	: SureSelect AB P1Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB IA Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical



## Section 4. First aid measures

	SureSelect AB BC10	attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB Pre Capture Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	: SureSelect AB P1Adapter	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB IA Adapter	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

## Section 4. First aid measures

### Ingestion

SureSelect AB BC12	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
: SureSelect AB P1Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB IA Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC4	Wash out mouth with water. Remove victim to fresh



## Section 4. First aid measures

	air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC13	Wash out mouth with water. Remove victim to fresh

## Section 4. First aid measures

SureSelect AB BC16

air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SureSelect AB Pre Capture Primer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

##### Inhalation

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture	No known significant effects or critical hazards.

## Section 4. First aid measures

	Primer	
<b>Skin contact</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture	No known significant effects or critical hazards.
	Primer	
<b>Ingestion</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture	No known significant effects or critical hazards.
	Primer	
<b><u>Over-exposure signs/symptoms</u></b>		
<b>Eye contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture	No specific data.
	Primer	

## Section 4. First aid measures

<b>Inhalation</b>	:	☑ SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.
		SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.	
	SureSelect AB Pre Capture Primer	No specific data.	
<b>Skin contact</b>	:	☑ SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.
		SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.	
	SureSelect AB Pre Capture Primer	No specific data.	
<b>Ingestion</b>	:	☑ SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.
		SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.	
	SureSelect AB Pre Capture Primer	No specific data.	

**Indication of immediate medical attention and special treatment needed, if necessary**

## Section 4. First aid measures

<b>Notes to physician</b>	: SureSelect AB P1Adapter	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB IA Adapter	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB Pre Capture Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.







## Section 5. Firefighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	None known. None known.

## Section 5. Firefighting measures

<b>Specific hazards arising from the chemical</b>	: SureSelect AB P1Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB IA Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC14	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC15	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC16	In a fire or if heated, a pressure increase will occur and the container may burst.	
SureSelect AB Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous thermal decomposition products</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
SureSelect AB BC16	No specific data.	
SureSelect AB Pre Capture Primer	No specific data.	

## Section 5. Firefighting measures

<b>Special protective actions for fire-fighters</b>	: SureSelect AB P1Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB IA Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC14	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC5	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

## Section 5. Firefighting measures

**Special protective equipment for fire-fighters**

SureSelect AB BC13	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC16	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB IA Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

## Section 5. Firefighting measures

SureSelect AB BC10	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC11	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureSelect AB P1Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB IA Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC14	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC15	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

## Section 6. Accidental release measures

SureSelect AB BC3	<p>protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC4	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC5	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC6	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC7	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC8	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC9	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC10	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC11	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC12	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB BC13	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected</p>



## Section 6. Accidental release measures

	personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC16	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
<b>For emergency responders :</b> SureSelect AB P1Adapter	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB IA Adapter	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC14	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC15	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC3	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC4	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC5	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC6	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC7	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

SureSelect AB BC9	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC10	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC11	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC12	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC13	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC16	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB Pre Capture Primer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

<b>Environmental precautions</b> :	SureSelect AB P1Adapter	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB IA Adapter	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB BC1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB BC14	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB BC15	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB BC2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB BC3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

## Section 6. Accidental release measures

	soil or air).
SureSelect AB BC4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC5	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC7	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC11	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC13	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB Pre Capture Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### [Methods and material for containment and cleaning up](#)

## Section 6. Accidental release measures

<b>Methods for cleaning up</b>	: SureSelect AB P1Adapter	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB IA Adapter	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC14	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC15	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

## Section 6. Accidental release measures

	inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC13	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b>	:	SureSelect AB P1Adapter	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB IA Adapter	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC1	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC14	Put on appropriate personal protective equipment (see Section 8).



## Section 7. Handling and storage

SureSelect AB BC15	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC2	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC3	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC4	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC5	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC6	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC7	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC8	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC9	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC10	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC11	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC12	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC13	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB BC16	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB Pre Capture Primer	Put on appropriate personal protective equipment (see Section 8).

### Advice on general occupational hygiene

: SureSelect AB P1Adapter	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB IA Adapter	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC15	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment



## Section 7. Handling and storage

SureSelect AB BC2	<p>before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC3	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC4	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC5	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC6	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC7	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC8	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC9	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
SureSelect AB BC10	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment</p>

## Section 7. Handling and storage

SureSelect AB BC11	before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC12	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB Pre Capture Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : SureSelect AB P1Adapter

SureSelect AB P1Adapter	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB IA Adapter	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

## Section 7. Handling and storage

	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC14	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC15	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC5	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

## Section 7. Handling and storage

SureSelect AB BC6	<p>containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC7	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC8	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC9	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC10	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC11	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB BC12	<p>Store in accordance with local regulations. Store in</p>

## Section 7. Handling and storage

SureSelect AB BC13

original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB BC16

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB Pre Capture Primer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls and personal protection

### Control parameters

#### Occupational exposure limits

None.

#### **Appropriate engineering controls**

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### **Environmental exposure controls**

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## Section 8. Exposure controls and personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### Appearance

- Physical state** :
- |                                  |         |
|----------------------------------|---------|
| SureSelect AB P1Adapter          | Liquid. |
| SureSelect AB IA Adapter         | Liquid. |
| SureSelect AB BC1                | Liquid. |
| SureSelect AB BC14               | Liquid. |
| SureSelect AB BC15               | Liquid. |
| SureSelect AB BC2                | Liquid. |
| SureSelect AB BC3                | Liquid. |
| SureSelect AB BC4                | Liquid. |
| SureSelect AB BC5                | Liquid. |
| SureSelect AB BC6                | Liquid. |
| SureSelect AB BC7                | Liquid. |
| SureSelect AB BC8                | Liquid. |
| SureSelect AB BC9                | Liquid. |
| SureSelect AB BC10               | Liquid. |
| SureSelect AB BC11               | Liquid. |
| SureSelect AB BC12               | Liquid. |
| SureSelect AB BC13               | Liquid. |
| SureSelect AB BC16               | Liquid. |
| SureSelect AB Pre Capture Primer |         |
- Colour** :
- |                           |                |
|---------------------------|----------------|
| SureSelect AB P1Adapter   | Not available. |
| SureSelect AB IA Adapter  | Not available. |
| SureSelect AB BC1         | Not available. |
| SureSelect AB BC14        | Not available. |
| SureSelect AB BC15        | Not available. |
| SureSelect AB BC2         | Not available. |
| SureSelect AB BC3         | Not available. |
| SureSelect AB BC4         | Not available. |
| SureSelect AB BC5         | Not available. |
| SureSelect AB BC6         | Not available. |
| SureSelect AB BC7         | Not available. |
| SureSelect AB BC8         | Not available. |
| SureSelect AB BC9         | Not available. |
| SureSelect AB BC10        | Not available. |
| SureSelect AB BC11        | Not available. |
| SureSelect AB BC12        | Not available. |
| SureSelect AB BC13        | Not available. |
| SureSelect AB BC16        | Not available. |
| SureSelect AB Pre Capture | Not available. |



## Section 9. Physical and chemical properties

	Primer	
<b>Odour</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture	Not available.
	Primer	
<b>Odour threshold</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture	Not available.
	Primer	
<b>pH</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture	Not available.
	Primer	

## Section 9. Physical and chemical properties

<b>Melting point</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	0°C (32°F)
		SureSelect AB IA Adapter	0°C (32°F)
		SureSelect AB BC1	0°C (32°F)
		SureSelect AB BC14	0°C (32°F)
		SureSelect AB BC15	0°C (32°F)
		SureSelect AB BC2	0°C (32°F)
		SureSelect AB BC3	0°C (32°F)
		SureSelect AB BC4	0°C (32°F)
		SureSelect AB BC5	0°C (32°F)
		SureSelect AB BC6	0°C (32°F)
		SureSelect AB BC7	0°C (32°F)
		SureSelect AB BC8	0°C (32°F)
		SureSelect AB BC9	0°C (32°F)
		SureSelect AB BC10	0°C (32°F)
		SureSelect AB BC11	0°C (32°F)
		SureSelect AB BC12	0°C (32°F)
		SureSelect AB BC13	0°C (32°F)
	SureSelect AB BC16	0°C (32°F)	
	SureSelect AB Pre Capture Primer	0°C (32°F)	
<b>Boiling point</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	100°C (212°F)
		SureSelect AB IA Adapter	100°C (212°F)
		SureSelect AB BC1	100°C (212°F)
		SureSelect AB BC14	100°C (212°F)
		SureSelect AB BC15	100°C (212°F)
		SureSelect AB BC2	100°C (212°F)
		SureSelect AB BC3	100°C (212°F)
		SureSelect AB BC4	100°C (212°F)
		SureSelect AB BC5	100°C (212°F)
		SureSelect AB BC6	100°C (212°F)
		SureSelect AB BC7	100°C (212°F)
		SureSelect AB BC8	100°C (212°F)
		SureSelect AB BC9	100°C (212°F)
		SureSelect AB BC10	100°C (212°F)
		SureSelect AB BC11	100°C (212°F)
		SureSelect AB BC12	100°C (212°F)
		SureSelect AB BC13	100°C (212°F)
	SureSelect AB BC16	100°C (212°F)	
	SureSelect AB Pre Capture Primer	100°C (212°F)	
<b>Flash point</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.
		SureSelect AB BC11	Not available.
		SureSelect AB BC12	Not available.
		SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.	
	SureSelect AB Pre Capture Primer	Not available.	

## Section 9. Physical and chemical properties

<b>Evaporation rate</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
SureSelect AB BC13	Not available.	
SureSelect AB BC16	Not available.	
SureSelect AB Pre Capture Primer	Not available.	
<b>Flammability (solid, gas)</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.	
SureSelect AB BC16	Not applicable.	
SureSelect AB Pre Capture Primer	Not applicable.	
<b>Lower and upper explosive (flammable) limits</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
SureSelect AB BC13	Not available.	
SureSelect AB BC16	Not available.	
SureSelect AB Pre Capture Primer	Not available.	

## Section 9. Physical and chemical properties

<b>Vapour pressure</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.
		SureSelect AB BC11	Not available.
		SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.	
	SureSelect AB BC16	Not available.	
	SureSelect AB Pre Capture Primer	Not available.	
<b>Vapour density</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.
		SureSelect AB BC11	Not available.
		SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.	
	SureSelect AB BC16	Not available.	
	SureSelect AB Pre Capture Primer	Not available.	
<b>Relative density</b>	:	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.
		SureSelect AB BC11	Not available.
		SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.	
	SureSelect AB BC16	Not available.	
	SureSelect AB Pre Capture Primer	Not available.	

## Section 9. Physical and chemical properties

<b>Solubility</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB IA Adapter	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC1	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC14	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC15	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC2	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC3	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC4	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC5	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC6	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC7	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC8	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC9	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC10	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC11	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC12	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC13	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC16	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB Pre Capture Primer	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.

## Section 9. Physical and chemical properties

<b>Auto-ignition temperature</b>	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.	
SureSelect AB Pre Capture Primer	Not available.	
<b>Decomposition temperature</b>	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.	
SureSelect AB Pre Capture Primer	Not available.	
<b>Viscosity</b>	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.	
SureSelect AB Pre Capture Primer	Not available.	



## Section 10. Stability and reactivity

<b>Reactivity</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB IA Adapter	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC14	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC15	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC2	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC3	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC4	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC5	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC6	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC7	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC8	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC9	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC10	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC11	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC12	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC13	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC16	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.

<b>Chemical stability</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	The product is stable.
	SureSelect AB IA Adapter	The product is stable.
	SureSelect AB BC1	The product is stable.
	SureSelect AB BC14	The product is stable.
	SureSelect AB BC15	The product is stable.
	SureSelect AB BC2	The product is stable.
	SureSelect AB BC3	The product is stable.
	SureSelect AB BC4	The product is stable.
	SureSelect AB BC5	The product is stable.
	SureSelect AB BC6	The product is stable.
	SureSelect AB BC7	The product is stable.
	SureSelect AB BC8	The product is stable.
	SureSelect AB BC9	The product is stable.
	SureSelect AB BC10	The product is stable.
	SureSelect AB BC11	The product is stable.
	SureSelect AB BC12	The product is stable.
	SureSelect AB BC13	The product is stable.
	SureSelect AB BC16	The product is stable.
	SureSelect AB Pre Capture Primer	The product is stable.

## Section 10. Stability and reactivity

<b>Possibility of hazardous reactions</b>	: SureSelect AB P1Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB IA Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC1	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC14	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC15	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC2	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC3	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC4	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC5	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC6	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC7	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB BC16	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous reactions will not occur.

<b>Conditions to avoid</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

## Section 10. Stability and reactivity

<b>Incompatible materials</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>Hazardous decomposition products</b>	: SureSelect AB P1Adapter  SureSelect AB IA Adapter  SureSelect AB BC1  SureSelect AB BC14  SureSelect AB BC15  SureSelect AB BC2  SureSelect AB BC3  SureSelect AB BC4  SureSelect AB BC5  SureSelect AB BC6  SureSelect AB BC7  SureSelect AB BC8  SureSelect AB BC9  SureSelect AB BC10	Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

SureSelect AB BC11	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC16	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### Sensitisation

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

<b>Information on likely routes of exposure</b>	<input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
SureSelect AB BC8	Not available.	
SureSelect AB BC9	Not available.	

## Section 11. Toxicological information

SureSelect AB BC10	Not available.
SureSelect AB BC11	Not available.
SureSelect AB BC12	Not available.
SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.
SureSelect AB Pre Capture Primer	Not available.

### Potential acute health effects

#### Eye contact

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

#### Inhalation

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

#### Skin contact

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.



## Section 11. Toxicological information

	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Ingestion</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

<b>Inhalation</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.



## Section 11. Toxicological information

	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
<b>Skin contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
<b>Ingestion</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.





## Section 11. Toxicological information

### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

### Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

### Regulatory information

**ADG / IMDG / IATA** : Not regulated as Dangerous Goods according to the ADG Code .

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## Section 15. Regulatory information

### Standard Uniform Schedule of Medicine and Poisons

Not regulated.

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

**Australia inventory (AICS)** : All components are listed or exempted.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

- |                          |   |  |
|--------------------------|---|--|
| <b>Canada</b>            | : | All components are listed or exempted.   |
| <b>China</b>             | : | All components are listed or exempted.   |
| <b>Europe</b>            | : | All components are listed or exempted.   |
| <b>Japan</b>             | : | <input checked="" type="checkbox"/> <b>Japan inventory (ENCS)</b> : Not determined.<br><b>Japan inventory (ISHL)</b> : Not determined. |
| <b>Malaysia</b>          | : | <input checked="" type="checkbox"/> Not determined.  |
| <b>New Zealand</b>       | : | <input checked="" type="checkbox"/> All components are listed or exempted.   |
| <b>Philippines</b>       | : | <input checked="" type="checkbox"/> All components are listed or exempted.   |
| <b>Republic of Korea</b> | : | <input checked="" type="checkbox"/> Not determined.  |
| <b>Taiwan</b>            | : | <input checked="" type="checkbox"/> All components are listed or exempted.   |
| <b>Turkey</b>            | : | <input checked="" type="checkbox"/> Not determined.  |
| <b>United States</b>     | : | All components are listed or exempted.   |

## Section 16. Any other relevant information

### History

**Date of issue/Date of revision** : 22/02/2016

**Date of previous issue** : 14/04/2014.

**Version** : 4

### Key to abbreviations

: ADG = Australian Dangerous Goods  
 ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 NOHSC = National Occupational Health and Safety Commission  
 SUSMP = Standard Uniform Schedule of Medicine and Poisons  
 UN = United Nations

## Section 16. Any other relevant information

### Procedure used to derive the classification

Classification	Justification
Not classified.	

**References** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.