

# SAFETY DATA SHEET



SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

<b>Product name</b>	: SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A
<b>Part No. (Kit)</b>	: G3369A
<b>Part No.</b>	: SureSelect AB 5972-3581 P1Adapter SureSelect AB IA 5972-3582 Adapter SureSelect AB BC1 5972-3600 SureSelect AB BC14 5972-3607 SureSelect AB BC15 5972-3608 SureSelect AB BC2 5972-3609 SureSelect AB BC3 5972-3610 SureSelect AB BC4 5972-3611 SureSelect AB BC5 5972-3612 SureSelect AB BC6 5972-3613 SureSelect AB BC7 5972-3614 SureSelect AB BC8 5972-3615 SureSelect AB BC9 5972-3616 SureSelect AB BC10 5972-3617 SureSelect AB BC11 5972-3618 SureSelect AB BC12 5972-3619 SureSelect AB BC13 5972-3620 SureSelect AB BC16 5972-3621 SureSelect AB Pre 5972-3622 Capture Primer

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
SureSelect AB P1Adapter	14 x 1.5 ml
SureSelect AB IA Adapter	14 x 1.5 ml
SureSelect AB BC1	2 x 0.125 ml
SureSelect AB BC14	2 x 0.125 ml
SureSelect AB BC15	2 x 0.125 ml
SureSelect AB BC2	2 x 0.125 ml
SureSelect AB BC3	2 x 0.125 ml
SureSelect AB BC4	2 x 0.125 ml
SureSelect AB BC5	2 x 0.125 ml
SureSelect AB BC6	2 x 0.125 ml
SureSelect AB BC7	2 x 0.125 ml
SureSelect AB BC8	2 x 0.125 ml
SureSelect AB BC9	2 x 0.125 ml
SureSelect AB BC10	2 x 0.125 ml
SureSelect AB BC11	2 x 0.125 ml
SureSelect AB BC12	2 x 0.125 ml
SureSelect AB BC13	2 x 0.125 ml
SureSelect AB BC16	2 x 0.125 ml
SureSelect AB Pre Capture Primer	12 x 1.35 ml

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG  
Hewlett-Packard-Str. 8  
76337 Waldbronn  
Germany  
0800 603 1000

**Date of issue/Date of revision** : 22/02/2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

**1.4 Emergency telephone number**

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(44)-870-8200418

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

<b>Product definition</b>	: SureSelect AB	Mixture
	P1Adapter	
	SureSelect AB IA	Mixture
	Adapter	
	SureSelect AB BC1	Mixture
	SureSelect AB BC14	Mixture
	SureSelect AB BC15	Mixture
	SureSelect AB BC2	Mixture
	SureSelect AB BC3	Mixture
	SureSelect AB BC4	Mixture
	SureSelect AB BC5	Mixture
	SureSelect AB BC6	Mixture
	SureSelect AB BC7	Mixture
	SureSelect AB BC8	Mixture
	SureSelect AB BC9	Mixture
	SureSelect AB BC10	Mixture
	SureSelect AB BC11	Mixture
	SureSelect AB BC12	Mixture
	SureSelect AB BC13	Mixture
	SureSelect AB BC16	Mixture
	SureSelect AB Pre	Mixture
	Capture Primer	

**Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]**

Not classified.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements**

<b>Signal word</b>	: SureSelect AB	No signal word.
	P1Adapter	
	SureSelect AB IA	No signal word.
	Adapter	
	SureSelect AB BC1	No signal word.
	SureSelect AB BC14	No signal word.
	SureSelect AB BC15	No signal word.
	SureSelect AB BC2	No signal word.
	SureSelect AB BC3	No signal word.
	SureSelect AB BC4	No signal word.
	SureSelect AB BC5	No signal word.
	SureSelect AB BC6	No signal word.
	SureSelect AB BC7	No signal word.
	SureSelect AB BC8	No signal word.
	SureSelect AB BC9	No signal word.
	SureSelect AB BC10	No signal word.
	SureSelect AB BC11	No signal word.
	SureSelect AB BC12	No signal word.

**SECTION 2: Hazards identification**

	SureSelect AB BC13	No signal word.
	SureSelect AB BC16	No signal word.
	SureSelect AB Pre Capture Primer	No signal word.
<b>Hazard statements</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

Precautionary statements

<b>Prevention</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.

<b>Response</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.

**SECTION 2: Hazards identification**

	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Storage</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Disposal</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Hazardous ingredients</b>	: No hazardous ingredient	
<b>Supplemental label elements</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.

## SECTION 2: Hazards identification

SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.
SureSelect AB BC7	Not applicable.
SureSelect AB BC8	Not applicable.
SureSelect AB BC9	Not applicable.
SureSelect AB BC10	Not applicable.
SureSelect AB BC11	Not applicable.
SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.
SureSelect AB BC16	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.

**Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles**

SureSelect AB P1Adapter	Not applicable.
SureSelect AB IA Adapter	Not applicable.
SureSelect AB BC1	Not applicable.
SureSelect AB BC14	Not applicable.
SureSelect AB BC15	Not applicable.
SureSelect AB BC2	Not applicable.
SureSelect AB BC3	Not applicable.
SureSelect AB BC4	Not applicable.
SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.
SureSelect AB BC7	Not applicable.
SureSelect AB BC8	Not applicable.
SureSelect AB BC9	Not applicable.
SureSelect AB BC10	Not applicable.
SureSelect AB BC11	Not applicable.
SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.
SureSelect AB BC16	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.

**Special packaging requirements**

**Tactile warning of danger**

SureSelect AB P1Adapter	Not applicable.
SureSelect AB IA Adapter	Not applicable.
SureSelect AB BC1	Not applicable.
SureSelect AB BC14	Not applicable.
SureSelect AB BC15	Not applicable.
SureSelect AB BC2	Not applicable.
SureSelect AB BC3	Not applicable.
SureSelect AB BC4	Not applicable.
SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.
SureSelect AB BC7	Not applicable.
SureSelect AB BC8	Not applicable.
SureSelect AB BC9	Not applicable.
SureSelect AB BC10	Not applicable.
SureSelect AB BC11	Not applicable.
SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.
SureSelect AB BC16	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.

**2.3 Other hazards**

## SECTION 2: Hazards identification

<b>Other hazards which do not result in classification</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known.
--	--	--

## SECTION 3: Composition/information on ingredients

<b>3.2 Mixtures</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture Mixture
---------------------	--	---

### Product/ingredient name

No hazardous ingredient

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>Eye contact</b>	: SureSelect AB P1Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB IA Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC13	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**SECTION 4: First aid measures**

<b>Inhalation</b>	:	SureSelect AB P1Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB IA Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
		SureSelect AB Pre Capture Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	:	SureSelect AB P1Adapter	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		SureSelect AB IA Adapter	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
		SureSelect AB BC1	Flush contaminated skin with plenty of water. Remove



**SECTION 4: First aid measures**

		contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	: SureSelect AB P1Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB IA Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

**SECTION 4: First aid measures**

	material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

**SECTION 4: First aid measures**

SureSelect AB BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC13	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

<b>Protection of first-aiders</b>	SureSelect AB P1Adapter	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB IA Adapter	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC1	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC14	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC15	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC2	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC3	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC4	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC5	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC6	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC7	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC8	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC9	No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC10	No action shall be taken involving any personal risk or without suitable training.

## SECTION 4: First aid measures

SureSelect AB BC11	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC12	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC13	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC16	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Inhalation</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

**SECTION 4: First aid measures**

<b>Skin contact</b>	:	SureSelect AB P1Adapter	No known significant effects or critical hazards.
		SureSelect AB IA Adapter	No known significant effects or critical hazards.
		SureSelect AB BC1	No known significant effects or critical hazards.
		SureSelect AB BC14	No known significant effects or critical hazards.
		SureSelect AB BC15	No known significant effects or critical hazards.
		SureSelect AB BC2	No known significant effects or critical hazards.
		SureSelect AB BC3	No known significant effects or critical hazards.
		SureSelect AB BC4	No known significant effects or critical hazards.
		SureSelect AB BC5	No known significant effects or critical hazards.
		SureSelect AB BC6	No known significant effects or critical hazards.
		SureSelect AB BC7	No known significant effects or critical hazards.
		SureSelect AB BC8	No known significant effects or critical hazards.
		SureSelect AB BC9	No known significant effects or critical hazards.
		SureSelect AB BC10	No known significant effects or critical hazards.
		SureSelect AB BC11	No known significant effects or critical hazards.
		SureSelect AB BC12	No known significant effects or critical hazards.
		SureSelect AB BC13	No known significant effects or critical hazards.
		SureSelect AB BC16	No known significant effects or critical hazards.
		SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Ingestion</b>	:	SureSelect AB P1Adapter	No known significant effects or critical hazards.
		SureSelect AB IA Adapter	No known significant effects or critical hazards.
		SureSelect AB BC1	No known significant effects or critical hazards.
		SureSelect AB BC14	No known significant effects or critical hazards.
		SureSelect AB BC15	No known significant effects or critical hazards.
		SureSelect AB BC2	No known significant effects or critical hazards.
		SureSelect AB BC3	No known significant effects or critical hazards.
		SureSelect AB BC4	No known significant effects or critical hazards.
		SureSelect AB BC5	No known significant effects or critical hazards.
		SureSelect AB BC6	No known significant effects or critical hazards.
		SureSelect AB BC7	No known significant effects or critical hazards.
		SureSelect AB BC8	No known significant effects or critical hazards.
		SureSelect AB BC9	No known significant effects or critical hazards.
		SureSelect AB BC10	No known significant effects or critical hazards.
		SureSelect AB BC11	No known significant effects or critical hazards.
		SureSelect AB BC12	No known significant effects or critical hazards.
		SureSelect AB BC13	No known significant effects or critical hazards.
		SureSelect AB BC16	No known significant effects or critical hazards.
		SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

<b>Eye contact</b>	:	SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.

**SECTION 4: First aid measures**

	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre	No specific data.
	Capture Primer	
<b>Inhalation</b>	: SureSelect AB	No specific data.
	P1Adapter	
	SureSelect AB IA	No specific data.
	Adapter	
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre	No specific data.
	Capture Primer	
<b>Skin contact</b>	: SureSelect AB	No specific data.
	P1Adapter	
	SureSelect AB IA	No specific data.
	Adapter	
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre	No specific data.
	Capture Primer	
<b>Ingestion</b>	: SureSelect AB	No specific data.
	P1Adapter	
	SureSelect AB IA	No specific data.
	Adapter	
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.

**SECTION 4: First aid measures**

SureSelect AB BC10	No specific data.
SureSelect AB BC11	No specific data.
SureSelect AB BC12	No specific data.
SureSelect AB BC13	No specific data.
SureSelect AB BC16	No specific data.
SureSelect AB Pre	No specific data.
Capture Primer	

**4.3 Indication of any immediate medical attention and special treatment needed**

**Notes to physician**

: SureSelect AB	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
P1Adapter	
SureSelect AB IA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Adapter	
SureSelect AB BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB Pre	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Capture Primer	

**Specific treatments**

: SureSelect AB	No specific treatment.
P1Adapter	
SureSelect AB IA	No specific treatment.
Adapter	
SureSelect AB BC1	No specific treatment.
SureSelect AB BC14	No specific treatment.
SureSelect AB BC15	No specific treatment.
SureSelect AB BC2	No specific treatment.
SureSelect AB BC3	No specific treatment.
SureSelect AB BC4	No specific treatment.
SureSelect AB BC5	No specific treatment.
SureSelect AB BC6	No specific treatment.
SureSelect AB BC7	No specific treatment.
SureSelect AB BC8	No specific treatment.
SureSelect AB BC9	No specific treatment.
SureSelect AB BC10	No specific treatment.

## SECTION 4: First aid measures

SureSelect AB BC11	No specific treatment.
SureSelect AB BC12	No specific treatment.
SureSelect AB BC13	No specific treatment.
SureSelect AB BC16	No specific treatment.
SureSelect AB Pre	No specific treatment.
Capture Primer	

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: SureSelect AB P1Adapter	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB IA Adapter	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC14	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC15	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC2	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC3	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC4	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC5	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC6	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC7	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC8	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC9	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC10	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC11	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC12	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC13	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB BC16	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: SureSelect AB P1Adapter	None known.
	SureSelect AB IA Adapter	None known.
	SureSelect AB BC1	None known.
	SureSelect AB BC14	None known.
	SureSelect AB BC15	None known.
	SureSelect AB BC2	None known.
	SureSelect AB BC3	None known.
	SureSelect AB BC4	None known.
	SureSelect AB BC5	None known.
	SureSelect AB BC6	None known.
	SureSelect AB BC7	None known.
	SureSelect AB BC8	None known.
	SureSelect AB BC9	None known.
	SureSelect AB BC10	None known.
	SureSelect AB BC11	None known.
	SureSelect AB BC12	None known.
	SureSelect AB BC13	None known.
	SureSelect AB BC16	None known.
	SureSelect AB Pre Capture Primer	None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Hazards from the substance or mixture</b>	: SureSelect AB	In a fire or if heated, a pressure increase will occur and the container may burst.
	P1Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB IA Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC14	In a fire or if heated, a pressure increase will occur and the container may burst.



**SECTION 5: Firefighting measures**

SureSelect AB BC15	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC16	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB P1Adapter	No specific data.
SureSelect AB IA Adapter	No specific data.
SureSelect AB BC1	No specific data.
SureSelect AB BC14	No specific data.
SureSelect AB BC15	No specific data.
SureSelect AB BC2	No specific data.
SureSelect AB BC3	No specific data.
SureSelect AB BC4	No specific data.
SureSelect AB BC5	No specific data.
SureSelect AB BC6	No specific data.
SureSelect AB BC7	No specific data.
SureSelect AB BC8	No specific data.
SureSelect AB BC9	No specific data.
SureSelect AB BC10	No specific data.
SureSelect AB BC11	No specific data.
SureSelect AB BC12	No specific data.
SureSelect AB BC13	No specific data.
SureSelect AB BC16	No specific data.
SureSelect AB Pre Capture Primer	No specific data.

**Hazardous combustion products**

**5.3 Advice for firefighters**

**Special precautions for fire-fighters**

SureSelect AB P1Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB IA Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC14	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**SECTION 5: Firefighting measures**

SureSelect AB BC15	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC2	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC3	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC4	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC5	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC6	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC7	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC8	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC9	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC10	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC11	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC12	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC13	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC16	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB Pre Capture Primer	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
: SureSelect AB P1Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB IA Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

**Special protective equipment for fire-fighters**

**SECTION 5: Firefighting measures**

SureSelect AB BC14	basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC10	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for

## SECTION 5: Firefighting measures

	fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC11	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureSelect AB P1Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB IA Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC14	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC15	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB BC2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.

**SECTION 6: Accidental release measures**

	Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC3	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC4	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC5	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC6	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC7	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC8	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC9	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC10	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC11	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC13	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB BC16	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas.

**SECTION 6: Accidental release measures****For emergency responders**: SureSelect AB  
P1Adapter

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB IA  
Adapter

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC1

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC14

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC15

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC2

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC3

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC4

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC5

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC6

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC7

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC8

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC9

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC10

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC11

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB BC12

If specialised clothing is required to deal with the spillage,

**SECTION 6: Accidental release measures**

SureSelect AB BC13	take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC16	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB Pre Capture Primer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions**

: SureSelect AB P1Adapter	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB IA Adapter	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC14	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC15	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC5	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC7	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**SECTION 6: Accidental release measures**

SureSelect AB BC9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC11	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC13	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB Pre Capture Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**6.3 Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b> : SureSelect AB-P1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB IA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC14	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC15	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose



**SECTION 6: Accidental release measures**

SureSelect AB-BC4	of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC13	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB Pre-Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## SECTION 6: Accidental release measures

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	:	SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment (see Section 8).
<b>Advice on general occupational hygiene</b>	:	SureSelect AB P1Adapter  SureSelect AB IA Adapter  SureSelect AB BC1  SureSelect AB BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas

**SECTION 7: Handling and storage**

	where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC15	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC3	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC5	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC6	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC10	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

**SECTION 7: Handling and storage**

SureSelect AB BC11	Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC12	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB Pre Capture Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

: SureSelect AB P1Adapter	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB IA Adapter	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC14	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have

**SECTION 7: Handling and storage**

	been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC15	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC5	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC6	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC7	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to

**SECTION 7: Handling and storage**

	prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC8	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC9	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC10	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC11	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC12	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC13	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB BC16	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

## SECTION 7: Handling and storage

SureSelect AB Pre  
Capture Primer

appropriate containment to avoid environmental contamination.  
Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

#### Recommendations

: SureSelect AB P1Adapter	Industrial applications, Professional applications.
SureSelect AB IA Adapter	Industrial applications, Professional applications.
SureSelect AB BC1	Industrial applications, Professional applications.
SureSelect AB BC14	Industrial applications, Professional applications.
SureSelect AB BC15	Industrial applications, Professional applications.
SureSelect AB BC2	Industrial applications, Professional applications.
SureSelect AB BC3	Industrial applications, Professional applications.
SureSelect AB BC4	Industrial applications, Professional applications.
SureSelect AB BC5	Industrial applications, Professional applications.
SureSelect AB BC6	Industrial applications, Professional applications.
SureSelect AB BC7	Industrial applications, Professional applications.
SureSelect AB BC8	Industrial applications, Professional applications.
SureSelect AB BC9	Industrial applications, Professional applications.
SureSelect AB BC10	Industrial applications, Professional applications.
SureSelect AB BC11	Industrial applications, Professional applications.
SureSelect AB BC12	Industrial applications, Professional applications.
SureSelect AB BC13	Industrial applications, Professional applications.
SureSelect AB BC16	Industrial applications, Professional applications.
SureSelect AB Pre Capture Primer	Industrial applications, Professional applications.

#### Industrial sector specific solutions

: SureSelect AB P1Adapter	Not applicable.
SureSelect AB IA Adapter	Not applicable.
SureSelect AB BC1	Not applicable.
SureSelect AB BC14	Not applicable.
SureSelect AB BC15	Not applicable.
SureSelect AB BC2	Not applicable.
SureSelect AB BC3	Not applicable.
SureSelect AB BC4	Not applicable.
SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.
SureSelect AB BC7	Not applicable.
SureSelect AB BC8	Not applicable.
SureSelect AB BC9	Not applicable.
SureSelect AB BC10	Not applicable.
SureSelect AB BC11	Not applicable.
SureSelect AB BC12	Not applicable.
SureSelect AB BC13	Not applicable.
SureSelect AB BC16	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limits**

No exposure limit value known.

**Recommended monitoring procedures**

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**DNELs/DMELs**

No DNELs/DMELs available.

**PNECs**

No PNECs available

**8.2 Exposure controls****Appropriate engineering controls**

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Individual protection measures****Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection**

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection****Hand protection**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

**Body protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection**

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection**

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Environmental exposure controls**

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.



**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****Appearance**

<b>Physical state</b>	:	SureSelect AB P1Adapter	Liquid.
		SureSelect AB IA Adapter	Liquid.
		SureSelect AB BC1	Liquid.
		SureSelect AB BC14	Liquid.
		SureSelect AB BC15	Liquid.
		SureSelect AB BC2	Liquid.
		SureSelect AB BC3	Liquid.
		SureSelect AB BC4	Liquid.
		SureSelect AB BC5	Liquid.
		SureSelect AB BC6	Liquid.
		SureSelect AB BC7	Liquid.
		SureSelect AB BC8	Liquid.
		SureSelect AB BC9	Liquid.
		SureSelect AB BC10	Liquid.
		SureSelect AB BC11	Liquid.
		SureSelect AB BC12	Liquid.
		SureSelect AB BC13	Liquid.
		SureSelect AB BC16	Liquid.
		SureSelect AB Pre Capture Primer	Liquid.
<b>Colour</b>	:	SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.
		SureSelect AB BC11	Not available.
		SureSelect AB BC12	Not available.
		SureSelect AB BC13	Not available.
		SureSelect AB BC16	Not available.
		SureSelect AB Pre Capture Primer	Not available.
<b>Odour</b>	:	SureSelect AB P1Adapter	Not available.
		SureSelect AB IA Adapter	Not available.
		SureSelect AB BC1	Not available.
		SureSelect AB BC14	Not available.
		SureSelect AB BC15	Not available.
		SureSelect AB BC2	Not available.
		SureSelect AB BC3	Not available.
		SureSelect AB BC4	Not available.
		SureSelect AB BC5	Not available.
		SureSelect AB BC6	Not available.
		SureSelect AB BC7	Not available.
		SureSelect AB BC8	Not available.
		SureSelect AB BC9	Not available.
		SureSelect AB BC10	Not available.

**SECTION 9: Physical and chemical properties**

	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Odour threshold</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>pH</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Melting point/freezing point</b>	: SureSelect AB P1Adapter	0°C
	SureSelect AB IA Adapter	0°C
	SureSelect AB BC1	0°C
	SureSelect AB BC14	0°C
	SureSelect AB BC15	0°C
	SureSelect AB BC2	0°C
	SureSelect AB BC3	0°C
	SureSelect AB BC4	0°C
	SureSelect AB BC5	0°C
	SureSelect AB BC6	0°C
	SureSelect AB BC7	0°C

**SECTION 9: Physical and chemical properties**

	SureSelect AB BC8	0°C
	SureSelect AB BC9	0°C
	SureSelect AB BC10	0°C
	SureSelect AB BC11	0°C
	SureSelect AB BC12	0°C
	SureSelect AB BC13	0°C
	SureSelect AB BC16	0°C
	SureSelect AB Pre	0°C
	Capture Primer	
<b>Initial boiling point and boiling range</b>	: SureSelect AB	100°C
	P1Adapter	
	SureSelect AB IA	100°C
	Adapter	
	SureSelect AB BC1	100°C
	SureSelect AB BC14	100°C
	SureSelect AB BC15	100°C
	SureSelect AB BC2	100°C
	SureSelect AB BC3	100°C
	SureSelect AB BC4	100°C
	SureSelect AB BC5	100°C
	SureSelect AB BC6	100°C
	SureSelect AB BC7	100°C
	SureSelect AB BC8	100°C
	SureSelect AB BC9	100°C
	SureSelect AB BC10	100°C
	SureSelect AB BC11	100°C
	SureSelect AB BC12	100°C
	SureSelect AB BC13	100°C
	SureSelect AB BC16	100°C
	SureSelect AB Pre	100°C
	Capture Primer	
<b>Flash point</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
<b>Evaporation rate</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.

**SECTION 9: Physical and chemical properties**

	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
<b>Flammability (solid, gas)</b>	: SureSelect AB	Not applicable.
	P1Adapter	
	SureSelect AB IA	Not applicable.
	Adapter	
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre	Not applicable.
	Capture Primer	
<b>Upper/lower flammability or explosive limits</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
<b>Vapour pressure</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.

**SECTION 9: Physical and chemical properties**

	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Vapour density</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Relative density</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.

**SECTION 9: Physical and chemical properties**

<b>Solubility(ies)</b>	:	<p>SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer</p>	<p>Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.</p>
<b>Partition coefficient: n-octanol/water</b>	:	<p>SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer</p>	<p>Not available. Not available.</p>

**SECTION 9: Physical and chemical properties**

<b>Auto-ignition temperature</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Not available.  Not available.  Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Decomposition temperature</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Not available.  Not available.  Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.
<b>Viscosity</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13	Not available.  Not available.  Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

**SECTION 9: Physical and chemical properties**

	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
<b>Explosive properties</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
<b>Oxidising properties</b>	: SureSelect AB	Not available.
	P1Adapter	
	SureSelect AB IA	Not available.
	Adapter	
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	: SureSelect AB	No specific test data related to reactivity available for this product or its ingredients.
	P1Adapter	
	SureSelect AB IA	No specific test data related to reactivity available for this product or its ingredients.
	Adapter	
	SureSelect AB BC1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC14	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB BC15	No specific test data related to reactivity available for this product or its ingredients.



**SECTION 10: Stability and reactivity**

SureSelect AB BC2	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC3	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC4	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC5	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC6	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC7	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC8	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC9	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC10	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC11	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC12	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC13	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB BC16	No specific test data related to reactivity available for this product or its ingredients.
SureSelect AB Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability**

: SureSelect AB P1Adapter	The product is stable.
SureSelect AB IA Adapter	The product is stable.
SureSelect AB BC1	The product is stable.
SureSelect AB BC14	The product is stable.
SureSelect AB BC15	The product is stable.
SureSelect AB BC2	The product is stable.
SureSelect AB BC3	The product is stable.
SureSelect AB BC4	The product is stable.
SureSelect AB BC5	The product is stable.
SureSelect AB BC6	The product is stable.
SureSelect AB BC7	The product is stable.
SureSelect AB BC8	The product is stable.
SureSelect AB BC9	The product is stable.
SureSelect AB BC10	The product is stable.
SureSelect AB BC11	The product is stable.
SureSelect AB BC12	The product is stable.
SureSelect AB BC13	The product is stable.
SureSelect AB BC16	The product is stable.
SureSelect AB Pre Capture Primer	The product is stable.

**10.3 Possibility of hazardous reactions**

: SureSelect AB P1Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB IA Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC14	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC15	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC2	Under normal conditions of storage and use, hazardous reactions will not occur.

**SECTION 10: Stability and reactivity**

SureSelect AB BC3	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC4	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC5	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC6	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC7	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC16	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous reactions will not occur.

<b>10.4 Conditions to avoid</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
SureSelect AB BC16	No specific data.	
SureSelect AB Pre Capture Primer	No specific data.	

<b>10.5 Incompatible materials</b>	: SureSelect AB P1Adapter	May react or be incompatible with oxidising materials.
	SureSelect AB IA Adapter	May react or be incompatible with oxidising materials.
	SureSelect AB BC1	May react or be incompatible with oxidising materials.
	SureSelect AB BC14	May react or be incompatible with oxidising materials.
	SureSelect AB BC15	May react or be incompatible with oxidising materials.
	SureSelect AB BC2	May react or be incompatible with oxidising materials.
	SureSelect AB BC3	May react or be incompatible with oxidising materials.
	SureSelect AB BC4	May react or be incompatible with oxidising materials.
	SureSelect AB BC5	May react or be incompatible with oxidising materials.
SureSelect AB BC6	May react or be incompatible with oxidising materials.	
SureSelect AB BC7	May react or be incompatible with oxidising materials.	
SureSelect AB BC8	May react or be incompatible with oxidising materials.	

## SECTION 10: Stability and reactivity

SureSelect AB BC9	May react or be incompatible with oxidising materials.
SureSelect AB BC10	May react or be incompatible with oxidising materials.
SureSelect AB BC11	May react or be incompatible with oxidising materials.
SureSelect AB BC12	May react or be incompatible with oxidising materials.
SureSelect AB BC13	May react or be incompatible with oxidising materials.
SureSelect AB BC16	May react or be incompatible with oxidising materials.
SureSelect AB Pre Capture Primer	May react or be incompatible with oxidising materials.

### 10.6 Hazardous decomposition products

: SureSelect AB P1Adapter	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB IA Adapter	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC14	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC15	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC3	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC5	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC6	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC9	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC10	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC11	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC16	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not available.

#### Acute toxicity estimates

Not available.

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.

#### Sensitiser

**Conclusion/Summary** : Not available.

#### Chronic toxicity / Carcinogenicity / Mutagenicity / Teratogenicity / Reproductive toxicity

Not available.

## SECTION 11: Toxicological information

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on likely routes of exposure

: SureSelect AB P1Adapter	Not available.
SureSelect AB IA Adapter	Not available.
SureSelect AB BC1	Not available.
SureSelect AB BC14	Not available.
SureSelect AB BC15	Not available.
SureSelect AB BC2	Not available.
SureSelect AB BC3	Not available.
SureSelect AB BC4	Not available.
SureSelect AB BC5	Not available.
SureSelect AB BC6	Not available.
SureSelect AB BC7	Not available.
SureSelect AB BC8	Not available.
SureSelect AB BC9	Not available.
SureSelect AB BC10	Not available.
SureSelect AB BC11	Not available.
SureSelect AB BC12	Not available.
SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.
SureSelect AB Pre Capture Primer	Not available.

### Potential acute health effects

<b>Inhalation</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Ingestion</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.

## SECTION 11: Toxicological information

	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Skin contact</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Eye contact</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.

**SECTION 11: Toxicological information**

	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
<b>Ingestion</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
<b>Skin contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

**SECTION 11: Toxicological information**

<b>Eye contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure****Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Potential chronic health effects**

<b>General</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

**SECTION 11: Toxicological information**

<b>Carcinogenicity</b>	<b>:</b> SureSelect AB	No known significant effects or critical hazards.
	P1Adapter	
	SureSelect AB IA	No known significant effects or critical hazards.
	Adapter	
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.	
SureSelect AB BC13	No known significant effects or critical hazards.	
SureSelect AB BC16	No known significant effects or critical hazards.	
SureSelect AB Pre	No known significant effects or critical hazards.	
Capture Primer		
<b>Mutagenicity</b>	<b>:</b> SureSelect AB	No known significant effects or critical hazards.
	P1Adapter	
	SureSelect AB IA	No known significant effects or critical hazards.
	Adapter	
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.	
SureSelect AB BC13	No known significant effects or critical hazards.	
SureSelect AB BC16	No known significant effects or critical hazards.	
SureSelect AB Pre	No known significant effects or critical hazards.	
Capture Primer		
<b>Teratogenicity</b>	<b>:</b> SureSelect AB	No known significant effects or critical hazards.
	P1Adapter	
	SureSelect AB IA	No known significant effects or critical hazards.
	Adapter	
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.	
SureSelect AB BC13	No known significant effects or critical hazards.	
SureSelect AB BC16	No known significant effects or critical hazards.	



## SECTION 11: Toxicological information

	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Developmental effects</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
<b>Fertility effects</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

## SECTION 12: Ecological information

### 12.1 Toxicity

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Not available.

### 12.4 Mobility in soil

## SECTION 12: Ecological information

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

### 12.5 Results of PBT and vPvB assessment

**PBT** : Not applicable.

**vPvB** : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Product

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 2008/98/EC.

#### Packaging

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

### Regulatory information

**ADR/RID / IMDG / IATA** : Not regulated.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU Regulation (EC) No. 1907/2006 (REACH)

#### Annex XIV - List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

#### Substances of very high concern

None of the components are listed.

## SECTION 15: Regulatory information

<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	<b>SureSelect AB</b>	Not applicable.
	<b>P1Adapter</b>	
	<b>SureSelect AB IA Adapter</b>	Not applicable.
	<b>SureSelect AB BC1</b>	Not applicable.
	<b>SureSelect AB BC14</b>	Not applicable.
	<b>SureSelect AB BC15</b>	Not applicable.
	<b>SureSelect AB BC2</b>	Not applicable.
	<b>SureSelect AB BC3</b>	Not applicable.
	<b>SureSelect AB BC4</b>	Not applicable.
	<b>SureSelect AB BC5</b>	Not applicable.
	<b>SureSelect AB BC6</b>	Not applicable.
	<b>SureSelect AB BC7</b>	Not applicable.
	<b>SureSelect AB BC8</b>	Not applicable.
	<b>SureSelect AB BC9</b>	Not applicable.
	<b>SureSelect AB BC10</b>	Not applicable.
	<b>SureSelect AB BC11</b>	Not applicable.
	<b>SureSelect AB BC12</b>	Not applicable.
<b>SureSelect AB BC13</b>	Not applicable.	
<b>SureSelect AB BC16</b>	Not applicable.	
<b>SureSelect AB Pre Capture Primer</b>	Not applicable.	

### Other EU regulations

**Europe inventory** : All components are listed or exempted.

#### Seveso Directive

This product is not controlled under the Seveso Directive.

### National regulations

#### International regulations

### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### Montreal Protocol (Annexes A, B, C, E)

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

<b>Australia</b>	: All components are listed or exempted.
<b>Canada</b>	: All components are listed or exempted.
<b>China</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : Not determined.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: All components are listed or exempted.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are listed or exempted.

## SECTION 15: Regulatory information

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

## SECTION 16: Other information

✔ Indicates information that has changed from previously issued version.

**Abbreviations and acronyms** : ATE = Acute Toxicity Estimate  
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
 DNEL = Derived No Effect Level  
 EUH statement = CLP-specific Hazard statement  
 PNEC = Predicted No Effect Concentration  
 RRN = REACH Registration Number

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

**Date of issue/ Date of revision** : 22/02/2016

**Date of previous issue** : No previous validation.

**Version** : 1

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.