

# SAFETY DATA SHEET

SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A

## Section 1. Identification

### 1.1 Product identifier

**Product name** : SureSelect AB Indexing Construction Kit - 50 x 16 Reaction, Part Number G3369A

**Part no. (chemical kit)** : G3369A

**Part no.** :

SureSelect AB P1Adapter	5972-3581
SureSelect AB IA Adapter	5972-3582
SureSelect AB BC1	5972-3600
SureSelect AB BC14	5972-3607
SureSelect AB BC15	5972-3608
SureSelect AB BC2	5972-3609
SureSelect AB BC3	5972-3610
SureSelect AB BC4	5972-3611
SureSelect AB BC5	5972-3612
SureSelect AB BC6	5972-3613
SureSelect AB BC7	5972-3614
SureSelect AB BC8	5972-3615
SureSelect AB BC9	5972-3616
SureSelect AB BC10	5972-3617
SureSelect AB BC11	5972-3618
SureSelect AB BC12	5972-3619
SureSelect AB BC13	5972-3620
SureSelect AB BC16	5972-3621
SureSelect AB Pre Capture Primer	5972-3622

**Validation date** : 12/20/2018

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.

SureSelect AB P1Adapter	14 x 1.5 ml
SureSelect AB IA Adapter	14 x 1.5 ml
SureSelect AB BC1	2 x 0.125 ml
SureSelect AB BC14	2 x 0.125 ml
SureSelect AB BC15	2 x 0.125 ml
SureSelect AB BC2	2 x 0.125 ml
SureSelect AB BC3	2 x 0.125 ml
SureSelect AB BC4	2 x 0.125 ml
SureSelect AB BC5	2 x 0.125 ml
SureSelect AB BC6	2 x 0.125 ml
SureSelect AB BC7	2 x 0.125 ml
SureSelect AB BC8	2 x 0.125 ml
SureSelect AB BC9	2 x 0.125 ml
SureSelect AB BC10	2 x 0.125 ml
SureSelect AB BC11	2 x 0.125 ml
SureSelect AB BC12	2 x 0.125 ml
SureSelect AB BC13	2 x 0.125 ml
SureSelect AB BC16	2 x 0.125 ml
SureSelect AB Pre Capture Primer	12 x 1.35 ml

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 800-227-9770


## Section 1. Identification

### 1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	:	 SureSelect AB P1Adapter	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB IA Adapter	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC14	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC15	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC3	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC4	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
		SureSelect AB BC5	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product.

## Section 2. Hazards identification

	This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC6	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC7	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC8	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC9	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC10	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC11	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC12	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC13	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB BC16	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect AB Pre Capture Primer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information

## Section 2. Hazards identification

critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

### Classification of the substance or mixture

Not classified.

### 2.2 GHS label elements

#### Signal word

: SureSelect AB P1Adapter	No signal word.
SureSelect AB IA Adapter	No signal word.
SureSelect AB BC1	No signal word.
SureSelect AB BC14	No signal word.
SureSelect AB BC15	No signal word.
SureSelect AB BC2	No signal word.
SureSelect AB BC3	No signal word.
SureSelect AB BC4	No signal word.
SureSelect AB BC5	No signal word.
SureSelect AB BC6	No signal word.
SureSelect AB BC7	No signal word.
SureSelect AB BC8	No signal word.
SureSelect AB BC9	No signal word.
SureSelect AB BC10	No signal word.
SureSelect AB BC11	No signal word.
SureSelect AB BC12	No signal word.
SureSelect AB BC13	No signal word.
SureSelect AB BC16	No signal word.
SureSelect AB Pre Capture Primer	No signal word.

#### Hazard statements

: SureSelect AB P1Adapter	No known significant effects or critical hazards.
SureSelect AB IA Adapter	No known significant effects or critical hazards.
SureSelect AB BC1	No known significant effects or critical hazards.
SureSelect AB BC14	No known significant effects or critical hazards.
SureSelect AB BC15	No known significant effects or critical hazards.
SureSelect AB BC2	No known significant effects or critical hazards.
SureSelect AB BC3	No known significant effects or critical hazards.
SureSelect AB BC4	No known significant effects or critical hazards.
SureSelect AB BC5	No known significant effects or critical hazards.
SureSelect AB BC6	No known significant effects or critical hazards.
SureSelect AB BC7	No known significant effects or critical hazards.
SureSelect AB BC8	No known significant effects or critical hazards.
SureSelect AB BC9	No known significant effects or critical hazards.
SureSelect AB BC10	No known significant effects or critical hazards.
SureSelect AB BC11	No known significant effects or critical hazards.
SureSelect AB BC12	No known significant effects or critical hazards.
SureSelect AB BC13	No known significant effects or critical hazards.
SureSelect AB BC16	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

### Precautionary statements

#### Prevention

: SureSelect AB P1Adapter	Not applicable.
SureSelect AB IA Adapter	Not applicable.
SureSelect AB BC1	Not applicable.
SureSelect AB BC14	Not applicable.
SureSelect AB BC15	Not applicable.
SureSelect AB BC2	Not applicable.
SureSelect AB BC3	Not applicable.
SureSelect AB BC4	Not applicable.
SureSelect AB BC5	Not applicable.
SureSelect AB BC6	Not applicable.

## Section 2. Hazards identification

	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Response</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Storage</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Disposal</b>	: <input checked="" type="checkbox"/> SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.

## Section 2. Hazards identification

	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Supplemental label elements</b>	: SureSelect AB P1Adapter	None known.
	SureSelect AB IA Adapter	None known.
	SureSelect AB BC1	None known.
	SureSelect AB BC14	None known.
	SureSelect AB BC15	None known.
	SureSelect AB BC2	None known.
	SureSelect AB BC3	None known.
	SureSelect AB BC4	None known.
	SureSelect AB BC5	None known.
	SureSelect AB BC6	None known.
	SureSelect AB BC7	None known.
	SureSelect AB BC8	None known.
	SureSelect AB BC9	None known.
	SureSelect AB BC10	None known.
	SureSelect AB BC11	None known.
	SureSelect AB BC12	None known.
	SureSelect AB BC13	None known.
	SureSelect AB BC16	None known.
	SureSelect AB Pre Capture Primer	None known.

### 2.3 Other hazards

<b>Hazards not otherwise classified</b>	: SureSelect AB P1Adapter	None known.
	SureSelect AB IA Adapter	None known.
	SureSelect AB BC1	None known.
	SureSelect AB BC14	None known.
	SureSelect AB BC15	None known.
	SureSelect AB BC2	None known.
	SureSelect AB BC3	None known.
	SureSelect AB BC4	None known.
	SureSelect AB BC5	None known.
	SureSelect AB BC6	None known.
	SureSelect AB BC7	None known.
	SureSelect AB BC8	None known.
	SureSelect AB BC9	None known.
	SureSelect AB BC10	None known.
	SureSelect AB BC11	None known.
	SureSelect AB BC12	None known.
	SureSelect AB BC13	None known.
	SureSelect AB BC16	None known.
	SureSelect AB Pre Capture Primer	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	: SureSelect AB P1Adapter	Mixture
	SureSelect AB IA Adapter	Mixture
	SureSelect AB BC1	Mixture
	SureSelect AB BC14	Mixture
	SureSelect AB BC15	Mixture
	SureSelect AB BC2	Mixture
	SureSelect AB BC3	Mixture

## Section 3. Composition/information on ingredients

SureSelect AB BC4	Mixture
SureSelect AB BC5	Mixture
SureSelect AB BC6	Mixture
SureSelect AB BC7	Mixture
SureSelect AB BC8	Mixture
SureSelect AB BC9	Mixture
SureSelect AB BC10	Mixture
SureSelect AB BC11	Mixture
SureSelect AB BC12	Mixture
SureSelect AB BC13	Mixture
SureSelect AB BC16	Mixture
SureSelect AB Pre Capture Primer	Mixture

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

<b>Eye contact</b>	: SureSelect AB P1Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB IA Adapter	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

## Section 4. First aid measures

SureSelect AB BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC13	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b> : SureSelect AB P1Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB IA Adapter	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB BC3	Remove victim to fresh air and keep at rest in a



## Section 4. First aid measures

position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC4

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC5

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC6

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC7

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC8

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC9

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC10

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC11

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC12

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC13

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB BC16

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SureSelect AB Pre Capture Primer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

### Skin contact

: SureSelect AB P1Adapter

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB IA Adapter

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB BC1

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB BC14

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB BC15

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB BC2

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SureSelect AB BC3

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

## Section 4. First aid measures

SureSelect AB BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b> : SureSelect AB P1Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB IA Adapter	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable

## Section 4. First aid measures

	for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting

## Section 4. First aid measures

SureSelect AB BC9	<p>unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB BC10	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB BC11	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB BC12	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB BC13	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB BC16	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect AB Pre Capture Primer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects



## Section 4. First aid measures

<b>Ingestion</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.

### Over-exposure signs/symptoms

<b>Eye contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

<b>Inhalation</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

## Section 4. First aid measures

<b>Skin contact</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.

<b>Ingestion</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: SureSelect AB P1Adapter	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB IA Adapter	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First aid measures

SureSelect AB BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect AB Pre Capture Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### Specific treatments

: SureSelect AB P1Adapter	No specific treatment.
SureSelect AB IA Adapter	No specific treatment.
SureSelect AB BC1	No specific treatment.
SureSelect AB BC14	No specific treatment.
SureSelect AB BC15	No specific treatment.
SureSelect AB BC2	No specific treatment.
SureSelect AB BC3	No specific treatment.
SureSelect AB BC4	No specific treatment.
SureSelect AB BC5	No specific treatment.
SureSelect AB BC6	No specific treatment.
SureSelect AB BC7	No specific treatment.
SureSelect AB BC8	No specific treatment.
SureSelect AB BC9	No specific treatment.
SureSelect AB BC10	No specific treatment.
SureSelect AB BC11	No specific treatment.
SureSelect AB BC12	No specific treatment.
SureSelect AB BC13	No specific treatment.
SureSelect AB BC16	No specific treatment.
SureSelect AB Pre Capture Primer	No specific treatment.



## Section 4. First aid measures

<b>Protection of first-aiders</b>	:	SureSelect AB P1Adapter	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB IA Adapter	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC1	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC14	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC15	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC2	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC3	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC4	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC5	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC6	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC7	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC8	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC9	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC10	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC11	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC12	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC13	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB BC16	No action shall be taken involving any personal risk or without suitable training.
		SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	:	SureSelect AB P1Adapter	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB IA Adapter	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB BC1	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB BC14	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB BC15	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB BC2	Use an extinguishing agent suitable for the surrounding fire.
		SureSelect AB BC3	Use an extinguishing agent suitable for the surrounding fire.

## Section 5. Fire-fighting measures

SureSelect AB BC4	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC5	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC6	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC7	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC8	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC9	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC10	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC11	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC12	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC13	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB BC16	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	
: SureSelect AB P1Adapter	None known.
SureSelect AB IA Adapter	None known.
SureSelect AB BC1	None known.
SureSelect AB BC14	None known.
SureSelect AB BC15	None known.
SureSelect AB BC2	None known.
SureSelect AB BC3	None known.
SureSelect AB BC4	None known.
SureSelect AB BC5	None known.
SureSelect AB BC6	None known.
SureSelect AB BC7	None known.
SureSelect AB BC8	None known.
SureSelect AB BC9	None known.
SureSelect AB BC10	None known.
SureSelect AB BC11	None known.
SureSelect AB BC12	None known.
SureSelect AB BC13	None known.
SureSelect AB BC16	None known.
SureSelect AB Pre Capture Primer	None known.

### 5.2 Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	
: SureSelect AB P1Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB IA Adapter	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC14	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC15	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB BC2	In a fire or if heated, a pressure increase will occur and the container may burst.

## Section 5. Fire-fighting measures

	SureSelect AB BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB BC16	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
<b>Hazardous thermal decomposition products</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

### 5.3 Advice for firefighters

<b>Special protective actions for fire-fighters</b>	: SureSelect AB P1Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB IA Adapter	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

## Section 5. Fire-fighting measures

SureSelect AB BC14	action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC5	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC13	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB BC16	Promptly isolate the scene by removing all persons

## Section 5. Fire-fighting measures

		from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: SureSelect AB P1Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB IA Adapter	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect AB BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 5. Fire-fighting measures

SureSelect AB BC10	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC11	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureSelect AB P1Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect AB IA Adapter	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect AB BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect AB BC14	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect AB BC15	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SureSelect AB BC2	No action shall be taken involving any personal

## Section 6. Accidental release measures

SureSelect AB BC3

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC4

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC5

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC6

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC7

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC8

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC9

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC10

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SureSelect AB BC11

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

## Section 6. Accidental release measures

SureSelect AB BC12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect AB BC13	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect AB BC16	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
<b>For emergency responders :</b> SureSelect AB P1Adapter	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB IA Adapter	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC14	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC15	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC3	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC4	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC5	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also



## Section 6. Accidental release measures

SureSelect AB BC6	the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC7	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC8	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC9	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC10	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC11	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC12	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC13	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB BC16	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB Pre Capture Primer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: SureSelect AB P1Adapter	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB IA Adapter	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC14	Avoid dispersal of spilled material and runoff and

## Section 6. Accidental release measures

	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC15	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC3	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC4	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC5	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC6	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC7	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC8	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC9	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC10	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC11	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## Section 6. Accidental release measures

SureSelect AB BC12	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC13	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB BC16	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB Pre Capture Primer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

#### Methods for cleaning up : SureSelect AB P1Adapter

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### SureSelect AB IA Adapter

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### SureSelect AB BC1

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### SureSelect AB BC14

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### SureSelect AB BC15

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

#### SureSelect AB BC2

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

SureSelect AB BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 6. Accidental release measures

SureSelect AB BC13	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	:	SureSelect AB P1Adapter	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB IA Adapter	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC1	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC14	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC15	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC2	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC3	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC4	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC5	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC6	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC7	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC8	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC9	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC10	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC11	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC12	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC13	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB BC16	Put on appropriate personal protective equipment (see Section 8).

## Section 7. Handling and storage

**Advice on general occupational hygiene**

<p>SureSelect AB Pre Capture Primer</p>	<p>Put on appropriate personal protective equipment (see Section 8).</p>
<p>: SureSelect AB P1Adapter</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB IA Adapter</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC1</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC14</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC15</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC2</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC3</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC4</p>	<p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>SureSelect AB BC5</p>	<p>Eating, drinking and smoking should be prohibited</p>

## Section 7. Handling and storage

SureSelect AB BC6

in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC7

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC8

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC9

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC10

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC11

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC12

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB BC13

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

## Section 7. Handling and storage

SureSelect AB BC16

contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect AB Pre Capture Primer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

: SureSelect AB P1Adapter

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB IA Adapter

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC1

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC14

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright



## Section 7. Handling and storage

SureSelect AB BC15

to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC3

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC4

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC5

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 7. Handling and storage

SureSelect AB BC6

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC7

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC8

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC9

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC10

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC11

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food

## Section 7. Handling and storage

SureSelect AB BC12

and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC13

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB BC16

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect AB Pre Capture Primer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### [7.3 Specific end use\(s\)](#)

## Section 7. Handling and storage

<b>Recommendations</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications. Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
None.	

### 8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

## Section 8. Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: SureSelect AB P1Adapter	Liquid.
	SureSelect AB IA Adapter	Liquid.
	SureSelect AB BC1	Liquid.
	SureSelect AB BC14	Liquid.
	SureSelect AB BC15	Liquid.
	SureSelect AB BC2	Liquid.
	SureSelect AB BC3	Liquid.
	SureSelect AB BC4	Liquid.
	SureSelect AB BC5	Liquid.
	SureSelect AB BC6	Liquid.
	SureSelect AB BC7	Liquid.
	SureSelect AB BC8	Liquid.
	SureSelect AB BC9	Liquid.
	SureSelect AB BC10	Liquid.
	SureSelect AB BC11	Liquid.
	SureSelect AB BC12	Liquid.
	SureSelect AB BC13	Liquid.
	SureSelect AB BC16	Liquid.
	SureSelect AB Pre Capture Primer	Liquid.
<b>Color</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.

## Section 9. Physical and chemical properties

	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Odor</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Odor threshold</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>pH</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.

## Section 9. Physical and chemical properties

	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Melting point</b>	: SureSelect AB P1Adapter	0°C (32°F)
	SureSelect AB IA Adapter	0°C (32°F)
	SureSelect AB BC1	0°C (32°F)
	SureSelect AB BC14	0°C (32°F)
	SureSelect AB BC15	0°C (32°F)
	SureSelect AB BC2	0°C (32°F)
	SureSelect AB BC3	0°C (32°F)
	SureSelect AB BC4	0°C (32°F)
	SureSelect AB BC5	0°C (32°F)
	SureSelect AB BC6	0°C (32°F)
	SureSelect AB BC7	0°C (32°F)
	SureSelect AB BC8	0°C (32°F)
	SureSelect AB BC9	0°C (32°F)
	SureSelect AB BC10	0°C (32°F)
	SureSelect AB BC11	0°C (32°F)
	SureSelect AB BC12	0°C (32°F)
	SureSelect AB BC13	0°C (32°F)
	SureSelect AB BC16	0°C (32°F)
	SureSelect AB Pre Capture Primer	0°C (32°F)
<b>Boiling point</b>	: SureSelect AB P1Adapter	100°C (212°F)
	SureSelect AB IA Adapter	100°C (212°F)
	SureSelect AB BC1	100°C (212°F)
	SureSelect AB BC14	100°C (212°F)
	SureSelect AB BC15	100°C (212°F)
	SureSelect AB BC2	100°C (212°F)
	SureSelect AB BC3	100°C (212°F)
	SureSelect AB BC4	100°C (212°F)
	SureSelect AB BC5	100°C (212°F)
	SureSelect AB BC6	100°C (212°F)
	SureSelect AB BC7	100°C (212°F)
	SureSelect AB BC8	100°C (212°F)
	SureSelect AB BC9	100°C (212°F)
	SureSelect AB BC10	100°C (212°F)
	SureSelect AB BC11	100°C (212°F)
	SureSelect AB BC12	100°C (212°F)
	SureSelect AB BC13	100°C (212°F)
	SureSelect AB BC16	100°C (212°F)
	SureSelect AB Pre Capture Primer	100°C (212°F)
<b>Flash point</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.

## Section 9. Physical and chemical properties

	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Evaporation rate</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Flammability (solid, gas)</b>	: SureSelect AB P1Adapter	Not applicable.
	SureSelect AB IA Adapter	Not applicable.
	SureSelect AB BC1	Not applicable.
	SureSelect AB BC14	Not applicable.
	SureSelect AB BC15	Not applicable.
	SureSelect AB BC2	Not applicable.
	SureSelect AB BC3	Not applicable.
	SureSelect AB BC4	Not applicable.
	SureSelect AB BC5	Not applicable.
	SureSelect AB BC6	Not applicable.
	SureSelect AB BC7	Not applicable.
	SureSelect AB BC8	Not applicable.
	SureSelect AB BC9	Not applicable.
	SureSelect AB BC10	Not applicable.
	SureSelect AB BC11	Not applicable.
	SureSelect AB BC12	Not applicable.
	SureSelect AB BC13	Not applicable.
	SureSelect AB BC16	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.



## Section 9. Physical and chemical properties

	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Vapor pressure</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Vapor density</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Relative density</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.

## Section 9. Physical and chemical properties

	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Solubility</b>	: SureSelect AB P1Adapter	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB IA Adapter	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC1	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC14	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC15	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC2	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC3	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC4	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC5	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC6	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC7	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC8	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC9	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC10	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC11	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC12	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC13	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB BC16	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB Pre Capture Primer	Easily soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.

## Section 9. Physical and chemical properties

	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Auto-ignition temperature</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Decomposition temperature</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.
	SureSelect AB BC13	Not available.
	SureSelect AB BC16	Not available.
	SureSelect AB Pre Capture Primer	Not available.
<b>Viscosity</b>	: SureSelect AB P1Adapter	Not available.
	SureSelect AB IA Adapter	Not available.
	SureSelect AB BC1	Not available.
	SureSelect AB BC14	Not available.
	SureSelect AB BC15	Not available.
	SureSelect AB BC2	Not available.
	SureSelect AB BC3	Not available.
	SureSelect AB BC4	Not available.
	SureSelect AB BC5	Not available.
	SureSelect AB BC6	Not available.
	SureSelect AB BC7	Not available.
	SureSelect AB BC8	Not available.
	SureSelect AB BC9	Not available.
	SureSelect AB BC10	Not available.
	SureSelect AB BC11	Not available.
	SureSelect AB BC12	Not available.

## Section 9. Physical and chemical properties

SureSelect AB BC13	Not available.
SureSelect AB BC16	Not available.
SureSelect AB Pre Capture Primer	Not available.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	:	SureSelect AB P1Adapter	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB IA Adapter	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC14	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC15	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC2	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC3	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC4	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC5	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC6	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC7	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC8	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC9	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC10	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC11	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC12	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC13	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB BC16	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	:	SureSelect AB P1Adapter	The product is stable.
		SureSelect AB IA Adapter	The product is stable.
		SureSelect AB BC1	The product is stable.
		SureSelect AB BC14	The product is stable.
		SureSelect AB BC15	The product is stable.
		SureSelect AB BC2	The product is stable.
		SureSelect AB BC3	The product is stable.
		SureSelect AB BC4	The product is stable.
		SureSelect AB BC5	The product is stable.
		SureSelect AB BC6	The product is stable.
		SureSelect AB BC7	The product is stable.
		SureSelect AB BC8	The product is stable.
		SureSelect AB BC9	The product is stable.
		SureSelect AB BC10	The product is stable.

## Section 10. Stability and reactivity

SureSelect AB BC11	The product is stable.
SureSelect AB BC12	The product is stable.
SureSelect AB BC13	The product is stable.
SureSelect AB BC16	The product is stable.
SureSelect AB Pre Capture Primer	The product is stable.

### 10.3 Possibility of hazardous reactions

: SureSelect AB P1Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB IA Adapter	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC14	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC15	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC2	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC3	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC4	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC5	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC6	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC7	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB BC16	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4 Conditions to avoid

: SureSelect AB P1Adapter	No specific data.
SureSelect AB IA Adapter	No specific data.
SureSelect AB BC1	No specific data.
SureSelect AB BC14	No specific data.
SureSelect AB BC15	No specific data.
SureSelect AB BC2	No specific data.
SureSelect AB BC3	No specific data.
SureSelect AB BC4	No specific data.
SureSelect AB BC5	No specific data.
SureSelect AB BC6	No specific data.
SureSelect AB BC7	No specific data.
SureSelect AB BC8	No specific data.
SureSelect AB BC9	No specific data.

## Section 10. Stability and reactivity

SureSelect AB BC10	No specific data.
SureSelect AB BC11	No specific data.
SureSelect AB BC12	No specific data.
SureSelect AB BC13	No specific data.
SureSelect AB BC16	No specific data.
SureSelect AB Pre Capture Primer	No specific data.

<b>10.5 Incompatible materials</b>	:	SureSelect AB P1Adapter	May react or be incompatible with oxidizing materials.
		SureSelect AB IA Adapter	May react or be incompatible with oxidizing materials.
		SureSelect AB BC1	May react or be incompatible with oxidizing materials.
		SureSelect AB BC14	May react or be incompatible with oxidizing materials.
		SureSelect AB BC15	May react or be incompatible with oxidizing materials.
		SureSelect AB BC2	May react or be incompatible with oxidizing materials.
		SureSelect AB BC3	May react or be incompatible with oxidizing materials.
		SureSelect AB BC4	May react or be incompatible with oxidizing materials.
		SureSelect AB BC5	May react or be incompatible with oxidizing materials.
		SureSelect AB BC6	May react or be incompatible with oxidizing materials.
		SureSelect AB BC7	May react or be incompatible with oxidizing materials.
		SureSelect AB BC8	May react or be incompatible with oxidizing materials.
		SureSelect AB BC9	May react or be incompatible with oxidizing materials.
		SureSelect AB BC10	May react or be incompatible with oxidizing materials.
		SureSelect AB BC11	May react or be incompatible with oxidizing materials.
		SureSelect AB BC12	May react or be incompatible with oxidizing materials.
		SureSelect AB BC13	May react or be incompatible with oxidizing materials.
		SureSelect AB BC16	May react or be incompatible with oxidizing materials.
		SureSelect AB Pre Capture Primer	May react or be incompatible with oxidizing materials.

<b>10.6 Hazardous decomposition products</b>	:	SureSelect AB P1Adapter	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		SureSelect AB IA Adapter	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		SureSelect AB BC1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		SureSelect AB BC14	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

SureSelect AB BC15	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC3	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC4	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC5	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC6	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC7	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC8	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC9	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC10	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC11	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB BC16	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### Sensitization

Not available.

#### Mutagenicity

## Section 11. Toxicological information

**Conclusion/Summary** : Not available.

**Carcinogenicity**

**Conclusion/Summary** : Not available.

**Reproductive toxicity**

**Conclusion/Summary** : Not available.

**Teratogenicity**

**Conclusion/Summary** : Not available.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

<b>Information on the likely routes of exposure</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	Not available. Not available.
---	--	--

**Potential acute health effects**

<b>Eye contact</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	No known significant effects or critical hazards. No known significant effects or critical hazards.
--------------------	--	--





## Section 11. Toxicological information

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	:	SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.
		SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.	
	SureSelect AB Pre Capture Primer	No specific data.	
<b>Inhalation</b>	:	SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
		SureSelect AB BC11	No specific data.
		SureSelect AB BC12	No specific data.
		SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.	
	SureSelect AB Pre Capture Primer	No specific data.	
<b>Skin contact</b>	:	SureSelect AB P1Adapter	No specific data.
		SureSelect AB IA Adapter	No specific data.
		SureSelect AB BC1	No specific data.
		SureSelect AB BC14	No specific data.
		SureSelect AB BC15	No specific data.
		SureSelect AB BC2	No specific data.
		SureSelect AB BC3	No specific data.
		SureSelect AB BC4	No specific data.
		SureSelect AB BC5	No specific data.
		SureSelect AB BC6	No specific data.
		SureSelect AB BC7	No specific data.
		SureSelect AB BC8	No specific data.
		SureSelect AB BC9	No specific data.
		SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.	
	SureSelect AB BC12	No specific data.	
	SureSelect AB BC13	No specific data.	

## Section 11. Toxicological information

	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
<b>Ingestion</b>	: SureSelect AB P1Adapter	No specific data.
	SureSelect AB IA Adapter	No specific data.
	SureSelect AB BC1	No specific data.
	SureSelect AB BC14	No specific data.
	SureSelect AB BC15	No specific data.
	SureSelect AB BC2	No specific data.
	SureSelect AB BC3	No specific data.
	SureSelect AB BC4	No specific data.
	SureSelect AB BC5	No specific data.
	SureSelect AB BC6	No specific data.
	SureSelect AB BC7	No specific data.
	SureSelect AB BC8	No specific data.
	SureSelect AB BC9	No specific data.
	SureSelect AB BC10	No specific data.
	SureSelect AB BC11	No specific data.
	SureSelect AB BC12	No specific data.
	SureSelect AB BC13	No specific data.
	SureSelect AB BC16	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

<b>General</b>	: SureSelect AB P1Adapter	No known significant effects or critical hazards.
	SureSelect AB IA Adapter	No known significant effects or critical hazards.
	SureSelect AB BC1	No known significant effects or critical hazards.
	SureSelect AB BC14	No known significant effects or critical hazards.
	SureSelect AB BC15	No known significant effects or critical hazards.
	SureSelect AB BC2	No known significant effects or critical hazards.
	SureSelect AB BC3	No known significant effects or critical hazards.
	SureSelect AB BC4	No known significant effects or critical hazards.
	SureSelect AB BC5	No known significant effects or critical hazards.
	SureSelect AB BC6	No known significant effects or critical hazards.
	SureSelect AB BC7	No known significant effects or critical hazards.
	SureSelect AB BC8	No known significant effects or critical hazards.
	SureSelect AB BC9	No known significant effects or critical hazards.
	SureSelect AB BC10	No known significant effects or critical hazards.
	SureSelect AB BC11	No known significant effects or critical hazards.
	SureSelect AB BC12	No known significant effects or critical hazards.
	SureSelect AB BC13	No known significant effects or critical hazards.
	SureSelect AB BC16	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.



## Section 11. Toxicological information

<b>Developmental effects</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Fertility effects</b>	: SureSelect AB P1Adapter SureSelect AB IA Adapter SureSelect AB BC1 SureSelect AB BC14 SureSelect AB BC15 SureSelect AB BC2 SureSelect AB BC3 SureSelect AB BC4 SureSelect AB BC5 SureSelect AB BC6 SureSelect AB BC7 SureSelect AB BC8 SureSelect AB BC9 SureSelect AB BC10 SureSelect AB BC11 SureSelect AB BC12 SureSelect AB BC13 SureSelect AB BC16 SureSelect AB Pre Capture Primer	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

N/A

## Section 12. Ecological information

### 12.1 Toxicity

Not available.

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

## Section 12. Ecological information

Not available.

### 12.4 Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code** : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
Clean Water Act (CWA) 311: Edetic acid

## Section 15. Regulatory information

**Clean Air Act Section 112** : Not listed

**(b) Hazardous Air Pollutants (HAPs)**

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### SARA 302/304

#### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

### SARA 311/312

<b>Classification</b>	:	SureSelect AB P1Adapter	Not applicable.
		SureSelect AB IA Adapter	Not applicable.
		SureSelect AB BC1	Not applicable.
		SureSelect AB BC14	Not applicable.
		SureSelect AB BC15	Not applicable.
		SureSelect AB BC2	Not applicable.
		SureSelect AB BC3	Not applicable.
		SureSelect AB BC4	Not applicable.
		SureSelect AB BC5	Not applicable.
		SureSelect AB BC6	Not applicable.
		SureSelect AB BC7	Not applicable.
		SureSelect AB BC8	Not applicable.
		SureSelect AB BC9	Not applicable.
		SureSelect AB BC10	Not applicable.
		SureSelect AB BC11	Not applicable.
		SureSelect AB BC12	Not applicable.
		SureSelect AB BC13	Not applicable.
		SureSelect AB BC16	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.

#### Composition/information on ingredients

No products were found.

### State regulations

**Massachusetts** : None of the components are listed.

**New York** : None of the components are listed.

**New Jersey** : None of the components are listed.

**Pennsylvania** : None of the components are listed.

### California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### Montreal Protocol

## Section 15. Regulatory information

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: All components are listed or exempted.
<b>Canada</b>	: All components are listed or exempted.
<b>China</b>	: All components are listed or exempted.
<b>Europe</b>	: All components are listed or exempted.
<b>Japan</b>	: <b>Japan inventory (ENCS):</b> Not determined. <b>Japan inventory (ISHL):</b> Not determined.
<b>New Zealand</b>	: All components are listed or exempted.
<b>Philippines</b>	: All components are listed or exempted.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: All components are listed or exempted.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

## Section 16. Other information

### History

<b>Date of issue</b>	: 12/20/2018
<b>Date of previous issue</b>	: 02/22/2016
<b>Version</b>	: 5

### Key to abbreviations

: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: N/A = Not available
: UN = United Nations

### Procedure used to derive the classification

Classification	Justification
Not classified.	

Indicates information that has changed from previously issued version.

### Notice to reader



## Section 16. Other information

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.