

# SAFETY DATA SHEET



SureSelect AB Indexing Construction Kit - 1 x 16 Reactions, Part Number G7508A

## Section 1. Identification

<b>Product identifier</b>	: SureSelect AB Indexing Construction Kit - 1 x 16 Reactions, Part Number G7508A	
<b>Part No. (Chemical Kit)</b>	: G7508A	
<b>Part No.</b>	SureSelect AB-P1	5972-3656
	SureSelect AB IA	5972-3657
	SureSelect AB Pre Capture Primer	5972-3658
	SureSelect AB-BC1	5972-3659
	SureSelect AB-BC2	5972-3660
	SureSelect AB-BC3	5972-3661
	SureSelect AB-BC4	5972-3662
	SureSelect AB-BC5	5972-3663
	SureSelect AB-BC6	5972-3664
	SureSelect AB-BC7	5972-3665
	SureSelect AB-BC8	5972-3666
	SureSelect AB-BC9	5972-3667
	SureSelect AB-BC10	5972-3668
	SureSelect AB-BC11	5972-3669
	SureSelect AB-BC12	5972-3670
	SureSelect AB-BC13	5972-3671
	SureSelect AB-BC14	5972-3672
	SureSelect AB-BC15	5972-3673
	SureSelect AB-BC16	5972-3674

### Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

SureSelect AB-P1	0.416 ml
SureSelect AB IA	0.416 ml
SureSelect AB Pre Capture Primer	0.32 ml
SureSelect AB-BC1	0.005 ml
SureSelect AB-BC2	0.005 ml
SureSelect AB-BC3	0.005 ml
SureSelect AB-BC4	0.005 ml
SureSelect AB-BC5	0.005 ml
SureSelect AB-BC6	0.005 ml
SureSelect AB-BC7	0.005 ml
SureSelect AB-BC8	0.005 ml
SureSelect AB-BC9	0.005 ml
SureSelect AB-BC10	0.005 ml
SureSelect AB-BC11	0.005 ml
SureSelect AB-BC12	0.005 ml
SureSelect AB-BC13	0.005 ml
SureSelect AB-BC14	0.005 ml
SureSelect AB-BC15	0.005 ml
SureSelect AB-BC16	0.005 ml

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia  
1800 802 402

**Emergency telephone number (with hours of operation)** : CHEMTREC®: (61)-290372994

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

Not classified.

### GHS label elements

#### Signal word

☑ SureSelect AB-P1	No signal word.
SureSelect AB IA	No signal word.
SureSelect AB Pre Capture Primer	No signal word.
SureSelect AB-BC1	No signal word.
SureSelect AB-BC2	No signal word.
SureSelect AB-BC3	No signal word.
SureSelect AB-BC4	No signal word.
SureSelect AB-BC5	No signal word.
SureSelect AB-BC6	No signal word.
SureSelect AB-BC7	No signal word.
SureSelect AB-BC8	No signal word.
SureSelect AB-BC9	No signal word.
SureSelect AB-BC10	No signal word.
SureSelect AB-BC11	No signal word.
SureSelect AB-BC12	No signal word.
SureSelect AB-BC13	No signal word.
SureSelect AB-BC14	No signal word.
SureSelect AB-BC15	No signal word.
SureSelect AB-BC16	No signal word.

#### Hazard statements

☑ SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

### Precautionary statements

#### Prevention

☑ SureSelect AB-P1	Not applicable.
SureSelect AB IA	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.
SureSelect AB-BC1	Not applicable.
SureSelect AB-BC2	Not applicable.
SureSelect AB-BC3	Not applicable.
SureSelect AB-BC4	Not applicable.
SureSelect AB-BC5	Not applicable.
SureSelect AB-BC6	Not applicable.
SureSelect AB-BC7	Not applicable.
SureSelect AB-BC8	Not applicable.
SureSelect AB-BC9	Not applicable.
SureSelect AB-BC10	Not applicable.
SureSelect AB-BC11	Not applicable.
SureSelect AB-BC12	Not applicable.
SureSelect AB-BC13	Not applicable.

## Section 2. Hazard(s) identification

		SureSelect AB-BC14	Not applicable.
		SureSelect AB-BC15	Not applicable.
		SureSelect AB-BC16	Not applicable.
<b>Response</b>	:	<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
		SureSelect AB-BC14	Not applicable.
		SureSelect AB-BC15	Not applicable.
		SureSelect AB-BC16	Not applicable.
<b>Storage</b>	:	<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
		SureSelect AB-BC14	Not applicable.
		SureSelect AB-BC15	Not applicable.
		SureSelect AB-BC16	Not applicable.
<b>Disposal</b>	:	<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
		SureSelect AB-BC14	Not applicable.
		SureSelect AB-BC15	Not applicable.
		SureSelect AB-BC16	Not applicable.

## Section 2. Hazard(s) identification

<b>Supplemental label elements</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
	SureSelect AB IA	Not applicable.
	SureSelect AB Pre Capture Primer	Not applicable.
	SureSelect AB-BC1	Not applicable.
	SureSelect AB-BC2	Not applicable.
	SureSelect AB-BC3	Not applicable.
	SureSelect AB-BC4	Not applicable.
	SureSelect AB-BC5	Not applicable.
	SureSelect AB-BC6	Not applicable.
	SureSelect AB-BC7	Not applicable.
	SureSelect AB-BC8	Not applicable.
	SureSelect AB-BC9	Not applicable.
	SureSelect AB-BC10	Not applicable.
	SureSelect AB-BC11	Not applicable.
	SureSelect AB-BC12	Not applicable.
	SureSelect AB-BC13	Not applicable.
	SureSelect AB-BC14	Not applicable.
SureSelect AB-BC15	Not applicable.	
SureSelect AB-BC16	Not applicable.	

<b>Other hazards which do not result in classification</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	None known.
	SureSelect AB IA	None known.
	SureSelect AB Pre Capture Primer	None known.
	SureSelect AB-BC1	None known.
	SureSelect AB-BC2	None known.
	SureSelect AB-BC3	None known.
	SureSelect AB-BC4	None known.
	SureSelect AB-BC5	None known.
	SureSelect AB-BC6	None known.
	SureSelect AB-BC7	None known.
	SureSelect AB-BC8	None known.
	SureSelect AB-BC9	None known.
	SureSelect AB-BC10	None known.
	SureSelect AB-BC11	None known.
	SureSelect AB-BC12	None known.
	SureSelect AB-BC13	None known.
	SureSelect AB-BC14	None known.
SureSelect AB-BC15	None known.	
SureSelect AB-BC16	None known.	

## Section 3. Composition and ingredient information

<b>Substance/mixture</b>	: SureSelect AB-P1	Mixture
	SureSelect AB IA	Mixture
	SureSelect AB Pre Capture Primer	Mixture
	SureSelect AB-BC1	Mixture
	SureSelect AB-BC2	Mixture
	SureSelect AB-BC3	Mixture
	SureSelect AB-BC4	Mixture
	SureSelect AB-BC5	Mixture
	SureSelect AB-BC6	Mixture
	SureSelect AB-BC7	Mixture
	SureSelect AB-BC8	Mixture
	SureSelect AB-BC9	Mixture
	SureSelect AB-BC10	Mixture
	SureSelect AB-BC11	Mixture
	SureSelect AB-BC12	Mixture
	SureSelect AB-BC13	Mixture
	SureSelect AB-BC14	Mixture
SureSelect AB-BC15	Mixture	
SureSelect AB-BC16	Mixture	

## Section 3. Composition and ingredient information

### CAS number/other identifiers

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: SureSelect AB-P1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB IA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

## Section 4. First-aid measures

SureSelect AB-BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB-BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB-BC13	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB-BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB-BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect AB-BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

### Inhalation

: SureSelect AB-P1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB IA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

## Section 4. First-aid measures

SureSelect AB-BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect AB-BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

### Skin contact

: SureSelect AB-P1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB IA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

## Section 4. First-aid measures

### Ingestion

SureSelect AB-BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect AB-P1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB IA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB Pre Capture Primer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for



## Section 4. First-aid measures

	breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC13	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for

## Section 4. First-aid measures

SureSelect AB-BC15	breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

: SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

##### Inhalation

: SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

## Section 4. First-aid measures

<b>Skin contact</b>	:	☑ SureSelect AB-P1	No known significant effects or critical hazards.
		SureSelect AB IA	No known significant effects or critical hazards.
		SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
		SureSelect AB-BC1	No known significant effects or critical hazards.
		SureSelect AB-BC2	No known significant effects or critical hazards.
		SureSelect AB-BC3	No known significant effects or critical hazards.
		SureSelect AB-BC4	No known significant effects or critical hazards.
		SureSelect AB-BC5	No known significant effects or critical hazards.
		SureSelect AB-BC6	No known significant effects or critical hazards.
		SureSelect AB-BC7	No known significant effects or critical hazards.
		SureSelect AB-BC8	No known significant effects or critical hazards.
		SureSelect AB-BC9	No known significant effects or critical hazards.
		SureSelect AB-BC10	No known significant effects or critical hazards.
		SureSelect AB-BC11	No known significant effects or critical hazards.
		SureSelect AB-BC12	No known significant effects or critical hazards.
		SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.	
	SureSelect AB-BC15	No known significant effects or critical hazards.	
	SureSelect AB-BC16	No known significant effects or critical hazards.	
<b>Ingestion</b>	:	☑ SureSelect AB-P1	No known significant effects or critical hazards.
		SureSelect AB IA	No known significant effects or critical hazards.
		SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
		SureSelect AB-BC1	No known significant effects or critical hazards.
		SureSelect AB-BC2	No known significant effects or critical hazards.
		SureSelect AB-BC3	No known significant effects or critical hazards.
		SureSelect AB-BC4	No known significant effects or critical hazards.
		SureSelect AB-BC5	No known significant effects or critical hazards.
		SureSelect AB-BC6	No known significant effects or critical hazards.
		SureSelect AB-BC7	No known significant effects or critical hazards.
		SureSelect AB-BC8	No known significant effects or critical hazards.
		SureSelect AB-BC9	No known significant effects or critical hazards.
		SureSelect AB-BC10	No known significant effects or critical hazards.
		SureSelect AB-BC11	No known significant effects or critical hazards.
		SureSelect AB-BC12	No known significant effects or critical hazards.
		SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.	
	SureSelect AB-BC15	No known significant effects or critical hazards.	
	SureSelect AB-BC16	No known significant effects or critical hazards.	

### Over-exposure signs/symptoms

<b>Eye contact</b>	:	☑ SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre Capture Primer	No specific data.
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
		SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	

## Section 4. First-aid measures

<b>Inhalation</b>	:	☑ SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre Capture Primer	No specific data.
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
		SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
<b>Skin contact</b>	:	☑ SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre Capture Primer	No specific data.
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
		SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
<b>Ingestion</b>	:	☑ SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre Capture Primer	No specific data.
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
		SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	

[Indication of immediate medical attention and special treatment needed, if necessary](#)

## Section 4. First-aid measures

<b>Notes to physician</b>	: SureSelect AB-P1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB IA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB Pre Capture Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect AB-BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First-aid measures

<b>Specific treatments</b>	: SureSelect AB-P1 SureSelect AB IA SureSelect AB Pre Capture Primer SureSelect AB-BC1 SureSelect AB-BC2 SureSelect AB-BC3 SureSelect AB-BC4 SureSelect AB-BC5 SureSelect AB-BC6 SureSelect AB-BC7 SureSelect AB-BC8 SureSelect AB-BC9 SureSelect AB-BC10 SureSelect AB-BC11 SureSelect AB-BC12 SureSelect AB-BC13 SureSelect AB-BC14 SureSelect AB-BC15 SureSelect AB-BC16	No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment.
<b>Protection of first-aiders</b>	: SureSelect AB-P1  SureSelect AB IA  SureSelect AB Pre Capture Primer SureSelect AB-BC1  SureSelect AB-BC2  SureSelect AB-BC3  SureSelect AB-BC4  SureSelect AB-BC5  SureSelect AB-BC6  SureSelect AB-BC7  SureSelect AB-BC8  SureSelect AB-BC9  SureSelect AB-BC10  SureSelect AB-BC11  SureSelect AB-BC12  SureSelect AB-BC13  SureSelect AB-BC14  SureSelect AB-BC15  SureSelect AB-BC16	No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB IA	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC2	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC3	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC4	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC5	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC6	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC7	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC8	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC9	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC10	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC11	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC12	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC13	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB-BC14	Use an extinguishing agent suitable for the surrounding fire.	
SureSelect AB-BC15	Use an extinguishing agent suitable for the surrounding fire.	
SureSelect AB-BC16	Use an extinguishing agent suitable for the surrounding fire.	

<b>Unsuitable extinguishing media</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	None known.
	SureSelect AB IA	None known.
	SureSelect AB Pre Capture Primer	None known.
	SureSelect AB-BC1	None known.
	SureSelect AB-BC2	None known.
	SureSelect AB-BC3	None known.
	SureSelect AB-BC4	None known.
	SureSelect AB-BC5	None known.
	SureSelect AB-BC6	None known.
	SureSelect AB-BC7	None known.
	SureSelect AB-BC8	None known.
	SureSelect AB-BC9	None known.
	SureSelect AB-BC10	None known.
	SureSelect AB-BC11	None known.
	SureSelect AB-BC12	None known.
	SureSelect AB-BC13	None known.
SureSelect AB-BC14	None known.	
SureSelect AB-BC15	None known.	
SureSelect AB-BC16	None known.	

## Section 5. Fire-fighting measures

<b>Specific hazards arising from the chemical</b>	: SureSelect AB-P1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB IA	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC7	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC8	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC14	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC15	In a fire or if heated, a pressure increase will occur and the container may burst.	
SureSelect AB-BC16	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous thermal decomposition products</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
SureSelect AB-BC15	No specific data.	
SureSelect AB-BC16	No specific data.	



## Section 5. Fire-fighting measures

<b>Special protective actions for fire-fighters</b>	: SureSelect AB-P1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB IA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC5	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC13	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

## Section 5. Fire-fighting measures

**Special protective equipment for fire-fighters**

SureSelect AB-BC14	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC16	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b> : <input checked="" type="checkbox"/> SureSelect AB-P1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB IA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC3	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC4	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC5	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC6	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC7	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC8	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC9	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC10	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

## Section 5. Fire-fighting measures

SureSelect AB-BC11	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC13	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect AB-BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: SureSelect AB-P1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB IA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC3	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

## Section 6. Accidental release measures

SureSelect AB-BC4	<p>protective equipment.</p> <p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC5	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC6	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC7	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC8	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC9	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC10	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC11	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC12	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC13	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.</p>
SureSelect AB-BC14	<p>No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected</p>

## Section 6. Accidental release measures

personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB-BC15

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SureSelect AB-BC16

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

**For emergency responders :** SureSelect AB-P1

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB IA

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB Pre Capture Primer

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC1

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC2

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC3

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC4

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC5

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC6

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC7

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC8

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SureSelect AB-BC9

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

SureSelect AB-BC10	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC11	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC12	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC13	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC14	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC15	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC16	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

<b>Environmental precautions</b> :	SureSelect AB-P1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB IA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB Pre Capture Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## Section 6. Accidental release measures

SureSelect AB-BC5	soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC7	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC11	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC13	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC14	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC15	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### [Methods and material for containment and cleaning up](#)

## Section 6. Accidental release measures

<b>Methods for cleaning up</b>	: SureSelect AB-P1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB IA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect AB-BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an



## Section 6. Accidental release measures

	inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC13	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC14	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC15	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

<b>Protective measures</b>	:	SureSelect AB-P1	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB IA	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB Pre Capture Primer	Put on appropriate personal protective equipment (see Section 8).
		SureSelect AB-BC1	Put on appropriate personal protective equipment (see Section 8).

## Section 7. Handling and storage

SureSelect AB-BC2	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC3	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC4	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC5	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC6	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC7	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC8	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC9	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC10	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC11	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC12	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC13	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC14	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC15	Put on appropriate personal protective equipment (see Section 8).
SureSelect AB-BC16	Put on appropriate personal protective equipment (see Section 8).

**Advice on general occupational hygiene**

: SureSelect AB-P1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB IA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB Pre Capture Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

## Section 7. Handling and storage

SureSelect AB-BC3	before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC5	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC6	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC10	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC11	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

## Section 7. Handling and storage

SureSelect AB-BC12	before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC15	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : SureSelect AB-P1

SureSelect AB IA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB Pre Capture Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

## Section 7. Handling and storage

	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC5	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC6	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

## Section 7. Handling and storage

SureSelect AB-BC7	<p>containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC8	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC9	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC10	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC11	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC12	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
SureSelect AB-BC13	<p>Store in accordance with local regulations. Store in</p>

## Section 7. Handling and storage

	original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC14	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC15	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC16	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls and personal protection

### Control parameters

#### Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## Section 8. Exposure controls and personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

### Appearance

- Physical state**
- |                                  |         |
|----------------------------------|---------|
| SureSelect AB-P1                 | Liquid. |
| SureSelect AB IA                 | Liquid. |
| SureSelect AB Pre Capture Primer | Liquid. |
| SureSelect AB-BC1                | Liquid. |
| SureSelect AB-BC2                | Liquid. |
| SureSelect AB-BC3                | Liquid. |
| SureSelect AB-BC4                | Liquid. |
| SureSelect AB-BC5                | Liquid. |
| SureSelect AB-BC6                | Liquid. |
| SureSelect AB-BC7                | Liquid. |
| SureSelect AB-BC8                | Liquid. |
| SureSelect AB-BC9                | Liquid. |
| SureSelect AB-BC10               | Liquid. |
| SureSelect AB-BC11               | Liquid. |
| SureSelect AB-BC12               | Liquid. |
| SureSelect AB-BC13               | Liquid. |
| SureSelect AB-BC14               | Liquid. |
| SureSelect AB-BC15               | Liquid. |
| SureSelect AB-BC16               | Liquid. |
- Colour**
- |                                  |                |
|----------------------------------|----------------|
| SureSelect AB-P1                 | Not available. |
| SureSelect AB IA                 | Not available. |
| SureSelect AB Pre Capture Primer | Not available. |
| SureSelect AB-BC1                | Not available. |
| SureSelect AB-BC2                | Not available. |
| SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4                | Not available. |
| SureSelect AB-BC5                | Not available. |
| SureSelect AB-BC6                | Not available. |
| SureSelect AB-BC7                | Not available. |
| SureSelect AB-BC8                | Not available. |
| SureSelect AB-BC9                | Not available. |
| SureSelect AB-BC10               | Not available. |
| SureSelect AB-BC11               | Not available. |
| SureSelect AB-BC12               | Not available. |
| SureSelect AB-BC13               | Not available. |
| SureSelect AB-BC14               | Not available. |



## Section 9. Physical and chemical properties

	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
<b>Odour</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
<b>Odour threshold</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
<b>pH</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.

## Section 9. Physical and chemical properties

<b>Melting point</b>	: SureSelect AB-P1	0°C (32°F)
	SureSelect AB IA	0°C (32°F)
	SureSelect AB Pre Capture Primer	0°C (32°F)
	SureSelect AB-BC1	0°C (32°F)
	SureSelect AB-BC2	0°C (32°F)
	SureSelect AB-BC3	0°C (32°F)
	SureSelect AB-BC4	0°C (32°F)
	SureSelect AB-BC5	0°C (32°F)
	SureSelect AB-BC6	0°C (32°F)
	SureSelect AB-BC7	0°C (32°F)
	SureSelect AB-BC8	0°C (32°F)
	SureSelect AB-BC9	0°C (32°F)
	SureSelect AB-BC10	0°C (32°F)
	SureSelect AB-BC11	0°C (32°F)
	SureSelect AB-BC12	0°C (32°F)
	SureSelect AB-BC13	0°C (32°F)
SureSelect AB-BC14	0°C (32°F)	
SureSelect AB-BC15	0°C (32°F)	
SureSelect AB-BC16	0°C (32°F)	
<b>Boiling point</b>	: SureSelect AB-P1	100°C (212°F)
	SureSelect AB IA	100°C (212°F)
	SureSelect AB Pre Capture Primer	100°C (212°F)
	SureSelect AB-BC1	100°C (212°F)
	SureSelect AB-BC2	100°C (212°F)
	SureSelect AB-BC3	100°C (212°F)
	SureSelect AB-BC4	100°C (212°F)
	SureSelect AB-BC5	100°C (212°F)
	SureSelect AB-BC6	100°C (212°F)
	SureSelect AB-BC7	100°C (212°F)
	SureSelect AB-BC8	100°C (212°F)
	SureSelect AB-BC9	100°C (212°F)
	SureSelect AB-BC10	100°C (212°F)
	SureSelect AB-BC11	100°C (212°F)
	SureSelect AB-BC12	100°C (212°F)
	SureSelect AB-BC13	100°C (212°F)
SureSelect AB-BC14	100°C (212°F)	
SureSelect AB-BC15	100°C (212°F)	
SureSelect AB-BC16	100°C (212°F)	
<b>Flash point</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	

## Section 9. Physical and chemical properties

<b>Evaporation rate</b>	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre Capture Primer	Not available.
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
		SureSelect AB-BC13	Not available.
		SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
<b>Flammability (solid, gas)</b>	:	SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
		SureSelect AB-BC14	Not applicable.
	SureSelect AB-BC15	Not applicable.	
	SureSelect AB-BC16	Not applicable.	
<b>Lower and upper explosive (flammable) limits</b>	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre Capture Primer	Not available.
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
		SureSelect AB-BC13	Not available.
		SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	

## Section 9. Physical and chemical properties

<b>Vapour pressure</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
<b>Vapour density</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
<b>Relative density</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	

## Section 9. Physical and chemical properties

<b>Solubility</b>	: SureSelect AB-P1	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB IA	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB Pre Capture Primer	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC1	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC2	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC3	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC4	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC5	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC6	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC7	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC8	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC9	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC10	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC11	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC12	Easily soluble in the following materials: cold water and hot water.
	SureSelect AB-BC13	Easily soluble in the following materials: cold water and hot water.
SureSelect AB-BC14	Easily soluble in the following materials: cold water and hot water.	
SureSelect AB-BC15	Easily soluble in the following materials: cold water and hot water.	
SureSelect AB-BC16	Easily soluble in the following materials: cold water and hot water.	
<b>Partition coefficient: n-octanol/water</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	

## Section 9. Physical and chemical properties

<b>Auto-ignition temperature</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
<b>Decomposition temperature</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
<b>Viscosity</b>	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	

## Section 10. Stability and reactivity

<b>Reactivity</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB IA	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC1	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC2	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC3	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC4	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC5	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC6	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC7	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC8	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC9	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC10	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC11	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC12	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC13	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC14	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC15	No specific test data related to reactivity available for this product or its ingredients.
	SureSelect AB-BC16	No specific test data related to reactivity available for this product or its ingredients.

<b>Chemical stability</b>	: <input checked="" type="checkbox"/> SureSelect AB-P1	The product is stable.
	SureSelect AB IA	The product is stable.
	SureSelect AB Pre Capture Primer	The product is stable.
	SureSelect AB-BC1	The product is stable.
	SureSelect AB-BC2	The product is stable.
	SureSelect AB-BC3	The product is stable.
	SureSelect AB-BC4	The product is stable.
	SureSelect AB-BC5	The product is stable.
	SureSelect AB-BC6	The product is stable.
	SureSelect AB-BC7	The product is stable.
	SureSelect AB-BC8	The product is stable.
	SureSelect AB-BC9	The product is stable.
	SureSelect AB-BC10	The product is stable.
	SureSelect AB-BC11	The product is stable.
	SureSelect AB-BC12	The product is stable.
	SureSelect AB-BC13	The product is stable.
	SureSelect AB-BC14	The product is stable.
	SureSelect AB-BC15	The product is stable.
	SureSelect AB-BC16	The product is stable.

## Section 10. Stability and reactivity

<b>Possibility of hazardous reactions</b>	: SureSelect AB-P1	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB IA	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB Pre Capture Primer	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC1	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC2	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC3	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC4	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC5	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC6	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC7	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC8	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC9	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC10	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC11	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC12	Under normal conditions of storage and use, hazardous reactions will not occur.
	SureSelect AB-BC13	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect AB-BC14	Under normal conditions of storage and use, hazardous reactions will not occur.	
SureSelect AB-BC15	Under normal conditions of storage and use, hazardous reactions will not occur.	
SureSelect AB-BC16	Under normal conditions of storage and use, hazardous reactions will not occur.	

<b>Conditions to avoid</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
SureSelect AB-BC14	No specific data.	
SureSelect AB-BC15	No specific data.	
SureSelect AB-BC16	No specific data.	



## Section 10. Stability and reactivity

<b>Incompatible materials</b>	: SureSelect AB-P1 SureSelect AB IA SureSelect AB Pre Capture Primer SureSelect AB-BC1 SureSelect AB-BC2 SureSelect AB-BC3 SureSelect AB-BC4 SureSelect AB-BC5 SureSelect AB-BC6 SureSelect AB-BC7 SureSelect AB-BC8 SureSelect AB-BC9 SureSelect AB-BC10 SureSelect AB-BC11 SureSelect AB-BC12 SureSelect AB-BC13 SureSelect AB-BC14 SureSelect AB-BC15 SureSelect AB-BC16	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>Hazardous decomposition products</b>	: SureSelect AB-P1  SureSelect AB IA  SureSelect AB Pre Capture Primer  SureSelect AB-BC1  SureSelect AB-BC2  SureSelect AB-BC3  SureSelect AB-BC4  SureSelect AB-BC5  SureSelect AB-BC6  SureSelect AB-BC7  SureSelect AB-BC8  SureSelect AB-BC9  SureSelect AB-BC10  SureSelect AB-BC11	Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

SureSelect AB-BC12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB-BC13	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB-BC14	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB-BC15	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect AB-BC16	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### Sensitisation

Not available.

#### Mutagenicity

Not available.

#### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### Teratogenicity

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

### Information on the likely routes of exposure

☑ SureSelect AB-P1	Not available.
SureSelect AB IA	Not available.
SureSelect AB Pre Capture Primer	Not available.
SureSelect AB-BC1	Not available.
SureSelect AB-BC2	Not available.
SureSelect AB-BC3	Not available.
SureSelect AB-BC4	Not available.
SureSelect AB-BC5	Not available.
SureSelect AB-BC6	Not available.
SureSelect AB-BC7	Not available.
SureSelect AB-BC8	Not available.
SureSelect AB-BC9	Not available.

## Section 11. Toxicological information

SureSelect AB-BC10	Not available.
SureSelect AB-BC11	Not available.
SureSelect AB-BC12	Not available.
SureSelect AB-BC13	Not available.
SureSelect AB-BC14	Not available.
SureSelect AB-BC15	Not available.
SureSelect AB-BC16	Not available.

### Potential acute health effects

#### Eye contact

: SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

#### Inhalation

: SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

#### Skin contact

: SureSelect AB-P1	No known significant effects or critical hazards.
SureSelect AB IA	No known significant effects or critical hazards.
SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
SureSelect AB-BC1	No known significant effects or critical hazards.
SureSelect AB-BC2	No known significant effects or critical hazards.
SureSelect AB-BC3	No known significant effects or critical hazards.
SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.

## Section 11. Toxicological information

	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.
<b>Ingestion</b>	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
	SureSelect AB-BC15	No specific data.
	SureSelect AB-BC16	No specific data.
<b>Inhalation</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.

## Section 11. Toxicological information

	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
	SureSelect AB-BC15	No specific data.
	SureSelect AB-BC16	No specific data.
<b>Skin contact</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
	SureSelect AB-BC15	No specific data.
	SureSelect AB-BC16	No specific data.
<b>Ingestion</b>	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
	SureSelect AB-BC15	No specific data.
	SureSelect AB-BC16	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.



## Section 11. Toxicological information

<b>Teratogenicity</b>	<input checked="" type="checkbox"/> SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	
<b>Developmental effects</b>	<input checked="" type="checkbox"/> SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	
<b>Fertility effects</b>	<input checked="" type="checkbox"/> SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	

### Numerical measures of toxicity

## Section 11. Toxicological information

### Acute toxicity estimates

Not available.

## Section 12. Ecological information

### Toxicity

Not available.

### Persistence and degradability

Not available.

### Bioaccumulative potential

Not available.

### Mobility in soil

**Soil/water partition coefficient ( $K_{oc}$ )** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

### Regulatory information

**ADG / IMDG / IATA** : Not regulated as Dangerous Goods according to the ADG Code .

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** : Not available.



## Section 15. Regulatory information

### Standard Uniform Schedule of Medicine and Poisons

Not regulated.

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

**Australia inventory (AICS)** : All components are listed or exempted.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### International lists

#### National inventory

**Canada** : All components are listed or exempted.

**China** : All components are listed or exempted.

**Europe** : All components are listed or exempted.

**Japan** : Not determined.

**Malaysia** : Not determined.

**New Zealand** : All components are listed or exempted.

**Philippines** : All components are listed or exempted.

**Republic of Korea** : Not determined.

**Taiwan** : Not determined.

**United States** : All components are listed or exempted.

## Section 16. Any other relevant information

### History

**Date of issue/Date of revision** : 20/07/2015

**Date of previous issue** : 25/02/2013.

**Version** : 2.01

### Key to abbreviations

: ADG = Australian Dangerous Goods  
 ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 NOHSC = National Occupational Health and Safety Commission  
 SUSMP = Standard Uniform Schedule of Medicine and Poisons  
 UN = United Nations

### Procedure used to derive the classification

## Section 16. Any other relevant information

Classification	Justification
Not classified.	

**References** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.