

SAFETY DATA SHEET

SureSelect AB Indexing Construction Kit - 1 x 16 Reactions, Part Number G7508A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: SureSelect AB Indexing Construction Kit - 1 x 16 Reactions, Part Number G7508A
Part No. (Kit)	: G7508A
Part No.	: SureSelect AB-P1 5972-3656
	SureSelect AB IA 5972-3657
	SureSelect AB Pre 5972-3658
	Capture Primer
	SureSelect AB-BC1 5972-3659
	SureSelect AB-BC2 5972-3660
	SureSelect AB-BC3 5972-3661
	SureSelect AB-BC4 5972-3662
	SureSelect AB-BC5 5972-3663
	SureSelect AB-BC6 5972-3664
	SureSelect AB-BC7 5972-3665
	SureSelect AB-BC8 5972-3666
	SureSelect AB-BC9 5972-3667
	SureSelect AB-BC10 5972-3668
	SureSelect AB-BC11 5972-3669
	SureSelect AB-BC12 5972-3670
	SureSelect AB-BC13 5972-3671
	SureSelect AB-BC14 5972-3672
	SureSelect AB-BC15 5972-3673
	SureSelect AB-BC16 5972-3674

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
SureSelect AB-P1	0.416 ml
SureSelect AB IA	0.416 ml
SureSelect AB Pre Capture Primer	0.32 ml
SureSelect AB-BC1	0.005 ml
SureSelect AB-BC2	0.005 ml
SureSelect AB-BC3	0.005 ml
SureSelect AB-BC4	0.005 ml
SureSelect AB-BC5	0.005 ml
SureSelect AB-BC6	0.005 ml
SureSelect AB-BC7	0.005 ml
SureSelect AB-BC8	0.005 ml
SureSelect AB-BC9	0.005 ml
SureSelect AB-BC10	0.005 ml
SureSelect AB-BC11	0.005 ml
SureSelect AB-BC12	0.005 ml
SureSelect AB-BC13	0.005 ml
SureSelect AB-BC14	0.005 ml
SureSelect AB-BC15	0.005 ml
SureSelect AB-BC16	0.005 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

Date of issue/Date of revision : 20/07/2015

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking****1.4 Emergency telephone number**

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Product definition	:	SureSelect AB-P1	Mixture
		SureSelect AB IA	Mixture
		SureSelect AB Pre Capture Primer	Mixture
		SureSelect AB-BC1	Mixture
		SureSelect AB-BC2	Mixture
		SureSelect AB-BC3	Mixture
		SureSelect AB-BC4	Mixture
		SureSelect AB-BC5	Mixture
		SureSelect AB-BC6	Mixture
		SureSelect AB-BC7	Mixture
		SureSelect AB-BC8	Mixture
		SureSelect AB-BC9	Mixture
		SureSelect AB-BC10	Mixture
		SureSelect AB-BC11	Mixture
		SureSelect AB-BC12	Mixture
		SureSelect AB-BC13	Mixture
		SureSelect AB-BC14	Mixture
		SureSelect AB-BC15	Mixture
		SureSelect AB-BC16	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Classification according to Directive 1999/45/EC [DPD]

SureSelect AB-P1	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB IA	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB Pre Capture Primer	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC1	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC2	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC3	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC4	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC5	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC6	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC7	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC8	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC9	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC10	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC11	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

SECTION 2: Hazards identification

SureSelect AB-BC12	and its amendments. The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC13	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC14	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC15	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.
SureSelect AB-BC16	The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	:	SureSelect AB-P1	Not classified.
		SureSelect AB IA	Not classified.
		SureSelect AB Pre	Not classified.
		Capture Primer	
		SureSelect AB-BC1	Not classified.
		SureSelect AB-BC2	Not classified.
		SureSelect AB-BC3	Not classified.
		SureSelect AB-BC4	Not classified.
		SureSelect AB-BC5	Not classified.
		SureSelect AB-BC6	Not classified.
		SureSelect AB-BC7	Not classified.
		SureSelect AB-BC8	Not classified.
		SureSelect AB-BC9	Not classified.
		SureSelect AB-BC10	Not classified.
		SureSelect AB-BC11	Not classified.
		SureSelect AB-BC12	Not classified.
		SureSelect AB-BC13	Not classified.
		SureSelect AB-BC14	Not classified.
		SureSelect AB-BC15	Not classified.
		SureSelect AB-BC16	Not classified.

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Signal word	:	SureSelect AB-P1	No signal word.
		SureSelect AB IA	No signal word.
		SureSelect AB Pre	No signal word.
		Capture Primer	
		SureSelect AB-BC1	No signal word.
		SureSelect AB-BC2	No signal word.
		SureSelect AB-BC3	No signal word.
		SureSelect AB-BC4	No signal word.
		SureSelect AB-BC5	No signal word.
		SureSelect AB-BC6	No signal word.
		SureSelect AB-BC7	No signal word.
		SureSelect AB-BC8	No signal word.
		SureSelect AB-BC9	No signal word.
		SureSelect AB-BC10	No signal word.
		SureSelect AB-BC11	No signal word.
		SureSelect AB-BC12	No signal word.
		SureSelect AB-BC13	No signal word.
		SureSelect AB-BC14	No signal word.
		SureSelect AB-BC15	No signal word.
		SureSelect AB-BC16	No signal word.

Hazard statements	:	SureSelect AB-P1	No known significant effects or critical hazards.
		SureSelect AB IA	No known significant effects or critical hazards.
		SureSelect AB Pre	No known significant effects or critical hazards.
		Capture Primer	
		SureSelect AB-BC1	No known significant effects or critical hazards.
		SureSelect AB-BC2	No known significant effects or critical hazards.
		SureSelect AB-BC3	No known significant effects or critical hazards.

SECTION 2: Hazards identification

SureSelect AB-BC4	No known significant effects or critical hazards.
SureSelect AB-BC5	No known significant effects or critical hazards.
SureSelect AB-BC6	No known significant effects or critical hazards.
SureSelect AB-BC7	No known significant effects or critical hazards.
SureSelect AB-BC8	No known significant effects or critical hazards.
SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.
SureSelect AB-BC11	No known significant effects or critical hazards.
SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.
SureSelect AB-BC14	No known significant effects or critical hazards.
SureSelect AB-BC15	No known significant effects or critical hazards.
SureSelect AB-BC16	No known significant effects or critical hazards.

Precautionary statements**Prevention**

<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
SureSelect AB IA	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.
SureSelect AB-BC1	Not applicable.
SureSelect AB-BC2	Not applicable.
SureSelect AB-BC3	Not applicable.
SureSelect AB-BC4	Not applicable.
SureSelect AB-BC5	Not applicable.
SureSelect AB-BC6	Not applicable.
SureSelect AB-BC7	Not applicable.
SureSelect AB-BC8	Not applicable.
SureSelect AB-BC9	Not applicable.
SureSelect AB-BC10	Not applicable.
SureSelect AB-BC11	Not applicable.
SureSelect AB-BC12	Not applicable.
SureSelect AB-BC13	Not applicable.
SureSelect AB-BC14	Not applicable.
SureSelect AB-BC15	Not applicable.
SureSelect AB-BC16	Not applicable.

Response

<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
SureSelect AB IA	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.
SureSelect AB-BC1	Not applicable.
SureSelect AB-BC2	Not applicable.
SureSelect AB-BC3	Not applicable.
SureSelect AB-BC4	Not applicable.
SureSelect AB-BC5	Not applicable.
SureSelect AB-BC6	Not applicable.
SureSelect AB-BC7	Not applicable.
SureSelect AB-BC8	Not applicable.
SureSelect AB-BC9	Not applicable.
SureSelect AB-BC10	Not applicable.
SureSelect AB-BC11	Not applicable.
SureSelect AB-BC12	Not applicable.
SureSelect AB-BC13	Not applicable.
SureSelect AB-BC14	Not applicable.
SureSelect AB-BC15	Not applicable.
SureSelect AB-BC16	Not applicable.

Storage

<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
SureSelect AB IA	Not applicable.
SureSelect AB Pre Capture Primer	Not applicable.
SureSelect AB-BC1	Not applicable.
SureSelect AB-BC2	Not applicable.
SureSelect AB-BC3	Not applicable.
SureSelect AB-BC4	Not applicable.

SECTION 2: Hazards identification

Disposal : SureSelect AB-BC5 Not applicable.
 SureSelect AB-BC6 Not applicable.
 SureSelect AB-BC7 Not applicable.
 SureSelect AB-BC8 Not applicable.
 SureSelect AB-BC9 Not applicable.
 SureSelect AB-BC10 Not applicable.
 SureSelect AB-BC11 Not applicable.
 SureSelect AB-BC12 Not applicable.
 SureSelect AB-BC13 Not applicable.
 SureSelect AB-BC14 Not applicable.
 SureSelect AB-BC15 Not applicable.
 SureSelect AB-BC16 Not applicable.

Disposal : SureSelect AB-P1 Not applicable.
 SureSelect AB IA Not applicable.
 SureSelect AB Pre Capture Primer Not applicable.
 SureSelect AB-BC1 Not applicable.
 SureSelect AB-BC2 Not applicable.
 SureSelect AB-BC3 Not applicable.
 SureSelect AB-BC4 Not applicable.
 SureSelect AB-BC5 Not applicable.
 SureSelect AB-BC6 Not applicable.
 SureSelect AB-BC7 Not applicable.
 SureSelect AB-BC8 Not applicable.
 SureSelect AB-BC9 Not applicable.
 SureSelect AB-BC10 Not applicable.
 SureSelect AB-BC11 Not applicable.
 SureSelect AB-BC12 Not applicable.
 SureSelect AB-BC13 Not applicable.
 SureSelect AB-BC14 Not applicable.
 SureSelect AB-BC15 Not applicable.
 SureSelect AB-BC16 Not applicable.

Hazardous ingredients : No hazardous ingredient

Supplemental label elements : SureSelect AB-P1 Not applicable.
 SureSelect AB IA Not applicable.
 SureSelect AB Pre Capture Primer Not applicable.
 SureSelect AB-BC1 Not applicable.
 SureSelect AB-BC2 Not applicable.
 SureSelect AB-BC3 Not applicable.
 SureSelect AB-BC4 Not applicable.
 SureSelect AB-BC5 Not applicable.
 SureSelect AB-BC6 Not applicable.
 SureSelect AB-BC7 Not applicable.
 SureSelect AB-BC8 Not applicable.
 SureSelect AB-BC9 Not applicable.
 SureSelect AB-BC10 Not applicable.
 SureSelect AB-BC11 Not applicable.
 SureSelect AB-BC12 Not applicable.
 SureSelect AB-BC13 Not applicable.
 SureSelect AB-BC14 Not applicable.
 SureSelect AB-BC15 Not applicable.
 SureSelect AB-BC16 Not applicable.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Special packaging requirements

SECTION 2: Hazards identification

Tactile warning of danger	:	SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre Capture Primer	Not applicable.
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
	SureSelect AB-BC14	Not applicable.	
	SureSelect AB-BC15	Not applicable.	
	SureSelect AB-BC16	Not applicable.	

2.3 Other hazards

Other hazards which do not result in classification	:	SureSelect AB-P1	None known.
		SureSelect AB IA	None known.
		SureSelect AB Pre Capture Primer	None known.
		SureSelect AB-BC1	None known.
		SureSelect AB-BC2	None known.
		SureSelect AB-BC3	None known.
		SureSelect AB-BC4	None known.
		SureSelect AB-BC5	None known.
		SureSelect AB-BC6	None known.
		SureSelect AB-BC7	None known.
		SureSelect AB-BC8	None known.
		SureSelect AB-BC9	None known.
		SureSelect AB-BC10	None known.
		SureSelect AB-BC11	None known.
		SureSelect AB-BC12	None known.
		SureSelect AB-BC13	None known.
	SureSelect AB-BC14	None known.	
	SureSelect AB-BC15	None known.	
	SureSelect AB-BC16	None known.	

SECTION 3: Composition/information on ingredients

3.2 Mixtures	:	SureSelect AB-P1	Mixture
		SureSelect AB IA	Mixture
		SureSelect AB Pre Capture Primer	Mixture
		SureSelect AB-BC1	Mixture
		SureSelect AB-BC2	Mixture
		SureSelect AB-BC3	Mixture
		SureSelect AB-BC4	Mixture
		SureSelect AB-BC5	Mixture
		SureSelect AB-BC6	Mixture
		SureSelect AB-BC7	Mixture
		SureSelect AB-BC8	Mixture
		SureSelect AB-BC9	Mixture
		SureSelect AB-BC10	Mixture
		SureSelect AB-BC11	Mixture
	SureSelect AB-BC12	Mixture	
	SureSelect AB-BC13	Mixture	
	SureSelect AB-BC14	Mixture	

SECTION 3: Composition/information on ingredients

SureSelect AB-BC15	Mixture
SureSelect AB-BC16	Mixture

Product/ingredient name

No hazardous ingredient

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
 [2] Substance with a workplace exposure limit
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 [5] Substance of equivalent concern

SECTION 4: First aid measures**4.1 Description of first aid measures**

Eye contact	: SureSelect AB-P1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB IA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB Pre Capture Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC3	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC4	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC5	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC6	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC7	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC8	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC9	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC10	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC11	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

SECTION 4: First aid measures

	SureSelect AB-BC13	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC14	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC15	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect AB-BC16	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: SureSelect AB-P1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB IA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB Pre Capture Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC3	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC4	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC5	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC6	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC7	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC8	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC9	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC10	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC11	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC13	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC14	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SECTION 4: First aid measures

	SureSelect AB-BC15	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect AB-BC16	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: SureSelect AB-P1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB IA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB Pre Capture Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC3	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC4	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC5	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC6	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC7	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC8	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC9	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC10	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC11	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC13	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC14	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC15	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect AB-BC16	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SECTION 4: First aid measures

Ingestion	: SureSelect AB-P1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB IA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB Pre Capture Primer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC3	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC4	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC5	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC6	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC7	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SureSelect AB-BC8	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not

SECTION 4: First aid measures

	induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC9	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC10	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC11	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC12	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC13	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC14	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC15	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect AB-BC16	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders : SureSelect AB-P1	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB IA	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC1	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC2	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC3	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC4	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC5	No action shall be taken involving any personal risk or

SECTION 4: First aid measures

SureSelect AB-BC6	without suitable training. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC7	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC8	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC9	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC10	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC11	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC12	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC13	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC14	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC15	No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC16	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed**Potential acute health effects**

Eye contact	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
Inhalation	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
SureSelect AB-BC10	No known significant effects or critical hazards.	
SureSelect AB-BC11	No known significant effects or critical hazards.	
SureSelect AB-BC12	No known significant effects or critical hazards.	
SureSelect AB-BC13	No known significant effects or critical hazards.	

SECTION 4: First aid measures

	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.
Skin contact	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.
Ingestion	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact	: SureSelect AB-P1	No specific data.
	SureSelect AB IA	No specific data.
	SureSelect AB Pre Capture Primer	No specific data.
	SureSelect AB-BC1	No specific data.
	SureSelect AB-BC2	No specific data.
	SureSelect AB-BC3	No specific data.
	SureSelect AB-BC4	No specific data.
	SureSelect AB-BC5	No specific data.
	SureSelect AB-BC6	No specific data.
	SureSelect AB-BC7	No specific data.
	SureSelect AB-BC8	No specific data.
	SureSelect AB-BC9	No specific data.
	SureSelect AB-BC10	No specific data.
	SureSelect AB-BC11	No specific data.
	SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.
	SureSelect AB-BC14	No specific data.
	SureSelect AB-BC15	No specific data.
	SureSelect AB-BC16	No specific data.

SECTION 4: First aid measures

Inhalation	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
Skin contact	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
Ingestion	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 4: First aid measures

Notes to physician	:	SureSelect AB-P1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB IA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB Pre Capture Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC3	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC4	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC5	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC6	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC7	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC8	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC9	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC10	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC11	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC13	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC14	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC15	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect AB-BC16	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	SureSelect AB-P1	No specific treatment.
		SureSelect AB IA	No specific treatment.
		SureSelect AB Pre Capture Primer	No specific treatment.
		SureSelect AB-BC1	No specific treatment.
		SureSelect AB-BC2	No specific treatment.
		SureSelect AB-BC3	No specific treatment.
		SureSelect AB-BC4	No specific treatment.
		SureSelect AB-BC5	No specific treatment.
		SureSelect AB-BC6	No specific treatment.
		SureSelect AB-BC7	No specific treatment.
		SureSelect AB-BC8	No specific treatment.
		SureSelect AB-BC9	No specific treatment.
		SureSelect AB-BC10	No specific treatment.
		SureSelect AB-BC11	No specific treatment.
		SureSelect AB-BC12	No specific treatment.
		SureSelect AB-BC13	No specific treatment.
		SureSelect AB-BC14	No specific treatment.
		SureSelect AB-BC15	No specific treatment.
		SureSelect AB-BC16	No specific treatment.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media	: SureSelect AB-P1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB IA	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB Pre Capture Primer	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC1	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC2	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC3	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC4	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC5	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC6	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC7	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC8	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC9	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC10	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC11	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC12	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect AB-BC13	Use an extinguishing agent suitable for the surrounding fire.
SureSelect AB-BC14	Use an extinguishing agent suitable for the surrounding fire.	
SureSelect AB-BC15	Use an extinguishing agent suitable for the surrounding fire.	
SureSelect AB-BC16	Use an extinguishing agent suitable for the surrounding fire.	
Unsuitable extinguishing media	: SureSelect AB-P1	None known.
	SureSelect AB IA	None known.
	SureSelect AB Pre Capture Primer	None known.
	SureSelect AB-BC1	None known.
	SureSelect AB-BC2	None known.
	SureSelect AB-BC3	None known.
	SureSelect AB-BC4	None known.
	SureSelect AB-BC5	None known.
	SureSelect AB-BC6	None known.
	SureSelect AB-BC7	None known.
	SureSelect AB-BC8	None known.
	SureSelect AB-BC9	None known.
	SureSelect AB-BC10	None known.
	SureSelect AB-BC11	None known.
	SureSelect AB-BC12	None known.
	SureSelect AB-BC13	None known.
SureSelect AB-BC14	None known.	
SureSelect AB-BC15	None known.	
SureSelect AB-BC16	None known.	

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: SureSelect AB-P1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB IA	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB Pre Capture Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC1	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC2	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC3	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC4	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC5	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC6	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect AB-BC7	In a fire or if heated, a pressure increase will occur and the

SECTION 5: Firefighting measures

SureSelect AB-BC8	container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC9	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC10	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC11	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC12	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC13	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC14	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC15	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect AB-BC16	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products : SureSelect AB-P1	No specific data.
SureSelect AB IA	No specific data.
SureSelect AB Pre Capture Primer	No specific data.
SureSelect AB-BC1	No specific data.
SureSelect AB-BC2	No specific data.
SureSelect AB-BC3	No specific data.
SureSelect AB-BC4	No specific data.
SureSelect AB-BC5	No specific data.
SureSelect AB-BC6	No specific data.
SureSelect AB-BC7	No specific data.
SureSelect AB-BC8	No specific data.
SureSelect AB-BC9	No specific data.
SureSelect AB-BC10	No specific data.
SureSelect AB-BC11	No specific data.
SureSelect AB-BC12	No specific data.
SureSelect AB-BC13	No specific data.
SureSelect AB-BC14	No specific data.
SureSelect AB-BC15	No specific data.
SureSelect AB-BC16	No specific data.

5.3 Advice for firefighters**Special precautions for fire-fighters**

: SureSelect AB-P1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB IA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB Pre Capture Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC3	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC4	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect AB-BC5	Promptly isolate the scene by removing all persons from the

SECTION 5: Firefighting measures

		vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC6	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC7	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC8	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC9	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC10	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC11	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC13	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC14	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC15	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect AB-BC16	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: SureSelect AB-P1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect AB IA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect AB Pre Capture Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect AB-BC1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	SureSelect AB-BC2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a

SECTION 5: Firefighting measures

SureSelect AB-BC3	<p>basic level of protection for chemical incidents.</p> <p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC4	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC5	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC6	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC7	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC8	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC9	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC10	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC11	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC12	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.</p>
SureSelect AB-BC13	<p>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for</p>

SECTION 5: Firefighting measures

	fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB-BC14	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB-BC15	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SureSelect AB-BC16	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	: SureSelect AB-P1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB IA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB Pre Capture Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC3	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC4	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	SureSelect AB-BC5	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on

SECTION 6: Accidental release measures

		appropriate personal protective equipment.
SureSelect AB-BC6		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC7		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC8		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC9		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC10		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC11		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC12		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC13		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC14		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC15		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect AB-BC16		No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: SureSelect AB-P1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SureSelect AB IA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

SureSelect AB Pre Capture Primer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC3	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC4	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC5	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC6	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC7	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC8	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC9	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC10	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC11	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC12	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC13	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC14	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect AB-BC15	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SECTION 6: Accidental release measures

	SureSelect AB-BC16	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: SureSelect AB-P1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB IA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB Pre Capture Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC3	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC4	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC5	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC6	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC7	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC8	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC9	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC10	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC11	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	SureSelect AB-BC12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution

SECTION 6: Accidental release measures

	(sewers, waterways, soil or air).
SureSelect AB-BC13	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC14	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC15	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect AB-BC16	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up**Methods for cleaning up** : SureSelect AB-P1

	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB IA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB Pre Capture Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC3	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC4	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC5	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC6	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

SECTION 6: Accidental release measures

SureSelect AB-BC7	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC8	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC9	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC10	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC11	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC13	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC14	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC15	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect AB-BC16	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

SECTION 7: Handling and storage

Protective measures	:	<p>SureSelect AB-P1 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB IA Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB Pre Capture Primer Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC1 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC2 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC3 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC4 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC5 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC6 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC7 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC8 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC9 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC10 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC11 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC12 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC13 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC14 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC15 Put on appropriate personal protective equipment (see Section 8).</p> <p>SureSelect AB-BC16 Put on appropriate personal protective equipment (see Section 8).</p>
Advice on general occupational hygiene	:	<p>SureSelect AB-P1 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>SureSelect AB IA Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>SureSelect AB Pre Capture Primer Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>SureSelect AB-BC1 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>SureSelect AB-BC2 Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.</p>

SECTION 7: Handling and storage

SureSelect AB-BC3	Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC4	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC5	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC6	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC7	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC8	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC9	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC10	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC11	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC12	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SECTION 7: Handling and storage

SureSelect AB-BC13	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC14	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC15	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect AB-BC16	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: SureSelect AB-P1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB IA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB Pre Capture Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see

SECTION 7: Handling and storage

	Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC3	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC4	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC5	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC6	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC7	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC8	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC9	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly

SECTION 7: Handling and storage

	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC10	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC11	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC12	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC13	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC14	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC15	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
SureSelect AB-BC16	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have

SECTION 8: Exposure controls/personal protection

methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs available.

PNECs

No PNECs available.

8.2 Exposure controls

Appropriate engineering controls : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	SureSelect AB-P1	Liquid.
		SureSelect AB IA	Liquid.
		SureSelect AB Pre	Liquid.
		Capture Primer	
		SureSelect AB-BC1	Liquid.
		SureSelect AB-BC2	Liquid.
		SureSelect AB-BC3	Liquid.
		SureSelect AB-BC4	Liquid.
		SureSelect AB-BC5	Liquid.
		SureSelect AB-BC6	Liquid.
		SureSelect AB-BC7	Liquid.
		SureSelect AB-BC8	Liquid.
		SureSelect AB-BC9	Liquid.
		SureSelect AB-BC10	Liquid.
	SureSelect AB-BC11	Liquid.	
	SureSelect AB-BC12	Liquid.	

SECTION 9: Physical and chemical properties

	SureSelect AB-BC13	Liquid.
	SureSelect AB-BC14	Liquid.
	SureSelect AB-BC15	Liquid.
	SureSelect AB-BC16	Liquid.
Colour	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
Odour	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
Odour threshold	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.

SECTION 9: Physical and chemical properties

pH	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
SureSelect AB-BC13	Not available.	
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
Melting point/freezing point	: SureSelect AB-P1	0°C
	SureSelect AB IA	0°C
	SureSelect AB Pre	0°C
	Capture Primer	
	SureSelect AB-BC1	0°C
	SureSelect AB-BC2	0°C
	SureSelect AB-BC3	0°C
	SureSelect AB-BC4	0°C
	SureSelect AB-BC5	0°C
	SureSelect AB-BC6	0°C
	SureSelect AB-BC7	0°C
	SureSelect AB-BC8	0°C
	SureSelect AB-BC9	0°C
	SureSelect AB-BC10	0°C
	SureSelect AB-BC11	0°C
	SureSelect AB-BC12	0°C
SureSelect AB-BC13	0°C	
SureSelect AB-BC14	0°C	
SureSelect AB-BC15	0°C	
SureSelect AB-BC16	0°C	
Initial boiling point and boiling range	: SureSelect AB-P1	100°C
	SureSelect AB IA	100°C
	SureSelect AB Pre	100°C
	Capture Primer	
	SureSelect AB-BC1	100°C
	SureSelect AB-BC2	100°C
	SureSelect AB-BC3	100°C
	SureSelect AB-BC4	100°C
	SureSelect AB-BC5	100°C
	SureSelect AB-BC6	100°C
	SureSelect AB-BC7	100°C
	SureSelect AB-BC8	100°C
	SureSelect AB-BC9	100°C
	SureSelect AB-BC10	100°C
	SureSelect AB-BC11	100°C
	SureSelect AB-BC12	100°C
SureSelect AB-BC13	100°C	
SureSelect AB-BC14	100°C	
SureSelect AB-BC15	100°C	
SureSelect AB-BC16	100°C	

SECTION 9: Physical and chemical properties

Flash point	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
		SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Evaporation rate	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
		SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Flammability (solid, gas)	:	<input checked="" type="checkbox"/> SureSelect AB-P1	Not applicable.
		SureSelect AB IA	Not applicable.
		SureSelect AB Pre	Not applicable.
		Capture Primer	
		SureSelect AB-BC1	Not applicable.
		SureSelect AB-BC2	Not applicable.
		SureSelect AB-BC3	Not applicable.
		SureSelect AB-BC4	Not applicable.
		SureSelect AB-BC5	Not applicable.
		SureSelect AB-BC6	Not applicable.
		SureSelect AB-BC7	Not applicable.
		SureSelect AB-BC8	Not applicable.
		SureSelect AB-BC9	Not applicable.
		SureSelect AB-BC10	Not applicable.
		SureSelect AB-BC11	Not applicable.
		SureSelect AB-BC12	Not applicable.
		SureSelect AB-BC13	Not applicable.
	SureSelect AB-BC14	Not applicable.	
	SureSelect AB-BC15	Not applicable.	
	SureSelect AB-BC16	Not applicable.	

SECTION 9: Physical and chemical properties

Upper/lower flammability or explosive limits	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Vapour pressure	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Vapour density	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	

SECTION 9: Physical and chemical properties

Relative density	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
		SureSelect AB-BC13	Not available.
		SureSelect AB-BC14	Not available.
		SureSelect AB-BC15	Not available.
		SureSelect AB-BC16	Not available.
Solubility(ies)	:	SureSelect AB-P1	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB IA	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB Pre	Easily soluble in the following materials: cold water and hot water.
		Capture Primer	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC1	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC2	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC3	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC4	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC5	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC6	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC7	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC8	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC9	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC10	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC11	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC12	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC13	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC14	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC15	Easily soluble in the following materials: cold water and hot water.
		SureSelect AB-BC16	Easily soluble in the following materials: cold water and hot water.

SECTION 9: Physical and chemical properties

Partition coefficient: n-octanol/water	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
SureSelect AB-BC13	Not available.	
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
Auto-ignition temperature	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
SureSelect AB-BC13	Not available.	
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	
Decomposition temperature	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
SureSelect AB-BC13	Not available.	
SureSelect AB-BC14	Not available.	
SureSelect AB-BC15	Not available.	
SureSelect AB-BC16	Not available.	

SECTION 9: Physical and chemical properties

Viscosity	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Explosive properties	:	SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	
Oxidising properties	:	<input checked="" type="checkbox"/> SureSelect AB-P1	Not available.
		SureSelect AB IA	Not available.
		SureSelect AB Pre	Not available.
		Capture Primer	
		SureSelect AB-BC1	Not available.
		SureSelect AB-BC2	Not available.
		SureSelect AB-BC3	Not available.
		SureSelect AB-BC4	Not available.
		SureSelect AB-BC5	Not available.
		SureSelect AB-BC6	Not available.
		SureSelect AB-BC7	Not available.
		SureSelect AB-BC8	Not available.
		SureSelect AB-BC9	Not available.
		SureSelect AB-BC10	Not available.
		SureSelect AB-BC11	Not available.
		SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.	
	SureSelect AB-BC14	Not available.	
	SureSelect AB-BC15	Not available.	
	SureSelect AB-BC16	Not available.	

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	SureSelect AB-P1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB IA	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB Pre Capture Primer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC2	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC3	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC4	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC5	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC6	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC7	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC8	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC9	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC10	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC11	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC12	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC13	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC14	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC15	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect AB-BC16	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	SureSelect AB-P1	The product is stable.
		SureSelect AB IA	The product is stable.
		SureSelect AB Pre Capture Primer	The product is stable.
		SureSelect AB-BC1	The product is stable.
		SureSelect AB-BC2	The product is stable.
		SureSelect AB-BC3	The product is stable.
		SureSelect AB-BC4	The product is stable.
		SureSelect AB-BC5	The product is stable.
		SureSelect AB-BC6	The product is stable.
		SureSelect AB-BC7	The product is stable.
		SureSelect AB-BC8	The product is stable.
		SureSelect AB-BC9	The product is stable.
		SureSelect AB-BC10	The product is stable.
		SureSelect AB-BC11	The product is stable.
		SureSelect AB-BC12	The product is stable.
		SureSelect AB-BC13	The product is stable.
		SureSelect AB-BC14	The product is stable.
		SureSelect AB-BC15	The product is stable.
		SureSelect AB-BC16	The product is stable.

SECTION 10: Stability and reactivity**10.5 Incompatible materials**

<ul style="list-style-type: none"> SureSelect AB-P1 SureSelect AB IA SureSelect AB Pre Capture Primer SureSelect AB-BC1 SureSelect AB-BC2 SureSelect AB-BC3 SureSelect AB-BC4 SureSelect AB-BC5 SureSelect AB-BC6 SureSelect AB-BC7 SureSelect AB-BC8 SureSelect AB-BC9 SureSelect AB-BC10 SureSelect AB-BC11 SureSelect AB-BC12 SureSelect AB-BC13 SureSelect AB-BC14 SureSelect AB-BC15 SureSelect AB-BC16 	<ul style="list-style-type: none"> May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
---	--

10.6 Hazardous decomposition products

<ul style="list-style-type: none"> SureSelect AB-P1 SureSelect AB IA SureSelect AB Pre Capture Primer SureSelect AB-BC1 SureSelect AB-BC2 SureSelect AB-BC3 SureSelect AB-BC4 SureSelect AB-BC5 SureSelect AB-BC6 SureSelect AB-BC7 SureSelect AB-BC8 SureSelect AB-BC9 SureSelect AB-BC10 SureSelect AB-BC11 SureSelect AB-BC12 SureSelect AB-BC13 SureSelect AB-BC14 SureSelect AB-BC15 SureSelect AB-BC16 	<ul style="list-style-type: none"> Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
---	--

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Conclusion/Summary : Not available.

Sensitiser

Conclusion/Summary : Not available.

Chronic toxicity / Carcinogenicity / Mutagenicity / Teratogenicity / Reproductive toxicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre Capture Primer	Not available.
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.

Potential acute health effects

Inhalation	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre Capture Primer	No known significant effects or critical hazards.
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.

SECTION 11: Toxicological information

	SureSelect AB-BC16	No known significant effects or critical hazards.
Ingestion	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.	
SureSelect AB-BC14	No known significant effects or critical hazards.	
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	
Skin contact	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.	
SureSelect AB-BC14	No known significant effects or critical hazards.	
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	
Eye contact	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
SureSelect AB-BC13	No known significant effects or critical hazards.	
SureSelect AB-BC14	No known significant effects or critical hazards.	
SureSelect AB-BC15	No known significant effects or critical hazards.	
SureSelect AB-BC16	No known significant effects or critical hazards.	

Symptoms related to the physical, chemical and toxicological characteristics

SECTION 11: Toxicological information

Inhalation	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
Ingestion	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	
Skin contact	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
	SureSelect AB-BC13	No specific data.	
	SureSelect AB-BC14	No specific data.	
	SureSelect AB-BC15	No specific data.	
	SureSelect AB-BC16	No specific data.	

SECTION 11: Toxicological information

Eye contact	:	SureSelect AB-P1	No specific data.
		SureSelect AB IA	No specific data.
		SureSelect AB Pre	No specific data.
		Capture Primer	
		SureSelect AB-BC1	No specific data.
		SureSelect AB-BC2	No specific data.
		SureSelect AB-BC3	No specific data.
		SureSelect AB-BC4	No specific data.
		SureSelect AB-BC5	No specific data.
		SureSelect AB-BC6	No specific data.
		SureSelect AB-BC7	No specific data.
		SureSelect AB-BC8	No specific data.
		SureSelect AB-BC9	No specific data.
		SureSelect AB-BC10	No specific data.
		SureSelect AB-BC11	No specific data.
		SureSelect AB-BC12	No specific data.
		SureSelect AB-BC13	No specific data.
		SureSelect AB-BC14	No specific data.
		SureSelect AB-BC15	No specific data.
		SureSelect AB-BC16	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	:	SureSelect AB-P1	No known significant effects or critical hazards.
		SureSelect AB IA	No known significant effects or critical hazards.
		SureSelect AB Pre	No known significant effects or critical hazards.
		Capture Primer	
		SureSelect AB-BC1	No known significant effects or critical hazards.
		SureSelect AB-BC2	No known significant effects or critical hazards.
		SureSelect AB-BC3	No known significant effects or critical hazards.
		SureSelect AB-BC4	No known significant effects or critical hazards.
		SureSelect AB-BC5	No known significant effects or critical hazards.
		SureSelect AB-BC6	No known significant effects or critical hazards.
		SureSelect AB-BC7	No known significant effects or critical hazards.
		SureSelect AB-BC8	No known significant effects or critical hazards.
		SureSelect AB-BC9	No known significant effects or critical hazards.
		SureSelect AB-BC10	No known significant effects or critical hazards.
		SureSelect AB-BC11	No known significant effects or critical hazards.
		SureSelect AB-BC12	No known significant effects or critical hazards.
		SureSelect AB-BC13	No known significant effects or critical hazards.
		SureSelect AB-BC14	No known significant effects or critical hazards.
		SureSelect AB-BC15	No known significant effects or critical hazards.
		SureSelect AB-BC16	No known significant effects or critical hazards.
Carcinogenicity	:	SureSelect AB-P1	No known significant effects or critical hazards.
		SureSelect AB IA	No known significant effects or critical hazards.
		SureSelect AB Pre	No known significant effects or critical hazards.
		Capture Primer	
		SureSelect AB-BC1	No known significant effects or critical hazards.
		SureSelect AB-BC2	No known significant effects or critical hazards.
		SureSelect AB-BC3	No known significant effects or critical hazards.
		SureSelect AB-BC4	No known significant effects or critical hazards.

SECTION 11: Toxicological information

	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.
Fertility effects	: SureSelect AB-P1	No known significant effects or critical hazards.
	SureSelect AB IA	No known significant effects or critical hazards.
	SureSelect AB Pre	No known significant effects or critical hazards.
	Capture Primer	
	SureSelect AB-BC1	No known significant effects or critical hazards.
	SureSelect AB-BC2	No known significant effects or critical hazards.
	SureSelect AB-BC3	No known significant effects or critical hazards.
	SureSelect AB-BC4	No known significant effects or critical hazards.
	SureSelect AB-BC5	No known significant effects or critical hazards.
	SureSelect AB-BC6	No known significant effects or critical hazards.
	SureSelect AB-BC7	No known significant effects or critical hazards.
	SureSelect AB-BC8	No known significant effects or critical hazards.
	SureSelect AB-BC9	No known significant effects or critical hazards.
	SureSelect AB-BC10	No known significant effects or critical hazards.
	SureSelect AB-BC11	No known significant effects or critical hazards.
	SureSelect AB-BC12	No known significant effects or critical hazards.
	SureSelect AB-BC13	No known significant effects or critical hazards.
	SureSelect AB-BC14	No known significant effects or critical hazards.
	SureSelect AB-BC15	No known significant effects or critical hazards.
	SureSelect AB-BC16	No known significant effects or critical hazards.

Toxicokinetics**Absorption**

	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.

Distribution

	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.

SECTION 11: Toxicological information

	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
Metabolism	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
Elimination	: SureSelect AB-P1	Not available.
	SureSelect AB IA	Not available.
	SureSelect AB Pre	Not available.
	Capture Primer	
	SureSelect AB-BC1	Not available.
	SureSelect AB-BC2	Not available.
	SureSelect AB-BC3	Not available.
	SureSelect AB-BC4	Not available.
	SureSelect AB-BC5	Not available.
	SureSelect AB-BC6	Not available.
	SureSelect AB-BC7	Not available.
	SureSelect AB-BC8	Not available.
	SureSelect AB-BC9	Not available.
	SureSelect AB-BC10	Not available.
	SureSelect AB-BC11	Not available.
	SureSelect AB-BC12	Not available.
	SureSelect AB-BC13	Not available.
	SureSelect AB-BC14	Not available.
	SureSelect AB-BC15	Not available.
	SureSelect AB-BC16	Not available.
Other information	: <input checked="" type="checkbox"/> Not available.	

SECTION 12: Ecological information**12.1 Toxicity****Conclusion/Summary** : Not available.**12.2 Persistence and degradability****Conclusion/Summary** : Not available.**12.3 Bioaccumulative potential**

Not available.

SECTION 12: Ecological information**12.4 Mobility in soil**

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information**Regulatory information**

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code : Not available.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**EU Regulation (EC) No. 1907/2006 (REACH)Annex XIV - List of substances subject to authorisationAnnex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

SECTION 15: Regulatory information

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : Not applicable.

Other EU regulations

Europe inventory : All components are listed or exempted.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia : All components are listed or exempted.
Canada : All components are listed or exempted.
China : All components are listed or exempted.
Japan : Not determined.
Malaysia : Not determined.
New Zealand : All components are listed or exempted.
Philippines : All components are listed or exempted.
Republic of Korea : Not determined.
Taiwan : Not determined.
United States : All components are listed or exempted.

15.2 Chemical Safety Assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

SECTION 16: Other information

Date of issue/ Date of revision : 20/07/2015

Date of previous issue : 25/02/2013.

Version : 2.01

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.