

# Material Safety Data Sheet

## SureSelect AB Indexing Construction Kit - 7 x 16 Reactions

### 1. Product and company identification

**Product name** : SureSelect AB Indexing Construction Kit - 7 x 16 Reactions

**Material uses** : Analytical reagent.

|                                  |          |
|----------------------------------|----------|
| SureSelect AB-P1                 | 2.912 ml |
| SureSelect AB IA                 | 2.912 ml |
| SureSelect AB Pre Capture Primer | 2.24 ml  |
| SureSelect AB-BC1                | 0.035 ml |
| SureSelect AB-BC2                | 0.035 ml |
| SureSelect AB-BC3                | 0.035 ml |
| SureSelect AB-BC4                | 0.035 ml |
| SureSelect AB-BC5                | 0.035 ml |
| SureSelect AB-BC6                | 0.035 ml |
| SureSelect AB-BC7                | 0.035 ml |
| SureSelect AB-BC8                | 0.035 ml |
| SureSelect AB-BC9                | 0.035 ml |
| SureSelect AB-BC10               | 0.035 ml |
| SureSelect AB-BC11               | 0.035 ml |
| SureSelect AB-BC12               | 0.035 ml |
| SureSelect AB-BC13               | 0.035 ml |
| SureSelect AB-BC14               | 0.035 ml |
| SureSelect AB-BC15               | 0.035 ml |
| SureSelect AB-BC16               | 0.035 ml |

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
1834 State Highway 71 West  
Cedar Creek, TX 78612  
800-227-9770

**Part No. (Chemical Kit)** : G7509A

|                 |                                  |           |
|-----------------|----------------------------------|-----------|
| <b>Part No.</b> | SureSelect AB-P1                 | 5972-3675 |
|                 | SureSelect AB IA                 | 5972-3676 |
|                 | SureSelect AB Pre Capture Primer | 5972-3677 |
|                 | SureSelect AB-BC1                | 5972-3678 |
|                 | SureSelect AB-BC2                | 5972-3679 |
|                 | SureSelect AB-BC3                | 5972-3680 |
|                 | SureSelect AB-BC4                | 5972-3681 |
|                 | SureSelect AB-BC5                | 5972-3682 |
|                 | SureSelect AB-BC6                | 5972-3683 |
|                 | SureSelect AB-BC7                | 5972-3684 |
|                 | SureSelect AB-BC8                | 5972-3685 |
|                 | SureSelect AB-BC9                | 5972-3686 |
|                 | SureSelect AB-BC10               | 5972-3687 |
|                 | SureSelect AB-BC11               | 5972-3688 |
|                 | SureSelect AB-BC12               | 5972-3689 |
|                 | SureSelect AB-BC13               | 5972-3690 |
|                 | SureSelect AB-BC14               | 5972-3691 |
|                 | SureSelect AB-BC15               | 5972-3692 |
|                 | SureSelect AB-BC16               | 5972-3693 |

**Validation date** : 02/25/2013

**In case of emergency** : Chemtrec: 1-800-424-9300

## 2. Hazards identification

|                        |   |  |
|------------------------|---|--|
| <b>Physical state</b>  | : SureSelect AB-P1<br>SureSelect AB IA<br>SureSelect AB Pre Capture Primer<br>SureSelect AB-BC1<br>SureSelect AB-BC2<br>SureSelect AB-BC3<br>SureSelect AB-BC4<br>SureSelect AB-BC5<br>SureSelect AB-BC6<br>SureSelect AB-BC7<br>SureSelect AB-BC8<br>SureSelect AB-BC9<br>SureSelect AB-BC10<br>SureSelect AB-BC11<br>SureSelect AB-BC12<br>SureSelect AB-BC13<br>SureSelect AB-BC14<br>SureSelect AB-BC15<br>SureSelect AB-BC16 | Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.<br>Liquid.   |
| <b>Odor</b>            | : SureSelect AB-P1<br>SureSelect AB IA<br>SureSelect AB Pre Capture Primer<br>SureSelect AB-BC1<br>SureSelect AB-BC2<br>SureSelect AB-BC3<br>SureSelect AB-BC4<br>SureSelect AB-BC5<br>SureSelect AB-BC6<br>SureSelect AB-BC7<br>SureSelect AB-BC8<br>SureSelect AB-BC9<br>SureSelect AB-BC10<br>SureSelect AB-BC11<br>SureSelect AB-BC12<br>SureSelect AB-BC13<br>SureSelect AB-BC14<br>SureSelect AB-BC15<br>SureSelect AB-BC16 | Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.<br>Not available.   |
| <b>OSHA/HCS status</b> | : SureSelect AB-P1<br><br>SureSelect AB IA<br><br>SureSelect AB Pre Capture Primer<br><br>SureSelect AB-BC1   | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.<br><br>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.<br><br>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.<br><br>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper |

## 2. Hazards identification

|                    |  |
|--------------------|--|
|                    | use of the product. This MSDS should be retained and available for employees and other users of this product.  |
| SureSelect AB-BC2  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC3  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC4  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC5  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC6  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC7  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC8  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC9  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC10 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained  |

## 2. Hazards identification

|                    |  |
|--------------------|--|
| SureSelect AB-BC11 | and available for employees and other users of this product.<br>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product. |
| SureSelect AB-BC12 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.   |
| SureSelect AB-BC13 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.   |
| SureSelect AB-BC14 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.   |
| SureSelect AB-BC15 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.   |
| SureSelect AB-BC16 | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.   |

### Emergency overview

#### Signal word

: SureSelect AB-P1  
 SureSelect AB IA  
 SureSelect AB Pre Capture Primer  
 SureSelect AB-BC1  
 SureSelect AB-BC2  
 SureSelect AB-BC3  
 SureSelect AB-BC4  
 SureSelect AB-BC5  
 SureSelect AB-BC6  
 SureSelect AB-BC7  
 SureSelect AB-BC8  
 SureSelect AB-BC9  
 SureSelect AB-BC10  
 SureSelect AB-BC11  
 SureSelect AB-BC12  
 SureSelect AB-BC13  
 SureSelect AB-BC14  
 SureSelect AB-BC15

## 2. Hazards identification

|                          |                                  |  |
|--------------------------|----------------------------------|--|
|                          | SureSelect AB-BC16               |  |
| <b>Hazard statements</b> | : SureSelect AB-P1               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB IA                 | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB Pre Capture Primer | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC1                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC2                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC3                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC4                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC5                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC6                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC7                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC8                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC9                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC10               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC11               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC12               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                          | SureSelect AB-BC13               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE  |

## 2. Hazards identification

|                                  | RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.   |
|----------------------------------|--|
| SureSelect AB-BC14               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
| SureSelect AB-BC15               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
| SureSelect AB-BC16               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
| <b>Precautions</b>               |  |
| : SureSelect AB-P1               | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB IA                 | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB Pre Capture Primer | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC1                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC2                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC3                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC4                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC5                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC6                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC7                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC8                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC9                | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC10               | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC11               | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC12               | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC13               | No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.            |
| SureSelect AB-BC14               | No known significant effects or critical hazards.  |

## 2. Hazards identification

SureSelect AB-BC15

Avoid prolonged contact with eyes, skin and clothing.

No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.

SureSelect AB-BC16

No known significant effects or critical hazards. Avoid prolonged contact with eyes, skin and clothing.

### Routes of entry

|   |                                  |                |
|---|----------------------------------|----------------|
| : | SureSelect AB-P1                 | Not available. |
|   | SureSelect AB IA                 | Not available. |
|   | SureSelect AB Pre Capture Primer | Not available. |
|   | SureSelect AB-BC1                | Not available. |
|   | SureSelect AB-BC2                | Not available. |
|   | SureSelect AB-BC3                | Not available. |
|   | SureSelect AB-BC4                | Not available. |
|   | SureSelect AB-BC5                | Not available. |
|   | SureSelect AB-BC6                | Not available. |
|   | SureSelect AB-BC7                | Not available. |
|   | SureSelect AB-BC8                | Not available. |
|   | SureSelect AB-BC9                | Not available. |
|   | SureSelect AB-BC10               | Not available. |
|   | SureSelect AB-BC11               | Not available. |
|   | SureSelect AB-BC12               | Not available. |
|   | SureSelect AB-BC13               | Not available. |
|   | SureSelect AB-BC14               | Not available. |
|   | SureSelect AB-BC15               | Not available. |
|   | SureSelect AB-BC16               | Not available. |

### Potential acute health effects

#### Inhalation

|   |                                  |   |
|---|----------------------------------|---|
| : | SureSelect AB-P1                 | No known significant effects or critical hazards. |
|   | SureSelect AB IA                 | No known significant effects or critical hazards. |
|   | SureSelect AB Pre Capture Primer | No known significant effects or critical hazards. |
|   | SureSelect AB-BC1                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC2                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC3                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC4                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC5                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC6                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC7                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC8                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC9                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC10               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC11               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC12               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC13               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC14               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC15               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC16               | No known significant effects or critical hazards. |

#### Ingestion

|   |                                  |   |
|---|----------------------------------|---|
| : | SureSelect AB-P1                 | No known significant effects or critical hazards. |
|   | SureSelect AB IA                 | No known significant effects or critical hazards. |
|   | SureSelect AB Pre Capture Primer | No known significant effects or critical hazards. |
|   | SureSelect AB-BC1                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC2                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC3                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC4                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC5                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC6                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC7                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC8                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC9                | No known significant effects or critical hazards. |
|   | SureSelect AB-BC10               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC11               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC12               | No known significant effects or critical hazards. |
|   | SureSelect AB-BC13               | No known significant effects or critical hazards. |







## 2. Hazards identification

|                              |   |   |
|------------------------------|---|---|
| <b>Developmental effects</b> | : SureSelect AB-P1                                | No known significant effects or critical hazards. |
|                              | SureSelect AB IA                                  | No known significant effects or critical hazards. |
|                              | SureSelect AB Pre Capture Primer                  | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC1                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC2                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC3                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC4                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC5                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC6                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC7                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC8                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC9                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC10                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC11                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC12                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC13                                | No known significant effects or critical hazards. |
| SureSelect AB-BC14           | No known significant effects or critical hazards. |   |
| SureSelect AB-BC15           | No known significant effects or critical hazards. |   |
| SureSelect AB-BC16           | No known significant effects or critical hazards. |   |
| <b>Fertility effects</b>     | : SureSelect AB-P1                                | No known significant effects or critical hazards. |
|                              | SureSelect AB IA                                  | No known significant effects or critical hazards. |
|                              | SureSelect AB Pre Capture Primer                  | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC1                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC2                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC3                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC4                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC5                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC6                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC7                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC8                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC9                                 | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC10                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC11                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC12                                | No known significant effects or critical hazards. |
|                              | SureSelect AB-BC13                                | No known significant effects or critical hazards. |
| SureSelect AB-BC14           | No known significant effects or critical hazards. |   |
| SureSelect AB-BC15           | No known significant effects or critical hazards. |   |
| SureSelect AB-BC16           | No known significant effects or critical hazards. |   |
| <b>Target organs</b>         | : SureSelect AB-P1                                | Not available.                                    |
|                              | SureSelect AB IA                                  | Not available.                                    |
|                              | SureSelect AB Pre Capture Primer                  | Not available.                                    |
|                              | SureSelect AB-BC1                                 | Not available.                                    |
|                              | SureSelect AB-BC2                                 | Not available.                                    |
|                              | SureSelect AB-BC3                                 | Not available.                                    |
|                              | SureSelect AB-BC4                                 | Not available.                                    |
|                              | SureSelect AB-BC5                                 | Not available.                                    |
|                              | SureSelect AB-BC6                                 | Not available.                                    |
|                              | SureSelect AB-BC7                                 | Not available.                                    |
|                              | SureSelect AB-BC8                                 | Not available.                                    |
|                              | SureSelect AB-BC9                                 | Not available.                                    |
|                              | SureSelect AB-BC10                                | Not available.                                    |
|                              | SureSelect AB-BC11                                | Not available.                                    |
|                              | SureSelect AB-BC12                                | Not available.                                    |
|                              | SureSelect AB-BC13                                | Not available.                                    |
| SureSelect AB-BC14           | Not available.                                    |   |
| SureSelect AB-BC15           | Not available.                                    |   |
| SureSelect AB-BC16           | Not available.                                    |   |

### Over-exposure signs/symptoms

## 2. Hazards identification

|                    |                                  |                   |
|--------------------|----------------------------------|-------------------|
| <b>Inhalation</b>  | : SureSelect AB-P1               | No specific data. |
|                    | SureSelect AB IA                 | No specific data. |
|                    | SureSelect AB Pre Capture Primer | No specific data. |
|                    | SureSelect AB-BC1                | No specific data. |
|                    | SureSelect AB-BC2                | No specific data. |
|                    | SureSelect AB-BC3                | No specific data. |
|                    | SureSelect AB-BC4                | No specific data. |
|                    | SureSelect AB-BC5                | No specific data. |
|                    | SureSelect AB-BC6                | No specific data. |
|                    | SureSelect AB-BC7                | No specific data. |
|                    | SureSelect AB-BC8                | No specific data. |
|                    | SureSelect AB-BC9                | No specific data. |
|                    | SureSelect AB-BC10               | No specific data. |
|                    | SureSelect AB-BC11               | No specific data. |
|                    | SureSelect AB-BC12               | No specific data. |
|                    | SureSelect AB-BC13               | No specific data. |
| SureSelect AB-BC14 | No specific data.                |                   |
| SureSelect AB-BC15 | No specific data.                |                   |
| SureSelect AB-BC16 | No specific data.                |                   |
| <b>Ingestion</b>   | : SureSelect AB-P1               | No specific data. |
|                    | SureSelect AB IA                 | No specific data. |
|                    | SureSelect AB Pre Capture Primer | No specific data. |
|                    | SureSelect AB-BC1                | No specific data. |
|                    | SureSelect AB-BC2                | No specific data. |
|                    | SureSelect AB-BC3                | No specific data. |
|                    | SureSelect AB-BC4                | No specific data. |
|                    | SureSelect AB-BC5                | No specific data. |
|                    | SureSelect AB-BC6                | No specific data. |
|                    | SureSelect AB-BC7                | No specific data. |
|                    | SureSelect AB-BC8                | No specific data. |
|                    | SureSelect AB-BC9                | No specific data. |
|                    | SureSelect AB-BC10               | No specific data. |
|                    | SureSelect AB-BC11               | No specific data. |
|                    | SureSelect AB-BC12               | No specific data. |
|                    | SureSelect AB-BC13               | No specific data. |
| SureSelect AB-BC14 | No specific data.                |                   |
| SureSelect AB-BC15 | No specific data.                |                   |
| SureSelect AB-BC16 | No specific data.                |                   |
| <b>Skin</b>        | : SureSelect AB-P1               | No specific data. |
|                    | SureSelect AB IA                 | No specific data. |
|                    | SureSelect AB Pre Capture Primer | No specific data. |
|                    | SureSelect AB-BC1                | No specific data. |
|                    | SureSelect AB-BC2                | No specific data. |
|                    | SureSelect AB-BC3                | No specific data. |
|                    | SureSelect AB-BC4                | No specific data. |
|                    | SureSelect AB-BC5                | No specific data. |
|                    | SureSelect AB-BC6                | No specific data. |
|                    | SureSelect AB-BC7                | No specific data. |
|                    | SureSelect AB-BC8                | No specific data. |
|                    | SureSelect AB-BC9                | No specific data. |
|                    | SureSelect AB-BC10               | No specific data. |
|                    | SureSelect AB-BC11               | No specific data. |
|                    | SureSelect AB-BC12               | No specific data. |
|                    | SureSelect AB-BC13               | No specific data. |
| SureSelect AB-BC14 | No specific data.                |                   |
| SureSelect AB-BC15 | No specific data.                |                   |
| SureSelect AB-BC16 | No specific data.                |                   |

## 2. Hazards identification

|                    |                                  |                   |
|--------------------|----------------------------------|-------------------|
| <b>Eyes</b>        | : SureSelect AB-P1               | No specific data. |
|                    | SureSelect AB IA                 | No specific data. |
|                    | SureSelect AB Pre Capture Primer | No specific data. |
|                    | SureSelect AB-BC1                | No specific data. |
|                    | SureSelect AB-BC2                | No specific data. |
|                    | SureSelect AB-BC3                | No specific data. |
|                    | SureSelect AB-BC4                | No specific data. |
|                    | SureSelect AB-BC5                | No specific data. |
|                    | SureSelect AB-BC6                | No specific data. |
|                    | SureSelect AB-BC7                | No specific data. |
|                    | SureSelect AB-BC8                | No specific data. |
|                    | SureSelect AB-BC9                | No specific data. |
|                    | SureSelect AB-BC10               | No specific data. |
|                    | SureSelect AB-BC11               | No specific data. |
|                    | SureSelect AB-BC12               | No specific data. |
|                    | SureSelect AB-BC13               | No specific data. |
| SureSelect AB-BC14 | No specific data.                |                   |
| SureSelect AB-BC15 | No specific data.                |                   |
| SureSelect AB-BC16 | No specific data.                |                   |

|   |                                  |             |
|---|----------------------------------|-------------|
| <b>Medical conditions aggravated by over-exposure</b> | : SureSelect AB-P1               | None known. |
|   | SureSelect AB IA                 | None known. |
|   | SureSelect AB Pre Capture Primer | None known. |
|   | SureSelect AB-BC1                | None known. |
|   | SureSelect AB-BC2                | None known. |
|   | SureSelect AB-BC3                | None known. |
|   | SureSelect AB-BC4                | None known. |
|   | SureSelect AB-BC5                | None known. |
|   | SureSelect AB-BC6                | None known. |
|   | SureSelect AB-BC7                | None known. |
|   | SureSelect AB-BC8                | None known. |
|   | SureSelect AB-BC9                | None known. |
|   | SureSelect AB-BC10               | None known. |
|   | SureSelect AB-BC11               | None known. |
|   | SureSelect AB-BC12               | None known. |
|   | SureSelect AB-BC13               | None known. |
| SureSelect AB-BC14                                    | None known.                      |             |
| SureSelect AB-BC15                                    | None known.                      |             |
| SureSelect AB-BC16                                    | None known.                      |             |

See toxicological information (Section 11)

## 3. Composition/information on ingredients

| Name                    | CAS number | % |
|-------------------------|------------|---|
| No hazardous ingredient |            |   |

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4. First aid measures

|                    |                    |  |
|--------------------|--------------------|--|
| <b>Eye contact</b> | : SureSelect AB-P1 | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
|                    | SureSelect AB IA   | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |

## 4. First aid measures

|                                  |  |
|----------------------------------|--|
| SureSelect AB Pre Capture Primer | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC1                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC2                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC3                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC4                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC5                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC6                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC7                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC8                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC9                | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC10               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC11               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |
| SureSelect AB-BC12               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur. |

## 4. First aid measures

|                     |                                  |   |
|---------------------|----------------------------------|---|
|                     | SureSelect AB-BC13               | occur.<br>Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.                                |
|                     | SureSelect AB-BC14               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.  |
|                     | SureSelect AB-BC15               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.  |
|                     | SureSelect AB-BC16               | Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if symptoms occur.  |
| <b>Skin contact</b> | : SureSelect AB-P1               | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB IA                 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB Pre Capture Primer | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB-BC1                | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB-BC2                | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB-BC3                | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
|                     | SureSelect AB-BC4                | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |

## 4. First aid measures

|                    |   |
|--------------------|---|
| SureSelect AB-BC5  | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC6  | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC7  | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC8  | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC9  | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC10 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC11 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC12 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC13 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC14 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur. |
| SureSelect AB-BC15 | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly  |

## 4. First aid measures

|                   |                                  |  |
|-------------------|----------------------------------|--|
|                   |                                  | before reuse. Get medical attention if symptoms occur.   |
|                   | SureSelect AB-BC16               | In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.                                      |
| <b>Inhalation</b> | : SureSelect AB-P1               | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB IA                 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB Pre Capture Primer | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC1                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC2                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC3                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC4                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC5                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC6                | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
|                   | SureSelect AB-BC7                | Move exposed person to fresh air. If not breathing,  |



## 4. First aid measures

|                    |  |
|--------------------|--|
|                    | if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur.   |
| SureSelect AB-BC8  | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC9  | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC10 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC11 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC12 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC13 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC14 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC15 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |
| SureSelect AB-BC16 | Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention if symptoms occur. |

## 4. First aid measures

|           |                                  |  |
|-----------|----------------------------------|--|
| Ingestion | : SureSelect AB-P1               | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB IA                 | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB Pre Capture Primer | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC1                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC2                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC3                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC4                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC5                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC6                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC7                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC8                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC9                | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
|           | SureSelect AB-BC10               | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if                 |

## 4. First aid measures

|  |   |
|--|---|
| SureSelect AB-BC11                                   | symptoms occur.<br>Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur. |
| SureSelect AB-BC12                                   | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.                    |
| SureSelect AB-BC13                                   | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.                    |
| SureSelect AB-BC14                                   | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.                    |
| SureSelect AB-BC15                                   | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.                    |
| SureSelect AB-BC16                                   | Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.                    |
| <b>Protection of first-aiders</b> : SureSelect AB-P1 | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB IA                                     | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB Pre Capture Primer                     | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC1                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC2                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC3                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC4                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC5                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC6                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC7                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC8                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC9                                    | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC10                                   | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC11                                   | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC12                                   | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect AB-BC13                                   | No action shall be taken involving any personal risk or without suitable training.  |

## 4. First aid measures

|  |  |
|--|--|
| SureSelect AB-BC14                           | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect AB-BC15                           | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect AB-BC16                           | No action shall be taken involving any personal risk or without suitable training.   |
| <b>Notes to physician</b> : SureSelect AB-P1 | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB IA                             | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB Pre Capture Primer             | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC1                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC2                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC3                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC4                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC5                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC6                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC7                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC8                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC9                            | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC10                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC11                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC12                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC13                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC14                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC15                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect AB-BC16                           | No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |

## 5. Fire-fighting measures

|                                    |   |   |
|------------------------------------|---|---|
| <b>Flammability of the product</b> | : SureSelect AB-P1  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB IA  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB Pre Capture Primer  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC1   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC2   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC3   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC4   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC5   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC6   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC7   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC8   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC9   | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC10  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC11  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC12  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|                                    | SureSelect AB-BC13  | In a fire or if heated, a pressure increase will occur and the container may burst. |
| SureSelect AB-BC14                 | In a fire or if heated, a pressure increase will occur and the container may burst. |   |
| SureSelect AB-BC15                 | In a fire or if heated, a pressure increase will occur and the container may burst. |   |
| SureSelect AB-BC16                 | In a fire or if heated, a pressure increase will occur and the container may burst. |   |

### Extinguishing media

|                 |                                  |   |
|-----------------|----------------------------------|---|
| <b>Suitable</b> | : SureSelect AB-P1               | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB IA                 | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB Pre Capture Primer | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC1                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC2                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC3                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC4                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC5                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC6                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC7                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC8                | Use an extinguishing agent suitable for the surrounding fire. |
|                 | SureSelect AB-BC9                | Use an extinguishing agent suitable for the surrounding fire. |

## 5. Fire-fighting measures

|                    |   |
|--------------------|---|
| SureSelect AB-BC10 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC11 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC12 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC13 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC14 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC15 | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect AB-BC16 | Use an extinguishing agent suitable for the surrounding fire. |

### Not suitable

|                                  |             |
|----------------------------------|-------------|
| : SureSelect AB-P1               | None known. |
| SureSelect AB IA                 | None known. |
| SureSelect AB Pre Capture Primer | None known. |
| SureSelect AB-BC1                | None known. |
| SureSelect AB-BC2                | None known. |
| SureSelect AB-BC3                | None known. |
| SureSelect AB-BC4                | None known. |
| SureSelect AB-BC5                | None known. |
| SureSelect AB-BC6                | None known. |
| SureSelect AB-BC7                | None known. |
| SureSelect AB-BC8                | None known. |
| SureSelect AB-BC9                | None known. |
| SureSelect AB-BC10               | None known. |
| SureSelect AB-BC11               | None known. |
| SureSelect AB-BC12               | None known. |
| SureSelect AB-BC13               | None known. |
| SureSelect AB-BC14               | None known. |
| SureSelect AB-BC15               | None known. |
| SureSelect AB-BC16               | None known. |

### Special exposure hazards

|                                  |  |
|----------------------------------|--|
| : SureSelect AB-P1               | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB IA                 | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB Pre Capture Primer | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC1                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC2                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC3                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC4                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC5                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC6                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC7                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC8                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC9                | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC10               | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC11               | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect AB-BC12               | No action shall be taken involving any personal risk or without suitable training. |

## 5. Fire-fighting measures

|   |   |  |
|---|---|--|
|   | SureSelect AB-BC13  | No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect AB-BC14  | No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect AB-BC15  | No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect AB-BC16  | No action shall be taken involving any personal risk or without suitable training. |
| <b>Hazardous thermal decomposition products</b>       | : SureSelect AB-P1  | No specific data.  |
|   | SureSelect AB IA  | No specific data.  |
|   | SureSelect AB Pre Capture Primer  | No specific data.  |
|   | SureSelect AB-BC1   | No specific data.  |
|   | SureSelect AB-BC2   | No specific data.  |
|   | SureSelect AB-BC3   | No specific data.  |
|   | SureSelect AB-BC4   | No specific data.  |
|   | SureSelect AB-BC5   | No specific data.  |
|   | SureSelect AB-BC6   | No specific data.  |
|   | SureSelect AB-BC7   | No specific data.  |
|   | SureSelect AB-BC8   | No specific data.  |
|   | SureSelect AB-BC9   | No specific data.  |
|   | SureSelect AB-BC10  | No specific data.  |
|   | SureSelect AB-BC11  | No specific data.  |
|   | SureSelect AB-BC12  | No specific data.  |
| SureSelect AB-BC13                                    | No specific data.   |  |
| SureSelect AB-BC14                                    | No specific data.   |  |
| SureSelect AB-BC15                                    | No specific data.   |  |
| SureSelect AB-BC16                                    | No specific data.   |  |
| <b>Special protective equipment for fire-fighters</b> | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |  |

## 6. Accidental release measures

|                             |                                  |   |
|-----------------------------|----------------------------------|---|
| <b>Personal precautions</b> | : SureSelect AB-P1               | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB IA                 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB Pre Capture Primer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB-BC1                | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB-BC2                | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB-BC3                | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
|                             | SureSelect AB-BC3                | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |

## 6. Accidental release measures

|                    |  |
|--------------------|--|
| SureSelect AB-BC4  | or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
| SureSelect AB-BC5  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC6  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC7  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC8  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC9  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC10 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC11 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC12 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).  |
| SureSelect AB-BC13 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk  |



## 6. Accidental release measures

|   |   |
|---|---|
| SureSelect AB-BC14                                  | through spilled material. Put on appropriate personal protective equipment (see Section 8). No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8). |
| SureSelect AB-BC15                                  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect AB-BC16                                  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment (see Section 8).   |
| <b>Environmental precautions :</b> SureSelect AB-P1 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB IA                                    | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB Pre Capture Primer                    | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC1                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC2                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC3                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC4                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC5                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC6                                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has  |

## 6. Accidental release measures

|   |   |
|---|---|
|   | caused environmental pollution (sewers, waterways, soil or air).<br>Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC7                                 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC8                                 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC9                                 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC10                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC11                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC12                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC13                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC14                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC15                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| SureSelect AB-BC16                                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| <b>Methods for cleaning up</b> : SureSelect AB-P1 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB IA                                  | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a                                     |

## 6. Accidental release measures

|                                  |   |
|----------------------------------|---|
| SureSelect AB Pre Capture Primer | <p>licensed waste disposal contractor.</p> <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p> |
| SureSelect AB-BC1                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC2                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC3                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC4                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC5                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC6                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC7                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC8                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC9                | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.</p>  |
| SureSelect AB-BC10               | <p>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.</p>   |

## 6. Accidental release measures

|                    |   |
|--------------------|---|
|                    | Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.  |
| SureSelect AB-BC11 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB-BC12 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB-BC13 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB-BC14 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB-BC15 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect AB-BC16 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

## 7. Handling and storage

|                 |                                  |  |
|-----------------|----------------------------------|--|
| <b>Handling</b> | : SureSelect AB-P1               | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
|                 | SureSelect AB IA                 | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
|                 | SureSelect AB Pre Capture Primer | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |

## 7. Handling and storage

|                    |  |
|--------------------|--|
| SureSelect AB-BC1  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC2  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC3  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC4  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC5  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC6  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC7  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC8  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC9  | Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. |
| SureSelect AB-BC10 | Put on appropriate personal protective equipment   |



## 7. Handling and storage

SureSelect AB Pre Capture Primer

sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB-BC1

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB-BC2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB-BC3

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB-BC4

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SureSelect AB-BC5

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

## 7. Handling and storage

|                    |  |
|--------------------|--|
| SureSelect AB-BC6  | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC7  | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC8  | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC9  | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC10 | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC11 | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate |
| SureSelect AB-BC12 | containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from  |





## 8. Exposure controls/personal protection

- Engineering measures** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Personal protection**
- Respiratory** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
- Hands** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Eyes** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Other protection** : Not available.

## 9. Physical and chemical properties

- Physical state** :
- |                                  |         |
|----------------------------------|---------|
| SureSelect AB-P1                 | Liquid. |
| SureSelect AB IA                 | Liquid. |
| SureSelect AB Pre Capture Primer | Liquid. |
| SureSelect AB-BC1                | Liquid. |
| SureSelect AB-BC2                | Liquid. |
| SureSelect AB-BC3                | Liquid. |
| SureSelect AB-BC4                | Liquid. |
| SureSelect AB-BC5                | Liquid. |
| SureSelect AB-BC6                | Liquid. |
| SureSelect AB-BC7                | Liquid. |
| SureSelect AB-BC8                | Liquid. |
| SureSelect AB-BC9                | Liquid. |
| SureSelect AB-BC10               | Liquid. |
| SureSelect AB-BC11               | Liquid. |
| SureSelect AB-BC12               | Liquid. |
| SureSelect AB-BC13               | Liquid. |
| SureSelect AB-BC14               | Liquid. |
| SureSelect AB-BC15               | Liquid. |
| SureSelect AB-BC16               | Liquid. |
- Flash point** :
- |                                  |                |
|----------------------------------|----------------|
| SureSelect AB-P1                 | Not available. |
| SureSelect AB IA                 | Not available. |
| SureSelect AB Pre Capture Primer | Not available. |
| SureSelect AB-BC1                | Not available. |
| SureSelect AB-BC2                | Not available. |
| SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4                | Not available. |
| SureSelect AB-BC5                | Not available. |
| SureSelect AB-BC6                | Not available. |
| SureSelect AB-BC7                | Not available. |

## 9. Physical and chemical properties

|                    |                |
|--------------------|----------------|
| SureSelect AB-BC8  | Not available. |
| SureSelect AB-BC9  | Not available. |
| SureSelect AB-BC10 | Not available. |
| SureSelect AB-BC11 | Not available. |
| SureSelect AB-BC12 | Not available. |
| SureSelect AB-BC13 | Not available. |
| SureSelect AB-BC14 | Not available. |
| SureSelect AB-BC15 | Not available. |
| SureSelect AB-BC16 | Not available. |

**Auto-ignition temperature** :

|                                  |                |
|----------------------------------|----------------|
| SureSelect AB-P1                 | Not available. |
| SureSelect AB IA                 | Not available. |
| SureSelect AB Pre Capture Primer | Not available. |
| SureSelect AB-BC1                | Not available. |
| SureSelect AB-BC2                | Not available. |
| SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4                | Not available. |
| SureSelect AB-BC5                | Not available. |
| SureSelect AB-BC6                | Not available. |
| SureSelect AB-BC7                | Not available. |
| SureSelect AB-BC8                | Not available. |
| SureSelect AB-BC9                | Not available. |
| SureSelect AB-BC10               | Not available. |
| SureSelect AB-BC11               | Not available. |
| SureSelect AB-BC12               | Not available. |
| SureSelect AB-BC13               | Not available. |
| SureSelect AB-BC14               | Not available. |
| SureSelect AB-BC15               | Not available. |
| SureSelect AB-BC16               | Not available. |

**Flammable limits** :

|                                  |                |
|----------------------------------|----------------|
| SureSelect AB-P1                 | Not available. |
| SureSelect AB IA                 | Not available. |
| SureSelect AB Pre Capture Primer | Not available. |
| SureSelect AB-BC1                | Not available. |
| SureSelect AB-BC2                | Not available. |
| SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4                | Not available. |
| SureSelect AB-BC5                | Not available. |
| SureSelect AB-BC6                | Not available. |
| SureSelect AB-BC7                | Not available. |
| SureSelect AB-BC8                | Not available. |
| SureSelect AB-BC9                | Not available. |
| SureSelect AB-BC10               | Not available. |
| SureSelect AB-BC11               | Not available. |
| SureSelect AB-BC12               | Not available. |
| SureSelect AB-BC13               | Not available. |
| SureSelect AB-BC14               | Not available. |
| SureSelect AB-BC15               | Not available. |
| SureSelect AB-BC16               | Not available. |

**Color** :

|                                  |                |
|----------------------------------|----------------|
| SureSelect AB-P1                 | Not available. |
| SureSelect AB IA                 | Not available. |
| SureSelect AB Pre Capture Primer | Not available. |
| SureSelect AB-BC1                | Not available. |
| SureSelect AB-BC2                | Not available. |
| SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4                | Not available. |
| SureSelect AB-BC5                | Not available. |
| SureSelect AB-BC6                | Not available. |
| SureSelect AB-BC7                | Not available. |
| SureSelect AB-BC8                | Not available. |
| SureSelect AB-BC9                | Not available. |
| SureSelect AB-BC10               | Not available. |
| SureSelect AB-BC11               | Not available. |
| SureSelect AB-BC12               | Not available. |

## 9. Physical and chemical properties

|                                   |                                  |                |
|-----------------------------------|----------------------------------|----------------|
|                                   | SureSelect AB-BC13               | Not available. |
|                                   | SureSelect AB-BC14               | Not available. |
|                                   | SureSelect AB-BC15               | Not available. |
|                                   | SureSelect AB-BC16               | Not available. |
| <b>Odor</b>                       | : SureSelect AB-P1               | Not available. |
|                                   | SureSelect AB IA                 | Not available. |
|                                   | SureSelect AB Pre Capture Primer | Not available. |
|                                   | SureSelect AB-BC1                | Not available. |
|                                   | SureSelect AB-BC2                | Not available. |
|                                   | SureSelect AB-BC3                | Not available. |
|                                   | SureSelect AB-BC4                | Not available. |
|                                   | SureSelect AB-BC5                | Not available. |
|                                   | SureSelect AB-BC6                | Not available. |
|                                   | SureSelect AB-BC7                | Not available. |
|                                   | SureSelect AB-BC8                | Not available. |
|                                   | SureSelect AB-BC9                | Not available. |
|                                   | SureSelect AB-BC10               | Not available. |
|                                   | SureSelect AB-BC11               | Not available. |
|                                   | SureSelect AB-BC12               | Not available. |
|                                   | SureSelect AB-BC13               | Not available. |
|                                   | SureSelect AB-BC14               | Not available. |
|                                   | SureSelect AB-BC15               | Not available. |
|                                   | SureSelect AB-BC16               | Not available. |
| <b>pH</b>                         | : SureSelect AB-P1               | Not available. |
|                                   | SureSelect AB IA                 | Not available. |
|                                   | SureSelect AB Pre Capture Primer | Not available. |
|                                   | SureSelect AB-BC1                | Not available. |
|                                   | SureSelect AB-BC2                | Not available. |
|                                   | SureSelect AB-BC3                | Not available. |
|                                   | SureSelect AB-BC4                | Not available. |
|                                   | SureSelect AB-BC5                | Not available. |
|                                   | SureSelect AB-BC6                | Not available. |
|                                   | SureSelect AB-BC7                | Not available. |
|                                   | SureSelect AB-BC8                | Not available. |
|                                   | SureSelect AB-BC9                | Not available. |
|                                   | SureSelect AB-BC10               | Not available. |
|                                   | SureSelect AB-BC11               | Not available. |
|                                   | SureSelect AB-BC12               | Not available. |
|                                   | SureSelect AB-BC13               | Not available. |
|                                   | SureSelect AB-BC14               | Not available. |
|                                   | SureSelect AB-BC15               | Not available. |
|                                   | SureSelect AB-BC16               | Not available. |
| <b>Boiling/condensation point</b> | : SureSelect AB-P1               | 100°C (212°F)  |
|                                   | SureSelect AB IA                 | 100°C (212°F)  |
|                                   | SureSelect AB Pre Capture Primer | 100°C (212°F)  |
|                                   | SureSelect AB-BC1                | 100°C (212°F)  |
|                                   | SureSelect AB-BC2                | 100°C (212°F)  |
|                                   | SureSelect AB-BC3                | 100°C (212°F)  |
|                                   | SureSelect AB-BC4                | 100°C (212°F)  |
|                                   | SureSelect AB-BC5                | 100°C (212°F)  |
|                                   | SureSelect AB-BC6                | 100°C (212°F)  |
|                                   | SureSelect AB-BC7                | 100°C (212°F)  |
|                                   | SureSelect AB-BC8                | 100°C (212°F)  |
|                                   | SureSelect AB-BC9                | 100°C (212°F)  |
|                                   | SureSelect AB-BC10               | 100°C (212°F)  |
|                                   | SureSelect AB-BC11               | 100°C (212°F)  |
|                                   | SureSelect AB-BC12               | 100°C (212°F)  |
|                                   | SureSelect AB-BC13               | 100°C (212°F)  |
|                                   | SureSelect AB-BC14               | 100°C (212°F)  |
|                                   | SureSelect AB-BC15               | 100°C (212°F)  |
|                                   | SureSelect AB-BC16               | 100°C (212°F)  |

## 9. Physical and chemical properties

|                               |                                  |                |
|-------------------------------|----------------------------------|----------------|
| <b>Melting/freezing point</b> | : SureSelect AB-P1               | 0°C (32°F)     |
|                               | SureSelect AB IA                 | 0°C (32°F)     |
|                               | SureSelect AB Pre Capture Primer | 0°C (32°F)     |
|                               | SureSelect AB-BC1                | 0°C (32°F)     |
|                               | SureSelect AB-BC2                | 0°C (32°F)     |
|                               | SureSelect AB-BC3                | 0°C (32°F)     |
|                               | SureSelect AB-BC4                | 0°C (32°F)     |
|                               | SureSelect AB-BC5                | 0°C (32°F)     |
|                               | SureSelect AB-BC6                | 0°C (32°F)     |
|                               | SureSelect AB-BC7                | 0°C (32°F)     |
|                               | SureSelect AB-BC8                | 0°C (32°F)     |
|                               | SureSelect AB-BC9                | 0°C (32°F)     |
|                               | SureSelect AB-BC10               | 0°C (32°F)     |
|                               | SureSelect AB-BC11               | 0°C (32°F)     |
|                               | SureSelect AB-BC12               | 0°C (32°F)     |
|                               | SureSelect AB-BC13               | 0°C (32°F)     |
|                               | SureSelect AB-BC14               | 0°C (32°F)     |
| SureSelect AB-BC15            | 0°C (32°F)                       |                |
| SureSelect AB-BC16            | 0°C (32°F)                       |                |
| <b>Specific gravity</b>       | : SureSelect AB-P1               | Not available. |
|                               | SureSelect AB IA                 | Not available. |
|                               | SureSelect AB Pre Capture Primer | Not available. |
|                               | SureSelect AB-BC1                | Not available. |
|                               | SureSelect AB-BC2                | Not available. |
|                               | SureSelect AB-BC3                | Not available. |
|                               | SureSelect AB-BC4                | Not available. |
|                               | SureSelect AB-BC5                | Not available. |
|                               | SureSelect AB-BC6                | Not available. |
|                               | SureSelect AB-BC7                | Not available. |
|                               | SureSelect AB-BC8                | Not available. |
|                               | SureSelect AB-BC9                | Not available. |
|                               | SureSelect AB-BC10               | Not available. |
|                               | SureSelect AB-BC11               | Not available. |
|                               | SureSelect AB-BC12               | Not available. |
|                               | SureSelect AB-BC13               | Not available. |
|                               | SureSelect AB-BC14               | Not available. |
| SureSelect AB-BC15            | Not available.                   |                |
| SureSelect AB-BC16            | Not available.                   |                |
| <b>Vapor pressure</b>         | : SureSelect AB-P1               | Not available. |
|                               | SureSelect AB IA                 | Not available. |
|                               | SureSelect AB Pre Capture Primer | Not available. |
|                               | SureSelect AB-BC1                | Not available. |
|                               | SureSelect AB-BC2                | Not available. |
|                               | SureSelect AB-BC3                | Not available. |
|                               | SureSelect AB-BC4                | Not available. |
|                               | SureSelect AB-BC5                | Not available. |
|                               | SureSelect AB-BC6                | Not available. |
|                               | SureSelect AB-BC7                | Not available. |
|                               | SureSelect AB-BC8                | Not available. |
|                               | SureSelect AB-BC9                | Not available. |
|                               | SureSelect AB-BC10               | Not available. |
|                               | SureSelect AB-BC11               | Not available. |
|                               | SureSelect AB-BC12               | Not available. |
|                               | SureSelect AB-BC13               | Not available. |
|                               | SureSelect AB-BC14               | Not available. |
| SureSelect AB-BC15            | Not available.                   |                |
| SureSelect AB-BC16            | Not available.                   |                |

## 9. Physical and chemical properties

|                       |                    |                                  |                |
|-----------------------|--------------------|----------------------------------|----------------|
| <b>Vapor density</b>  | :                  | SureSelect AB-P1                 | Not available. |
|                       |                    | SureSelect AB IA                 | Not available. |
|                       |                    | SureSelect AB Pre Capture Primer | Not available. |
|                       |                    | SureSelect AB-BC1                | Not available. |
|                       |                    | SureSelect AB-BC2                | Not available. |
|                       |                    | SureSelect AB-BC3                | Not available. |
|                       |                    | SureSelect AB-BC4                | Not available. |
|                       |                    | SureSelect AB-BC5                | Not available. |
|                       |                    | SureSelect AB-BC6                | Not available. |
|                       |                    | SureSelect AB-BC7                | Not available. |
|                       |                    | SureSelect AB-BC8                | Not available. |
|                       |                    | SureSelect AB-BC9                | Not available. |
|                       |                    | SureSelect AB-BC10               | Not available. |
|                       |                    | SureSelect AB-BC11               | Not available. |
|                       |                    | SureSelect AB-BC12               | Not available. |
|                       |                    | SureSelect AB-BC13               | Not available. |
|                       |                    | SureSelect AB-BC14               | Not available. |
|                       | SureSelect AB-BC15 | Not available.                   |                |
|                       | SureSelect AB-BC16 | Not available.                   |                |
| <b>Volatility</b>     | :                  | SureSelect AB-P1                 | Not available. |
|                       |                    | SureSelect AB IA                 | Not available. |
|                       |                    | SureSelect AB Pre Capture Primer | Not available. |
|                       |                    | SureSelect AB-BC1                | Not available. |
|                       |                    | SureSelect AB-BC2                | Not available. |
|                       |                    | SureSelect AB-BC3                | Not available. |
|                       |                    | SureSelect AB-BC4                | Not available. |
|                       |                    | SureSelect AB-BC5                | Not available. |
|                       |                    | SureSelect AB-BC6                | Not available. |
|                       |                    | SureSelect AB-BC7                | Not available. |
|                       |                    | SureSelect AB-BC8                | Not available. |
|                       |                    | SureSelect AB-BC9                | Not available. |
|                       |                    | SureSelect AB-BC10               | Not available. |
|                       |                    | SureSelect AB-BC11               | Not available. |
|                       |                    | SureSelect AB-BC12               | Not available. |
|                       |                    | SureSelect AB-BC13               | Not available. |
|                       |                    | SureSelect AB-BC14               | Not available. |
|                       | SureSelect AB-BC15 | Not available.                   |                |
|                       | SureSelect AB-BC16 | Not available.                   |                |
| <b>Odor threshold</b> | :                  | SureSelect AB-P1                 | Not available. |
|                       |                    | SureSelect AB IA                 | Not available. |
|                       |                    | SureSelect AB Pre Capture Primer | Not available. |
|                       |                    | SureSelect AB-BC1                | Not available. |
|                       |                    | SureSelect AB-BC2                | Not available. |
|                       |                    | SureSelect AB-BC3                | Not available. |
|                       |                    | SureSelect AB-BC4                | Not available. |
|                       |                    | SureSelect AB-BC5                | Not available. |
|                       |                    | SureSelect AB-BC6                | Not available. |
|                       |                    | SureSelect AB-BC7                | Not available. |
|                       |                    | SureSelect AB-BC8                | Not available. |
|                       |                    | SureSelect AB-BC9                | Not available. |
|                       |                    | SureSelect AB-BC10               | Not available. |
|                       |                    | SureSelect AB-BC11               | Not available. |
|                       |                    | SureSelect AB-BC12               | Not available. |
|                       |                    | SureSelect AB-BC13               | Not available. |
|                       |                    | SureSelect AB-BC14               | Not available. |
|                       | SureSelect AB-BC15 | Not available.                   |                |
|                       | SureSelect AB-BC16 | Not available.                   |                |

## 9. Physical and chemical properties

|                         |                                  |  |  |
|-------------------------|----------------------------------|--|--|
| <b>Evaporation rate</b> | : SureSelect AB-P1               | Not available.   |  |
|                         | SureSelect AB IA                 | Not available.   |  |
|                         | SureSelect AB Pre Capture Primer | Not available.   |  |
|                         | SureSelect AB-BC1                | Not available.   |  |
|                         | SureSelect AB-BC2                | Not available.   |  |
|                         | SureSelect AB-BC3                | Not available.   |  |
|                         | SureSelect AB-BC4                | Not available.   |  |
|                         | SureSelect AB-BC5                | Not available.   |  |
|                         | SureSelect AB-BC6                | Not available.   |  |
|                         | SureSelect AB-BC7                | Not available.   |  |
|                         | SureSelect AB-BC8                | Not available.   |  |
|                         | SureSelect AB-BC9                | Not available.   |  |
|                         | SureSelect AB-BC10               | Not available.   |  |
|                         | SureSelect AB-BC11               | Not available.   |  |
|                         | SureSelect AB-BC12               | Not available.   |  |
|                         | SureSelect AB-BC13               | Not available.   |  |
|                         | SureSelect AB-BC14               | Not available.   |  |
| SureSelect AB-BC15      | Not available.                   |  |  |
| SureSelect AB-BC16      | Not available.                   |  |  |
| <b>Viscosity</b>        | : SureSelect AB-P1               | Not available.   |  |
|                         | SureSelect AB IA                 | Not available.   |  |
|                         | SureSelect AB Pre Capture Primer | Not available.   |  |
|                         | SureSelect AB-BC1                | Not available.   |  |
|                         | SureSelect AB-BC2                | Not available.   |  |
|                         | SureSelect AB-BC3                | Not available.   |  |
|                         | SureSelect AB-BC4                | Not available.   |  |
|                         | SureSelect AB-BC5                | Not available.   |  |
|                         | SureSelect AB-BC6                | Not available.   |  |
|                         | SureSelect AB-BC7                | Not available.   |  |
|                         | SureSelect AB-BC8                | Not available.   |  |
|                         | SureSelect AB-BC9                | Not available.   |  |
|                         | SureSelect AB-BC10               | Not available.   |  |
|                         | SureSelect AB-BC11               | Not available.   |  |
|                         | SureSelect AB-BC12               | Not available.   |  |
|                         | SureSelect AB-BC13               | Not available.   |  |
|                         | SureSelect AB-BC14               | Not available.   |  |
| SureSelect AB-BC15      | Not available.                   |  |  |
| SureSelect AB-BC16      | Not available.                   |  |  |
| <b>Solubility</b>       | : SureSelect AB-P1               | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB IA                 | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB Pre Capture Primer | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC1                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC2                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC3                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC4                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC5                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC6                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC7                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC8                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC9                | Easily soluble in the following materials: cold water and hot water. |  |
|                         | SureSelect AB-BC10               | Easily soluble in the following materials: cold water and hot water. |  |
|                         |                                  |  |  |
|                         |                                  |  |  |
|                         |                                  |  |  |

## 9. Physical and chemical properties

|                    |  |
|--------------------|--|
| SureSelect AB-BC11 | and hot water.<br>Easily soluble in the following materials: cold water and hot water. |
| SureSelect AB-BC12 | Easily soluble in the following materials: cold water and hot water.                   |
| SureSelect AB-BC13 | Easily soluble in the following materials: cold water and hot water.                   |
| SureSelect AB-BC14 | Easily soluble in the following materials: cold water and hot water.                   |
| SureSelect AB-BC15 | Easily soluble in the following materials: cold water and hot water.                   |
| SureSelect AB-BC16 | Easily soluble in the following materials: cold water and hot water.                   |

## 10. Stability and reactivity

|                            |                                  |                        |
|----------------------------|----------------------------------|------------------------|
| <b>Chemical stability</b>  | : SureSelect AB-P1               | The product is stable. |
|                            | SureSelect AB IA                 | The product is stable. |
|                            | SureSelect AB Pre Capture Primer | The product is stable. |
|                            | SureSelect AB-BC1                | The product is stable. |
|                            | SureSelect AB-BC2                | The product is stable. |
|                            | SureSelect AB-BC3                | The product is stable. |
|                            | SureSelect AB-BC4                | The product is stable. |
|                            | SureSelect AB-BC5                | The product is stable. |
|                            | SureSelect AB-BC6                | The product is stable. |
|                            | SureSelect AB-BC7                | The product is stable. |
|                            | SureSelect AB-BC8                | The product is stable. |
|                            | SureSelect AB-BC9                | The product is stable. |
|                            | SureSelect AB-BC10               | The product is stable. |
|                            | SureSelect AB-BC11               | The product is stable. |
|                            | SureSelect AB-BC12               | The product is stable. |
|                            | SureSelect AB-BC13               | The product is stable. |
| SureSelect AB-BC14         | The product is stable.           |                        |
| SureSelect AB-BC15         | The product is stable.           |                        |
| SureSelect AB-BC16         | The product is stable.           |                        |
| <b>Conditions to avoid</b> | : SureSelect AB-P1               | No specific data.      |
|                            | SureSelect AB IA                 | No specific data.      |
|                            | SureSelect AB Pre Capture Primer | No specific data.      |
|                            | SureSelect AB-BC1                | No specific data.      |
|                            | SureSelect AB-BC2                | No specific data.      |
|                            | SureSelect AB-BC3                | No specific data.      |
|                            | SureSelect AB-BC4                | No specific data.      |
|                            | SureSelect AB-BC5                | No specific data.      |
|                            | SureSelect AB-BC6                | No specific data.      |
|                            | SureSelect AB-BC7                | No specific data.      |
|                            | SureSelect AB-BC8                | No specific data.      |
|                            | SureSelect AB-BC9                | No specific data.      |
|                            | SureSelect AB-BC10               | No specific data.      |
|                            | SureSelect AB-BC11               | No specific data.      |
|                            | SureSelect AB-BC12               | No specific data.      |
|                            | SureSelect AB-BC13               | No specific data.      |
| SureSelect AB-BC14         | No specific data.                |                        |
| SureSelect AB-BC15         | No specific data.                |                        |
| SureSelect AB-BC16         | No specific data.                |                        |
| <b>Materials to avoid</b>  | : SureSelect AB-P1               | No specific data.      |
|                            | SureSelect AB IA                 | No specific data.      |
|                            | SureSelect AB Pre Capture Primer | No specific data.      |
|                            | SureSelect AB-BC1                | No specific data.      |
|                            | SureSelect AB-BC2                | No specific data.      |
|                            | SureSelect AB-BC3                | No specific data.      |
|                            | SureSelect AB-BC4                | No specific data.      |
|                            | SureSelect AB-BC5                | No specific data.      |
| SureSelect AB-BC6          | No specific data.                |                        |



## 10. Stability and reactivity

|                    |                   |
|--------------------|-------------------|
| SureSelect AB-BC7  | No specific data. |
| SureSelect AB-BC8  | No specific data. |
| SureSelect AB-BC9  | No specific data. |
| SureSelect AB-BC10 | No specific data. |
| SureSelect AB-BC11 | No specific data. |
| SureSelect AB-BC12 | No specific data. |
| SureSelect AB-BC13 | No specific data. |
| SureSelect AB-BC14 | No specific data. |
| SureSelect AB-BC15 | No specific data. |
| SureSelect AB-BC16 | No specific data. |

### Hazardous decomposition products

|                                  |  |
|----------------------------------|--|
| : SureSelect AB-P1               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB IA                 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB Pre Capture Primer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC1                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC2                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC3                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC4                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC5                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC6                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC7                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC8                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC9                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC10               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC11               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC12               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC13               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC14               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect AB-BC15               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## 10. Stability and reactivity

|   |   |   |
|---|---|---|
|   | SureSelect AB-BC16  | produced.<br>Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| <b>Possibility of hazardous reactions</b> | : SureSelect AB-P1  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB IA  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB Pre Capture Primer  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC1   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC2   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC3   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC4   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC5   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC6   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC7   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC8   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC9   | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC10  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC11  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC12  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
|   | SureSelect AB-BC13  | Under normal conditions of storage and use, hazardous reactions will not occur.                                   |
| SureSelect AB-BC14                        | Under normal conditions of storage and use, hazardous reactions will not occur. |   |
| SureSelect AB-BC15                        | Under normal conditions of storage and use, hazardous reactions will not occur. |   |
| SureSelect AB-BC16                        | Under normal conditions of storage and use, hazardous reactions will not occur. |   |

## 11. Toxicological information

### Acute toxicity

Not available.

### Irritation/Corrosion

**Conclusion/Summary** : Not available.

### Sensitizer

**Conclusion/Summary** : Not available.

### Chronic toxicity / Carcinogenicity / Mutagenicity / Teratogenicity / Reproductive toxicity

Not available.

|                               |                                  |                |
|-------------------------------|----------------------------------|----------------|
| <b>Other adverse symptoms</b> | : SureSelect AB-P1               | Not available. |
|                               | SureSelect AB IA                 | Not available. |
|                               | SureSelect AB Pre Capture Primer | Not available. |
|                               | SureSelect AB-BC1                | Not available. |
|                               | SureSelect AB-BC2                | Not available. |
|                               | SureSelect AB-BC3                | Not available. |
| SureSelect AB-BC4             | Not available.                   |                |
| SureSelect AB-BC5             | Not available.                   |                |

## 11. Toxicological information

|                    |                |
|--------------------|----------------|
| SureSelect AB-BC6  | Not available. |
| SureSelect AB-BC7  | Not available. |
| SureSelect AB-BC8  | Not available. |
| SureSelect AB-BC9  | Not available. |
| SureSelect AB-BC10 | Not available. |
| SureSelect AB-BC11 | Not available. |
| SureSelect AB-BC12 | Not available. |
| SureSelect AB-BC13 | Not available. |
| SureSelect AB-BC14 | Not available. |
| SureSelect AB-BC15 | Not available. |
| SureSelect AB-BC16 | Not available. |

## 12. Ecological information

**Ecotoxicity** : No known significant effects or critical hazards.

|   |                                  |                |
|---|----------------------------------|----------------|
| <b>Partition coefficient: n-octanol/water</b> | SureSelect AB-P1                 | Not available. |
|   | SureSelect AB IA                 | Not available. |
|   | SureSelect AB Pre Capture Primer | Not available. |
|   | SureSelect AB-BC1                | Not available. |
|   | SureSelect AB-BC2                | Not available. |
|   | SureSelect AB-BC3                | Not available. |
|   | SureSelect AB-BC4                | Not available. |
|   | SureSelect AB-BC5                | Not available. |
|   | SureSelect AB-BC6                | Not available. |
|   | SureSelect AB-BC7                | Not available. |
|   | SureSelect AB-BC8                | Not available. |
|   | SureSelect AB-BC9                | Not available. |
|   | SureSelect AB-BC10               | Not available. |
|   | SureSelect AB-BC11               | Not available. |
|   | SureSelect AB-BC12               | Not available. |
|   | SureSelect AB-BC13               | Not available. |
|   | SureSelect AB-BC14               | Not available. |
|   | SureSelect AB-BC15               | Not available. |
|   | SureSelect AB-BC16               | Not available. |

**Other adverse effects** : No known significant effects or critical hazards.

## 13. Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.**

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14. Transport information

### Regulatory information

DOT / IMDG / IATA / : Not regulated.

## 15. Regulatory information

|                           |                                  |                |
|---------------------------|----------------------------------|----------------|
| <b>HCS Classification</b> | SureSelect AB-P1                 | Not regulated. |
|                           | SureSelect AB IA                 | Not regulated. |
|                           | SureSelect AB Pre Capture Primer | Not regulated. |
|                           | SureSelect AB-BC1                | Not regulated. |
|                           | SureSelect AB-BC2                | Not regulated. |
|                           | SureSelect AB-BC3                | Not regulated. |
|                           | SureSelect AB-BC4                | Not regulated. |
|                           | SureSelect AB-BC5                | Not regulated. |
|                           | SureSelect AB-BC6                | Not regulated. |
|                           | SureSelect AB-BC7                | Not regulated. |
|                           | SureSelect AB-BC8                | Not regulated. |
|                           | SureSelect AB-BC9                | Not regulated. |
|                           | SureSelect AB-BC10               | Not regulated. |
|                           | SureSelect AB-BC11               | Not regulated. |
|                           | SureSelect AB-BC12               | Not regulated. |
|                           | SureSelect AB-BC13               | Not regulated. |
| SureSelect AB-BC14        | Not regulated.                   |                |
| SureSelect AB-BC15        | Not regulated.                   |                |
| SureSelect AB-BC16        | Not regulated.                   |                |

**U.S. Federal regulations** : **TSCA 8(a) IUR Exempt/Partial exemption:** Not determined

**United States inventory (TSCA 8b):** All components are listed or exempted.

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.

**SARA 302/304 emergency planning and notification:** No products were found.

**SARA 302/304/311/312 hazardous chemicals:** No products were found.

**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:** No products were found.

**Clean Water Act (CWA) 311:** Edetic acid

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

### State regulations

**Massachusetts** : None of the components are listed.

**New York** : None of the components are listed.

**New Jersey** : None of the components are listed.

**Pennsylvania** : None of the components are listed.

### California Prop. 65

No products were found.

## 16. Other information

|                           |                                  |  |
|---------------------------|----------------------------------|--|
| <b>Label requirements</b> | : SureSelect AB-P1               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB IA                 | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB Pre Capture Primer | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC1                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC2                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC3                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC4                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC5                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC6                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC7                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC8                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC9                | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC10               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC11               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC12               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
|                           | SureSelect AB-BC13               | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE               |

## 16. Other information

|                    |   |
|--------------------|---|
| SureSelect AB-BC14 | ARE FOLLOWED.<br>NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED. |
| SureSelect AB-BC15 | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.                  |
| SureSelect AB-BC16 | NOT EXPECTED TO PRODUCE SIGNIFICANT ADVERSE HEALTH EFFECTS WHEN THE RECOMMENDED INSTRUCTIONS FOR USE ARE FOLLOWED.                  |

**Date of issue** : 02/25/2013

**Date of previous issue** : 01/24/2011.

**Version** : 2

✔ Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.