

# SAFETY DATA SHEET

FISH Hybridization Buffer and Mounting Buffer, Part Number G9407A

## Section 1. Identification

<b>Product identifier</b>	: FISH Hybridization Buffer and Mounting Buffer, Part Number G9407A	
<b>Part no. (chemical kit)</b>	: G9408A	
<b>Part no.</b>	: FISH Hybridization Buffer	G9400-60000
	: FISH Mounting Buffer	G9403-60000
<b>Material uses</b>	: Analytical reagent.	
	: FISH Hybridization Buffer	0.1 ml
	: FISH Mounting Buffer	0.1 ml
<b>Supplier/Manufacturer</b>	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770	
<b>Emergency telephone number (with hours of operation)</b>	: CHEMTREC®: 1-800-424-9300	

## Section 2. Hazard identification

### Classification of the substance or mixture

#### FISH Hybridization Buffer

H315	SKIN IRRITATION - Category 2
H319	EYE IRRITATION - Category 2A
H351	CARCINOGENICITY - Category 2
H360	TOXIC TO REPRODUCTION - Category 1
H373	SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

#### FISH Mounting Buffer

H320	EYE IRRITATION - Category 2B
H317	SKIN SENSITIZATION - Category 1A
H412	AQUATIC HAZARD (LONG-TERM) - Category 3

### GHS label elements

#### Hazard pictograms

: FISH Hybridization Buffer



: FISH Mounting Buffer



#### Signal word

: FISH Hybridization Buffer      Danger  
FISH Mounting Buffer      Warning

#### Hazard statements

: FISH Hybridization Buffer      H315 - Causes skin irritation.  
H319 - Causes serious eye irritation.  
H351 - Suspected of causing cancer.  
H360 - May damage fertility or the unborn child.  
H373 - May cause damage to organs through prolonged or repeated exposure. (blood, Oral)  
FISH Mounting Buffer      H317 - May cause an allergic skin reaction.  
H320 - Causes eye irritation.

## Section 2. Hazard identification

H412 - Harmful to aquatic life with long lasting effects.

### Precautionary statements

<b>Prevention</b>	: FISH Hybridization Buffer	P201 - Obtain special instructions before use. P280 - Wear protective gloves, protective clothing and eye or face protection. P260 - Do not breathe vapor. P264 - Wash thoroughly after handling.
	FISH Mounting Buffer	P280 - Wear protective gloves. P273 - Avoid release to the environment. P261 - Avoid breathing vapor.
<b>Response</b>	: FISH Hybridization Buffer	P308 + P313 - IF exposed or concerned: Get medical advice or attention.
	FISH Mounting Buffer	P362 + P364 - Take off contaminated clothing and wash it before reuse. P302 + P352 - IF ON SKIN: Wash with plenty of water.
<b>Storage</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not applicable. Not applicable.
<b>Disposal</b>	: FISH Hybridization Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	FISH Mounting Buffer	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
<b>Supplemental label elements</b>	: FISH Hybridization Buffer	None known.
	FISH Mounting Buffer	None known.
	FISH Hybridization Buffer	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 65%
<b>Other hazards which do not result in classification</b>	: FISH Hybridization Buffer	None known.
	FISH Mounting Buffer	None known.

## Section 3. Composition/information on ingredients

**Substance/mixture** : FISH Hybridization Buffer Mixture  
FISH Mounting Buffer Mixture

Ingredient name	% (w/w)	CAS number
<b>FISH Hybridization Buffer</b>		
Formamide	45 - 70	75-12-7
Dextran sulfate sodium	5 - 10	9011-18-1
Sodium chloride	5 - 10	7647-14-5
<b>FISH Mounting Buffer</b>		
Glycerol	80 - 100	56-81-5
p-Phenylenediamine	<0.1	106-50-3

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: FISH Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	FISH Mounting Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
<b>Inhalation</b>	: FISH Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	FISH Mounting Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Skin contact</b>	: FISH Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	FISH Mounting Buffer	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	: FISH Hybridization Buffer	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.

## Section 4. First-aid measures

### FISH Mounting Buffer

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Causes serious eye irritation. Causes eye irritation.
<b>Inhalation</b>	: FISH Hybridization Buffer FISH Mounting Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.
<b>Skin contact</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Causes skin irritation. May cause an allergic skin reaction.
<b>Ingestion</b>	: FISH Hybridization Buffer FISH Mounting Buffer	No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: pain or irritation watering redness
	FISH Mounting Buffer	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	No specific data.
<b>Skin contact</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	Adverse symptoms may include the following: irritation redness

## Section 4. First-aid measures

<b>Ingestion</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	No specific data.
<b><u>Indication of immediate medical attention and special treatment needed, if necessary</u></b>		
<b>Notes to physician</b>	: FISH Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	FISH Mounting Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: FISH Hybridization Buffer FISH Mounting Buffer	No specific treatment. No specific treatment.
<b>Protection of first-aiders</b>	: FISH Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	FISH Mounting Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

<b>Suitable extinguishing media</b>	: FISH Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
	FISH Mounting Buffer	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: FISH Hybridization Buffer	None known.
	FISH Mounting Buffer	None known.
<b>Specific hazards arising from the chemical</b>	: FISH Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	FISH Mounting Buffer	In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<b>Hazardous thermal decomposition products</b>	: FISH Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides halogenated compounds

## Section 5. Fire-fighting measures

	FISH Mounting Buffer	metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide
<b>Special protective actions for fire-fighters</b>	: FISH Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	FISH Mounting Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: FISH Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	FISH Mounting Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: FISH Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	FISH Mounting Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: FISH Hybridization Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	FISH Mounting Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
<b>Environmental precautions</b>	: FISH Hybridization Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	FISH Mounting Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

## Section 6. Accidental release measures

soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

### Methods and materials for containment and cleaning up

**Methods for cleaning up** : FISH Hybridization Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

FISH Mounting Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

**Protective measures** : FISH Hybridization Buffer

Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

FISH Mounting Buffer

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Advice on general occupational hygiene** : FISH Hybridization Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

FISH Mounting Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

**Conditions for safe storage, including any incompatibilities** : FISH Hybridization Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

FISH Mounting Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Ingredient name	Exposure limits
<b>FISH Hybridization Buffer</b> Formamide	<b>CA Alberta Provincial (Canada, 6/2018). Absorbed through skin.</b> 8 hrs OEL: 10 ppm 8 hours. 8 hrs OEL: 18 mg/m <sup>3</sup> 8 hours. <b>CA British Columbia Provincial (Canada, 1/2020). Absorbed through skin.</b> TWA: 10 ppm 8 hours. <b>CA Ontario Provincial (Canada, 6/2019). Absorbed through skin.</b> TWA: 10 ppm 8 hours. <b>CA Quebec Provincial (Canada, 7/2019). Absorbed through skin.</b> TWAEV: 10 ppm 8 hours. TWAEV: 18 mg/m <sup>3</sup> 8 hours. <b>CA Saskatchewan Provincial (Canada, 7/2013). Absorbed through skin.</b> STEL: 15 ppm 15 minutes. TWA: 10 ppm 8 hours.
<b>FISH Mounting Buffer</b> Glycerol	<b>CA Alberta Provincial (Canada, 6/2018).</b> 8 hrs OEL: 10 mg/m <sup>3</sup> 8 hours. Form: Mist <b>CA Quebec Provincial (Canada, 7/2019).</b> TWAEV: 10 mg/m <sup>3</sup> 8 hours. Form: mist <b>CA Saskatchewan Provincial (Canada, 7/2013).</b> STEL: 20 mg/m <sup>3</sup> 15 minutes. Form: mist TWA: 10 mg/m <sup>3</sup> 8 hours. Form: mist <b>CA British Columbia Provincial (Canada,</b>

## Section 8. Exposure controls/personal protection

p-Phenylenediamine	<p>1/2020).  TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist  TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist  <b>CA Alberta Provincial (Canada, 6/2018).</b>  8 hrs OEL: 0.1 mg/m<sup>3</sup> 8 hours.  <b>CA British Columbia Provincial (Canada, 1/2020). Skin sensitizer.</b>  TWA: 0.1 mg/m<sup>3</sup> 8 hours.  <b>CA Ontario Provincial (Canada, 6/2019).</b>  TWA: 0.1 mg/m<sup>3</sup> 8 hours.  <b>CA Quebec Provincial (Canada, 7/2019). Absorbed through skin. Skin sensitizer.</b>  TWAEV: 0.1 mg/m<sup>3</sup> 8 hours.  <b>CA Saskatchewan Provincial (Canada, 7/2013).</b>  STEL: 0.3 mg/m<sup>3</sup> 15 minutes.  TWA: 0.1 mg/m<sup>3</sup> 8 hours.</p>
--------------------	---

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### Appearance

<b>Physical state</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Liquid. Liquid.
<b>Color</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Odor</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Odor threshold</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>pH</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. 7.5 to 8
<b>Melting point</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Boiling point</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Flash point</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Evaporation rate</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Flammability (solid, gas)</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not applicable. Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Vapor pressure</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Vapor density</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Relative density</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Solubility</b>	: FISH Hybridization Buffer  FISH Mounting Buffer	Easily soluble in the following materials: cold water and hot water.  Soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Auto-ignition temperature</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Decomposition temperature</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.
<b>Viscosity</b>	: FISH Hybridization Buffer FISH Mounting Buffer	Not available. Not available.

## Section 10. Stability and reactivity

<b>Reactivity</b>	: FISH Hybridization Buffer  FISH Mounting Buffer	No specific test data related to reactivity available for this product or its ingredients.  No specific test data related to reactivity available for this product or its ingredients.
<b>Chemical stability</b>	: FISH Hybridization Buffer FISH Mounting Buffer	The product is stable. The product is stable.

## Section 10. Stability and reactivity

<b>Possibility of hazardous reactions</b>	: FISH Hybridization Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	FISH Mounting Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	: FISH Hybridization Buffer	No specific data.
	FISH Mounting Buffer	No specific data.
<b>Incompatible materials</b>	: FISH Hybridization Buffer	May react or be incompatible with oxidizing materials.
	FISH Mounting Buffer	May react or be incompatible with oxidizing materials.
<b>Hazardous decomposition products</b>	: FISH Hybridization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	FISH Mounting Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>FISH Hybridization Buffer</b> Formamide	LC50 Inhalation Dusts and mists	Rat - Male	>21 mg/l	4 hours
	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
	Dextran sulfate sodium	Rat	20600 mg/kg	-
	Sodium chloride	Rat	3000 mg/kg	-
<b>FISH Mounting Buffer</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
	p-Phenylenediamine	Rat	920 mg/m <sup>3</sup>	4 hours
	LD50 Oral	Rat	80 mg/kg	-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation	
<b>FISH Hybridization Buffer</b> Formamide	Eyes - Severe irritant	Rabbit	-	100 mg	-	
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-	
	Eyes - Moderate irritant	Rabbit	-	10 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
<b>FISH Mounting Buffer</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	p-Phenylenediamine	Skin - Mild irritant	Mouse	-	24 hours 250 mg	-
		Skin - Mild irritant	Rabbit	-	24 hours 12500 ug	-
		Skin - Moderate irritant	Rabbit	-	24 hours 250 mg	-
		Skin - Moderate irritant	Man	-	1 %	-

#### Sensitization

## Section 11. Toxicological information

Not available.

### Conclusion/Summary

**Skin** : May cause skin sensitization.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
<b>FISH Hybridization Buffer</b> Dextran sulfate sodium	Category 3	-	Respiratory tract irritation
<b>FISH Mounting Buffer</b> p-Phenylenediamine	Category 1 Category 3	-	heart, kidneys, muscle tissue Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Name	Category	Route of exposure	Target organs
<b>FISH Hybridization Buffer</b> Formamide	Category 2	-	blood, Oral

### Aspiration hazard

Not available.

**Information on the likely routes of exposure** : FISH Hybridization Buffer Routes of entry anticipated: Oral, Dermal, Inhalation.  
FISH Mounting Buffer Routes of entry anticipated: Oral, Dermal, Inhalation.

### Potential acute health effects

**Eye contact** : FISH Hybridization Buffer Causes serious eye irritation.  
FISH Mounting Buffer Causes eye irritation.

**Inhalation** : FISH Hybridization Buffer No known significant effects or critical hazards.  
FISH Mounting Buffer No known significant effects or critical hazards.

**Skin contact** : FISH Hybridization Buffer Causes skin irritation.  
FISH Mounting Buffer May cause an allergic skin reaction.

**Ingestion** : FISH Hybridization Buffer No known significant effects or critical hazards.  
FISH Mounting Buffer No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

## Section 11. Toxicological information

<b>Eye contact</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: pain or irritation watering redness
	FISH Mounting Buffer	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	No specific data.
<b>Skin contact</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	Adverse symptoms may include the following: irritation redness
<b>Ingestion</b>	: FISH Hybridization Buffer	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	FISH Mounting Buffer	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

<b>General</b>	: FISH Hybridization Buffer	May cause damage to organs through prolonged or repeated exposure.
	FISH Mounting Buffer	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
<b>Carcinogenicity</b>	: FISH Hybridization Buffer	Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
	FISH Mounting Buffer	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: FISH Hybridization Buffer	No known significant effects or critical hazards.
	FISH Mounting Buffer	No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	: FISH Hybridization Buffer	May damage fertility or the unborn child.
	FISH Mounting Buffer	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

## Section 11. Toxicological information

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>FISH Hybridization Buffer</b>					
FISH Hybridization Buffer	6000	N/A	N/A	N/A	N/A
Formamide	4000	17000	N/A	N/A	N/A
Dextran sulfate sodium	20600	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
<b>FISH Mounting Buffer</b>					
Glycerol	12600	N/A	N/A	N/A	N/A
p-Phenylenediamine	80	300	N/A	N/A	0.92

### Other information

: FISH Hybridization Buffer  
FISH Mounting Buffer

Not available.

Adverse symptoms may include the following: May cause skin sensitization.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
<b>FISH Hybridization Buffer</b>			
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>FISH Mounting Buffer</b>			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
p-Phenylenediamine	Acute LC50 3.9 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 0.00501 mg/l Fresh water	Daphnia - Daphnia magna	21 days

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>FISH Hybridization Buffer</b>				
Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
<b>FISH Mounting Buffer</b>				
Glycerol	301D Ready Biodegradability - Closed Bottle	93 % - 30 days	-	-

## Section 12. Ecological information

	Test		
<b>Product/ingredient name</b>	<b>Aquatic half-life</b>	<b>Photolysis</b>	<b>Biodegradability</b>
<b>FISH Hybridization Buffer</b> Formamide	-	-	Readily
<b>FISH Mounting Buffer</b> p-Phenylenediamine	-	-	Not readily

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>FISH Hybridization Buffer</b> Formamide	-0.82	-	low
<b>FISH Mounting Buffer</b> Glycerol	-1.76	-	low
p-Phenylenediamine	-0.839	-	low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**TDG / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** : None of the components are listed.

**CEPA Toxic substances** : None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

**Australia** : Not determined.

**Canada** : At least one component is not listed in DSL but all such components are listed in NDSL.

**China** : All components are listed or exempted.

**Europe** : All components are listed or exempted.

**Japan** : **Japan inventory (ENCS)**: Not determined.  
**Japan inventory (ISHL)**: Not determined.

**New Zealand** : All components are listed or exempted.

**Philippines** : Not determined.

**Republic of Korea** : All components are listed or exempted.

**Taiwan** : All components are listed or exempted.

**Thailand** : Not determined.

**Turkey** : Not determined.

**United States** : All components are active or exempted.

**Viet Nam** : Not determined.

## Section 16. Other information

### History

**Date of issue/Date of revision** : 06/28/2021

**Date of previous issue** : 02/22/2021

**Version** : 5.1

**Key to abbreviations** : ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
HPR = Hazardous Products Regulations  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
N/A = Not available

## Section 16. Other information

UN = United Nations

### Procedure used to derive the classification

Classification	Justification
<b>FISH Hybridization Buffer</b> SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A CARCINOGENICITY - Category 2 TOXIC TO REPRODUCTION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2	Calculation method Calculation method Calculation method Calculation method Calculation method
<b>FISH Mounting Buffer</b> EYE IRRITATION - Category 2B SKIN SENSITIZATION - Category 1A AQUATIC HAZARD (LONG-TERM) - Category 3	Calculation method Calculation method Calculation method

**References** : Not available.

 Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.