SAFETY DATA SHEET



SureSelect XT HS Reagent Kit with indexes 17-32, 16 reactions, Part Number G9702B

Section 1. Identification

Product identifier

: SureSelect XT HS Reagent Kit with indexes 17-32, 16 reactions, Part Number

G9702B G9702B

Part no. (chemical kit)

Part no.

SureSelect XT HS Library Preparation Kit 5500-0138

for ILM (Pre PCR), 16 Rxn

End Repair-A Tailing Enzyme Mix 5190-6412
End Repair-A Tailing Buffer 5190-6413
T4 DNA Ligase 5190-6414
Ligation Buffer 5190-6415
Adaptor Oligo Mix 5190-6416
Forward Primer 5190-6417

5500-0138/5190-9684

dNTP Mix 5190-6418
Herculase II Fusion DNA Polymerase 5190-7742
5X Herculase II Reaction Buffer 600675-52
SureSelect XT HS Target Enrichment Kit, 5190-9685

ILM Hyb Module, Box 1 (Post PCR), 16

Rxn

SureSelect Binding Buffer 5190-4399
SureSelect Wash Buffer 1 5190-4400
SureSelect Wash Buffer 2 5190-4401
SureSelect XT HS Target Enrichment Kit, 5190-9684

ILM Hyb Module, Box 2 (Post PCR), 16

<u>Rxn</u>

SureSelect XT HS Blocker Mix 5190-9683
SureSelect Fast Hybridization Buffer 5190-7327
SureSelect RNase Block 5190-4383
SureSelect Post- Capture Primer Mix 5190-9730
SureSelect XT HS Index Primers 17-32 5500-0142

for ILM (Pre PCR)

SureSelect XT HS Index Primer A03-H04 Various*

Relevant identified uses of the substance or mixture and uses advised against

Material uses

: Analytical reagent.

For Research Use Only. Not for use in diagnostic procedures.

End Repair-A Tailing Enzyme Mix 0.064 ml (16 reactions) End Repair-A Tailing Buffer 0.256 ml (16 reactions) T4 DNA Ligase 0.032 ml (16 reactions) Ligation Buffer 0.368 ml (16 reactions) Adaptor Oligo Mix 0.08 ml (16 reactions) 0.032 ml (16 reactions) Forward Primer dNTP Mix 0.008 ml (16 reactions) Herculase II Fusion DNA Polymerase 0.016 ml (32 reactions)

5X Herculase II Reaction Buffer 1.5 ml SureSelect Binding Buffer 13.2 ml SureSelect Wash Buffer 1 8 ml SureSelect Wash Buffer 2 24 ml

SureSelect XT HS Blocker Mix 0.08 ml (16 reactions)

SureSelect Fast Hybridization Buffer 0.45 ml SureSelect RNase Block 0.016 ml

SureSelect Post- Capture Primer Mix 0.016 ml (16 reactions)
SureSelect XT HS Index Primer A03-H04 16 x 0.01 ml (16 reactions)

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 1/56

Section 1. Identification

Supplier/Manufacturer

Agilent Technologies Australia Pty Ltd

679 Springvale Road

Mularave

Victoria 3170, Australia

1800 802 402

Emergency telephone number (with hours of

operation)

: CHEMTREC®: +(61)-290372994

A kit containing Agilent Part Number: 5500-0138, 5190-9684, 5190-9685, 5500-0142 Note *

*SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751,

5190-9752, 5190-9753, 5190-9754, 5190-9755

Section 2. Hazard(s) identification

Classification of the substance or mixture

Not classified.

End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient(s)

of unknown acute dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute oral toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s) T4 DNA Ligase

of unknown acute inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient(s) Ligation Buffer

of unknown acute inhalation toxicity: 30 - 60%

dNTP Mix Percentage of the mixture consisting of ingredient(s)

of unknown acute dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute oral toxicity: 1 - 10%

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

Percentage of the mixture consisting of ingredient(s)

of unknown acute inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient(s)

of unknown acute dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s) SureSelect Binding Buffer

of unknown acute inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s)

of unknown acute dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient(s)

of unknown acute oral toxicity: 1 - 10%

SureSelect RNase Block Percentage of the mixture consisting of ingredient(s)

of unknown acute inhalation toxicity: 30 - 60%

End Repair-A Tailing Buffer

dNTP Mix

SureSelect Fast

Hybridization Buffer

SureSelect Fast Hybridization Buffer Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1.7% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.3% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1.6%

GHS label elements

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 Version: 2 2/56 Date of previous issue

Section 2. Hazard(s) identification			
Signal word	: End Repair-A Tailing	No signal word.	
	Enzyme Mix	No almost word	
	End Repair-A Tailing Buffer	No signal word.	
	T4 DNA Ligase	No signal word.	
	Ligation Buffer	No signal word.	
	Adaptor Oligo Mix	No signal word	
	Forward Primer	No signal word	
	100 mM dNTP Mix (25 mM each dNTP)	No signal word.	
	Herculase II Fusion DNA	No signal word.	
	Polymerase	140 Signal Word.	
	5X Herculase II Reaction	No signal word.	
	Buffer	140 digital word.	
	SureSelect Binding Buffer	No signal word.	
	SureSelect Wash Buffer 1	No signal word.	
	SureSelect Wash Buffer 2	No signal word.	
	SureSelect XT HS and XT	No signal word.	
	Low Input Blocker Mix	ŭ	
	SureSelect Fast	No signal word.	
	Hybridization Buffer	-	
	SureSelect RNase Block	No signal word.	
	SureSelect Post- Capture	No signal word.	
	Primer Mix		
	SureSelect XT HS Index	No signal word.	
	Primer A03-H04		
Hazard statements	: E nd Repair-A Tailing	No known significant effects or critical hazards.	
	Enzyme Mix		
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.	
	T4 DNA Ligase	No known significant effects or critical hazards.	
	Ligation Buffer	No known significant effects or critical hazards.	
	Adaptor Oligo Mix	No known significant effects or critical hazards.	
	Forward Primer	No known significant effects or critical hazards.	
	100 mM dNTP Mix (25 mM	No known significant effects or critical hazards.	
	each dNTP)	No beauty stantificant offers an extract beauty	
	Herculase II Fusion DNA	No known significant effects or critical hazards.	
	Polymerase	No known significant effects or critical hazards	
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.	
	SureSelect Binding Buffer	No known significant effects or critical hazards.	
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.	
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.	
	SureSelect XT HS and XT	No known significant effects or critical hazards.	
	Low Input Blocker Mix	THE KITCHIT DIGITION OF CITED AT THE ZUITUS.	
	SureSelect Fast	No known significant effects or critical hazards.	
	Hybridization Buffer		
	SureSelect RNase Block	No known significant effects or critical hazards.	
	SureSelect Post- Capture	No known significant effects or critical hazards.	
	Primer Mix	· ·	
	SureSelect XT HS Index	No known significant effects or critical hazards.	
	Primer A03-H04		
Precautionary statements			
Prevention	: E nd Repair-A Tailing	Not applicable.	
. revenuen	Enzyme Mix	τοι αρμιοαρίο.	
	End Repair-A Tailing Buffer	Not applicable.	
	T4 DNA Ligase	Not applicable.	
	Ligation Buffer	Not applicable.	
	Adaptor Oligo Mix	Not applicable.	
	Forward Primer	Not applicable.	
	100 mM dNTP Mix (25 mM	Not applicable.	

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 3/56 Version : 2

Not applicable.

Not applicable.

Not applicable.

100 mM dNTP Mix (25 mM

Herculase II Fusion DNA

5X Herculase II Reaction

each dNTP)

Polymerase

Section 2. Hazard(s) identification

Response

Storage

)	identification	
	Buffer SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT	Not applicable.
	Low Input Blocker Mix	Not applicable.
	SureSelect Fast	Not applicable.
	Hybridization Buffer	
	SureSelect RNase Block	Not applicable.
	SureSelect Post- Capture	Not applicable.
	Primer Mix	
	SureSelect XT HS Index	Not applicable.
	Primer A03-H04	
	End Repair-A Tailing	Not applicable.
	Enzyme Mix	NI-4 PII-
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA	Not applicable.
	Polymerase	rtot applicable.
	5X Herculase II Reaction	Not applicable.
	Buffer	
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT	Not applicable.
	Low Input Blocker Mix	N. (P. 1.1
	SureSelect Fast	Not applicable.
	Hybridization Buffer SureSelect RNase Block	Not applicable
	SureSelect Post- Capture	Not applicable.
	Primer Mix	Not applicable.
	SureSelect XT HS Index	Not applicable.
	Primer A03-H04	
	End Repair-A Tailing	Not applicable.
	Enzyme Mix	• • •
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM	Not applicable.
	each dNTP)	Not applicable
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction	Not applicable.
	Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT	Not applicable.
	Low Input Blocker Mix	
	SureSelect Fast	Not applicable.
	Hybridization Buffer	
	SureSelect RNase Block	Not applicable.
	SureSelect Post- Capture	Not applicable.
	Primer Mix	NI_4 _ P 12
	SureSelect XT HS Index	Not applicable.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 4/56

Primer A03-H04

Section 2. Hazard(s) identification

Disposal

End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer

100 mM dNTP Mix (25 mM

each dNTP)

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast

Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Not applicable.

Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

Not applicable.

Not applicable.

Not applicable. Not applicable. Not applicable. Not applicable.

Not applicable.

Not applicable. Not applicable.

Not applicable.

Supplemental label elements

Additional warning phrases

: End Repair-A Tailing **Enzyme Mix**

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer

100 mM dNTP Mix (25 mM each dNTP)

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT

Low Input Blocker Mix SureSelect Fast

Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Not applicable.

Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.

Not applicable.

Not applicable.

Not applicable. Not applicable. Not applicable. Not applicable.

Not applicable.

Not applicable. Not applicable.

Not applicable.

Other hazards which do not result in classification

End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer

Adaptor Oligo Mix **Forward Primer** dNTP Mix

Herculase II Fusion DNA Polymerase

None known.

None known. None known. None known. None known. None known. None known. None known.

: 15/01/2019 Date of issue/Date of revision Date of previous issue : 28/06/2017 5/56 Version : 2

Section 2. Hazard(s) identification

5X Herculase II Reaction None known. Buffer SureSelect Binding Buffer None known. SureSelect Wash Buffer 1 None known. SureSelect Wash Buffer 2 None known. SureSelect XT HS Blocker None known. SureSelect Fast None known. Hybridization Buffer SureSelect RNase Block None known. SureSelect Post- Capture None known. Primer Mix SureSelect XT HS Index None known. Primer A03-H04

Section 3. Composition and ingredient information

Substance/mixture

: End Repair-A Tailing Mixture Enzyme Mix End Repair-A Tailing Buffer Mixture T4 DNA Ligase Mixture Ligation Buffer Mixture Adaptor Oligo Mix Mixture Forward Primer Mixture dNTP Mix Mixture Herculase II Fusion DNA Mixture Polymerase 5X Herculase II Reaction Mixture Buffer SureSelect Binding Buffer Mixture SureSelect Wash Buffer 1 Mixture SureSelect Wash Buffer 2 Mixture SureSelect XT HS Blocker Mixture Mix SureSelect Fast Mixture Hybridization Buffer SureSelect RNase Block Mixture SureSelect Post- Capture Mixture Primer Mix SureSelect XT HS Index Mixture Primer A03-H04

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
End Repair-A Tailing Enzyme Mix Glycerol	≥30 - ≤60	56-81-5
T4 DNA Ligase Glycerol	≥30 - ≤60	56-81-5
Ligation Buffer Polyethylene glycol Glycerol	≥10 - ≤30 ≥10 - ≤30	25322-68-3 56-81-5
Herculase II Fusion DNA Polymerase Glycerol	≥30 - ≤60	56-81-5
SureSelect RNase Block Glycerol	≥30 - ≤60	56-81-5

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 6/56

Section 3. Composition and ingredient information

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description o	f necessary	v first aid	measures
Description o	i ileeessai	y iii St aiu	measures

Eye contact : Ind Repair-A

: End Repair-A Tailing Immediately flush eyes with plenty of water,

Enzyme Mix occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

End Repair-A Tailing Buffer Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

T4 DNA Ligase Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Ligation Buffer Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Adaptor Oligo Mix Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Forward Primer Immediately flush eyes with plenty of water.

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

dNTP Mix Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Herculase II Fusion DNA

Polymerase

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

5X Herculase II Reaction

Buffer

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Binding Buffer Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Wash Buffer 1 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Wash Buffer 2 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect XT HS Blocker

Mix

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Fast Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 7/56

Inhalation

medical attention if irritation occurs. SureSelect RNase Block Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. SureSelect Post- Capture Immediately flush eyes with plenty of water, Primer Mix occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. SureSelect XT HS Index Immediately flush eyes with plenty of water, Primer A03-H04 occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. : End Repair-A Tailing Remove victim to fresh air and keep at rest in a Enzyme Mix position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a End Repair-A Tailing Buffer position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a T4 DNA Ligase position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a Ligation Buffer position comfortable for breathing. Get medical attention if symptoms occur. Adaptor Oligo Mix Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Forward Primer Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a dNTP Mix position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a Herculase II Fusion DNA Polymerase position comfortable for breathing. Get medical attention if symptoms occur. 5X Herculase II Reaction Remove victim to fresh air and keep at rest in a Buffer position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a SureSelect Binding Buffer position comfortable for breathing. Get medical attention if symptoms occur. SureSelect Wash Buffer 1 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. SureSelect Wash Buffer 2 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. SureSelect XT HS Blocker Remove victim to fresh air and keep at rest in a Mix position comfortable for breathing. Get medical attention if symptoms occur.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 8/56

SureSelect Fast

Hybridization Buffer

Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

	SureSelect RNase Block	attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical
	SureSelect Post- Capture Primer Mix	attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT HS Index Primer A03-H04	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: E nd Repair-A Tailing Enzyme Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	T4 DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Ligation Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Adaptor Oligo Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Forward Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	dNTP Mix	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	Herculase II Fusion DNA Polymerase	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	5X Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT HS Blocker Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Fast Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Post- Capture Primer Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get
	SureSelect XT HS Index Primer A03-H04	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 9/56

Ingestion

: Ind Repair-A Tailing Enzyme Mix

medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

End Repair-A Tailing Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

T4 DNA Ligase

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Ligation Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Adaptor Oligo Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Forward Primer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

dNTP Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Herculase II Fusion DNA

Polymerase

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

5X Herculase II Reaction

Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 10/56

attention if symptoms occur.

SureSelect Binding Buffer Wash out mouth with water. Remove victim to fresh

air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect Wash Buffer 1 Wash out mouth with water. Remove victim to fresh

air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect Wash Buffer 2 Wash out mouth with water. Remove victim to fresh

air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect XT HS Blocker

Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to dripk. Do not induce vemiting upless

water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect Fast Hybridization Buffer Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of

water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect RNase Block Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect Post- Capture

Primer Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the

exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

SureSelect XT HS Index

Primer A03-H04

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Most important symptoms/effects, acute and delayed
Potential acute health effects

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 11/56

_	<i>,</i> –	LU	nta	Lι

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker SureSelect Fast

Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix SureSelect XT HS Index

Primer A03-H04

End Repair-A Tailing **Enzyme Mix** End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast

Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

: End Repair-A Tailing **Enzyme Mix**

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Inhalation

Skin contact

: 28/06/2017 Date of issue/Date of revision : 15/01/2019 Date of previous issue Version: 2 12/56

SureSelect XT HS Blocker No known significant effects or critical hazards. Mix SureSelect Fast No known significant effects or critical hazards. Hybridization Buffer SureSelect RNase Block No known significant effects or critical hazards. SureSelect Post- Capture No known significant effects or critical hazards. Primer Mix SureSelect XT HS Index No known significant effects or critical hazards. Primer A03-H04 : End Repair-A Tailing No known significant effects or critical hazards. Enzyme Mix End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. Ligation Buffer No known significant effects or critical hazards. Adaptor Oligo Mix No known significant effects or critical hazards. Forward Primer No known significant effects or critical hazards. dNTP Mix No known significant effects or critical hazards. Herculase II Fusion DNA No known significant effects or critical hazards. Polymerase 5X Herculase II Reaction No known significant effects or critical hazards. Buffer SureSelect Binding Buffer No known significant effects or critical hazards. SureSelect Wash Buffer 1 No known significant effects or critical hazards. SureSelect Wash Buffer 2 No known significant effects or critical hazards. SureSelect XT HS Blocker No known significant effects or critical hazards. Mix SureSelect Fast No known significant effects or critical hazards. Hybridization Buffer SureSelect RNase Block No known significant effects or critical hazards. SureSelect Post- Capture No known significant effects or critical hazards. Primer Mix

No known significant effects or critical hazards.

Over-exposure signs/symptoms

E١	10	~	'n	fa	~+
_	/₩		,,,		

Ingestion

: End Repair-A Tailing No specific data. Enzyme Mix End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer No specific data. Adaptor Oligo Mix No specific data. Forward Primer No specific data. dNTP Mix No specific data. Herculase II Fusion DNA No specific data. Polymerase 5X Herculase II Reaction No specific data. Buffer SureSelect Binding Buffer No specific data. SureSelect Wash Buffer 1 No specific data. SureSelect Wash Buffer 2 No specific data. SureSelect XT HS Blocker No specific data. Mix SureSelect Fast No specific data. Hybridization Buffer SureSelect RNase Block No specific data. SureSelect Post- Capture No specific data. Primer Mix SureSelect XT HS Index No specific data.

SureSelect XT HS Index

Primer A03-H04

Primer A03-H04

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 13/56

Section 4. First aid	measures	
Inhalation	: ☑nd Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	dNTP Mix	No specific data.
	Herculase II Fusion DNA	No specific data.
	Polymerase 5X Herculase II Reaction	No specific data.
	Buffer SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS Blocker	No specific data.
	Mix SureSelect Fast	No specific data.
	Hybridization Buffer SureSelect RNase Block	·
	SureSelect RNase Block SureSelect Post- Capture Primer Mix	No specific data. No specific data.
	SureSelect XT HS Index Primer A03-H04	No specific data.
Skin contact	: E nd Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	dNTP Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post- Capture Primer Mix	No specific data.
	SureSelect XT HS Index Primer A03-H04	No specific data.
Ingestion	: E nd Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	dNTP Mix	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 14/56

SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

No specific data.

No specific data.

·

No specific data. No specific data.

No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: End Repair-A Tailing

Enzyme Mix

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

End Repair-A Tailing Buffer

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

T4 DNA Ligase

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Ligation Buffer

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Adaptor Oligo Mix

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

Forward Primer

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

dNTP Mix

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Herculase II Fusion DNA

Polymerase

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

5X Herculase II Reaction

Buffer

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

SureSelect Binding Buffer

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

SureSelect Wash Buffer 1

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

SureSelect Wash Buffer 2

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

SureSelect XT HS Blocker

Mix

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

SureSelect Fast Hybridization Buffer In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed

person may need to be kept under medical

surveillance for 48 hours.

SureSelect RNase Block

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

ingested or inhaled.

SureSelect Post- Capture

Primer Mix

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 15/56

Protection of first-aiders

	SureSelect XT HS Index Primer A03-H04	
Specific treatments	: E nd Repair-A Tailing	

Enzyme Mix
End Repair-A Tailing

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

: End Repair-A Tailing
Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase 5X Herculase II Reaction

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker

SureSelect Fast Hybridization Buffer SureSelect RNase Block

SureSelect Post- Capture Primer Mix SureSelect XT HS Index

Primer A03-H04

ingested or inhaled.

Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

No specific treatment.

No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment. No specific treatment.

No specific treatment.

No specific treatment. No specific treatment. No specific treatment. No specific treatment.

No specific treatment.

No specific treatment. No specific treatment.

No specific treatment.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

No action shall be taken involving any personal risk or without suitable training.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 16/56

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media

Unsuitable extinguishing

media

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index

Primer A03-H04

End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Use an extinguishing agent suitable for the surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the Ligation Buffer

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

None known.

None known. None known.

None known. None known.

None known. None known.

None known.

None known.

None known. None known. None known.

None known.

None known.

None known. None known.

None known.

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 17/56 Date of previous issue Version : 2

Specific hazards arising from the chemical

: End Repair-A Tailing In a fire or if heated, a pressure increase will occur Enzyme Mix and the container may burst. End Repair-A Tailing Buffer In a fire or if heated, a pressure increase will occur and the container may burst.

In a fire or if heated, a pressure increase will occur T4 DNA Ligase and the container may burst.

Ligation Buffer In a fire or if heated, a pressure increase will occur and the container may burst.

Adaptor Oligo Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

Forward Primer In a fire or if heated, a pressure increase will occur

and the container may burst.

dNTP Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

Herculase II Fusion DNA In a fire or if heated, a pressure increase will occur

Polymerase and the container may burst.

5X Herculase II Reaction In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Binding Buffer In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Wash Buffer 1 In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Wash Buffer 2 In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect XT HS Blocker In a fire or if heated, a pressure increase will occur Mix

and the container may burst.

SureSelect Fast In a fire or if heated, a pressure increase will occur Hybridization Buffer and the container may burst.

In a fire or if heated, a pressure increase will occur SureSelect RNase Block

and the container may burst.

SureSelect Post- Capture In a fire or if heated, a pressure increase will occur

Primer Mix and the container may burst.

SureSelect XT HS Index In a fire or if heated, a pressure increase will occur

and the container may burst.

Primer A03-H04 End Repair-A Tailing

Decomposition products may include the following Enzyme Mix

materials: carbon dioxide carbon monoxide

End Repair-A Tailing Buffer Decomposition products may include the following

> materials: carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

T4 DNA Ligase Decomposition products may include the following

materials: carbon dioxide carbon monoxide

Ligation Buffer Decomposition products may include the following

> materials: carbon dioxide carbon monoxide No specific data. No specific data.

Adaptor Oligo Mix Forward Primer dNTP Mix

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides

Herculase II Fusion DNA Decomposition products may include the following

Hazardous thermal decomposition products

Date of issue/Date of revision

: 15/01/2019

Date of previous issue

: 28/06/2017

Version : 2

18/56

Polymerase materials:

carbon dioxide carbon monoxide

5X Herculase II Reaction

Buffer

Decomposition products may include the following

materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides

SureSelect Binding Buffer Decomposition products may include the following

materials:

halogenated compounds metal oxide/oxides No specific data.

SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

No specific data. No specific data.

Mix

SureSelect Fast Hybridization Buffer Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

SureSelect RNase Block Decomposition products may include the following

materials: carbon dioxide carbon monoxide No specific data.

SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

No specific data.

Special protective actions for fire-fighters

Ind Repair-A Tailing Enzyme Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

End Repair-A Tailing Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

T4 DNA Ligase Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Ligation Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Adaptor Oligo Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Forward Primer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

dNTP Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Herculase II Fusion DNA Promptly isolate the scene by removing all persons

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 19/56

Special protective

equipment for fire-fighters

from the vicinity of the incident if there is a fire. No Polymerase action shall be taken involving any personal risk or without suitable training. 5X Herculase II Reaction Promptly isolate the scene by removing all persons Buffer from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons SureSelect Binding Buffer from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect Wash Buffer 1 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect Wash Buffer 2 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect XT HS Blocker Promptly isolate the scene by removing all persons Mix from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect Fast Promptly isolate the scene by removing all persons Hybridization Buffer from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect RNase Block Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect Post- Capture Promptly isolate the scene by removing all persons Primer Mix from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. SureSelect XT HS Index Promptly isolate the scene by removing all persons Primer A03-H04 from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. : End Repair-A Tailing Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus Enzyme Mix (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective End Repair-A Tailing Buffer equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. T4 DNA Ligase Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Ligation Buffer Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective Adaptor Oligo Mix equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Forward Primer Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 20/56

dNTP Mix Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Herculase II Fusion DNA

Polymerase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive

pressure mode.

5X Herculase II Reaction

Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive pressure mode.

SureSelect Binding Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Wash Buffer 1

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Wash Buffer 2

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT HS Blocker

Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Fast Hybridization Buffer Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect RNase Block

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Post- Capture

Primer Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT HS Index

Primer A03-H04

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: End Repair-A Tailing Enzyme Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

End Repair-A Tailing Buffer No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

T4 DNA Ligase No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 21/56

through spilt material. Put on appropriate personal

protective equipment.

Ligation Buffer No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

Adaptor Oligo Mix No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

Forward Primer No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

dNTP Mix No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

Herculase II Fusion DNA

Polymerase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected

personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

5X Herculase II Reaction

Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect Binding Buffer No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect Wash Buffer 1 No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect Wash Buffer 2 No action shall be taken involving any personal risk

or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect XT HS Blocker

Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected

personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect Fast No action shall be taken involving any personal risk

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 22/56

Hybridization Buffer or without suitable training. Evacuate surrounding

areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect RNase Block No action shall be taken involving any personal risk

> or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect Post- Capture

Primer Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

SureSelect XT HS Index

Primer A03-H04

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal

protective equipment.

For emergency responders : End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on

suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on

suitable and unsuitable materials. See also the information in "For non-emergency personnel".

: 28/06/2017 Date of issue/Date of revision : 15/01/2019 Date of previous issue Version: 2 23/56

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the

Environmental precautions

: Ind Repair-A Tailing Enzyme Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

End Repair-A Tailing Buffer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, acid and six)

soil or air).

T4 DNA Ligase

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Ligation Buffer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Adaptor Oligo Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Forward Primer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

dNTP Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 24/56

Herculase II Fusion DNA

Polymerase

soil or air).

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

5X Herculase II Reaction

Buffer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect Binding Buffer

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SureSelect Wash Buffer 1

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SureSelect Wash Buffer 2

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SureSelect XT HS Blocker

Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect Fast Hybridization Buffer Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

SureSelect RNase Block

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect Post- Capture

Primer Mix

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

SureSelect XT HS Index Primer A03-H04

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways,

soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up

: End Repair-A Tailing **Enzyme Mix**

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

End Repair-A Tailing Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste

: 28/06/2017 Date of issue/Date of revision : 15/01/2019 Version: 2 25/56 Date of previous issue

disposal container. Dispose of via a licensed waste

disposal contractor.

T4 DNA Ligase Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Ligation Buffer Stop leak if without risk. Move containers from spill

> area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Adaptor Oligo Mix Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Stop leak if without risk. Move containers from spill Forward Primer

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

dNTP Mix Stop leak if without risk. Move containers from spill

> area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Herculase II Fusion DNA

Polymerase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

5X Herculase II Reaction

Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Binding Buffer Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Wash Buffer 1 Stop leak if without risk. Move containers from spill

> area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Wash Buffer 2 Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect XT HS Blocker Stop leak if without risk. Move containers from spill

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 26/56 Date of previous issue Version : 2

area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Fast Hybridization Buffer Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect RNase Block

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Post- Capture

Primer Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect XT HS Index Primer A03-H04

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

End Repair-A Tailing

Enzyme Mix

T4 DNA Ligase

Ligation Buffer

End Repair-A Tailing Buffer

Put on appropriate personal protective equipment (see Section 8). Put on appropriate personal protective equipment

Put on appropriate personal protective equipment

(see Section 8). Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment

(see Section 8). Adaptor Oligo Mix

Put on appropriate personal protective equipment (see Section 8).

Forward Primer Put on appropriate personal protective equipment

(see Section 8).

dNTP Mix Put on appropriate personal protective equipment

(see Section 8).

Herculase II Fusion DNA Put on appropriate personal protective equipment

Polymerase (see Section 8).

5X Herculase II Reaction Put on appropriate personal protective equipment

Buffer (see Section 8).

SureSelect Binding Buffer Put on appropriate personal protective equipment

(see Section 8).

SureSelect Wash Buffer 1 Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment SureSelect Wash Buffer 2

(see Section 8).

SureSelect XT HS Blocker

Mix

(see Section 8). SureSelect Fast

Put on appropriate personal protective equipment Hybridization Buffer (see Section 8).

SureSelect RNase Block Put on appropriate personal protective equipment

(see Section 8).

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 27/56 Date of previous issue Version : 2

Advice on general occupational hygiene SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

: End Repair-A Tailing

Put on appropriate personal protective equipment (see Section 8).

Put on appropriate personal protective equipment

(see Section 8).

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in End Repair-A Tailing Buffer areas where this material is handled, stored and

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Ligation Buffer Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Adaptor Oligo Mix Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Forward Primer Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

before entering eating areas. See also Section 8 for

additional information on hygiene measures. Eating, drinking and smoking should be prohibited in

areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

5X Herculase II Reaction Eating, drinking and smoking should be prohibited in

areas where this material is handled, stored and processed. Workers should wash hands and face

Enzyme Mix

T4 DNA Ligase

dNTP Mix

Herculase II Fusion DNA

Polymerase

Buffer

: 28/06/2017 Date of issue/Date of revision : 15/01/2019 Version: 2 28/56 Date of previous issue

SureSelect Binding Buffer

before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

before eating, drinking and smoking. Remove contaminated clothing and protective equipment

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for

additional information on hygiene measures.

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 Version: 2 29/56 Date of previous issue

Conditions for safe storage, : End Repair-A Tailing including any incompatibilities

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year.

Store in original container protected from direct

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version: 2 30/56

dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and

food and drink. Keep container tightly closed and

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 31/56

SureSelect Wash Buffer 2

SureSelect XT HS Blocker

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer Mix

sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 32/56

SureSelect XT HS Index Primer A03-H04

containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 1 Year. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid

Section 8. Exposure controls and personal person

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
End Repair-A Tailing Enzyme Mix Glycerol	Safe Work Australia (Australia, 4/2018). TWA: 10 mg/m³ 8 hours.
T4 DNA Ligase Glycerol	Safe Work Australia (Australia, 4/2018). TWA: 10 mg/m³ 8 hours.
Ligation Buffer Polyethylene glycol	DFG MAC-values list (Germany, 7/2017). PEAK: 8000 mg/m³, 4 times per shift, 15 minutes. Form: Inhalable fraction TWA: 1000 mg/m³ 8 hours. Form: Inhalable fraction
Glycerol	Safe Work Australia (Australia, 4/2018). TWA: 10 mg/m³ 8 hours.
Herculase II Fusion DNA Polymerase Glycerol	Safe Work Australia (Australia, 4/2018). TWA: 10 mg/m³ 8 hours.
SureSelect RNase Block Glycerol	Safe Work Australia (Australia, 4/2018). TWA: 10 mg/m³ 8 hours.

Appropriate engineering controls

Environmental exposure controls

- : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 33/56

Section 8. Exposure controls and personal protection

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state

: Ind Repair-A Tailing Liquid. Enzyme Mix End Repair-A Tailing Buffer Liquid. T4 DNA Ligase Liquid. Ligation Buffer Liquid. Adaptor Oligo Mix Liquid. Forward Primer Liquid. dNTP Mix Liquid. Herculase II Fusion DNA Liquid. Polymerase 5X Herculase II Reaction Liquid. Buffer SureSelect Binding Buffer Liquid. SureSelect Wash Buffer 1 Liquid. SureSelect Wash Buffer 2 Liquid. SureSelect XT HS Blocker Liquid. Mix SureSelect Fast Liquid. Hybridization Buffer SureSelect RNase Block Liquid.

SureSelect Post- Capture

SureSelect XT HS Index

Liquid.

Primer Mix

Liquid.

Primer A03-H04

Colour : End Repair-A Tailing

Enzyme Mix

Not available.

End Repair-A Tailing Buffer Not available. Not available. T4 DNA Ligase Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available.

Herculase II Fusion DNA Polymerase

Not available.

Not available.

5X Herculase II Reaction Buffer

SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available.

: 15/01/2019 : 28/06/2017 Date of issue/Date of revision Date of previous issue 34/56 Version : 2

Section 9. Physical and chemical properties

	0010100
SureSelect XT HS Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post- Capture Primer Mix	Not available.
SureSelect XT HS Index Primer A03-H04	Not available.
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Not available.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
dNTP Mix	Not available.
Herculase II Fusion DNA	Not available.
Polymerase	NI-6
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post- Capture Primer Mix	Not available.
SureSelect XT HS Index Primer A03-H04	Not available.
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Not available.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
dNTP Mix	Not available.
Herculase II Fusion DNA	Not available.
Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS Blocker	Not available.
Mix SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post- Capture	Not available.
Primer Mix SureSelect XT HS Index Primer A03-H04	Not available.
_	

pH :

Odour

Odour threshold

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 35/56

Section 9. Physical and chemical properties

Melting point

Boiling point

l	and chemical properties				
	End Repair-A Tailing	6.5			
	Enzyme Mix End Repair-A Tailing Buffer	8			
	T4 DNA Ligase	7.5			
	Ligation Buffer	8			
	Adaptor Oligo Mix	7.5			
	Forward Primer dNTP Mix	7.5 7.5			
	Herculase II Fusion DNA	7.5 7.7 to 8.7			
	Polymerase				
	5X Herculase II Reaction Buffer	9.5 to 10.5			
	SureSelect Binding Buffer	7.5			
	SureSelect Wash Buffer 1	7			
	SureSelect Wash Buffer 2 SureSelect XT HS Blocker	7 7.5			
	Mix	7.5			
	SureSelect Fast Hybridization Buffer	Not available.			
	SureSelect RNase Block	7.6			
	SureSelect Post- Capture Primer Mix	7.5			
	SureSelect XT HS Index	7.5			
:	Primer A03-H04 End Repair-A Tailing	Not available.			
-	Enzyme Mix				
	End Repair-A Tailing Buffer	0°C (32°F)			
	T4 DNA Ligase Ligation Buffer	Not available. Not available.			
	Adaptor Oligo Mix	0°C (32°F)			
	Forward Primer	0°C (32°F)			
	dNTP Mix	Not available.			
	Herculase II Fusion DNA Polymerase	Not available.			
	5X Herculase II Reaction Buffer	Not available.			
	SureSelect Binding Buffer	Not available.			
	SureSelect Wash Buffer 1	0°C (32°F)			
	SureSelect Wash Buffer 2	0°C (32°F)			
	SureSelect XT HS Blocker Mix	0°C (32°F)			
	SureSelect Fast Hybridization Buffer	Not available.			
	SureSelect RNase Block	Not available.			
	SureSelect Post- Capture	0°C (32°F)			
	Primer Mix SureSelect XT HS Index	0°C (22°E)			
	Primer A03-H04	0°C (32°F)			
:	End Repair-A Tailing	Not available.			
	Enzyme Mix End Repair-A Tailing Buffer	100°C (212°F)			
	T4 DNA Ligase	Not available.			
	Ligation Buffer	Not available.			
	Adaptor Oligo Mix	100°C (212°F)			
	Forward Primer dNTP Mix	100°C (212°F) Not available.			
	Herculase II Fusion DNA	Not available.			
	Polymerase				
	5X Herculase II Reaction Buffer	Not available.			
	SureSelect Binding Buffer	Not available.			
	SureSelect Wash Buffer 1	100°C (212°F)			
	SureSelect Wash Buffer 2	100°C (212°F)			

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 36/56 Version : 2

Flash point

Evaporation rate

	SureSelect XT HS Blocker Mix	100°C (212°F)
	SureSelect Fast	Not available.
	Hybridization Buffer	
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	100°C (212°F)
	SureSelect XT HS Index Primer A03-H04	100°C (212°F)
:	Ind Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase	
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A03-H04	Not available.
:	E nd Repair-A Tailing	Not available.
	Enzyme Mix End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase 5X Herculase II Reaction	Not available.
	Buffer SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS Blocker	Not available.
	Mix	
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A03-H04	Not available.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 37/56

Section 9. Physical	and chemical prop	erties
Flammability (solid, gas) :	End Repair-A Tailing	Not applicable.
	Enzyme Mix	
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	dNTP Mix	Not applicable.
	Herculase II Fusion DNA	Not applicable.
	Polymerase 5X Herculase II Reaction	Not applicable.
	Buffer	• •
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS Blocker	Not applicable. Not applicable.
	Mix	• •
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post- Capture Primer Mix	Not applicable.
	SureSelect XT HS Index Primer A03-H04	Not applicable.
Lower and upper explosive : (flammable) limits	Ind Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A03-H04	Not available.
Vapour pressure :	Ind Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 38/56

Vapour density

Relative density

	-
SureSelect XT HS Blocker Mix	Not available.
SureSelect Fast	Not available.
Hybridization Buffer	
SureSelect RNase Block	Not available.
SureSelect Post- Capture	Not available.
Primer Mix SureSelect XT HS Index	Not available.
Primer A03-H04	
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Not available.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
dNTP Mix	Not available.
Herculase II Fusion DNA	Not available.
Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS Blocker	Not available.
Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available
	Not available.
SureSelect Post- Capture Primer Mix	Not available.
SureSelect XT HS Index Primer A03-H04	Not available.
: Ind Repair-A Tailing	Not available.
Enzyme Mix	Not available
End Repair-A Tailing Buffer	
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
dNTP Mix	Not available.
Herculase II Fusion DNA Polymerase	Not available.
5X Herculase II Reaction	Not available.
Buffer SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS Blocker	Not available.
Mix	NOL available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post- Capture	Not available.
Primer Mix SureSelect XT HS Index	Not available.
Primer A03-H04	Not available.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 39/56

_				
Sol	ш	hı	liti	ı

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

water. Easily soluble in the following materials: cold water

Soluble in the following materials: cold water and hot

and hot water.

Soluble in the following materials: cold water and hot T4 DNA Ligase

water.

Ligation Buffer Soluble in the following materials: cold water and hot

water.

Easily soluble in the following materials: cold water Adaptor Oligo Mix

and hot water.

Forward Primer Easily soluble in the following materials: cold water

and hot water.

dNTP Mix Easily soluble in the following materials: cold water

and hot water.

Herculase II Fusion DNA

Polymerase

Soluble in the following materials: cold water and hot water.

5X Herculase II Reaction Easily soluble in the following materials: cold water Buffer and hot water.

SureSelect Binding Buffer Easily soluble in the following materials: cold water and hot water.

SureSelect Wash Buffer 1 Easily soluble in the following materials: cold water

and hot water.

SureSelect Wash Buffer 2 Easily soluble in the following materials: cold water

and hot water.

SureSelect XT HS Blocker

Mix

Easily soluble in the following materials: cold water

and hot water.

SureSelect Fast Soluble in the following materials: cold water and hot **Hybridization Buffer**

water.

SureSelect RNase Block Soluble in the following materials: cold water and hot

SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Easily soluble in the following materials: cold water and hot water.

Easily soluble in the following materials: cold water

and hot water.

Partition coefficient: noctanol/water

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase

Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer SureSelect Binding Buffer

SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Not available.

Not available. Not available. Not available. Not available. Not available. Not available. Not available.

Not available.

Not available. Not available. Not available. Not available.

Not available.

Not available. Not available.

Not available.

Date of issue/Date of revision : 15/01/2019 : 28/06/2017 40/56 Date of previous issue Version : 2

Section 9. Physical	and chemical prop	perties
Auto-ignition temperature :	Ind Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase 5X Herculase II Reaction	Not available.
	Buffer	NI a Carra Mala Ia
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	Not available. Not available.
	SureSelect XT HS Blocker	Not available.
	Mix	Not available.
	SureSelect Fast Hybridization Buffer	NOL available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A03-H04	Not available.
Decomposition temperature :	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A03-H04	Not available.
Viscosity :	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 41/56

SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

Not available.

Not available.

Not available.

Not available.

Not available.

Section 10. Stability and reactivity

Reactivity

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

this product or its ingredients.

No specific test data related to reactivity available for

No specific test data related to reactivity available for

this product or its ingredients.

T4 DNA Ligase No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for Ligation Buffer

this product or its ingredients.

Adaptor Oligo Mix No specific test data related to reactivity available for

this product or its ingredients.

Forward Primer No specific test data related to reactivity available for

this product or its ingredients.

dNTP Mix No specific test data related to reactivity available for

this product or its ingredients.

this product or its ingredients.

this product or its ingredients.

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer

No specific test data related to reactivity available for

No specific test data related to reactivity available for

No specific test data related to reactivity available for

No specific test data related to reactivity available for

No specific test data related to reactivity available for

this product or its ingredients.

SureSelect Wash Buffer 1 No specific test data related to reactivity available for

this product or its ingredients.

SureSelect Wash Buffer 2 No specific test data related to reactivity available for

this product or its ingredients.

this product or its ingredients.

SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

this product or its ingredients. No specific test data related to reactivity available for

this product or its ingredients.

SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available for

Primer A03-H04 this product or its ingredients.

Chemical stability

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase

Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker The product is stable.

The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.

The product is stable.

The product is stable. The product is stable. The product is stable. The product is stable.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 42/56 Version : 2

Section 10. Stability and reactivity

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index Primer A03-H04 The product is stable.

The product is stable. The product is stable.

The product is stable.

Possibility of hazardous reactions

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block

SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index Primer A03-H04

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Conditions to avoid

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix

Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast

No specific data.

•

No specific data. No specific data.

No specific data. No specific data.

No specific data. No specific data.

No specific data.

No specific data.

No specific data. No specific data. No specific data. No specific data.

No specific data.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 43/56

Section 10. Stability and reactivity

Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index Primer A03-H04 No specific data.

No specific data.

No specific data.

Incompatible materials

: Ind Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index Primer A03-H04

May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.

May react or be incompatible with oxidising materials.

Hazardous decomposition products

: End Repair-A Tailing

Enzyme Mix

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

End Repair-A Tailing Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

T4 DNA Ligase

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Ligation Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Adaptor Oligo Mix

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Forward Primer

. Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

dNTP Mix

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Herculase II Fusion DNA

Polymerase

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

5X Herculase II Reaction

Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SureSelect Binding Buffer

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SureSelect Wash Buffer 1 Under normal conditions of storage and use,

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 44/56

Section 10. Stability and reactivity

hazardous decomposition products should not be

produced.

SureSelect Wash Buffer 2 Under normal conditions of storage and use,

hazardous decomposition products should not be

produced

SureSelect XT HS Blocker

Mix

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SureSelect Fast Hybridization Buffer Under normal conditions of storage and use, hazardous decomposition products should not be

produced

SureSelect RNase Block

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SureSelect Post- Capture

Primer Mix

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

SureSelect XT HS Index

Primer A03-H04

Under normal conditions of storage and use, hazardous decomposition products should not be

produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
End Repair-A Tailing Enzyme Mix				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
T4 DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	_
Olyocioi	LEGO GIGI	T Cat	12000 mg/kg	
Ligation Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II Fusion DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	
Giyceror	LD30 Oral	Rai	12000 Hig/kg	_
SureSelect RNase Block Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
End Repair-A Tailing Enzyme Mix					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
T4 DNA Ligase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Ligation Buffer					
Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	500	-

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 45/56

	Skin - Mild irritant	Rabbit	-	milligrams 24 hours 500	-
	Skin - Mild irritant	Rabbit	-	milligrams 500	-
Glycerol	Eyes - Mild irritant	Rabbit	-	milligrams 24 hours 500	-
	Skin - Mild irritant	Rabbit	-	milligrams 24 hours 500	-
Hannels at II Free to a BMA				milligrams	
Herculase II Fusion DNA Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	_	24 hours 500 milligrams	-
SureSelect RNase Block					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

: End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix

Forward Primer dNTP Mix Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available.

Not available. Not available. Not available.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation.

Not available. Not available. Not available. Not available.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 46/56

SureSelect Fast
Hybridization Buffer
SureSelect RNase Block
SureSelect Post- Capture
Primer Mix
SureSelect XT HS Index
Primer A03-H04

Routes of entry anticipated: Oral, Dermal, Inhalation.

Routes of entry anticipated: Oral, Dermal, Inhalation. Not available.

Not available.

Potential acute health effects

Eye contact

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer

Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A03-H04

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix SureSelect XT HS Index

Primer A03-H04

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Inhalation

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 47/56

S		n	^	^	n	+-	^+
•	ΛП		u	u		La	Lι

Ingestion

: End Repair-A Tailing
Enzyme Mix
End Repair-A Tailing Buffer
T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix
Herculase II Fusion DNA
Polymerase
5X Herculase II Reaction

Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix

SureSelect Fast
Hybridization Buffer
SureSelect RNase Block
SureSelect Post- Capture
Primer Mix
SureSelect XT HS Index

Primer A03-H04
: End Repair-A Tailing
Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA

Polymerase 5X Herculase II Reaction

Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast
Hybridization Buffer
SureSelect RNase Block
SureSelect Post- Capture
Primer Mix

SureSelect XT HS Index Primer A03-H04 No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact

: End Repair-A Tailing No specific data. Enzyme Mix

End Repair-A Tailing Buffer
T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix
Herculase II Fusion DNA
No specific data.

Delimento

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer

No specific data

No specific data.

No specific data.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 48/56

Inhalation

Skin contact

IC	gical information	
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS Blocker	No specific data.
	Mix	
	SureSelect Fast	No specific data.
	Hybridization Buffer	
	SureSelect RNase Block	No specific data.
	SureSelect Post- Capture	No specific data.
	Primer Mix	
	SureSelect XT HS Index	No specific data.
	Primer A03-H04	
:	End Repair-A Tailing	No specific data.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	dNTP Mix	No specific data.
	Herculase II Fusion DNA	No specific data.
	Polymerase 5X Herculase II Reaction	No specific data.
	Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS Blocker	No specific data.
	Mix	
	SureSelect Fast	No specific data.
	Hybridization Buffer	•
	SureSelect RNase Block	No specific data.
	SureSelect Post- Capture	No specific data.
	Primer Mix	
	SureSelect XT HS Index	No specific data.
	Primer A03-H04	
:	End Repair-A Tailing	No specific data.
	Enzyme Mix	·
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	dNTP Mix	No specific data.
	Herculase II Fusion DNA	No specific data.
	Polymerase	No apositio data
	5X Herculase II Reaction	No specific data.
	Buffer Surg Soloct Binding Buffer	No epocific data
	SureSelect Binding Buffer SureSelect Wash Buffer 1	No specific data. No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS Blocker	No specific data.
	Mix	. to opcome data.
	SureSelect Fast	No specific data.
	Hybridization Buffer	spooms data.
	SureSelect RNase Block	No specific data.
	SureSelect Post- Capture	No specific data.
	Primer Mix	,
	SureSelect XT HS Index	No specific data.
	Primer A03-H04	-

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 49/56

Ingestion

: End Repair-A Tailing

Enzyme Mix

T4 DNA Ligase

Ligation Buffer

Forward Primer

Adaptor Oligo Mix

End Repair-A Tailing Buffer No specific data. No specific data. No specific data. No specific data. No specific data.

Herculase II Fusion DNA

Polymerase

dNTP Mix

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast **Hybridization Buffer**

SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

No specific data.

No specific data.

No specific data.

No specific data.

No specific data. No specific data. No specific data. No specific data.

No specific data.

No specific data. No specific data.

No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate

effects

: Not available.

: Not available. Potential delayed effects

Potential chronic health effects

General

End Repair-A Tailing

Enzyme Mix

End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction

Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker

Mix

SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture

Primer Mix

SureSelect XT HS Index

Primer A03-H04

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 50/56 Version : 2

Carcinogenicity

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix SureSelect XT HS Index Primer A03-H04

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Mutagenicity

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix **Forward Primer** dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker SureSelect Fast Hybridization Buffer SureSelect RNase Block

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

Teratogenicity

: End Repair-A Tailing
Enzyme Mix
End Repair-A Tailing Buffer
T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix
Herculase II Fusion DNA
Polymerase
5X Herculase II Reaction
Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect Post- Capture

SureSelect XT HS Index

Primer Mix

Primer A03-H04

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 51/56

Developmental effects

Fertility effects

lc	gical information					
	SureSelect XT HS Blocker Mix	No known	significant	effects or	critical hazards.	
	SureSelect Fast Hybridization Buffer	No known	significant	effects or	critical hazards.	
	SureSelect RNase Block	No known	significant	effects or	critical hazards.	
	SureSelect Post- Capture				critical hazards.	
	Primer Mix					
	SureSelect XT HS Index Primer A03-H04	No known	significant	effects or	critical hazards.	
:	End Repair-A Tailing Enzyme Mix	No known	significant	effects or	critical hazards.	
	End Repair-A Tailing Buffer	No known	significant	effects or	critical hazards.	
	T4 DNA Ligase	No known	significant	effects or	critical hazards.	
	Ligation Buffer	No known	significant	effects or	critical hazards.	
	Adaptor Oligo Mix	No known	significant	effects or	critical hazards.	
	Forward Primer				critical hazards.	
	dNTP Mix				critical hazards.	
	Herculase II Fusion DNA Polymerase				critical hazards.	
	5X Herculase II Reaction Buffer	No known	significant	effects or	critical hazards.	
	SureSelect Binding Buffer				critical hazards.	
	SureSelect Wash Buffer 1				critical hazards.	
	SureSelect Wash Buffer 2				critical hazards.	
	SureSelect XT HS Blocker Mix				critical hazards.	
	SureSelect Fast Hybridization Buffer	No known	significant	effects or	critical hazards.	
	SureSelect RNase Block	No known	significant	effects or	critical hazards.	
	SureSelect Post- Capture Primer Mix		•		critical hazards.	
	SureSelect XT HS Index Primer A03-H04	No known	significant	effects or	critical hazards.	
:	Ind Repair-A Tailing Enzyme Mix	No known	significant	effects or	critical hazards.	
	End Repair-A Tailing Buffer	No known	significant	effects or	critical hazards.	
	T4 DNA Ligase	No known	significant	effects or	critical hazards.	
	Ligation Buffer	No known	significant	effects or	critical hazards.	
	Adaptor Oligo Mix	No known	significant	effects or	critical hazards.	
	Forward Primer				critical hazards.	
	dNTP Mix	No known	significant	effects or	critical hazards.	
	Herculase II Fusion DNA Polymerase	No known	significant	effects or	critical hazards.	
	5X Herculase II Reaction Buffer	No known	significant	effects or	critical hazards.	
	SureSelect Binding Buffer	No known	significant	effects or	critical hazards.	
	SureSelect Wash Buffer 1				critical hazards.	
	SureSelect Wash Buffer 2				critical hazards.	
	SureSelect XT HS Blocker Mix	No known	significant	effects or	critical hazards.	
	SureSelect Fast Hybridization Buffer	No known	significant	effects or	critical hazards.	
	SureSelect RNase Block	No known	significant	effects or	critical hazards.	
	SureSelect Post- Capture				critical hazards.	

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 52/56

Primer Mix

Primer A03-H04

SureSelect XT HS Index

Section 11. Toxicological information

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
End Repair-A Tailing Enzyme Mix Glycerol	12600	N/A	N/A	N/A	N/A
T4 DNA Ligase Glycerol	12600	N/A	N/A	N/A	N/A
Ligation Buffer Polyethylene glycol Glycerol	28000 12600	N/A N/A	N/A N/A	N/A N/A	N/A N/A
Herculase II Fusion DNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
SureSelect RNase Block Glycerol	12600	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing			
Enzyme Mix Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Ğ		
T4 DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ciyooror	/ todio 2000 0 1000 mg/11 10011 water	Then encompliance myrice	oo noaro
Ligation Buffer	A suite 1 050 > 1000000 us// Freely water	Fish Column colon Dam	00 h
Polyethylene glycol Glycerol	Acute LC50 >1000000 μg/l Fresh water Acute LC50 54000 mg/l Fresh water	Fish - Salmo salar - Parr Fish - Oncorhynchus mykiss	96 hours 96 hours
,	9		
Herculase II Fusion DNA Polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
SureSelect RNase Block			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
End Repair-A Tailing				
Enzyme Mix Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
T4 DNA Ligase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 53/56

Section 12. Ecological information

Ligation Buffer Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Herculase II Fusion DNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
SureSelect RNase Block Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
End Repair-A Tailing Enzyme Mix			
Glycerol	-1.76	-	low
T4 DNA Ligase Glycerol	-1.76	-	low
Ligation Buffer Polyethylene glycol Glycerol	- -1.76	3.2	low low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
SureSelect RNase Block Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods

The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 54/56

Section 14. Transport information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in

the event of an accident or spillage.

Transport in bulk according : Not available.

to Annex II of Marpol and

the IBC Code

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

5

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.
Canada : Not determined.
China : Not determined.
Europe : Not determined.

Japan : Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

New Zealand: Not determined.Philippines: Not determined.Republic of Korea: Not determined.

Taiwan : All components are listed or exempted.

Thailand : Not determined.
Turkey : Not determined.
United States : Not determined.
Viet Nam : Not determined.

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 55/56

Section 16. Any other relevant information

History

Date of issue/Date of

revision

: 15/01/2019

Date of previous issue

: 28/06/2017

Version

2

Key to abbreviations

: ADG = Australian Dangerous Goods

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships,

1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

N/A = Not available

SUSMP = Standard Uniform Schedule of Medicine and Poisons

UN = United Nations

Procedure used to derive the classification

Classification	Justification
Not classified.	

References : Not available.

▼ Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Note *

: A kit containing Agilent Part Number: 5500-0138, 5190-9684, 5190-9685, 5500-0142 *SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755

Date of issue/Date of revision : 15/01/2019 Date of previous issue : 28/06/2017 Version : 2 56/56