# **SAFETY DATA SHEET**



SureSelect XT HS Reagent Kit with indexes 1-16, 16 reactions, Part Number G9704 A-

L

# **Section 1. Identification**

#### 1.1 Product identifier

Product name : SureSelect XT HS Reagent Kit with indexes 1-16, 16 reactions, Part Number G9704 A-L

Part No. (Chemical Kit) : G9704 A-L

Part No. : End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Enzyme with	3190-0412
End Repair-A Tailing Buffer	5190-6413
T4 DNA Ligase	5190-6414
Ligation Buffer	5190-6415
Adaptor Oligo Mix	5190-6416
Forward Primer	5190-6417
dNTP Mix	5190-6418
Herculase II Fusion DNA Polymerase	5190-7742
5X Herculase II Reaction Buffer	600675-52
SureSelect Binding Buffer	5190-4399
SureSelect Wash Buffer 1	5190-4400
SureSelect Wash Buffer 2	5190-4401
SureSelect XT HS Blocker Mix	5190-9683
SureSelect Fast Hybridization Buffer	5190-7327
SureSelect RNase Block	5190-4383
SureSelect Post- Capture Primer Mix	5190-9730
SureSelect XT HS Index Primer A01	5190-6419
OOFL VELIC and VEL and break Constant	E400 0047

SSEL XT HS and XT Low Input Custom
Capture Library

5190-9917 / 5190-9918 / 5190-9919 /
5190-9920 / 5190-9921 / 5190-9937 /
5190-9949 / 5190-9951 / 5190-9939 /

5190-9953 / 5190-9941

5190-6412

Validation date : 6/30/2017

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses : Analytical reagent.

End Repair-A Tailing Enzyme Mix 0.064 ml (16 reactions) End Repair-A Tailing Buffer 0.256 ml (16 reactions) T4 DNA Ligase 0.032 ml (16 reactions) **Ligation Buffer** 0.368 ml (16 reactions) Adaptor Oligo Mix 0.08 ml (16 reactions) Forward Primer 0.032 ml (16 reactions) dNTP Mix 0.008 ml (16 reactions) 0.016 ml (32 reactions) Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer 1.5 ml SureSelect Binding Buffer 13.2 ml SureSelect Wash Buffer 1 8 ml SureSelect Wash Buffer 2 24 ml

SureSelect XT HS Blocker Mix 0.08 ml (16 Reactions)

SureSelect Fast Hybridization Buffer 0.45 ml SureSelect RNase Block 0.016 ml

SureSelect Post- Capture Primer Mix

O.016 ml (16 reactions)

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom

0.016 ml (16 reactions)

16 x 0.01 ml (16 reactions)

0.032 - 0.08 ml (16 reactions)

Capture Library

### 1.3 Details of the supplier of the safety data sheet

**Date of issue:** 06/30/2017 **1/71** 

## Section 1. Identification

Supplier/Manufacturer

: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770

### 1.4 Emergency telephone number

In case of emergency

: CHEMTREC®: 1-800-424-9300

Note \*

: SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn 5500-0138 A kit containing: End Repair-A Tailing Enzyme Mix; End Repair-A Tailing Buffer; T4 DNA Ligase; Ligation Buffer; Adaptor Oligo Mix; Forward Primer; dNTP Mix; Herculase II Fusion DNA Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 16 Rxn 5190-9685

A kit containing: SureSelect Binding Buffer; SureSelect Wash Buffer 1; SureSelect Wash Buffer 2

SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn 5190-9684

A kit containing: SureSelect XT HS Blocker Mix; SureSelect Fast Hybridization Buffer; SureSelect RNase Block; SureSelect Post- Capture Primer Mix; dNTP Mix; Herculase II Fusion DNA Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT HS Index Primers 1-16 for ILM (Pre PCR) 5500-0141 A kit containing: SureSelect XT HS Index Primer A01

# Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

**OSHA/HCS** status

: End Repair-A Tailing Enzyme Mix

Adaptor Oligo Mix

End Repair-A Tailing Buffer

Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

This material is considered hazardous by the OSHA

other users of this product.

T4 DNA Ligase This material is considered hazardous by the OSHA

Hazard Communication Standard (29 CFR 1910.1200). This material is considered hazardous by the OSHA

Ligation Buffer This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.

1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Forward Primer While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

dNTP Mix While this material is not considered hazardous by the

OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

**Date of issue**: 06/30/2017 **2/71** 

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction

Buffer

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect Binding Buffer

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect Wash Buffer 1

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect Wash Buffer 2

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect XT HS Blocker Mix

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect Fast Hybridization Buffer While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect RNase Block

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index While Primer A01 OSHA

While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

SSEL XT HS and XT Low Input Custom Capture Library While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910. 1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture

**Date of issue**: 06/30/2017 3/71

**End Repair-A Tailing Enzyme** 

Mix

H320 EYE IRRITATION - Category 2B

**T4 DNA Ligase** 

EYE IRRITATION - Category 2B H320

**Ligation Buffer** 

H320 EYE IRRITATION - Category 2B

**Herculase II Fusion DNA** 

**Polymerase** 

H320 EYE IRRITATION - Category 2B

SureSelect RNase Block

H320 EYE IRRITATION - Category 2B

Ingredients of unknown toxicity

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SSEL XT HS and XT Low Input Custom Capture Library

Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient

(s) of unknown dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown oral toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient

(s) of unknown dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown oral toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient

(s) of unknown dermal toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient

(s) of unknown oral toxicity: 1 - 10%

Percentage of the mixture consisting of ingredient

(s) of unknown inhalation toxicity: 30 - 60%

Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%

2.2 GHS label elements

Signal word

Date of issue: 06/30/2017 4/71

End Repair-A Tailing Enzyme Mix Warning End Repair-A Tailing Buffer No signal word. T4 DNA Ligase Warning Ligation Buffer Warning Adaptor Oligo Mix No signal word. Forward Primer No signal word. dNTP Mix No signal word. Herculase II Fusion DNA Warning Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer

5X Herculase II Reaction Buffer
SureSelect Binding Buffer
SureSelect Wash Buffer 1
SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization
Buffer

No signal word.

SureSelect RNase Block Warning
SureSelect Post- Capture Primer No signal word.
Mix

SureSelect XT HS Index Primer No signal word.

SSEL XT HS and XT Low Input No signal word. Custom Capture Library

#### **Hazard statements**

End Repair-A Tailing Enzyme Mix
 End Repair-A Tailing Buffer
 H320 - Causes eye irritation.
 No known significant effects or critical hazards.

T4 DNA Ligase H320 - Causes eye irritation.
Ligation Buffer H320 - Causes eye irritation.

Adaptor Oligo Mix

Forward Primer

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Herculase II Fusion DNA H320 - Causes eye irritation.

Polymerase 5X Herculase II Reaction Buffer

SureSelect Wash Buffer 1
SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

H320 - Causes eye irritation.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

# **Precautionary statements**

Prevention

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 P264 - Wash hands thoroughly after handling. Not applicable.

P264 - Wash hands thoroughly after handling. P264 - Wash hands thoroughly after handling.

Not applicable. Not applicable. Not applicable.

P264 - Wash hands thoroughly after handling.

Not applicable. Not applicable. Not applicable.

**Date of issue**: 06/30/2017 5/71

Response

SureSelect Wash Buffer 2 Not applicable. SureSelect XT HS Blocker Mix Not applicable. SureSelect Fast Hybridization Not applicable.

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

Not applicable.

Not applicable.

Not applicable.

: End Repair-A Tailing Enzyme Mix

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

P264 - Wash hands thoroughly after handling.

rinsing.

P337 + P313 - If eye irritation persists: Get medical

attention.

End Repair-A Tailing Buffer

T4 DNA Ligase

Not applicable.

P305 + P351 + P338 - IF IN EYES: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

attention.

P305 + P351 + P338 - IF IN EYES: Rinse Ligation Buffer

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

attention.

Adaptor Oligo Mix Not applicable. Forward Primer Not applicable. dNTP Mix Not applicable.

Herculase II Fusion DNA P305 + P351 + P338 - IF IN EYES: Rinse

Polymerase cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

attention.

Not applicable.

Not applicable.

Not applicable. Not applicable.

Not applicable.

Not applicable.

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block P305 + P351 + P338 - IF IN EYES: Rinse

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

P337 + P313 - If eye irritation persists: Get medical

attention.

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

Not applicable.

Not applicable.

Not applicable.

06/30/2017 Date of issue: 6/71

Section 2. Hazards	identification	
Storage	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer	Not applicable. Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix Forward Primer	Not applicable.
	dNTP Mix	Not applicable.
	Herculase II Fusion DNA	Not applicable. Not applicable.
	Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post- Capture Primer Mix	Not applicable.
	SureSelect XT HS Index Primer A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Disposal	End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	dNTP Mix	Not applicable.
	Herculase II Fusion DNA	Not applicable.
	Polymerase	Not applicable
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer SureSelect Wash Buffer 1	Not applicable. Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post- Capture Primer Mix	Not applicable.
	SureSelect XT HS Index Primer A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Supplemental label	: End Repair-A Tailing Enzyme Mix	None known.
elements	End Repair-A Tailing Buffer	None known.
	T4 DNA Ligase	None known.
	Ligation Buffer	None known.
	Adaptor Oligo Mix	None known.
	Forward Primer	None known.
	dNTP Mix	None known.
	Herculase II Fusion DNA	None known.
	Polymerase	Name Inc.
	5X Herculase II Reaction Buffer	None known.
	SureSelect Binding Buffer	None known.
	SureSelect Wash Buffer 1 SureSelect Wash Buffer 2	None known.

**Date of issue :** 06/30/2017 **7/71** 

None known.

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization
Buffer
SureSelect RNase Block
SureSelect Post- Capture Primer
Mix
SureSelect XT HS Index Primer
A01
SSEL XT HS and XT Low Input
Custom Capture Library
None known.
None known.
None known.

### 2.3 Other hazards

Hazards not otherwise classified

: End Repair-A Tailing Enzyme Mix None known. End Repair-A Tailing Buffer None known. T4 DNA Ligase None known. Ligation Buffer None known. Adaptor Oligo Mix None known. Forward Primer None known. dNTP Mix None known. Herculase II Fusion DNA None known. Polymerase 5X Herculase II Reaction Buffer None known. SureSelect Binding Buffer None known. SureSelect Wash Buffer 1 None known. SureSelect Wash Buffer 2 None known. SureSelect XT HS Blocker Mix None known. SureSelect Fast Hybridization None known. Buffer SureSelect RNase Block None known. SureSelect Post- Capture Primer None known. SureSelect XT HS Index Primer None known. A01 SSEL XT HS and XT Low Input None known. **Custom Capture Library** 

# Section 3. Composition/information on ingredients

#### Substance/mixture

End Repair-A Tailing Enzyme Mix	Mixture
End Repair-A Tailing Buffer	Mixture
T4 DNA Ligase	Mixture
Ligation Buffer	Mixture
Adaptor Oligo Mix	Mixture
Forward Primer	Mixture
dNTP Mix	Mixture
Herculase II Fusion DNA Polymerase	Mixture
5X Herculase II Reaction Buffer	Mixture
SureSelect Binding Buffer	Mixture
SureSelect Wash Buffer 1	Mixture
SureSelect Wash Buffer 2	Mixture
SureSelect XT HS Blocker Mix	Mixture
SureSelect Fast Hybridization Buffer	Mixture
SureSelect RNase Block	Mixture
SureSelect Post- Capture Primer Mix	Mixture
SureSelect XT HS Index Primer A01	Mixture
SSEL XT HS and XT Low Input	Mixture
Custom Capture Library	

**Date of issue:** 06/30/2017 **8/71** 

# Section 3. Composition/information on ingredients

Ingredient name	%	CAS number
End Repair-A Tailing Enzyme Mix Glycerol	≥50 - ≤75	56-81-5
End Repair-A Tailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Potassium chloride	≤3 ≤3	1185-53-1 7447-40-7
T4 DNA Ligase Glycerol	≥50 - ≤75	56-81-5
Ligation Buffer Polyethylene glycol Glycerol	≥10 - ≤25 ≥10 - ≤25	25322-68-3 56-81-5
dNTP Mix 2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate) 2'-Deoxyadenosine 5'-(tetrahydrogen triphosphate)	≤3 ≤3	2564-35-4 1927-31-7
Herculase II Fusion DNA Polymerase Glycerol	≥50 - ≤75	56-81-5
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate	≤3 ≤3	77-86-1 7783-20-2
SureSelect Binding Buffer Sodium chloride	<10	7647-14-5
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≤3	1185-53-1
SureSelect RNase Block Glycerol	≥50 - ≤75	56-81-5
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	≤3	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

# Section 4. First aid measures

### 4.1 Description of necessary first aid measures

Eye contact : End Repair-A Tailing Enzyme Mix

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

End Repair-A Tailing Buffer

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

T4 DNA Ligase Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

**Date of issue:** 06/30/2017 **9/71** 

Check for and remove any contact lenses.

Continue to rinse for at least 10 minutes. If

irritation persists, get medical attention.
Immediately flush eyes with plenty of water,

Ligation Buffer Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Adaptor Oligo Mix Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Forward Primer Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

dNTP Mix Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Herculase II Fusion DNA Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.

Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Binding Buffer Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Wash Buffer 1 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Wash Buffer 2 Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect XT HS Blocker Mix Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SureSelect Fast Hybridization

5X Herculase II Reaction Buffer

Buffer

Polymerase

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect RNase Block Immediately flush eyes with plenty of water,

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. Immediately flush eyes with plenty of water,

SureSelect Post- Capture Primer

Mix

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

SureSelect XT HS Index Primer Immediately flush eyes with plenty of water,

Date of issue: 06/30/2017 10/71

A01

occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

SSEL XT HS and XT Low Input Custom Capture Library

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

medical attention if irritation occurs.

Inhalation

: End Repair-A Tailing Enzyme Mix

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

End Repair-A Tailing Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

T4 DNA Ligase

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

Ligation Buffer Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory

arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

Adaptor Oligo Mix Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

Forward Primer Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

dNTP Mix Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation

Date of issue: 06/30/2017 11/71

Herculase II Fusion DNA Polymerase

of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain

an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

5X Herculase II Reaction Buffer Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

SureSelect Binding Buffer Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect Wash Buffer 1 Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect Wash Buffer 2 Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect XT HS Blocker Mix

Remove victim to fresh air and keep at rest in a

position comfortable for breathing. Get medical

attention if symptoms occur.

SureSelect Fast Hybridization

Buffer

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation

of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48

hours.

SureSelect RNase Block Remove victim to fresh air and keep at rest in a

position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or

oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

SureSelect Post- Capture Primer

Mix

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

SureSelect XT HS Index Primer A01

**Date of issue:** 06/30/2017 **12/71** 

SSEL XT HS and XT Low Input Custom Capture Library attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical

attention if symptoms occur.

Skin contact

: End Repair-A Tailing Enzyme Mix

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

End Repair-A Tailing Buffer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

T4 DNA Ligase Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Ligation Buffer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Adaptor Oligo Mix Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Forward Primer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

dNTP Mix Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

Herculase II Fusion DNA

Polymerase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

5X Herculase II Reaction Buffer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect Binding Buffer Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect Wash Buffer 1 Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect Wash Buffer 2 Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect XT HS Blocker Mix Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect Fast Hybridization Flush contaminated skin with plenty of water.

Buffer

Remove contaminated clothing and shoes. Get

medical attention if symptoms occur.

SureSelect RNase Block Flush contaminated skin with plenty of water.

Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

**Date of issue :** 06/30/2017 **13/71** 

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Flush contaminated skin with plenty of water.
Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion

: End Repair-A Tailing Enzyme Mix

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

End Repair-A Tailing Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

T4 DNA Ligase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ligation Buffer

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never

**Date of issue**: 06/30/2017 **14/71** 

Adaptor Oligo Mix

Forward Primer

dNTP Mix

give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

Herculase II Fusion DNA

SureSelect Binding Buffer

Polymerase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting

may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie,

belt or waistband.

5X Herculase II Reaction Buffer Wash out mouth with water. Remove victim to

> fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect Wash Buffer 1 Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and

06/30/2017 Date of issue: 15/71

SureSelect Wash Buffer 2

the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash out mouth with water. Remove victim to

fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect XT HS Blocker Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect Fast Hybridization Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get

medical attention if symptoms occur.

SureSelect RNase Block

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SureSelect Post- Capture Primer Mix

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SureSelect XT HS Index Primer A01

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SSEL XT HS and XT Low Input **Custom Capture Library** 

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small

06/30/2017 Date of issue: 16/71

quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

# 4.2 Most important symptoms/effects, acute and delayed Potential acute health effects

Eye contact

Inhalation

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

MIX

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

Causes eye irritation.

No known significant effects or critical hazards.

Causes eye irritation.
Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

Causes eye irritation.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

**Date of issue:** 06/30/2017 **17/71** 

Section 4. First aid	measures	
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	dNTP Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post- Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT HS Index Primer A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	dNTP Mix	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post- Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT HS Index Primer A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Over-exposure signs/sympto	•	
Eye contact	: End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following:
Eye contact	. End Repair-A Tailing Enzyme wix	irritation watering
	End Donair A Tailing Duffer	redness
	End Repair-A Tailing Buffer T4 DNA Ligase	No specific data. Adverse symptoms may include the following: irritation

**Date of issue**: 06/30/2017 **18/71** 

Ligation Buffer

watering

irritation

Adverse symptoms may include the following:

Inhalation

**Skin contact** 

watering redness No specific data. Adaptor Oligo Mix Forward Primer No specific data. dNTP Mix No specific data. Herculase II Fusion DNA Adverse symptoms may include the following: Polymerase irritation watering redness 5X Herculase II Reaction Buffer No specific data. SureSelect Binding Buffer No specific data. SureSelect Wash Buffer 1 No specific data. SureSelect Wash Buffer 2 No specific data. No specific data. SureSelect XT HS Blocker Mix SureSelect Fast Hybridization No specific data. Buffer SureSelect RNase Block Adverse symptoms may include the following: irritation watering redness SureSelect Post- Capture Primer No specific data. Mix SureSelect XT HS Index Primer No specific data. A01 SSEL XT HS and XT Low Input No specific data. **Custom Capture Library** End Repair-A Tailing Enzyme Mix No specific data. End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. No specific data. Ligation Buffer Adaptor Oligo Mix No specific data. Forward Primer No specific data. dNTP Mix No specific data. Herculase II Fusion DNA No specific data. Polymerase 5X Herculase II Reaction Buffer No specific data. SureSelect Binding Buffer No specific data. No specific data. SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 No specific data. SureSelect XT HS Blocker Mix No specific data. SureSelect Fast Hybridization No specific data. Buffer SureSelect RNase Block No specific data. SureSelect Post- Capture Primer No specific data. Mix SureSelect XT HS Index Primer No specific data. A01 SSEL XT HS and XT Low Input No specific data. Custom Capture Library No specific data. End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer No specific data. Adaptor Oligo Mix No specific data. Forward Primer No specific data. dNTP Mix No specific data.

**Date of issue :** 06/30/2017 **19/71** 

No specific data.

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer No specific data. SureSelect Binding Buffer No specific data. No specific data. SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 No specific data. SureSelect XT HS Blocker Mix No specific data. SureSelect Fast Hybridization No specific data.

Buffer

SureSelect RNase Block SureSelect Post- Capture Primer

Mix

No specific data. No specific data.

No specific data.

SureSelect XT HS Index Primer

A01

No specific data.

SSEL XT HS and XT Low Input

**Custom Capture Library** 

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase **Ligation Buffer** Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

No specific data. No specific data.

No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

No specific data. No specific data. No specific data. No specific data. No specific data.

No specific data. No specific data.

No specific data.

No specific data.

No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

Ingestion

: End Repair-A Tailing Enzyme Mix

Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

End Repair-A Tailing Buffer In case of inhalation of decomposition products in a

fire, symptoms may be delayed. The exposed person may need to be kept under medical

surveillance for 48 hours.

Treat symptomatically. Contact poison treatment T4 DNA Ligase

specialist immediately if large quantities have been

ingested or inhaled.

Ligation Buffer Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

Adaptor Oligo Mix Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

**Forward Primer** Treat symptomatically. Contact poison treatment

specialist immediately if large quantities have been

ingested or inhaled.

06/30/2017 Date of issue: 20/71

Specific treatments

dNTP Mix In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment Herculase II Fusion DNA specialist immediately if large quantities have been Polymerase ingested or inhaled. In case of inhalation of decomposition products in a 5X Herculase II Reaction Buffer fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. SureSelect Binding Buffer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment SureSelect Wash Buffer 1 specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment SureSelect Wash Buffer 2 specialist immediately if large quantities have been ingested or inhaled. SureSelect XT HS Blocker Mix Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a SureSelect Fast Hybridization Buffer fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment SureSelect RNase Block specialist immediately if large quantities have been ingested or inhaled. SureSelect Post- Capture Primer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. SureSelect XT HS Index Primer Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been A01 ingested or inhaled. SSEL XT HS and XT Low Input Treat symptomatically. Contact poison treatment **Custom Capture Library** specialist immediately if large quantities have been ingested or inhaled. End Repair-A Tailing Enzyme Mix No specific treatment. End Repair-A Tailing Buffer No specific treatment. T4 DNA Ligase No specific treatment. Ligation Buffer No specific treatment. Adaptor Oligo Mix No specific treatment. Forward Primer No specific treatment. dNTP Mix No specific treatment. Herculase II Fusion DNA No specific treatment. Polymerase 5X Herculase II Reaction Buffer No specific treatment. No specific treatment. SureSelect Binding Buffer SureSelect Wash Buffer 1 No specific treatment. SureSelect Wash Buffer 2 No specific treatment. SureSelect XT HS Blocker Mix No specific treatment. SureSelect Fast Hybridization No specific treatment. Buffer SureSelect RNase Block No specific treatment. SureSelect Post- Capture Primer No specific treatment. Mix

No specific treatment.

**Date of issue:** 06/30/2017 **21/71** 

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

No specific treatment.

**Protection of first-aiders** 

: End Repair-A Tailing Enzyme Mix

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

No action shall be taken involving any personal risk End Repair-A Tailing Buffer

or without suitable training.

No action shall be taken involving any personal risk T4 DNA Ligase

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

Ligation Buffer No action shall be taken involving any personal risk

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

Adaptor Oligo Mix No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk Forward Primer

or without suitable training.

dNTP Mix No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk Herculase II Fusion DNA

Polymerase

or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

5X Herculase II Reaction Buffer No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk SureSelect Binding Buffer

or without suitable training.

No action shall be taken involving any personal risk SureSelect Wash Buffer 1

or without suitable training.

No action shall be taken involving any personal risk SureSelect Wash Buffer 2

or without suitable training.

SureSelect XT HS Blocker Mix No action shall be taken involving any personal risk

or without suitable training.

SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth

resuscitation.

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk

or without suitable training.

No action shall be taken involving any personal risk

or without suitable training.

See toxicological information (Section 11)

Date of issue: 06/30/2017 22/71

### 5.1 Extinguishing media

Suitable extinguishing media

: End Repair-A Tailing Enzyme Mix Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the End Repair-A Tailing Buffer

surrounding fire.

Use an extinguishing agent suitable for the T4 DNA Ligase

surrounding fire.

Ligation Buffer Use an extinguishing agent suitable for the

surrounding fire.

Adaptor Oligo Mix Use an extinguishing agent suitable for the

surrounding fire.

Forward Primer Use an extinguishing agent suitable for the

surrounding fire.

dNTP Mix Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the Herculase II Fusion DNA

Polymerase surrounding fire.

5X Herculase II Reaction Buffer Use an extinguishing agent suitable for the

surrounding fire.

SureSelect Binding Buffer Use an extinguishing agent suitable for the

surrounding fire.

SureSelect Wash Buffer 1 Use an extinguishing agent suitable for the

surrounding fire.

SureSelect Wash Buffer 2 Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the SureSelect XT HS Blocker Mix

surrounding fire.

surrounding fire.

Use an extinguishing agent suitable for the SureSelect Fast Hybridization

Buffer

SureSelect RNase Block Use an extinguishing agent suitable for the

surrounding fire.

surrounding fire.

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

Use an extinguishing agent suitable for the

Use an extinguishing agent suitable for the

surrounding fire.

Use an extinguishing agent suitable for the

surrounding fire.

**Unsuitable extinguishing** media

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

None known. None known.

None known. None known. None known. None known. None known. None known.

None known. None known.

None known.

Date of issue: 06/30/2017 23/71

SSEL XT HS and XT Low Input **Custom Capture Library** 

None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical

: End Repair-A Tailing Enzyme Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur End Repair-A Tailing Buffer

and the container may burst.

T4 DNA Ligase In a fire or if heated, a pressure increase will occur

and the container may burst.

Ligation Buffer In a fire or if heated, a pressure increase will occur

and the container may burst.

Adaptor Oligo Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

Forward Primer In a fire or if heated, a pressure increase will occur

and the container may burst.

dNTP Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

Herculase II Fusion DNA In a fire or if heated, a pressure increase will occur

Polymerase

and the container may burst. In a fire or if heated, a pressure increase will occur 5X Herculase II Reaction Buffer

and the container may burst. SureSelect Binding Buffer In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur SureSelect Wash Buffer 1

and the container may burst.

SureSelect Wash Buffer 2 In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect XT HS Blocker Mix In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

In a fire or if heated, a pressure increase will occur

and the container may burst.

In a fire or if heated, a pressure increase will occur

and the container may burst.

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

In a fire or if heated, a pressure increase will occur

and the container may burst.

A01

In a fire or if heated, a pressure increase will occur

and the container may burst.

SSEL XT HS and XT Low Input

Custom Capture Library

In a fire or if heated, a pressure increase will occur

and the container may burst.

**Hazardous thermal** decomposition products : End Repair-A Tailing Enzyme Mix

Decomposition products may include the following

materials: carbon dioxide

carbon monoxide

End Repair-A Tailing Buffer Decomposition products may include the following

> materials: carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds

metal oxide/oxides

Decomposition products may include the following T4 DNA Ligase

> materials: carbon dioxide carbon monoxide

**Ligation Buffer** Decomposition products may include the following

> materials: carbon dioxide

06/30/2017 Date of issue: 24/71

Adaptor Oligo Mix
Forward Primer

Carbon monoxide
No specific data.
No specific data.

dNTP Mix Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides

Herculase II Fusion DNA Decomposition products may include the following

Polymerase materials: carbon dioxide carbon monoxide

5X Herculase II Reaction Buffer Decomposition products may include the following

materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
metal oxide/oxides

SureSelect Binding Buffer Decomposition products may include the following

materials: halogenated compounds

metal oxide/oxides
SureSelect Wash Buffer 1
SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix

metal oxide/oxides
No specific data.
No specific data.

SureSelect AT H3 Blocker Mix

SureSelect Fast Hybridization

Buffer

Decomposition products may include the following

materials: carbon dioxide carbon monoxide nitrogen oxides

halogenated compounds metal oxide/oxides

SureSelect RNase Block Decomposition products may include the following

materials: carbon dioxide carbon monoxide No specific data.

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

Custom Capture Library

No specific data.

Decomposition products may include the following

materials: carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: End Repair-A Tailing Enzyme Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

End Repair-A Tailing Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

T4 DNA Ligase Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No

**Date of issue:** 06/30/2017 **25/71** 

action shall be taken involving any personal risk or

without suitable training.

Ligation Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Adaptor Oligo Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Forward Primer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

dNTP Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

Herculase II Fusion DNA

Polymerase

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

5X Herculase II Reaction Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Binding Buffer Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Wash Buffer 1 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Wash Buffer 2 Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect XT HS Blocker Mix Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Fast Hybridization

Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect RNase Block Promptly isolate the scene by removing all persons

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SureSelect Post- Capture Primer

Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or without suitable training.

SureSelect XT HS Index Primer

A01

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

without suitable training.

SSEL XT HS and XT Low Input Promptly isolate the scene by removing all persons

**Date of issue:** 06/30/2017 **26/71** 

Custom Capture Library from the vicinity of the incident if there is a fire. No

action shall be taken involving any personal risk or

without suitable training.

Special protective equipment for fire-fighters

: End Repair-A Tailing Enzyme Mix

Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

End Repair-A Tailing Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive

pressure mode.

T4 DNA Ligase Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Ligation Buffer Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Adaptor Oligo Mix Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Forward Primer Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

dNTP Mix Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

Herculase II Fusion DNA

Polymerase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive

pressure mode.

5X Herculase II Reaction Buffer Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Binding Buffer Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Wash Buffer 1 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Wash Buffer 2 Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT HS Blocker Mix Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Fast Hybridization

Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

**Date of issue :** 06/30/2017 **27/71** 

SureSelect RNase Block Fire-fighters should wear appropriate protective

equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect Post- Capture Primer

Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus

(SCBA) with a full face-piece operated in positive

pressure mode.

SureSelect XT HS Index Primer

A01

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

SSEL XT HS and XT Low Input **Custom Capture Library** 

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: End Repair-A Tailing Enzyme Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

End Repair-A Tailing Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal

risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

Ligation Buffer No action shall be taken involving any personal risk or without suitable training. Evacuate

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

Adaptor Oligo Mix No action shall be taken involving any personal

> risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

T4 DNA Ligase

06/30/2017 Date of issue: 28/71

Forward Primer

dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate

personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate

unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

surrounding areas. Keep unnecessary and

No action shall be taken involving any personal risk or without suitable training. Evacuate

Date of issue: 06/30/2017 29/71

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

For emergency responders : End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8

**Date of issue:** 06/30/2017 **30/71** 

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

6.2 Environmental

precautions

Ligation Buffer

on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

**Date of issue**: 06/30/2017 **31/71** 

Adaptor Oligo Mix Avoid dispersal of spilled material and runoff and

> contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

Forward Primer Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

dNTP Mix Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Herculase II Fusion DNA

Polymerase

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

5X Herculase II Reaction Buffer Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

SureSelect Binding Buffer Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and SureSelect Wash Buffer 1

> contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Avoid dispersal of spilled material and runoff and SureSelect Wash Buffer 2

> contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

SureSelect XT HS Blocker Mix Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

SureSelect Fast Hybridization

Buffer

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

SureSelect RNase Block Avoid dispersal of spilled material and runoff and

contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

SureSelect Post- Capture Primer

Mix

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

06/30/2017 Date of issue: 32/71

SureSelect XT HS Index Primer A01

waterways, soil or air).

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

caused environmental pollution (sewers,

waterways, soil or air).

SSEL XT HS and XT Low Input Custom Capture Library

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

: End Repair-A Tailing Enzyme Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal container.

disposal contractor.

End Repair-A Tailing Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

T4 DNA Ligase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Ligation Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Adaptor Oligo Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Forward Primer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

dNTP Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

Herculase II Fusion DNA

Polymerase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

Date of issue: 06/30/2017 33/71

inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

5X Herculase II Reaction Buffer Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Binding Buffer Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Wash Buffer 1 Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Wash Buffer 2 Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect XT HS Blocker Mix Stop leak if without risk. Move containers from spill

area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Fast Hybridization

Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect RNase Block Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect Post- Capture Primer

Mix

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SureSelect XT HS Index Primer

A01

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.

SSEL XT HS and XT Low Input Custom Capture Library

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Date of issue: 06/30/2017 34/71

Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

# Section 7. Handling and storage

### 7.1 Precautions for safe handling

**Protective measures** 

: End Repair-A Tailing Enzyme Mix

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

End Repair-A Tailing Buffer

Put on appropriate personal protective equipment (see Section 8).

T4 DNA Ligase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Ligation Buffer

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Adaptor Oligo Mix

Put on appropriate personal protective equipment (see Section 8).

Forward Primer

Put on appropriate personal protective equipment

(see Section 8).

dNTP Mix

Put on appropriate personal protective equipment

(see Section 8).

Herculase II Fusion DNA

Polymerase

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

5X Herculase II Reaction Buffer

Put on appropriate personal protective equipment

(see Section 8).

SureSelect Binding Buffer

Put on appropriate personal protective equipment

(see Section 8).

SureSelect Wash Buffer 1

Put on appropriate personal protective equipment

(see Section 8).

SureSelect Wash Buffer 2

Put on appropriate personal protective equipment

(see Section 8).

SureSelect XT HS Blocker Mix

Put on appropriate personal protective equipment

(see Section 8).

Put on appropriate personal protective equipment SureSelect Fast Hybridization

06/30/2017 Date of issue: 35/71

# Section 7. Handling and storage

Buffer

SureSelect RNase Block

(see Section 8).

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

SureSelect Post- Capture Primer

Mix

Put on appropriate personal protective equipment (see Section 8).

Eating, drinking and smoking should be prohibited

in areas where this material is handled, stored and

processed. Workers should wash hands and face

SureSelect XT HS Index Primer A01

Put on appropriate personal protective equipment (see Section 8).

SSEL XT HS and XT Low Input

Custom Capture Library

Put on appropriate personal protective equipment

(see Section 8).

Advice on general occupational hygiene : End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8

for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and

dNTP Mix

Date of issue: 06/30/2017 36/71

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment

Date of issue: 06/30/2017 37/71

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a

7.2 Conditions for safe storage, including any incompatibilities

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

drv. cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a

Ligation Buffer

Date of issue: 06/30/2017 38/71

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer

dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been

**Date of issue:** 06/30/2017 **39/71** 

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for

**Date of issue:** 06/30/2017 **40/71** 

SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# 7.3 Specific end use(s) Recommendations

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer

SureSelect Binding Buffer

Industrial applications, Professional applications. Industrial applications, Professional applications.

Industrial applications, Professional applications. Industrial applications, Professional applications.

**Date of issue :** 06/30/2017 **41/71** 

SureSelect Wash Buffer 1 Industrial applications, Professional applications. SureSelect Wash Buffer 2 Industrial applications, Professional applications. SureSelect XT HS Blocker Mix Industrial applications, Professional applications. SureSelect Fast Hybridization Industrial applications, Professional applications. Buffer SureSelect RNase Block Industrial applications, Professional applications. SureSelect Post- Capture Primer Industrial applications, Professional applications. SureSelect XT HS Index Primer Industrial applications, Professional applications. A01 SSEL XT HS and XT Low Input Industrial applications, Professional applications. Custom Capture Library Industrial sector specific End Repair-A Tailing Enzyme Mix Not applicable. End Repair-A Tailing Buffer Not applicable. T4 DNA Ligase Not applicable. Ligation Buffer Not applicable. Adaptor Oligo Mix Not applicable. Forward Primer Not applicable. dNTP Mix Not applicable. Herculase II Fusion DNA Not applicable. Polymerase 5X Herculase II Reaction Buffer Not applicable. SureSelect Binding Buffer Not applicable. SureSelect Wash Buffer 1 Not applicable. SureSelect Wash Buffer 2 Not applicable. SureSelect XT HS Blocker Mix Not applicable. SureSelect Fast Hybridization Not applicable. Buffer SureSelect RNase Block Not applicable. SureSelect Post- Capture Primer Not applicable. SureSelect XT HS Index Primer Not applicable. A01 SSEL XT HS and XT Low Input Not applicable. **Custom Capture Library** 

# Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

solutions

Occupational exposure limits

Ingredient name	Exposure limits
End Repair-A Tailing Enzyme Mix	
Glycerol	OSHA PEL 1989 (United States, 3/1989).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust
End Repair-A Tailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Potassium chloride	None. None.
T4 DNA Ligase Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hours. Form: Respirable

Date of issue: 06/30/2017 42/71

## Section 8. Exposure controls/personal protection

fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

**Ligation Buffer** 

Polyethylene glycol

Glycerol

AIHA WEEL (United States, 10/2011).

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Aerosol **OSHA PEL 1989 (United States, 3/1989).** 

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust **OSHA PEL (United States, 6/2016).** 

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

dNTP Mix

2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate) 2'-Deoxyadenosine 5'-(tetrahydrogen triphosphate) None.

**Herculase II Fusion DNA Polymerase** 

Glycerol

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

5X Herculase II Reaction Buffer

Trometamol

Ammonium sulphate

None.

None.

SureSelect Binding Buffer

Sodium chloride

None.

None.

**SureSelect Fast Hybridization Buffer** 

2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride

SureSelect RNase Block

Glycerol

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

10111 51414 1 5 1

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

SSEL XT HS and XT Low Input Custom Capture Library

Glycerol

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

**Date of issue**: 06/30/2017 **43/71** 

### Section 8. Exposure controls/personal protection

TWA: 10 mg/m³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m³ 8 hours. Form: Total dust

#### **8.2 Exposure controls**

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### **Skin protection**

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** 

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

#### **Appearance**

Physical state

: End Repair-A Tailing Enzyme Mix Liquid. End Repair-A Tailing Buffer Liquid. T4 DNA Ligase Liquid. Ligation Buffer Liquid. Adaptor Oligo Mix Liquid. Forward Primer Liquid. dNTP Mix Liquid. Herculase II Fusion DNA Liquid.

Date of issue: 06/30/2017 44/71

Color

Odor

# Section 9. Physical and chemical properties

i	and chemical propert	ies
	Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix	Liquid. Liquid. Liquid. Liquid. Liquid.
	SureSelect Fast Hybridization Buffer	Liquid.
	SureSelect RNase Block SureSelect Post- Capture Primer Mix	Liquid. Liquid.
	SureSelect XT HS Index Primer A01 SSEL XT HS and XT Low Input	Liquid. Liquid.
:	Custom Capture Library End Repair-A Tailing Enzyme Mix	Not available.
-	End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer	Not available. Not available. Not available.
	Adaptor Oligo Mix Forward Primer dNTP Mix	Not available. Not available. Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1	Not available. Not available. Not available.
	SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization	Not available. Not available. Not available.
	Buffer SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix SureSelect XT HS Index Primer	Not available.
	A01 SSEL XT HS and XT Low Input	Not available.
:	Custom Capture Library End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer	Not available. Not available.
	T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix	Not available. Not available. Not available.
	Forward Primer dNTP Mix	Not available. Not available.
	Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer SureSelect Wash Buffer 1	Not available. Not available.
	SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization Buffer	Not available. Not available. Not available.
	SureSelect RNase Block SureSelect Post- Capture Primer Mix	Not available. Not available.
	SureSelect XT HS Index Primer	Not available.

**Date of issue :** 06/30/2017 **45/71** 

A01

occion of hysical	ana chemical propert	103
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Odor threshold :	End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer	Not available. Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post- Capture Primer Mix	Not available.
	SureSelect XT HS Index Primer A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
pH :	End Repair-A Tailing Enzyme Mix	6.5
	End Repair-A Tailing Buffer	8
	T4 DNA Ligase	7.5
	Ligation Buffer	8
	Adaptor Oligo Mix	7.5
	Forward Primer	7.5
	dNTP Mix	7.5
	Herculase II Fusion DNA	8.2
	Polymerase	
	5X Herculase II Reaction Buffer	10
	SureSelect Binding Buffer	7.5
	SureSelect Wash Buffer 1	7.0
	SureSelect Wash Buffer 2	7
	SureSelect XT HS Blocker Mix	7.5
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	7.6
	SureSelect Post- Capture Primer Mix	7.5
	SureSelect XT HS Index Primer A01	7.5
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Melting point :	End Repair-A Tailing Enzyme Mix	Not available.
O Pro-	End Repair-A Tailing Buffer	0°C (32°F)
	T4 DNA Ligase	Not available.
		Not available.
	Ligation Buffer	
	Adaptor Oligo Mix	0°C (32°F)
	Forward Primer	0°C (32°F)
	dNTP Mix	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SuraSalact Rinding Ruffer	Not available

**Date of issue :** 06/30/2017 **46/71** 

Not available.

SureSelect Binding Buffer

**Boiling point** 

Flash point

# Section 9. Physical and chemical properties

I and chemical propert	ies
SureSelect Wash Buffer 1	0°C (32°F)
SureSelect Wash Buffer 2	0°C (32°F)
SureSelect XT HS Blocker Mix	0°C (32°F)
SureSelect Fast Hybridization	Not available.
Buffer	Not oveilable
SureSelect RNase Block	Not available.
SureSelect Post- Capture Primer Mix	0°C (32°F)
SureSelect XT HS Index Primer	0°C (32°F)
A01	0 0 (32 1)
SSEL XT HS and XT Low Input	0°C (32°F)
Custom Capture Library	,
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	100°C (212°F)
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	100°C (212°F)
Forward Primer	100°C (212°F)
dNTP Mix	Not available.
Herculase II Fusion DNA	Not available.
Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	100°C (212°F)
SureSelect Wash Buffer 2	100°C (212°F)
SureSelect XT HS Blocker Mix	100°C (212°F)
SureSelect Fast Hybridization	Not available.
Buffer	
SureSelect RNase Block	Not available.
SureSelect Post- Capture Primer Mix	100°C (212°F)
SureSelect XT HS Index Primer	100°C (212°F)
A01 SSEL XT HS and XT Low Input	100°C (212°F)
Custom Capture Library	100 0 (2121)
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Not available.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
dNTP Mix	Not available.
Herculase II Fusion DNA	Not available.
Polymerase	rior aranabio.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS Blocker Mix	Not available.
SureSelect Fast Hybridization	Not available.
Buffer	rtot avallabio.
SureSelect RNase Block	Not available.
SureSelect Post- Capture Primer	Not available.
Mix	Not evelled to
SureSelect XT HS Index Primer A01	Not available.
SSEL XT HS and XT Low Input	Not available.
Custom Capture Library	

**Date of issue**: 06/30/2017 **47/71** 

Section 9. Physical and chemical properties					
Evaporation rate	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix SureSelect XT HS Index Primer A01	Not available.			
Flammability (solid, gas)	SSEL XT HS and XT Low Input Custom Capture Library  : End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix	Not available.  Not applicable.			
Lower and upper explosive (flammable) limits	SureSelect XT HS Index Primer A01 SSEL XT HS and XT Low Input Custom Capture Library : End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase	Not applicable.  Not available.			

**Date of issue :** 06/30/2017 **48/71** 

Not available.

Not available.

Not available.

Not available.

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

SureSelect Wash Buffer 1

SureSelect Wash Buffer 2

Vapor pressure

Vapor density

# Section 9. Physical and chemical properties

	and chemical properties					
	SureSelect XT HS Blocker Mix	Not available.				
	SureSelect Fast Hybridization Buffer	Not available.				
	SureSelect RNase Block	Not available.				
		Not available.				
	SureSelect Post- Capture Primer Mix					
	SureSelect XT HS Index Primer A01	Not available.				
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.				
÷	End Repair-A Tailing Enzyme Mix	Not available.				
	End Repair-A Tailing Buffer	Not available.				
	T4 DNA Ligase	Not available.				
	Ligation Buffer	Not available.				
	Adaptor Oligo Mix	Not available.				
	Forward Primer	Not available.				
	dNTP Mix	Not available.				
	Herculase II Fusion DNA Polymerase	Not available.				
	5X Herculase II Reaction Buffer	Not available.				
	SureSelect Binding Buffer	Not available.				
	SureSelect Wash Buffer 1	Not available.				
	SureSelect Wash Buffer 2	Not available.				
	SureSelect Wash Buller 2 SureSelect XT HS Blocker Mix					
		Not available.				
	SureSelect Fast Hybridization Buffer	Not available.				
	SureSelect RNase Block	Not available.				
	SureSelect Post- Capture Primer Mix	Not available.				
	SureSelect XT HS Index Primer A01	Not available.				
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.				
÷	End Repair-A Tailing Enzyme Mix	Not available.				
•	End Repair-A Tailing Buffer	Not available.				
	T4 DNA Ligase	Not available.				
	Ligation Buffer	Not available.				
	Adaptor Oligo Mix	Not available.				
	Forward Primer	Not available.				
	dNTP Mix	Not available.				
	Herculase II Fusion DNA Polymerase	Not available.				
	5X Herculase II Reaction Buffer	Not available.				
	SureSelect Binding Buffer	Not available.				
	SureSelect Wash Buffer 1	Not available.				
	SureSelect Wash Buffer 2	Not available.				
	SureSelect XT HS Blocker Mix	Not available.				
	SureSelect Fast Hybridization Buffer	Not available.				
	SureSelect RNase Block	Not available.				
	SureSelect Post- Capture Primer	Not available.				
	Mix SureSelect XT HS Index Primer	Not available.				
	A01	Not available				
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.				

**Date of issue**: 06/30/2017 **49/71** 

				sity
$\mathbf{D}$	2	<b>\</b> /^ /	ากก	CITY
NE.	аи	ve i	Jen	SILV

: End Repair-A Tailing Enzyme Mix Not available. End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available. Herculase II Fusion DNA Not available.

Polymerase 5X Herculase II Reaction Buffer Not available. SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available. SureSelect XT HS Blocker Mix Not available.

SureSelect Fast Hybridization Not available. Buffer

SureSelect RNase Block Not available. SureSelect Post- Capture Primer Not available.

SureSelect XT HS Index Primer Not available.

SSEL XT HS and XT Low Input Custom Capture Library

: End Repair-A Tailing Enzyme Mix Soluble in the following materials: cold water and hot water.

Not available.

End Repair-A Tailing Buffer Easily soluble in the following materials: cold water

and hot water. T4 DNA Ligase Soluble in the following materials: cold water and

hot water.

Ligation Buffer Soluble in the following materials: cold water and

hot water. Adaptor Oligo Mix Easily soluble in the following materials: cold water

and hot water. Easily soluble in the following materials: cold water Forward Primer

and hot water.

dNTP Mix Easily soluble in the following materials: cold water and hot water.

Herculase II Fusion DNA Soluble in the following materials: cold water and

Polymerase hot water. 5X Herculase II Reaction Buffer Easily soluble in the following materials: cold water

and hot water. SureSelect Binding Buffer Easily soluble in the following materials: cold water

and hot water. SureSelect Wash Buffer 1

Easily soluble in the following materials: cold water and hot water.

SureSelect Wash Buffer 2 Easily soluble in the following materials: cold water and hot water.

SureSelect XT HS Blocker Mix Easily soluble in the following materials: cold water

and hot water. SureSelect Fast Hybridization Soluble in the following materials: cold water and hot water. Buffer

SureSelect RNase Block Soluble in the following materials: cold water and hot water.

SureSelect Post- Capture Primer Easily soluble in the following materials: cold water and hot water. Mix

SureSelect XT HS Index Primer Easily soluble in the following materials: cold water A01 and hot water.

SSEL XT HS and XT Low Input Easily soluble in the following materials: cold water **Custom Capture Library** and hot water.

**Solubility** 

Date of issue: 06/30/2017 50/71

Partition coefficient:	n-
octanol/water	

: End Repair-A Tailing Enzyme Mix Not available. End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available. Herculase II Fusion DNA Not available. Polymerase Not available. 5X Herculase II Reaction Buffer SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available. SureSelect XT HS Blocker Mix Not available. SureSelect Fast Hybridization Not available. Buffer SureSelect RNase Block Not available. SureSelect Post- Capture Primer Not available. SureSelect XT HS Index Primer Not available.

A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

Not available.

### **Auto-ignition temperature**

End Repair-A Tailing Enzyme Mix Not available. End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available. Herculase II Fusion DNA Not available.

Polymerase

5X Herculase II Reaction Buffer Not available. SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available. SureSelect XT HS Blocker Mix Not available. SureSelect Fast Hybridization Not available.

Buffer

SureSelect RNase Block SureSelect Post- Capture Primer

Not available. Not available.

Mix

SureSelect XT HS Index Primer A01

Not available.

SSEL XT HS and XT Low Input **Custom Capture Library** 

Not available.

### **Decomposition temperature**

End Repair-A Tailing Enzyme Mix Not available. End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available. Herculase II Fusion DNA Not available. Polymerase

5X Herculase II Reaction Buffer Not available. SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available.

Date of issue: 06/30/2017 51/71

SureSelect XT HS Blocker Mix Not available. SureSelect Fast Hybridization Not available.

Buffer

SureSelect RNase Block Not available. SureSelect Post- Capture Primer Not available.

SureSelect XT HS Index Primer Not available.

A01

**Viscosity** 

SSEL XT HS and XT Low Input Not available.

**Custom Capture Library** 

End Repair-A Tailing Enzyme Mix Not available.

End Repair-A Tailing Buffer Not available. T4 DNA Ligase Not available. Ligation Buffer Not available. Adaptor Oligo Mix Not available. Forward Primer Not available. dNTP Mix Not available. Not available.

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer Not available. SureSelect Binding Buffer Not available. SureSelect Wash Buffer 1 Not available. SureSelect Wash Buffer 2 Not available. SureSelect XT HS Blocker Mix Not available. SureSelect Fast Hybridization Not available.

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

Not available.

Not available.

Not available.

Not available.

# Section 10. Stability and reactivity

10.1 Reactivity : End Repair-A Tailing Enzyme Mix No specific test data related to reactivity available for this product or its ingredients.

No specific test data related to reactivity available End Repair-A Tailing Buffer

for this product or its ingredients.

T4 DNA Ligase No specific test data related to reactivity available

for this product or its ingredients.

Ligation Buffer No specific test data related to reactivity available for this product or its ingredients.

Adaptor Oligo Mix No specific test data related to reactivity available

for this product or its ingredients.

Forward Primer No specific test data related to reactivity available

for this product or its ingredients.

dNTP Mix No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available Herculase II Fusion DNA

Polymerase for this product or its ingredients.

5X Herculase II Reaction Buffer No specific test data related to reactivity available

for this product or its ingredients.

SureSelect Binding Buffer No specific test data related to reactivity available

for this product or its ingredients.

SureSelect Wash Buffer 1 No specific test data related to reactivity available

for this product or its ingredients.

SureSelect Wash Buffer 2 No specific test data related to reactivity available

Date of issue: 06/30/2017 52/71 A01

### Section 10. Stability and reactivity

for this product or its ingredients. SureSelect XT HS Blocker Mix

No specific test data related to reactivity available

for this product or its ingredients. No specific test data related to reactivity available SureSelect Fast Hybridization

for this product or its ingredients. Buffer

No specific test data related to reactivity available SureSelect RNase Block

for this product or its ingredients.

SureSelect Post- Capture Primer No specific test data related to reactivity available

for this product or its ingredients.

No specific test data related to reactivity available SureSelect XT HS Index Primer

for this product or its ingredients.

No specific test data related to reactivity available

for this product or its ingredients.

### 10.2 Chemical stability

: End Repair-A Tailing Enzyme Mix

SSEL XT HS and XT Low Input

End Repair-A Tailing Buffer T4 DNA Ligase

**Custom Capture Library** 

Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

The product is stable. The product is stable.

The product is stable. The product is stable. The product is stable.

The product is stable. The product is stable.

The product is stable.

The product is stable. The product is stable. The product is stable. The product is stable.

The product is stable. The product is stable.

The product is stable. The product is stable.

The product is stable.

The product is stable.

#### 10.3 Possibility of hazardous reactions

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer

T4 DNA Ligase

Ligation Buffer

Adaptor Oligo Mix

Forward Primer

dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer

SureSelect Binding Buffer

Under normal conditions of storage and use. hazardous reactions will not occur.

Under normal conditions of storage and use.

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use.

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use.

hazardous reactions will not occur.

Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use.

hazardous reactions will not occur.

06/30/2017 Date of issue: 53/71

### Section 10. Stability and reactivity

SureSelect Wash Buffer 1 Under normal conditions of storage and use, hazardous reactions will not occur.

SureSelect Wash Buffer 2 Under normal conditions of storage and use,

hazardous reactions will not occur.

SureSelect XT HS Blocker Mix Under normal conditions of storage and use,

hazardous reactions will not occur.

Under normal conditions of storage and use, SureSelect Fast Hybridization

Buffer hazardous reactions will not occur.

SureSelect RNase Block Under normal conditions of storage and use.

No specific data.

hazardous reactions will not occur.

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

Under normal conditions of storage and use,

hazardous reactions will not occur. Under normal conditions of storage and use.

hazardous reactions will not occur.

Under normal conditions of storage and use.

hazardous reactions will not occur.

#### 10.4 Conditions to avoid

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

No specific data. No specific data.

No specific data.

### 10.5 Incompatible materials

: End Repair-A Tailing Enzyme Mix

May react or be incompatible with oxidizing

materials.

End Repair-A Tailing Buffer May react or be incompatible with oxidizing

materials.

May react or be incompatible with oxidizing T4 DNA Ligase

materials.

Ligation Buffer May react or be incompatible with oxidizing

materials.

Adaptor Oligo Mix May react or be incompatible with oxidizing

materials.

Forward Primer May react or be incompatible with oxidizing

materials.

dNTP Mix May react or be incompatible with oxidizing

materials.

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer

May react or be incompatible with oxidizing

materials.

May react or be incompatible with oxidizing

materials.

Date of issue: 06/30/2017 54/71

# Section 10. Stability and reactivity

**10.6 Hazardous** 

decomposition products

У	and reactivity	
	SureSelect Binding Buffer	May react or be incompatible with oxidizing
	SureSelect Wash Buffer 1	materials.  May react or be incompatible with oxidizing
	SureSelect Wash Buffer 2	materials.  May react or be incompatible with oxidizing materials.
	SureSelect XT HS Blocker Mix	May react or be incompatible with oxidizing materials.
	SureSelect Fast Hybridization Buffer	May react or be incompatible with oxidizing materials.
	SureSelect RNase Block	May react or be incompatible with oxidizing materials.
	SureSelect Post- Capture Primer Mix	May react or be incompatible with oxidizing materials.
	SureSelect XT HS Index Primer A01	May react or be incompatible with oxidizing materials.
	SSEL XT HS and XT Low Input Custom Capture Library	May react or be incompatible with oxidizing materials.
:	End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	End Repair-A Tailing Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	T4 DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Ligation Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Forward Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	dNTP Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect XT HS Blocker Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	0 0 1 4 5 4 4 4 4 4 4 4 4	i

Under normal conditions of storage and use,

**Date of issue**: 06/30/2017 **55/71** 

SureSelect Fast Hybridization

## Section 10. Stability and reactivity

Buffer hazardous decomposition products should not be produced. SureSelect RNase Block Under normal conditions of storage and use, hazardous decomposition products should not be produced. SureSelect Post- Capture Primer Under normal conditions of storage and use, hazardous decomposition products should not be Mix produced. SureSelect XT HS Index Primer Under normal conditions of storage and use, hazardous decomposition products should not be A01 produced. . Under normal conditions of storage and use, SSEL XT HS and XT Low Input **Custom Capture Library** hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### 11.1 Information on toxicological effects

### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
End Repair-A Tailing				
Enzyme Mix				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
End Repair-A Tailing Buffer				
Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
T4 DNA Ligase				
Glycerol	LD50 Oral	Rat	12600 mg/kg	
Olycerol	LD30 Oral	Ital	12000 Hig/kg	
Ligation Buffer				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II Fusion DNA				
Polymerase				
Glycerol	LD50 Oral	Rat	12600 mg/kg	_
5X Herculase II Reaction Buffer				
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	5000 mg/kg	-
Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
SureSelect Binding Buffer				
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
			0 0	
SureSelect RNase Block				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
SSEL XT HS and XT Low				
Input Custom Capture				
Library				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-

**Irritation/Corrosion** 

**Date of issue:** 06/30/2017 **56/71** 

Product/ingredient name	Result	Species	Score	Exposure	Observation
End Repair-A Tailing					
Enzyme Mix Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
End Repair-A Tailing Buffer Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>T4 DNA Ligase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Ligation Buffer					
Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500	-
Glycerol	Eyes - Mild irritant	Rabbit	-	milligrams 24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Herculase II Fusion DNA Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
5X Herculase II Reaction Buffer					
Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	-	25 Percent 500 milligrams	-
SureSelect Binding Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
	Eyes - Moderate irritant	Rabbit	_	milligrams 10 milligrams	_
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
SureSelect RNase Block Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
				3.3.110	

**Date of issue :** 06/30/2017 **57/71** 

SSEL XT HS and XT Low					
Input Custom Capture					
Library					
Glycerol	Eyes - Mild irritant	Rabbit	_	24 hours 500	-
				milligrams	
	Skin - Mild irritant	Rabbit	-	24 hours 500	-
				milligrams	

### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

### Carcinogenicity

Not available.

#### Reproductive toxicity

Not available.

#### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
End Repair-A Tailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
5X Herculase II Reaction Buffer Trometamol	Category 3	Not applicable.	Respiratory tract irritation
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

Information on the likely routes of exposure

: End Repair-A Tailing Enzyme Mix Routes of entry anticipated: Oral, Dermal,

Inhalation.

End Repair-A Tailing Buffer Routes of entry anticipated: Oral, Dermal,

Inhalation.

T4 DNA Ligase Routes of entry anticipated: Oral, Dermal,

Inhalation.

Ligation Buffer Routes of entry anticipated: Oral, Dermal,

Inhalation.

Inhalation.

Adaptor Oligo Mix
Forward Primer
dNTP Mix
Not available.
Not available.
Not available.

Herculase II Fusion DNA Routes of entry anticipated: Oral, Dermal,

Polymerase

5X Herculase II Reaction Buffer Routes of entry anticipated: Oral, Dermal,

Date of issue: 06/30/2017 58/71

Inhalation. SureSelect Binding Buffer Not available. Not available. SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 Not available. SureSelect XT HS Blocker Mix Not available. SureSelect Fast Hybridization Routes of entry anticipated: Oral, Dermal,

Buffer Inhalation.

SureSelect RNase Block Routes of entry anticipated: Oral, Dermal, Inhalation.

SureSelect Post- Capture Primer Not available. Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input Custom Capture Library

Not available.

Not available.

#### Potential acute health effects

**Eye contact** 

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

SureSelect XT HS Index Primer

Causes eye irritation.

No known significant effects or critical hazards.

Causes eye irritation. Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Causes eye irritation.

No known significant effects or critical hazards. No known significant effects or critical hazards.

Causes eye irritation.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

### Inhalation

Date of issue: 06/30/2017 59/71

_	
m	•
	n

SSEL XT HS and XT Low Input **Custom Capture Library** 

No known significant effects or critical hazards.

#### Skin contact

Ingestion

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase **Ligation Buffer** Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer

T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input **Custom Capture Library** 

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

: End Repair-A Tailing Enzyme Mix Eye contact

Adverse symptoms may include the following:

irritation watering redness

End Repair-A Tailing Buffer

T4 DNA Ligase

No specific data.

Adverse symptoms may include the following:

irritation

06/30/2017 Date of issue: 60/71

watering redness

Ligation Buffer Adverse symptoms may include the following:

> irritation watering redness

Adaptor Oligo Mix No specific data. Forward Primer No specific data. dNTP Mix No specific data.

Herculase II Fusion DNA

Polymerase

Adverse symptoms may include the following:

irritation watering redness

5X Herculase II Reaction Buffer No specific data. SureSelect Binding Buffer No specific data. SureSelect Wash Buffer 1 No specific data. SureSelect Wash Buffer 2 No specific data. SureSelect XT HS Blocker Mix No specific data. SureSelect Fast Hybridization No specific data.

Buffer

SureSelect RNase Block Adverse symptoms may include the following:

> irritation watering redness

SureSelect Post- Capture Primer No specific data.

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input No specific data.

**Custom Capture Library** 

End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. Ligation Buffer Adaptor Oligo Mix

Forward Primer dNTP Mix Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

No specific data.

No specific data.

No specific data. No specific data. No specific data. No specific data. No specific data.

No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

No specific data. No specific data.

No specific data.

No specific data.

Date of issue: 06/30/2017 61/71

Inhalation

**Skin contact** 

Ingestion

: End Repair-A Tailing Enzyme Mix No specific data. End Repair-A Tailing Buffer No specific data. T4 DNA Ligase No specific data. **Ligation Buffer** No specific data. Adaptor Oligo Mix No specific data. Forward Primer No specific data. dNTP Mix No specific data. Herculase II Fusion DNA No specific data.

Polymerase
5X Herculase II Reaction Buffer
SureSelect Binding Buffer
SureSelect Wash Buffer 1
SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization
No specific data.
No specific data.
No specific data.
No specific data.

Buffer

SureSelect RNase Block No specific data. SureSelect Post- Capture Primer No specific data.

Mix

SureSelect XT HS Index Primer No specific data.

A01

SSEL XT HS and XT Low Input No specific data.

No specific data.

**Custom Capture Library** 

: End Repair-A Tailing Enzyme Mix

End Repair-A Tailing Buffer
T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix
Herculase II Fusion DNA
No specific data.

Polymerase

5X Herculase II Reaction Buffer
SureSelect Binding Buffer
SureSelect Wash Buffer 1
SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization

No specific data.

Buffer

SureSelect RNase Block No specific data.
SureSelect Post- Capture Primer No specific data.

Mix

SureSelect XT HS Index Primer No specific data.

A01

SSEL XT HS and XT Low Input No specific data.

**Custom Capture Library** 

#### Delayed and immediate effects and also chronic effects from short and long term exposure

**Short term exposure** 

Potential immediate : Not available.

effects

Potential delayed effects: Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available.

**Date of issue**: 06/30/2017 **62/71** 

#### Potential chronic health effects

**General** 

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

Buffer SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01 SSEL XT HS and XT Low Input

SSEL XT HS and XT Low Input Custom Capture Library

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer

Herculase II Fusion DNA Polymerase

dNTP Mix

Buffer

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization

SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase

Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix

Herculase II Fusion DNA Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

#### Carcinogenicity

### Mutagenicity

Date of issue: 06/30/2017 63/71

SureSelect Wash Buffer 2
SureSelect XT HS Blocker Mix
SureSelect Fast Hybridization
Buffer
SureSelect RNase Block

SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

**Teratogenicity** 

End Repair-A Tailing Enzyme Mix
End Repair-A Tailing Buffer
T4 DNA Ligase
Ligation Buffer
Adaptor Oligo Mix
Forward Primer
dNTP Mix
Herculase II Fusion DNA
Polymerase
5X Herculase II Reaction Buffer
SureSelect Binding Buffer

5X Herculase II Reaction Buffe SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

**Developmental effects** 

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer dNTP Mix Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix SureSelect Fast Hybridization Buffer

SureSelect RNase Block SureSelect Post- Capture Primer Mix

SureSelect XT HS Index Primer A01

SSEL XT HS and XT Low Input Custom Capture Library

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards. No known significant effects or critical hazards.

No known significant effects or critical hazards.

No known significant effects or critical hazards.

**Date of issue:** 06/30/2017 **64/71** 

### **Fertility effects**

: End Repair-A Tailing Enzyme Mix No known significant effects or critical hazards. End Repair-A Tailing Buffer No known significant effects or critical hazards. T4 DNA Ligase No known significant effects or critical hazards. No known significant effects or critical hazards. **Ligation Buffer** Adaptor Oligo Mix No known significant effects or critical hazards. Forward Primer No known significant effects or critical hazards. dNTP Mix No known significant effects or critical hazards. Herculase II Fusion DNA No known significant effects or critical hazards. Polymerase 5X Herculase II Reaction Buffer No known significant effects or critical hazards. SureSelect Binding Buffer No known significant effects or critical hazards. SureSelect Wash Buffer 1 No known significant effects or critical hazards. SureSelect Wash Buffer 2 No known significant effects or critical hazards. SureSelect XT HS Blocker Mix No known significant effects or critical hazards. SureSelect Fast Hybridization No known significant effects or critical hazards. Buffer SureSelect RNase Block No known significant effects or critical hazards. SureSelect Post- Capture Primer No known significant effects or critical hazards. SureSelect XT HS Index Primer No known significant effects or critical hazards. A01 SSEL XT HS and XT Low Input No known significant effects or critical hazards. **Custom Capture Library** 

# Numerical measures of toxicity

### **Acute toxicity estimates**

Route	ATE value
End Repair-A Tailing Buffer Oral	159509.2 mg/kg
5X Herculase II Reaction Buffer Oral	81278.2 mg/kg
SureSelect Binding Buffer Oral	51369.9 mg/kg

# **Section 12. Ecological information**

#### **12.1 Toxicity**

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
End Repair-A Tailing Buffer Potassium chloride	Acute EC50 1337000 μg/l Fresh water Acute EC50 9.24 g/L Fresh water Acute EC50 141460 μg/l Fresh water	Algae - Navicula seminulum Algae - Desmodesmus subspicatus Daphnia - Daphnia magna	96 hours 72 hours 48 hours
	Acute LC50 12.92 mg/l Fresh water Acute LC50 880000 µg/l Fresh water	Crustaceans - Pseudosida ramosa - Neonate Fish - Pimephales promelas	48 hours 96 hours
T4 DNA Ligase			

**Date of issue:** 06/30/2017 **65/71** 

Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer			
Polyethylene glycol	Acute LC50 >1000000 µg/l Fresh water	Fish - Salmo salar - Parr	96 hours
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Glycerol	Acute EC30 34000 mg/m resh water	l isii - Oficorriyrichus fifykiss	90 110015
Herculase II Fusion DNA			
Polymerase			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X Herculase II Reaction Buffer			
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours
Ammonium sulphate	Acute LC50 2.6 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Young	48 hours
	Acute LC50 14000 to 15000 μg/l Fresh water	Daphnia - Daphnia magna - Young	48 hours
	Acute LC50 68 μg/l Fresh water	Fish - Oncorhynchus gorbuscha - Alevin	96 hours
	Chronic NOEC 7.5 mg/l Marine water	Algae - Phaeodactylum tricornutum - Exponential growth phase	96 hours
	Chronic NOEC 143 µg/l Marine water	Fish - Salmo salar - Post-smolt	5 weeks
SureSelect Binding Buffer			
Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1.56 g/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling,	3 weeks
	Observice NOFO O w/l F	Weanling)	00 1-
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
SureSelect RNase Block			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
SSEL XT HS and XT Low			
Input Custom Capture			
Library			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

### 12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
End Repair-A Tailing Buffer Potassium chloride	-	-	Readily
5X Herculase II Reaction Buffer Ammonium sulphate	-	-	Readily

**Date of issue**: 06/30/2017 66/71

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
End Repair-A Tailing Enzyme Mix			
Glycerol	-1.76	-	low
End Repair-A Tailing Buffer Potassium chloride	-0.46	-	low
T4 DNA Ligase Glycerol	-1.76	-	low
Ligation Buffer Polyethylene glycol Glycerol	- -1.76	3.2	low low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate	-1.56 -5.1	- -	low low
SureSelect RNase Block Glycerol	-1.76	-	low
SSEL XT HS and XT Low Input Custom Capture Library			
Glycerol	-1.76		low

**12.4 Mobility in soil** 

Soil/water partition coefficient (Koc)

: Not available.

12.5 Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods

**Disposal methods** 

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

06/30/2017 Date of issue: 67/71 SureSelect XT HS Reagent Kit with indexes 1-16, 16 reactions, Part Number G9704 A-L

# Section 13. Disposal considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

# **Section 14. Transport information**

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do in the

event of an accident or spillage.

Transport in bulk according : Not available.

to Annex II of MARPOL and

the IBC Code

### **Section 15. Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Water Act (CWA) 311: Edetic acid; Potassium hydroxide

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Not listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** (Precursor Chemicals) : Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

**SARA 302/304** 

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

Classification : End Repair-A Tailing Enzyme Mix Immediate (acute) health hazard

End Repair-A Tailing Buffer Not applicable.

T4 DNA Ligase Immediate (acute) health hazard Ligation Buffer Immediate (acute) health hazard

Adaptor Oligo Mix Not applicable. Forward Primer Not applicable. dNTP Mix Not applicable.

Date of issue: 06/30/2017 68/71

# **Section 15. Regulatory information**

Herculase II Fusion DNA

Polymerase

5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS Blocker Mix

SureSelect Fast Hybridization Buffer

SureSelect RNase Block

SureSelect Post- Capture Primer

Mix

SureSelect XT HS Index Primer

A01

SSEL XT HS and XT Low Input

**Custom Capture Library** 

Immediate (acute) health hazard

Not applicable. Not applicable.

Not applicable. Not applicable. Not applicable.

Not applicable.

Immediate (acute) health hazard

Not applicable.

Not applicable.

Not applicable.

### **Composition/information on ingredients**

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
End Repair-A Tailing Enzyme Mix						
Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
End Repair-A Tailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,	≤3	No.	No.	No.	Yes.	No.
3-diol hydrochloride Potassium chloride	≤3	No.	No.	No.	Yes.	No.
T4 DNA Ligase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
Ligation Buffer Polyethylene glycol Glycerol	≥10 - ≤25 ≥10 - ≤25	No. No.	No. No.	No. No.	Yes. Yes.	No. No.
dNTP Mix 2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate) 2'-Deoxyadenosine 5'-(tetrahydrogen	≤3 ≤3	No.	No.	No.	Yes.	No.
triphosphate)  Herculase II Fusion DNA Polymerase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate	≤3 ≤3	Yes. No.	No. No.	No. No.	Yes. Yes.	No. No.
SureSelect Binding Buffer Sodium chloride	<10	No.	No.	No.	Yes.	No.
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1, 3-diol hydrochloride	≤3	No.	No.	No.	Yes.	No.

**Date of issue:** 06/30/2017 **69/71** 

SureSelect XT HS Reagent Kit with indexes 1-16, 16 reactions, Part Number G9704 A-L

# Section 15. Regulatory information

SureSelect RNase Block Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	≤3	No.	No.	No.	Yes.	No.

#### **SARA 313**

	Product name	CAS number	%
Form R - Reporting requirements	5X Herculase II Reaction Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	5X Herculase II Reaction Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### **State regulations**

Massachusetts : The following components are listed: GLYCERINE MIST

**New York**: None of the components are listed.

New Jersey : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL

Pennsylvania: The following components are listed: 1,2,3-PROPANETRIOL

Not available.

### **International regulations**

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

### Montreal Protocol (Annexes A, B, C, E)

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

### **Inventory list**

Australia : Not determined.
Canada : Not determined.
China : Not determined.
Europe : Not determined.

Japan : Japan inventory (ENCS): Not determined.

Japan inventory (ISHL): Not determined.

Malaysia : Not determined.

New Zealand : Not determined.

Philippines : Not determined.

Republic of Korea : Not determined.

Taiwan : Not determined.

Thailand : Not determined.

Turkey : Not determined.

**Date of issue:** 06/30/2017 **70/71** 

SureSelect XT HS Reagent Kit with indexes 1-16, 16 reactions, Part Number G9704 A-L

### Section 15. Regulatory information

United States : Not determined.
Viet Nam : Not determined.

### Section 16. Other information

**History** 

**Date of issue** : 06/30/2017

Date of previous issue : No previous validation.

Version : 1

▼ Indicates information that has changed from previously issued version.

Note \*

: SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn 5500-0138

A kit containing: End Repair-A Tailing Enzyme Mix; End Repair-A Tailing Buffer; T4 DNA Ligase;
Ligation Buffer; Adaptor Oligo Mix; Forward Primer; dNTP Mix; Herculase II Fusion DNA
Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 16 Rxn 5190-9685

A kit containing: SureSelect Binding Buffer; SureSelect Wash Buffer 1; SureSelect Wash Buffer 2

SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn 5190-9684

A kit containing: SureSelect XT HS Blocker Mix; SureSelect Fast Hybridization Buffer; SureSelect RNase Block; SureSelect Post- Capture Primer Mix; dNTP Mix; Herculase II Fusion DNA Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT HS Index Primers 1-16 for ILM (Pre PCR) 5500-0141 A kit containing: SureSelect XT HS Index Primer A01

#### **Notice to reader**

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Date of issue**: 06/30/2017 **71/71**