

SAFETY DATA SHEET

SureSelect XT HS Reagent Kit, index 17-32 + Human All Exon V7 Plus 2 Target Enrichment Baits,
16 rxn, Part Number G9705Q

Section 1. Identification

| | |
|--------------------------------|--|
| Product identifier | : SureSelect XT HS Reagent Kit, index 17-32 + Human All Exon V7 Plus 2 Target Enrichment Baits, 16 rxn, Part Number G9705Q |
| Part no. (chemical kit) | : G9705Q |
| Part no. | : <u>SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn</u> 5500-0138 |
| | End Repair-A Tailing Enzyme Mix 5190-6412 |
| | End Repair-A Tailing Buffer 5190-6413 |
| | T4 DNA Ligase 5190-6414 |
| | Ligation Buffer 5190-6415 |
| | Adaptor Oligo Mix 5190-6416 |
| | Forward Primer 5190-6417 |
| | <u>SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn / SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn</u> 5500-0138 / 5190-9684 |
| | 100 mM dNTP Mix (25 mM each dNTP) 5190-6418 |
| | Herculase II Fusion DNA Polymerase 5190-7742 |
| | 5X Herculase II Reaction Buffer 600675-52 |
| | <u>SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 16 Rxn</u> 5190-9685 |
| | SureSelect Binding Buffer 5190-4399 |
| | SureSelect Wash Buffer 1 5190-4400 |
| | SureSelect Wash Buffer 2 5190-4401 |
| | <u>SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn</u> 5190-9684 |
| | SureSelect XT HS and XT Low Input Blocker Mix 5190-9683 |
| | SureSelect Fast Hybridization Buffer 5190-7327 |
| | SureSelect RNase Block 5190-4383 |
| | SureSelect Post- Capture Primer Mix 5190-9730 |
| | <u>SureSelect XT HS Index Primers 17-32 for ILM (Pre PCR)</u> 5500-0142 |
| | SureSelect XT HS Index Primer A03-H04 Various* |
| | SSEL XT HS and XT Low Input Custom Capture Library 5190-9949 / 5190-9951 / 5190-9953 |
| | <u>SSEL XT HS Human All Exon V7 Plus 2, 16 Reactions</u> 5191-4052 |
| | SSEL XT HS Human All Exon V7 Plus 2 5191-4052 |
| Material uses | : Analytical reagent. For Research Use Only. Not for use in diagnostic procedures. |
| | End Repair-A Tailing Enzyme Mix 0.064 ml (16 reactions) |
| | End Repair-A Tailing Buffer 0.256 ml (16 reactions) |
| | T4 DNA Ligase 0.032 ml (16 reactions) |
| | Ligation Buffer 0.368 ml (16 reactions) |
| | Adaptor Oligo Mix 0.08 ml (16 reactions) |
| | Forward Primer 0.032 ml (16 reactions) |
| | 100 mM dNTP Mix (25 mM each dNTP) 0.008 ml (16 reactions) |
| | Herculase II Fusion DNA Polymerase 0.016 ml (16 reactions) |
| | 5X Herculase II Reaction Buffer 1.5 ml |
| | SureSelect Binding Buffer 13.2 ml |
| | SureSelect Wash Buffer 1 8 ml |
| | SureSelect Wash Buffer 2 24 ml |
| | SureSelect XT HS and XT Low Input Blocker Mix 0.08 ml (16 reactions) |

Section 1. Identification

| | |
|--|--------------------------------|
| SureSelect Fast Hybridization Buffer | 0.45 ml |
| SureSelect RNase Block | 0.016 ml |
| SureSelect Post- Capture Primer Mix | 0.016 ml (16 reactions) |
| SureSelect XT HS Index Primer A03-H04 | 16 x 0.01 ml (16 reactions) |
| SSEL XT HS and XT Low Input Custom Capture Library | 0.032 - 0.08 ml (16 reactions) |
| SSEL XT HS Human All Exon V7 Plus 2 | 0.08 ml (16 reactions) |

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

Emergency telephone number (with hours of operation) : CHEMTREC®: 1-800-424-9300

Note * : *SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755

Section 2. Hazard identification

Classification of the substance or mixture

End Repair-A Tailing

Enzyme Mix

H320

EYE IRRITATION - Category 2B

T4 DNA Ligase

H320

EYE IRRITATION - Category 2B

Ligation Buffer

H320

EYE IRRITATION - Category 2B

Herculase II Fusion DNA

Polymerase

H320

EYE IRRITATION - Category 2B

SureSelect RNase Block

H320

EYE IRRITATION - Category 2B

GHS label elements

Signal word

| | |
|---|-----------------|
| End Repair-A Tailing Enzyme Mix | Warning |
| End Repair-A Tailing Buffer | No signal word. |
| T4 DNA Ligase | Warning |
| Ligation Buffer | Warning |
| Adaptor Oligo Mix | No signal word. |
| Forward Primer | No signal word. |
| 100 mM dNTP Mix (25 mM each dNTP) | No signal word. |
| Herculase II Fusion DNA Polymerase | Warning |
| 5X Herculase II Reaction Buffer | No signal word. |
| SureSelect Binding Buffer | No signal word. |
| SureSelect Wash Buffer 1 | No signal word. |
| SureSelect Wash Buffer 2 | No signal word. |
| SureSelect XT HS and XT Low Input Blocker Mix | No signal word. |
| SureSelect Fast | No signal word. |

Section 2. Hazard identification

| | | |
|--------------------------|---|---|
| | Hybridization Buffer | |
| | SureSelect RNase Block | Warning |
| | SureSelect Post- Capture Primer Mix | No signal word. |
| | SureSelect XT HS Index Primer A03-H04 | No signal word. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No signal word. |
| | SSel XT HS Human All Exon V7 Plus 2 | No signal word. |
| Hazard statements | : End Repair-A Tailing Enzyme Mix | H320 - Causes eye irritation. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | H320 - Causes eye irritation. |
| | Ligation Buffer | H320 - Causes eye irritation. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | H320 - Causes eye irritation. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | H320 - Causes eye irritation. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSel XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Precautionary statements

Prevention

| | |
|--|-----------------|
| : End Repair-A Tailing Enzyme Mix | Not applicable. |
| End Repair-A Tailing Buffer | Not applicable. |
| T4 DNA Ligase | Not applicable. |
| Ligation Buffer | Not applicable. |
| Adaptor Oligo Mix | Not applicable. |
| Forward Primer | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP) | Not applicable. |
| Herculase II Fusion DNA Polymerase | Not applicable. |
| 5X Herculase II Reaction Buffer | Not applicable. |
| SureSelect Binding Buffer | Not applicable. |
| SureSelect Wash Buffer 1 | Not applicable. |
| SureSelect Wash Buffer 2 | Not applicable. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| SureSelect Fast Hybridization Buffer | Not applicable. |

Section 2. Hazard identification

| | | |
|-----------------|---|---|
| | SureSelect RNase Block | Not applicable. |
| | SureSelect Post- Capture Primer Mix | Not applicable. |
| | SureSelect XT HS Index Primer A03-H04 | Not applicable. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not applicable. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not applicable. |
| Response | : End Repair-A Tailing Enzyme Mix | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| | End Repair-A Tailing Buffer T4 DNA Ligase | Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| | Ligation Buffer | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| | Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) | Not applicable. Not applicable. Not applicable. |
| | Herculase II Fusion DNA Polymerase | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| | 5X Herculase II Reaction Buffer | Not applicable. |
| | SureSelect Binding Buffer | Not applicable. |
| | SureSelect Wash Buffer 1 | Not applicable. |
| | SureSelect Wash Buffer 2 | Not applicable. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| | SureSelect Fast Hybridization Buffer | Not applicable. |
| | SureSelect RNase Block | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| | SureSelect Post- Capture Primer Mix | Not applicable. |
| | SureSelect XT HS Index Primer A03-H04 | Not applicable. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not applicable. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not applicable. |

Section 2. Hazard identification

| | | |
|--|--|-----------------------------------|
| Storage | : End Repair-A Tailing Enzyme Mix | Not applicable. |
| | End Repair-A Tailing Buffer | Not applicable. |
| | T4 DNA Ligase | Not applicable. |
| | Ligation Buffer | Not applicable. |
| | Adaptor Oligo Mix | Not applicable. |
| | Forward Primer | Not applicable. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not applicable. |
| | Herculase II Fusion DNA Polymerase | Not applicable. |
| | 5X Herculase II Reaction Buffer | Not applicable. |
| | SureSelect Binding Buffer | Not applicable. |
| | SureSelect Wash Buffer 1 | Not applicable. |
| | SureSelect Wash Buffer 2 | Not applicable. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| | SureSelect Fast Hybridization Buffer | Not applicable. |
| | SureSelect RNase Block | Not applicable. |
| | SureSelect Post- Capture Primer Mix | Not applicable. |
| | SureSelect XT HS Index Primer A03-H04 | Not applicable. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not applicable. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not applicable. |
| | Disposal | : End Repair-A Tailing Enzyme Mix |
| End Repair-A Tailing Buffer | | Not applicable. |
| T4 DNA Ligase | | Not applicable. |
| Ligation Buffer | | Not applicable. |
| Adaptor Oligo Mix | | Not applicable. |
| Forward Primer | | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP) | | Not applicable. |
| Herculase II Fusion DNA Polymerase | | Not applicable. |
| 5X Herculase II Reaction Buffer | | Not applicable. |
| SureSelect Binding Buffer | | Not applicable. |
| SureSelect Wash Buffer 1 | | Not applicable. |
| SureSelect Wash Buffer 2 | | Not applicable. |
| SureSelect XT HS and XT Low Input Blocker Mix | | Not applicable. |
| SureSelect Fast Hybridization Buffer | | Not applicable. |
| SureSelect RNase Block | | Not applicable. |
| SureSelect Post- Capture Primer Mix | | Not applicable. |
| SureSelect XT HS Index Primer A03-H04 | | Not applicable. |
| SSEL XT HS and XT Low Input Custom Capture Library | | Not applicable. |
| SSEL XT HS Human All Exon V7 Plus 2 | | Not applicable. |

Section 2. Hazard identification

| | | | |
|--|---------------------------------------|--|---|
| Supplemental label elements | : | End Repair-A Tailing Enzyme Mix | None known. |
| | | End Repair-A Tailing Buffer | None known. |
| | | T4 DNA Ligase | None known. |
| | | Ligation Buffer | None known. |
| | | Adaptor Oligo Mix | None known. |
| | | Forward Primer | None known. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | None known. |
| | | Herculase II Fusion DNA Polymerase | None known. |
| | | 5X Herculase II Reaction Buffer | None known. |
| | | SureSelect Binding Buffer | None known. |
| | | SureSelect Wash Buffer 1 | None known. |
| | | SureSelect Wash Buffer 2 | None known. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | None known. |
| | | SureSelect Fast Hybridization Buffer | None known. |
| | | SureSelect RNase Block | None known. |
| | | SureSelect Post- Capture Primer Mix | None known. |
| | | SureSelect XT HS Index Primer A03-H04 | None known. |
| | | SSEL XT HS and XT Low Input Custom Capture Library | None known. |
| | | SSEL XT HS Human All Exon V7 Plus 2 | None known. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.3% |
| | SureSelect Fast Hybridization Buffer | Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 31.3% | |
| Other hazards which do not result in classification | : | End Repair-A Tailing Enzyme Mix | None known. |
| | | End Repair-A Tailing Buffer | None known. |
| | | T4 DNA Ligase | None known. |
| | | Ligation Buffer | None known. |
| | | Adaptor Oligo Mix | None known. |
| | | Forward Primer | None known. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | None known. |
| | | Herculase II Fusion DNA Polymerase | None known. |
| | | 5X Herculase II Reaction Buffer | None known. |
| | | SureSelect Binding Buffer | None known. |
| | | SureSelect Wash Buffer 1 | None known. |
| | | SureSelect Wash Buffer 2 | None known. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | None known. |
| | | SureSelect Fast Hybridization Buffer | None known. |
| | | SureSelect RNase Block | None known. |
| | SureSelect Post- Capture Primer Mix | None known. | |
| | SureSelect XT HS Index Primer A03-H04 | None known. | |
| | SSEL XT HS and XT Low | None known. | |

Section 2. Hazard identification

Input Custom Capture Library
 SSeI XT HS Human All Exon None known.
 V7 Plus 2

Section 3. Composition/information on ingredients

| | | | |
|--------------------------|---|--|---------|
| Substance/mixture | : | End Repair-A Tailing Enzyme Mix | Mixture |
| | | End Repair-A Tailing Buffer | Mixture |
| | | T4 DNA Ligase | Mixture |
| | | Ligation Buffer | Mixture |
| | | Adaptor Oligo Mix | Mixture |
| | | Forward Primer | Mixture |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Mixture |
| | | Herculase II Fusion DNA Polymerase | Mixture |
| | | 5X Herculase II Reaction Buffer | Mixture |
| | | SureSelect Binding Buffer | Mixture |
| | | SureSelect Wash Buffer 1 | Mixture |
| | | SureSelect Wash Buffer 2 | Mixture |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Mixture |
| | | SureSelect Fast Hybridization Buffer | Mixture |
| | | SureSelect RNase Block | Mixture |
| | | SureSelect Post- Capture Primer Mix | Mixture |
| | | SureSelect XT HS Index Primer A03-H04 | Mixture |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Mixture |
| | | SSeI XT HS Human All Exon V7 Plus 2 | Mixture |

| Ingredient name | % (w/w) | CAS number |
|--|-------------------------------|-----------------------------------|
| End Repair-A Tailing Enzyme Mix Glycerol | 30 - 60 | 56-81-5 |
| End Repair-A Tailing Buffer Potassium chloride | 1 - 5 | 7447-40-7 |
| T4 DNA Ligase Glycerol | 30 - 60 | 56-81-5 |
| Ligation Buffer Polyethylene glycol Glycerol | 10 - 30 10 - 30 | 25322-68-3 56-81-5 |
| Herculase II Fusion DNA Polymerase Glycerol | 30 - 60 | 56-81-5 |
| 5X Herculase II Reaction Buffer Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated | 1 - 5 0.5 - 1.5 0.1 - 1 | 77-86-1 7783-20-2 9004-95-9 |
| SureSelect Binding Buffer Sodium chloride | 3 - 7 | 7647-14-5 |

Section 3. Composition/information on ingredients

| | | |
|---|---------|----------|
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | <0.1 | 151-21-3 |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | <0.1 | 151-21-3 |
| SureSelect RNase Block Glycerol | 30 - 60 | 56-81-5 |
| SSEL XT HS and XT Low Input Custom Capture Library Glycerol | 1 - 5 | 56-81-5 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

| | | |
|--------------------|------------------------------------|---|
| Eye contact | : End Repair-A Tailing Enzyme Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | End Repair-A Tailing Buffer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | T4 DNA Ligase | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | Ligation Buffer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | Adaptor Oligo Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Forward Primer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | Herculase II Fusion DNA Polymerase | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | 5X Herculase II Reaction Buffer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect Binding Buffer | Immediately flush eyes with plenty of water, |

Section 4. First-aid measures

| | | |
|-------------------|--|--|
| | | occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect Wash Buffer 1 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect Wash Buffer 2 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect Fast Hybridization Buffer | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect RNase Block | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| | SureSelect Post- Capture Primer Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SureSelect XT HS Index Primer A03-H04 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| | SSel XT HS Human All Exon V7 Plus 2 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs. |
| Inhalation | : End Repair-A Tailing Enzyme Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| | End Repair-A Tailing Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| | T4 DNA Ligase | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained |

Section 4. First-aid measures

| | |
|---|--|
| | personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Ligation Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Adaptor Oligo Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Forward Primer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| 100 mM dNTP Mix (25 mM each dNTP) | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Herculase II Fusion DNA Polymerase | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| 5X Herculase II Reaction Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| SureSelect Binding Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect Wash Buffer 1 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect Wash Buffer 2 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect XT HS and XT Low Input Blocker Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| SureSelect Fast Hybridization Buffer | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical |

Section 4. First-aid measures

| | | |
|---------------------|--|--|
| | | attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| | SureSelect RNase Block | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| | SureSelect Post- Capture Primer Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | SureSelect XT HS Index Primer A03-H04 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| | SSel XT HS Human All Exon V7 Plus 2 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. |
| Skin contact | : End Repair-A Tailing Enzyme Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | End Repair-A Tailing Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | T4 DNA Ligase | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | Ligation Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | Adaptor Oligo Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Forward Primer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | Herculase II Fusion DNA Polymerase | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| | 5X Herculase II Reaction Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| | SureSelect Binding Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |

Section 4. First-aid measures

| | |
|--|---|
| SureSelect Wash Buffer 1 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SureSelect Wash Buffer 2 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SureSelect XT HS and XT Low Input Blocker Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SureSelect Fast Hybridization Buffer | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SureSelect RNase Block | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
| SureSelect Post- Capture Primer Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SureSelect XT HS Index Primer A03-H04 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SSEL XT HS and XT Low Input Custom Capture Library | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| SSel XT HS Human All Exon V7 Plus 2 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. |
| Ingestion : End Repair-A Tailing Enzyme Mix | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| End Repair-A Tailing Buffer | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| T4 DNA Ligase | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if |

Section 4. First-aid measures

| | |
|------------------------------------|---|
| Ligation Buffer | <p>adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> |
| Adaptor Oligo Mix | <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> |
| Forward Primer | <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> |
| 100 mM dNTP Mix (25 mM each dNTP) | <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> |
| Herculase II Fusion DNA Polymerase | <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> |
| 5X Herculase II Reaction Buffer | <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for</p> |

Section 4. First-aid measures

| | |
|---|---|
| | breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect Binding Buffer | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect Wash Buffer 1 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect Wash Buffer 2 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect XT HS and XT Low Input Blocker Mix | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect Fast Hybridization Buffer | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect RNase Block | Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| SureSelect Post- Capture Primer Mix | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless |

Section 4. First-aid measures

| | |
|--|---|
| SureSelect XT HS Index Primer A03-H04 | directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SSEL XT HS and XT Low Input Custom Capture Library | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SSel XT HS Human All Exon V7 Plus 2 | Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

| | |
|--|---|
| : End Repair-A Tailing Enzyme Mix | Causes eye irritation. |
| End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| T4 DNA Ligase | Causes eye irritation. |
| Ligation Buffer | Causes eye irritation. |
| Adaptor Oligo Mix | No known significant effects or critical hazards. |
| Forward Primer | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | Causes eye irritation. |
| 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| SureSelect Binding Buffer | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| SureSelect RNase Block | Causes eye irritation. |
| SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| SSel XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Section 4. First-aid measures

| | | |
|--|--|---|
| Inhalation | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| | Skin contact | : End Repair-A Tailing Enzyme Mix |
| End Repair-A Tailing Buffer | | No known significant effects or critical hazards. |
| T4 DNA Ligase | | No known significant effects or critical hazards. |
| Ligation Buffer | | No known significant effects or critical hazards. |
| Adaptor Oligo Mix | | No known significant effects or critical hazards. |
| Forward Primer | | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP) | | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | | No known significant effects or critical hazards. |
| 5X Herculase II Reaction Buffer | | No known significant effects or critical hazards. |
| SureSelect Binding Buffer | | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1 | | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2 | | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer | | No known significant effects or critical hazards. |
| SureSelect RNase Block | | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix | | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04 | | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library | | No known significant effects or critical hazards. |
| SSEL XT HS Human All Exon V7 Plus 2 | | No known significant effects or critical hazards. |

Section 4. First-aid measures

| | | |
|------------------|--|---|
| Ingestion | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Over-exposure signs/symptoms

| | | |
|--------------------|---|--|
| Eye contact | : End Repair-A Tailing Enzyme Mix | Adverse symptoms may include the following: irritation watering redness |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | Adverse symptoms may include the following: irritation watering redness |
| | Ligation Buffer | Adverse symptoms may include the following: irritation watering redness |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | Adverse symptoms may include the following: irritation watering redness |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |

Section 4. First-aid measures

| | | |
|---------------------|--|--|
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | Adverse symptoms may include the following: irritation watering redness |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No specific data. |
| Inhalation | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No specific data. |
| Skin contact | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |

Section 4. First-aid measures

| | | |
|------------------|--|-------------------|
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSel XT HS Human All Exon V7 Plus 2 | No specific data. |
| Ingestion | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSel XT HS Human All Exon V7 Plus 2 | No specific data. |

Indication of immediate medical attention and special treatment needed, if necessary

| | | |
|---------------------------|-----------------------------------|---|
| Notes to physician | : End Repair-A Tailing Enzyme Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | End Repair-A Tailing Buffer | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| | T4 DNA Ligase | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | Ligation Buffer | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | Adaptor Oligo Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| | Forward Primer | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been |

Section 4. First-aid measures

| | |
|--|---|
| 100 mM dNTP Mix (25 mM each dNTP) | ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Herculase II Fusion DNA Polymerase | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| 5X Herculase II Reaction Buffer | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| SureSelect Binding Buffer | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect Wash Buffer 1 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect Wash Buffer 2 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect XT HS and XT Low Input Blocker Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect Fast Hybridization Buffer | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| SureSelect RNase Block | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect Post- Capture Primer Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SureSelect XT HS Index Primer A03-H04 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SSEL XT HS and XT Low Input Custom Capture Library | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| SSel XT HS Human All Exon V7 Plus 2 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Specific treatments | |
| : End Repair-A Tailing Enzyme Mix | No specific treatment. |
| End Repair-A Tailing Buffer | No specific treatment. |
| T4 DNA Ligase | No specific treatment. |
| Ligation Buffer | No specific treatment. |
| Adaptor Oligo Mix | No specific treatment. |
| Forward Primer | No specific treatment. |
| 100 mM dNTP Mix (25 mM each dNTP) | No specific treatment. |
| Herculase II Fusion DNA Polymerase | No specific treatment. |
| 5X Herculase II Reaction Buffer | No specific treatment. |
| SureSelect Binding Buffer | No specific treatment. |
| SureSelect Wash Buffer 1 | No specific treatment. |
| SureSelect Wash Buffer 2 | No specific treatment. |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific treatment. |

Section 4. First-aid measures

| | | |
|-----------------------------------|--|--|
| | SureSelect Fast Hybridization Buffer | No specific treatment. |
| | SureSelect RNase Block | No specific treatment. |
| | SureSelect Post- Capture Primer Mix | No specific treatment. |
| | SureSelect XT HS Index Primer A03-H04 | No specific treatment. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific treatment. |
| | SSel XT HS Human All Exon V7 Plus 2 | No specific treatment. |
| Protection of first-aiders | : End Repair-A Tailing Enzyme Mix | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | End Repair-A Tailing Buffer | No action shall be taken involving any personal risk or without suitable training. |
| | T4 DNA Ligase | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | Ligation Buffer | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | Adaptor Oligo Mix | No action shall be taken involving any personal risk or without suitable training. |
| | Forward Primer | No action shall be taken involving any personal risk or without suitable training. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No action shall be taken involving any personal risk or without suitable training. |
| | Herculase II Fusion DNA Polymerase | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | 5X Herculase II Reaction Buffer | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect Binding Buffer | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect Wash Buffer 1 | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect Wash Buffer 2 | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect Fast Hybridization Buffer | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect RNase Block | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| | SureSelect Post- Capture Primer Mix | No action shall be taken involving any personal risk or without suitable training. |
| | SureSelect XT HS Index Primer A03-H04 | No action shall be taken involving any personal risk or without suitable training. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No action shall be taken involving any personal risk or without suitable training. |
| | SSel XT HS Human All Exon V7 Plus 2 | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

| | | | |
|-------------------------------------|---------------------------------------|--|---|
| Suitable extinguishing media | : | End Repair-A Tailing Enzyme Mix | Use an extinguishing agent suitable for the surrounding fire. |
| | | End Repair-A Tailing Buffer | Use an extinguishing agent suitable for the surrounding fire. |
| | | T4 DNA Ligase | Use an extinguishing agent suitable for the surrounding fire. |
| | | Ligation Buffer | Use an extinguishing agent suitable for the surrounding fire. |
| | | Adaptor Oligo Mix | Use an extinguishing agent suitable for the surrounding fire. |
| | | Forward Primer | Use an extinguishing agent suitable for the surrounding fire. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Use an extinguishing agent suitable for the surrounding fire. |
| | | Herculase II Fusion DNA Polymerase | Use an extinguishing agent suitable for the surrounding fire. |
| | | 5X Herculase II Reaction Buffer | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect Binding Buffer | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect Wash Buffer 1 | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect Wash Buffer 2 | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect Fast Hybridization Buffer | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect RNase Block | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect Post- Capture Primer Mix | Use an extinguishing agent suitable for the surrounding fire. |
| | | SureSelect XT HS Index Primer A03-H04 | Use an extinguishing agent suitable for the surrounding fire. |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Use an extinguishing agent suitable for the surrounding fire. |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Use an extinguishing agent suitable for the surrounding fire. |
| | Unsuitable extinguishing media | : | End Repair-A Tailing Enzyme Mix |
| | | End Repair-A Tailing Buffer | None known. |
| | | T4 DNA Ligase | None known. |
| | | Ligation Buffer | None known. |
| | | Adaptor Oligo Mix | None known. |
| | | Forward Primer | None known. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | None known. |
| | | Herculase II Fusion DNA Polymerase | None known. |
| | | 5X Herculase II Reaction Buffer | None known. |
| | | SureSelect Binding Buffer | None known. |
| | | SureSelect Wash Buffer 1 | None known. |
| | | SureSelect Wash Buffer 2 | None known. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | None known. |
| | | SureSelect Fast Hybridization Buffer | None known. |
| | | SureSelect RNase Block | None known. |

Section 5. Fire-fighting measures

| | | |
|---|--|--|
| | SureSelect Post- Capture Primer Mix | None known. |
| | SureSelect XT HS Index Primer A03-H04 | None known. |
| | SSEL XT HS and XT Low Input Custom Capture Library | None known. |
| | Ssel XT HS Human All Exon V7 Plus 2 | None known. |
| Specific hazards arising from the chemical | : End Repair-A Tailing Enzyme Mix | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | End Repair-A Tailing Buffer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | T4 DNA Ligase | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Ligation Buffer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Adaptor Oligo Mix | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Forward Primer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | 100 mM dNTP Mix (25 mM each dNTP) | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Herculase II Fusion DNA Polymerase | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | 5X Herculase II Reaction Buffer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect Binding Buffer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect Wash Buffer 1 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect Wash Buffer 2 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect XT HS and XT Low Input Blocker Mix | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect Fast Hybridization Buffer | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect RNase Block | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect Post- Capture Primer Mix | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SureSelect XT HS Index Primer A03-H04 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | SSEL XT HS and XT Low Input Custom Capture Library | In a fire or if heated, a pressure increase will occur and the container may burst. |
| | Ssel XT HS Human All Exon V7 Plus 2 | In a fire or if heated, a pressure increase will occur and the container may burst. |
| Hazardous thermal decomposition products | : End Repair-A Tailing Enzyme Mix | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| | End Repair-A Tailing Buffer | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides |
| | T4 DNA Ligase | Decomposition products may include the following materials: carbon dioxide |

Section 5. Fire-fighting measures

| | |
|---|---|
| Ligation Buffer | carbon monoxide Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| Adaptor Oligo Mix | No specific data. |
| Forward Primer | No specific data. |
| 100 mM dNTP Mix (25 mM each dNTP) | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides |
| Herculase II Fusion DNA Polymerase | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| 5X Herculase II Reaction Buffer | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides |
| SureSelect Binding Buffer | Decomposition products may include the following materials: halogenated compounds metal oxide/oxides |
| SureSelect Wash Buffer 1 | No specific data. |
| SureSelect Wash Buffer 2 | No specific data. |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| SureSelect Fast Hybridization Buffer | Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides |
| SureSelect RNase Block | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| SureSelect Post- Capture Primer Mix | No specific data. |
| SureSelect XT HS Index Primer A03-H04 | No specific data. |
| SSEL XT HS and XT Low Input Custom Capture Library | Decomposition products may include the following materials: carbon dioxide carbon monoxide |
| SSel XT HS Human All Exon V7 Plus 2 | No specific data. |
| Special protective actions for fire-fighters | |
| : End Repair-A Tailing Enzyme Mix | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| End Repair-A Tailing Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or |

Section 5. Fire-fighting measures

| | |
|---|--|
| T4 DNA Ligase | without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Ligation Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Adaptor Oligo Mix | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Forward Primer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| 100 mM dNTP Mix (25 mM each dNTP) | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Herculase II Fusion DNA Polymerase | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| 5X Herculase II Reaction Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Binding Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Wash Buffer 1 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Wash Buffer 2 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect XT HS and XT Low Input Blocker Mix | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Fast Hybridization Buffer | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect RNase Block | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Post- Capture Primer Mix | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect XT HS Index Primer A03-H04 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |

Section 5. Fire-fighting measures

| | | |
|---|--|---|
| | SSEL XT HS and XT Low Input Custom Capture Library | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Special protective equipment for fire-fighters | : End Repair-A Tailing Enzyme Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | End Repair-A Tailing Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | T4 DNA Ligase | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Ligation Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Adaptor Oligo Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Forward Primer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | Herculase II Fusion DNA Polymerase | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | 5X Herculase II Reaction Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | SureSelect Binding Buffer | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | SureSelect Wash Buffer 1 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | SureSelect Wash Buffer 2 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| | SureSelect Fast | Fire-fighters should wear appropriate protective |

Section 5. Fire-fighting measures

| | |
|--|---|
| Hybridization Buffer | equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect RNase Block | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Post- Capture Primer Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect XT HS Index Primer A03-H04 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SSEL XT HS and XT Low Input Custom Capture Library | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SSel XT HS Human All Exon V7 Plus 2 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

| | |
|-----------------------------------|--|
| : End Repair-A Tailing Enzyme Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| End Repair-A Tailing Buffer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| T4 DNA Ligase | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| Ligation Buffer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| Adaptor Oligo Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk |

Section 6. Accidental release measures

| | |
|---|--|
| Forward Primer | through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| 100 mM dNTP Mix (25 mM each dNTP) | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| Herculase II Fusion DNA Polymerase | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| 5X Herculase II Reaction Buffer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect Binding Buffer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect Wash Buffer 1 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect Wash Buffer 2 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect XT HS and XT Low Input Blocker Mix | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect Fast Hybridization Buffer | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect RNase Block | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected |

Section 6. Accidental release measures

| | |
|---|--|
| SureSelect Post- Capture Primer Mix | personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SureSelect XT HS Index Primer A03-H04 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SSEL XT HS and XT Low Input Custom Capture Library | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| SSel XT HS Human All Exon V7 Plus 2 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| For emergency responders : End Repair-A Tailing Enzyme Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| End Repair-A Tailing Buffer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| T4 DNA Ligase | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Ligation Buffer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Adaptor Oligo Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Forward Primer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 100 mM dNTP Mix (25 mM each dNTP) | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Herculase II Fusion DNA Polymerase | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

Section 6. Accidental release measures

| | |
|--|---|
| 5X Herculase II Reaction Buffer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Binding Buffer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Wash Buffer 1 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Wash Buffer 2 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect XT HS and XT Low Input Blocker Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Fast Hybridization Buffer | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect RNase Block | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Post- Capture Primer Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect XT HS Index Primer A03-H04 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SSEL XT HS and XT Low Input Custom Capture Library | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SSel XT HS Human All Exon V7 Plus 2 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

| | | |
|----------------------------------|-----------------------------------|---|
| Environmental precautions | : End Repair-A Tailing Enzyme Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | End Repair-A Tailing Buffer | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | T4 DNA Ligase | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| | Ligation Buffer | Avoid dispersal of spilled material and runoff and |

Section 6. Accidental release measures

| | |
|---|---|
| | contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Adaptor Oligo Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Forward Primer | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 100 mM dNTP Mix (25 mM each dNTP) | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Herculase II Fusion DNA Polymerase | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| 5X Herculase II Reaction Buffer | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Binding Buffer | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Wash Buffer 1 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Wash Buffer 2 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS and XT Low Input Blocker Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Fast Hybridization Buffer | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect RNase Block | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Post- Capture Primer Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. |

Section 6. Accidental release measures

| | |
|--|---|
| | Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS Index Primer A03-H04 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SSEL XT HS and XT Low Input Custom Capture Library | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SSel XT HS Human All Exon V7 Plus 2 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

Methods and materials for containment and cleaning up

| | | | |
|--------------------------------|---|-----------------------------------|---|
| Methods for cleaning up | : | End Repair-A Tailing Enzyme Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | End Repair-A Tailing Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | T4 DNA Ligase | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | Ligation Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | Adaptor Oligo Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | Forward Primer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. |

Section 6. Accidental release measures

| | |
|---|---|
| Herculase II Fusion DNA Polymerase | disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| 5X Herculase II Reaction Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Binding Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Wash Buffer 1 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Wash Buffer 2 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect XT HS and XT Low Input Blocker Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Fast Hybridization Buffer | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect RNase Block | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Post- Capture Primer Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect XT HS Index Primer A03-H04 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 6. Accidental release measures

| | |
|---|---|
| SSEL XT HS and XT Low Input Custom Capture Library | disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SSel XT HS Human All Exon V7 Plus 2 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

Section 7. Handling and storage

Precautions for safe handling

Protective measures

| | |
|---------------------------------------|---|
| End Repair-A Tailing Enzyme Mix | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| End Repair-A Tailing Buffer | Put on appropriate personal protective equipment (see Section 8). |
| T4 DNA Ligase | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Ligation Buffer | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Adaptor Oligo Mix | Put on appropriate personal protective equipment (see Section 8). |
| Forward Primer | Put on appropriate personal protective equipment (see Section 8). |
| 100 mM dNTP Mix (25 mM each dNTP) | Put on appropriate personal protective equipment (see Section 8). |
| Herculase II Fusion DNA Polymerase | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| 5X Herculase II Reaction Buffer | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect Binding Buffer | Put on appropriate personal protective equipment (see Section 8). |

Section 7. Handling and storage

| | |
|--|---|
| SureSelect Wash Buffer 1 | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect Wash Buffer 2 | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect XT HS and XT Low Input Blocker Mix | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect Fast Hybridization Buffer | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect RNase Block | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| SureSelect Post- Capture Primer Mix | Put on appropriate personal protective equipment (see Section 8). |
| SureSelect XT HS Index Primer A03-H04 | Put on appropriate personal protective equipment (see Section 8). |
| SSEL XT HS and XT Low Input Custom Capture Library | Put on appropriate personal protective equipment (see Section 8). |
| SSel XT HS Human All Exon V7 Plus 2 | Put on appropriate personal protective equipment (see Section 8). |
| : End Repair-A Tailing Enzyme Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| End Repair-A Tailing Buffer | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| T4 DNA Ligase | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Ligation Buffer | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Adaptor Oligo Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Forward Primer | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and |

Advice on general occupational hygiene

Section 7. Handling and storage

100 mM dNTP Mix (25 mM each dNTP)

processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Herculase II Fusion DNA Polymerase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

5X Herculase II Reaction Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect Binding Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect Wash Buffer 1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect Wash Buffer 2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect XT HS and XT Low Input Blocker Mix

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SureSelect Fast Hybridization Buffer

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

| | |
|--|---|
| SureSelect RNase Block | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Post- Capture Primer Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect XT HS Index Primer A03-H04 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SSEL XT HS and XT Low Input Custom Capture Library | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SSel XT HS Human All Exon V7 Plus 2 | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

Conditions for safe storage, including any incompatibilities : End Repair-A Tailing Enzyme Mix

| | |
|-----------------------------|--|
| End Repair-A Tailing Buffer | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| T4 DNA Ligase | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from |

Section 7. Handling and storage

| | |
|------------------------------------|---|
| Ligation Buffer | incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| Adaptor Oligo Mix | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| Forward Primer | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| 100 mM dNTP Mix (25 mM each dNTP) | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| Herculase II Fusion DNA Polymerase | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid |

Section 7. Handling and storage

5X Herculase II Reaction Buffer

environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Binding Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Wash Buffer 1

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Wash Buffer 2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect XT HS and XT Low Input Blocker Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Fast Hybridization Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and

Section 7. Handling and storage

| | |
|--|--|
| SureSelect RNase Block | <p>drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect Post- Capture Primer Mix | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SureSelect XT HS Index Primer A03-H04 | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SSEL XT HS and XT Low Input Custom Capture Library | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> |
| SSel XT HS Human All Exon V7 Plus 2 | <p>Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 48 months. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid</p> |

Section 7. Handling and storage

environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

[Control parameters](#)

[Occupational exposure limits](#)

| Ingredient name | Exposure limits |
|---|--|
| End Repair-A Tailing Enzyme Mix Glycerol | CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist |
| T4 DNA Ligase Glycerol | CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist |
| Ligation Buffer Polyethylene glycol Glycerol | AIHA WEEL (United States, 7/2018). TWA: 10 mg/m ³ 8 hours. CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist |
| Herculase II Fusion DNA Polymerase Glycerol | CA Alberta Provincial (Canada, 6/2018). |

Section 8. Exposure controls/personal protection

| | |
|--|--|
| | <p>8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p> |
| <p>SureSelect RNase Block Glycerol</p> | <p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p> |
| <p>SSEL XT HS and XT Low Input Custom Capture Library Glycerol</p> | <p>CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m³ 15 minutes. Form: mist TWA: 10 mg/m³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2020). TWA: 3 mg/m³ 8 hours. Form: respirable mist TWA: 10 mg/m³ 8 hours. Form: total mist</p> |

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

| | | |
|-----------------------|--|---------|
| Physical state | : End Repair-A Tailing Enzyme Mix | Liquid. |
| | End Repair-A Tailing Buffer | Liquid. |
| | T4 DNA Ligase | Liquid. |
| | Ligation Buffer | Liquid. |
| | Adaptor Oligo Mix | Liquid. |
| | Forward Primer | Liquid. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Liquid. |
| | Herculase II Fusion DNA Polymerase | Liquid. |
| | 5X Herculase II Reaction Buffer | Liquid. |
| | SureSelect Binding Buffer | Liquid. |
| | SureSelect Wash Buffer 1 | Liquid. |
| | SureSelect Wash Buffer 2 | Liquid. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Liquid. |
| | SureSelect Fast Hybridization Buffer | Liquid. |
| | SureSelect RNase Block | Liquid. |
| | SureSelect Post- Capture Primer Mix | Liquid. |
| | SureSelect XT HS Index Primer A03-H04 | Liquid. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Liquid. |
| | SSel XT HS Human All Exon V7 Plus 2 | Liquid. |

Section 9. Physical and chemical properties

| | | | |
|--|--|-----------------------------------|----------------|
| Color | : End Repair-A Tailing Enzyme Mix | Not available. | |
| | End Repair-A Tailing Buffer | Not available. | |
| | T4 DNA Ligase | Not available. | |
| | Ligation Buffer | Not available. | |
| | Adaptor Oligo Mix | Not available. | |
| | Forward Primer | Not available. | |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | Herculase II Fusion DNA Polymerase | Not available. | |
| | 5X Herculase II Reaction Buffer | Not available. | |
| | SureSelect Binding Buffer | Not available. | |
| | SureSelect Wash Buffer 1 | Not available. | |
| | SureSelect Wash Buffer 2 | Not available. | |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | SureSelect Fast Hybridization Buffer | Not available. | |
| | SureSelect RNase Block | Not available. | |
| | SureSelect Post- Capture Primer Mix | Not available. | |
| | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |
| | Odor | : End Repair-A Tailing Enzyme Mix | Not available. |
| | | End Repair-A Tailing Buffer | Not available. |
| | | T4 DNA Ligase | Not available. |
| | | Ligation Buffer | Not available. |
| Adaptor Oligo Mix | | Not available. | |
| Forward Primer | | Not available. | |
| 100 mM dNTP Mix (25 mM each dNTP) | | Not available. | |
| Herculase II Fusion DNA Polymerase | | Not available. | |
| 5X Herculase II Reaction Buffer | | Not available. | |
| SureSelect Binding Buffer | | Not available. | |
| SureSelect Wash Buffer 1 | | Not available. | |
| SureSelect Wash Buffer 2 | | Not available. | |
| SureSelect XT HS and XT Low Input Blocker Mix | | Not available. | |
| SureSelect Fast Hybridization Buffer | | Not available. | |
| SureSelect RNase Block | | Not available. | |
| SureSelect Post- Capture Primer Mix | | Not available. | |
| SureSelect XT HS Index Primer A03-H04 | | Not available. | |
| SSEL XT HS and XT Low Input Custom Capture Library | | Not available. | |
| SSEL XT HS Human All Exon V7 Plus 2 | | Not available. | |

Section 9. Physical and chemical properties

| | | | | |
|-----------------------|-----------|--|------------------------------------|-----|
| Odor threshold | : | End Repair-A Tailing Enzyme Mix | Not available. | |
| | | End Repair-A Tailing Buffer | Not available. | |
| | | T4 DNA Ligase | Not available. | |
| | | Ligation Buffer | Not available. | |
| | | Adaptor Oligo Mix | Not available. | |
| | | Forward Primer | Not available. | |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | | Herculase II Fusion DNA Polymerase | Not available. | |
| | | 5X Herculase II Reaction Buffer | Not available. | |
| | | SureSelect Binding Buffer | Not available. | |
| | | SureSelect Wash Buffer 1 | Not available. | |
| | | SureSelect Wash Buffer 2 | Not available. | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | | SureSelect Fast Hybridization Buffer | Not available. | |
| | | SureSelect RNase Block | Not available. | |
| | | SureSelect Post- Capture Primer Mix | Not available. | |
| | | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |
| | pH | : | End Repair-A Tailing Enzyme Mix | 6.5 |
| | | | End Repair-A Tailing Buffer | 8 |
| | | | T4 DNA Ligase | 7.5 |
| | | | Ligation Buffer | 8 |
| | | | Adaptor Oligo Mix | 7.5 |
| | | | Forward Primer | 7.5 |
| | | | 100 mM dNTP Mix (25 mM each dNTP) | 7.5 |
| | | | Herculase II Fusion DNA Polymerase | 8.2 |
| | | 5X Herculase II Reaction Buffer | 9.5 to 10.5 | |
| | | SureSelect Binding Buffer | 7.5 | |
| | | SureSelect Wash Buffer 1 | 7 | |
| | | SureSelect Wash Buffer 2 | 7 | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | 7.5 | |
| | | SureSelect Fast Hybridization Buffer | Not available. | |
| | | SureSelect RNase Block | 7.6 | |
| | | SureSelect Post- Capture Primer Mix | 7.5 | |
| | | SureSelect XT HS Index Primer A03-H04 | 7.5 | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |

Section 9. Physical and chemical properties

| | | | |
|--|--|-----------------------------------|----------------|
| Melting point | : End Repair-A Tailing Enzyme Mix | Not available. | |
| | End Repair-A Tailing Buffer | 0°C (32°F) | |
| | T4 DNA Ligase | Not available. | |
| | Ligation Buffer | Not available. | |
| | Adaptor Oligo Mix | 0°C (32°F) | |
| | Forward Primer | 0°C (32°F) | |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | Herculase II Fusion DNA Polymerase | Not available. | |
| | 5X Herculase II Reaction Buffer | Not available. | |
| | SureSelect Binding Buffer | Not available. | |
| | SureSelect Wash Buffer 1 | 0°C (32°F) | |
| | SureSelect Wash Buffer 2 | 0°C (32°F) | |
| | SureSelect XT HS and XT | 0°C (32°F) | |
| | Low Input Blocker Mix | | |
| | SureSelect Fast Hybridization Buffer | Not available. | |
| | SureSelect RNase Block | Not available. | |
| | SureSelect Post- Capture Primer Mix | 0°C (32°F) | |
| | SureSelect XT HS Index Primer A03-H04 | 0°C (32°F) | |
| | SSEL XT HS and XT Low Input Custom Capture Library | 0°C (32°F) | |
| | SSEL XT HS Human All Exon V7 Plus 2 | 0°C (32°F) | |
| | Boiling point | : End Repair-A Tailing Enzyme Mix | Not available. |
| | | End Repair-A Tailing Buffer | 100°C (212°F) |
| | | T4 DNA Ligase | Not available. |
| Ligation Buffer | | Not available. | |
| Adaptor Oligo Mix | | 100°C (212°F) | |
| Forward Primer | | 100°C (212°F) | |
| 100 mM dNTP Mix (25 mM each dNTP) | | Not available. | |
| Herculase II Fusion DNA Polymerase | | Not available. | |
| 5X Herculase II Reaction Buffer | | Not available. | |
| SureSelect Binding Buffer | | Not available. | |
| SureSelect Wash Buffer 1 | | 100°C (212°F) | |
| SureSelect Wash Buffer 2 | | 100°C (212°F) | |
| SureSelect XT HS and XT | | 100°C (212°F) | |
| Low Input Blocker Mix | | | |
| SureSelect Fast Hybridization Buffer | | Not available. | |
| SureSelect RNase Block | | Not available. | |
| SureSelect Post- Capture Primer Mix | | 100°C (212°F) | |
| SureSelect XT HS Index Primer A03-H04 | | 100°C (212°F) | |
| SSEL XT HS and XT Low Input Custom Capture Library | | 100°C (212°F) | |
| SSEL XT HS Human All Exon V7 Plus 2 | | 100°C (212°F) | |

Section 9. Physical and chemical properties

| | | | |
|--|--|-----------------------------------|----------------|
| Flash point | : End Repair-A Tailing Enzyme Mix | Not available. | |
| | End Repair-A Tailing Buffer | Not available. | |
| | T4 DNA Ligase | Not available. | |
| | Ligation Buffer | Not available. | |
| | Adaptor Oligo Mix | Not available. | |
| | Forward Primer | Not available. | |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | Herculase II Fusion DNA Polymerase | Not available. | |
| | 5X Herculase II Reaction Buffer | Not available. | |
| | SureSelect Binding Buffer | Not available. | |
| | SureSelect Wash Buffer 1 | Not available. | |
| | SureSelect Wash Buffer 2 | Not available. | |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | SureSelect Fast Hybridization Buffer | Not available. | |
| | SureSelect RNase Block | Not available. | |
| | SureSelect Post- Capture Primer Mix | Not available. | |
| | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |
| | Evaporation rate | : End Repair-A Tailing Enzyme Mix | Not available. |
| | | End Repair-A Tailing Buffer | Not available. |
| | | T4 DNA Ligase | Not available. |
| | | Ligation Buffer | Not available. |
| | | Adaptor Oligo Mix | Not available. |
| | | Forward Primer | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP) | | Not available. | |
| Herculase II Fusion DNA Polymerase | | Not available. | |
| 5X Herculase II Reaction Buffer | | Not available. | |
| SureSelect Binding Buffer | | Not available. | |
| SureSelect Wash Buffer 1 | | Not available. | |
| SureSelect Wash Buffer 2 | | Not available. | |
| SureSelect XT HS and XT Low Input Blocker Mix | | Not available. | |
| SureSelect Fast Hybridization Buffer | | Not available. | |
| SureSelect RNase Block | | Not available. | |
| SureSelect Post- Capture Primer Mix | | Not available. | |
| SureSelect XT HS Index Primer A03-H04 | | Not available. | |
| SSEL XT HS and XT Low Input Custom Capture Library | | Not available. | |
| SSEL XT HS Human All Exon V7 Plus 2 | | Not available. | |

Section 9. Physical and chemical properties

| | | | | |
|----------------------------------|---|--|---------------------------------|----------------|
| Flammability (solid, gas) | : | End Repair-A Tailing Enzyme Mix | Not applicable. | |
| | | End Repair-A Tailing Buffer | Not applicable. | |
| | | T4 DNA Ligase | Not applicable. | |
| | | Ligation Buffer | Not applicable. | |
| | | Adaptor Oligo Mix | Not applicable. | |
| | | Forward Primer | Not applicable. | |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not applicable. | |
| | | Herculase II Fusion DNA Polymerase | Not applicable. | |
| | | 5X Herculase II Reaction Buffer | Not applicable. | |
| | | SureSelect Binding Buffer | Not applicable. | |
| | | SureSelect Wash Buffer 1 | Not applicable. | |
| | | SureSelect Wash Buffer 2 | Not applicable. | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. | |
| | | SureSelect Fast Hybridization Buffer | Not applicable. | |
| | | SureSelect RNase Block | Not applicable. | |
| | | SureSelect Post- Capture Primer Mix | Not applicable. | |
| | | SureSelect XT HS Index Primer A03-H04 | Not applicable. | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not applicable. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not applicable. | |
| | Lower and upper explosive (flammable) limits | : | End Repair-A Tailing Enzyme Mix | Not available. |
| | | | End Repair-A Tailing Buffer | Not available. |
| | | | T4 DNA Ligase | Not available. |
| | | | Ligation Buffer | Not available. |
| | | Adaptor Oligo Mix | Not available. | |
| | | Forward Primer | Not available. | |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | | Herculase II Fusion DNA Polymerase | Not available. | |
| | | 5X Herculase II Reaction Buffer | Not available. | |
| | | SureSelect Binding Buffer | Not available. | |
| | | SureSelect Wash Buffer 1 | Not available. | |
| | | SureSelect Wash Buffer 2 | Not available. | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | | SureSelect Fast Hybridization Buffer | Not available. | |
| | | SureSelect RNase Block | Not available. | |
| | | SureSelect Post- Capture Primer Mix | Not available. | |
| | | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |

Section 9. Physical and chemical properties

| | | | | |
|-----------------------|----------------------|--|---------------------------------|----------------|
| Vapor pressure | : | End Repair-A Tailing Enzyme Mix | Not available. | |
| | | End Repair-A Tailing Buffer | Not available. | |
| | | T4 DNA Ligase | Not available. | |
| | | Ligation Buffer | Not available. | |
| | | Adaptor Oligo Mix | Not available. | |
| | | Forward Primer | Not available. | |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | | Herculase II Fusion DNA Polymerase | Not available. | |
| | | 5X Herculase II Reaction Buffer | Not available. | |
| | | SureSelect Binding Buffer | Not available. | |
| | | SureSelect Wash Buffer 1 | Not available. | |
| | | SureSelect Wash Buffer 2 | Not available. | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | | SureSelect Fast Hybridization Buffer | Not available. | |
| | | SureSelect RNase Block | Not available. | |
| | | SureSelect Post- Capture Primer Mix | Not available. | |
| | | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |
| | Vapor density | : | End Repair-A Tailing Enzyme Mix | Not available. |
| | | | End Repair-A Tailing Buffer | Not available. |
| | | | T4 DNA Ligase | Not available. |
| | | | Ligation Buffer | Not available. |
| | | Adaptor Oligo Mix | Not available. | |
| | | Forward Primer | Not available. | |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not available. | |
| | | Herculase II Fusion DNA Polymerase | Not available. | |
| | | 5X Herculase II Reaction Buffer | Not available. | |
| | | SureSelect Binding Buffer | Not available. | |
| | | SureSelect Wash Buffer 1 | Not available. | |
| | | SureSelect Wash Buffer 2 | Not available. | |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not available. | |
| | | SureSelect Fast Hybridization Buffer | Not available. | |
| | | SureSelect RNase Block | Not available. | |
| | | SureSelect Post- Capture Primer Mix | Not available. | |
| | | SureSelect XT HS Index Primer A03-H04 | Not available. | |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. | |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. | |

Section 9. Physical and chemical properties

| | | | |
|-------------------------|-------------------|--|--|
| Relative density | : | End Repair-A Tailing Enzyme Mix | Not available. |
| | | End Repair-A Tailing Buffer | Not available. |
| | | T4 DNA Ligase | Not available. |
| | | Ligation Buffer | Not available. |
| | | Adaptor Oligo Mix | Not available. |
| | | Forward Primer | Not available. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| | | Herculase II Fusion DNA Polymerase | Not available. |
| | | 5X Herculase II Reaction Buffer | Not available. |
| | | SureSelect Binding Buffer | Not available. |
| | | SureSelect Wash Buffer 1 | Not available. |
| | | SureSelect Wash Buffer 2 | Not available. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| | | SureSelect Fast Hybridization Buffer | Not available. |
| | | SureSelect RNase Block | Not available. |
| | | SureSelect Post- Capture Primer Mix | Not available. |
| | | SureSelect XT HS Index Primer A03-H04 | Not available. |
| | | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| | | SSEL XT HS Human All Exon V7 Plus 2 | Not available. |
| | Solubility | : | End Repair-A Tailing Enzyme Mix |
| | | End Repair-A Tailing Buffer | Easily soluble in the following materials: cold water and hot water. |
| | | T4 DNA Ligase | Soluble in the following materials: cold water and hot water. |
| | | Ligation Buffer | Soluble in the following materials: cold water and hot water. |
| | | Adaptor Oligo Mix | Easily soluble in the following materials: cold water and hot water. |
| | | Forward Primer | Easily soluble in the following materials: cold water and hot water. |
| | | 100 mM dNTP Mix (25 mM each dNTP) | Easily soluble in the following materials: cold water and hot water. |
| | | Herculase II Fusion DNA Polymerase | Soluble in the following materials: cold water and hot water. |
| | | 5X Herculase II Reaction Buffer | Easily soluble in the following materials: cold water and hot water. |
| | | SureSelect Binding Buffer | Easily soluble in the following materials: cold water and hot water. |
| | | SureSelect Wash Buffer 1 | Easily soluble in the following materials: cold water and hot water. |
| | | SureSelect Wash Buffer 2 | Easily soluble in the following materials: cold water and hot water. |
| | | SureSelect XT HS and XT Low Input Blocker Mix | Easily soluble in the following materials: cold water and hot water. |
| | | SureSelect Fast Hybridization Buffer | Soluble in the following materials: cold water and hot water. |
| | | SureSelect RNase Block | Soluble in the following materials: cold water and hot water. |
| | | SureSelect Post- Capture Primer Mix | Easily soluble in the following materials: cold water and hot water. |

Section 9. Physical and chemical properties

| | | |
|---|--|--|
| | SureSelect XT HS Index Primer A03-H04 | Easily soluble in the following materials: cold water and hot water. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Easily soluble in the following materials: cold water and hot water. |
| | SSel XT HS Human All Exon V7 Plus 2 | Easily soluble in the following materials: cold water and hot water. |
| Partition coefficient: n-octanol/water | : End Repair-A Tailing Enzyme Mix | Not available. |
| | End Repair-A Tailing Buffer | Not available. |
| | T4 DNA Ligase | Not available. |
| | Ligation Buffer | Not available. |
| | Adaptor Oligo Mix | Not available. |
| | Forward Primer | Not available. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| | Herculase II Fusion DNA Polymerase | Not available. |
| | 5X Herculase II Reaction Buffer | Not available. |
| | SureSelect Binding Buffer | Not available. |
| | SureSelect Wash Buffer 1 | Not available. |
| | SureSelect Wash Buffer 2 | Not available. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| | SureSelect Fast Hybridization Buffer | Not available. |
| | SureSelect RNase Block | Not available. |
| | SureSelect Post- Capture Primer Mix | Not available. |
| | SureSelect XT HS Index Primer A03-H04 | Not available. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| | SSel XT HS Human All Exon V7 Plus 2 | Not available. |
| Auto-ignition temperature | : End Repair-A Tailing Enzyme Mix | Not available. |
| | End Repair-A Tailing Buffer | Not available. |
| | T4 DNA Ligase | Not available. |
| | Ligation Buffer | Not available. |
| | Adaptor Oligo Mix | Not available. |
| | Forward Primer | Not available. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| | Herculase II Fusion DNA Polymerase | Not available. |
| | 5X Herculase II Reaction Buffer | Not available. |
| | SureSelect Binding Buffer | Not available. |
| | SureSelect Wash Buffer 1 | Not available. |
| | SureSelect Wash Buffer 2 | Not available. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| | SureSelect Fast Hybridization Buffer | Not available. |
| | SureSelect RNase Block | Not available. |
| | SureSelect Post- Capture Primer Mix | Not available. |
| | SureSelect XT HS Index Primer A03-H04 | Not available. |
| | SSEL XT HS and XT Low | Not available. |

Section 9. Physical and chemical properties

| | | |
|----------------------------------|--|----------------|
| | Input Custom Capture Library | |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not available. |
| Decomposition temperature | End Repair-A Tailing Enzyme Mix | Not available. |
| | End Repair-A Tailing Buffer | Not available. |
| | T4 DNA Ligase | Not available. |
| | Ligation Buffer | Not available. |
| | Adaptor Oligo Mix | Not available. |
| | Forward Primer | Not available. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| | Herculase II Fusion DNA Polymerase | Not available. |
| | 5X Herculase II Reaction Buffer | Not available. |
| | SureSelect Binding Buffer | Not available. |
| | SureSelect Wash Buffer 1 | Not available. |
| | SureSelect Wash Buffer 2 | Not available. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| | SureSelect Fast Hybridization Buffer | Not available. |
| | SureSelect RNase Block | Not available. |
| | SureSelect Post- Capture Primer Mix | Not available. |
| | SureSelect XT HS Index Primer A03-H04 | Not available. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not available. |
| Viscosity | End Repair-A Tailing Enzyme Mix | Not available. |
| | End Repair-A Tailing Buffer | Not available. |
| | T4 DNA Ligase | Not available. |
| | Ligation Buffer | Not available. |
| | Adaptor Oligo Mix | Not available. |
| | Forward Primer | Not available. |
| | 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| | Herculase II Fusion DNA Polymerase | Not available. |
| | 5X Herculase II Reaction Buffer | Not available. |
| | SureSelect Binding Buffer | Not available. |
| | SureSelect Wash Buffer 1 | Not available. |
| | SureSelect Wash Buffer 2 | Not available. |
| | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| | SureSelect Fast Hybridization Buffer | Not available. |
| | SureSelect RNase Block | Not available. |
| | SureSelect Post- Capture Primer Mix | Not available. |
| | SureSelect XT HS Index Primer A03-H04 | Not available. |
| | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| | SSEL XT HS Human All Exon V7 Plus 2 | Not available. |

Section 10. Stability and reactivity

| | | |
|---|------------------------------|---|
| | Primer Mix | The product is stable. |
| | SureSelect XT HS Index | |
| | Primer A03-H04 | |
| | SSEL XT HS and XT Low | The product is stable. |
| | Input Custom Capture Library | |
| | SSEL XT HS Human All Exon | The product may not be stable under certain |
| | V7 Plus 2 | conditions of storage or use. See "Possibility of |
| | | Hazardous Reactions" for further information. |
| Possibility of hazardous reactions | : End Repair-A Tailing | Under normal conditions of storage and use, |
| | Enzyme Mix | hazardous reactions will not occur. |
| | End Repair-A Tailing Buffer | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | T4 DNA Ligase | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | Ligation Buffer | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | Adaptor Oligo Mix | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | Forward Primer | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | 100 mM dNTP Mix (25 mM | Under normal conditions of storage and use, |
| | each dNTP) | hazardous reactions will not occur. |
| | Herculase II Fusion DNA | Under normal conditions of storage and use, |
| | Polymerase | hazardous reactions will not occur. |
| | 5X Herculase II Reaction | Under normal conditions of storage and use, |
| | Buffer | hazardous reactions will not occur. |
| | SureSelect Binding Buffer | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | SureSelect Wash Buffer 1 | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | SureSelect Wash Buffer 2 | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | SureSelect XT HS and XT | Under normal conditions of storage and use, |
| | Low Input Blocker Mix | hazardous reactions will not occur. |
| | SureSelect Fast | Under normal conditions of storage and use, |
| | Hybridization Buffer | hazardous reactions will not occur. |
| | SureSelect RNase Block | Under normal conditions of storage and use, |
| | | hazardous reactions will not occur. |
| | SureSelect Post- Capture | Under normal conditions of storage and use, |
| | Primer Mix | hazardous reactions will not occur. |
| | SureSelect XT HS Index | Under normal conditions of storage and use, |
| | Primer A03-H04 | hazardous reactions will not occur. |
| | SSEL XT HS and XT Low | Under normal conditions of storage and use, |
| | Input Custom Capture Library | hazardous reactions will not occur. |
| | SSEL XT HS Human All Exon | Under normal conditions of storage and use, |
| | V7 Plus 2 | hazardous reactions will not occur. |
| Conditions to avoid | : End Repair-A Tailing | No specific data. |
| | Enzyme Mix | |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM | No specific data. |
| | each dNTP) | |
| | Herculase II Fusion DNA | No specific data. |
| | Polymerase | |
| | 5X Herculase II Reaction | No specific data. |

Section 10. Stability and reactivity

| | |
|------------------------------|-------------------|
| Buffer | |
| SureSelect Binding Buffer | No specific data. |
| SureSelect Wash Buffer 1 | No specific data. |
| SureSelect Wash Buffer 2 | No specific data. |
| SureSelect XT HS and XT | No specific data. |
| Low Input Blocker Mix | |
| SureSelect Fast | No specific data. |
| Hybridization Buffer | |
| SureSelect RNase Block | No specific data. |
| SureSelect Post- Capture | No specific data. |
| Primer Mix | |
| SureSelect XT HS Index | No specific data. |
| Primer A03-H04 | |
| SSEL XT HS and XT Low | No specific data. |
| Input Custom Capture Library | |
| Ssel XT HS Human All Exon | No specific data. |
| V7 Plus 2 | |

| | | |
|-------------------------------|--|--|
| Incompatible materials | : End Repair-A Tailing Enzyme Mix | May react or be incompatible with oxidizing materials. |
| | End Repair-A Tailing Buffer | May react or be incompatible with oxidizing materials. |
| | T4 DNA Ligase | May react or be incompatible with oxidizing materials. |
| | Ligation Buffer | May react or be incompatible with oxidizing materials. |
| | Adaptor Oligo Mix | May react or be incompatible with oxidizing materials. |
| | Forward Primer | May react or be incompatible with oxidizing materials. |
| | 100 mM dNTP Mix (25 mM each dNTP) | May react or be incompatible with oxidizing materials. |
| | Herculase II Fusion DNA Polymerase | May react or be incompatible with oxidizing materials. |
| | 5X Herculase II Reaction Buffer | May react or be incompatible with oxidizing materials. |
| | SureSelect Binding Buffer | May react or be incompatible with oxidizing materials. |
| | SureSelect Wash Buffer 1 | May react or be incompatible with oxidizing materials. |
| | SureSelect Wash Buffer 2 | May react or be incompatible with oxidizing materials. |
| | SureSelect XT HS and XT | May react or be incompatible with oxidizing materials. |
| | Low Input Blocker Mix | |
| | SureSelect Fast | May react or be incompatible with oxidizing materials. |
| | Hybridization Buffer | |
| | SureSelect RNase Block | May react or be incompatible with oxidizing materials. |
| | SureSelect Post- Capture Primer Mix | May react or be incompatible with oxidizing materials. |
| | SureSelect XT HS Index | May react or be incompatible with oxidizing materials. |
| | Primer A03-H04 | |
| SSEL XT HS and XT Low | May react or be incompatible with oxidizing materials. | |
| Input Custom Capture Library | | |
| Ssel XT HS Human All Exon | May react or be incompatible with oxidizing materials. | |
| V7 Plus 2 | | |

| | | |
|---|-----------------------------------|--|
| Hazardous decomposition products | : End Repair-A Tailing Enzyme Mix | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | End Repair-A Tailing Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | T4 DNA Ligase | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| | Ligation Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 10. Stability and reactivity

| | |
|--|--|
| Adaptor Oligo Mix | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Forward Primer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| 100 mM dNTP Mix (25 mM each dNTP) | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Herculase II Fusion DNA Polymerase | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| 5X Herculase II Reaction Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Binding Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Wash Buffer 1 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Wash Buffer 2 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect XT HS and XT Low Input Blocker Mix | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Fast Hybridization Buffer | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect RNase Block | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Post- Capture Primer Mix | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect XT HS Index Primer A03-H04 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SSEL XT HS and XT Low Input Custom Capture Library | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SSel XT HS Human All Exon V7 Plus 2 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11. Toxicological information

[Information on toxicological effects](#)

[Acute toxicity](#)

| Product/ingredient name | Result | Species | Dose | Exposure |
|---|-----------|---------|-------------|----------|
| End Repair-A Tailing Enzyme Mix Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| End Repair-A Tailing Buffer Potassium chloride | LD50 Oral | Rat | 2600 mg/kg | - |
| T4 DNA Ligase | | | | |

Section 11. Toxicological information

| | | | | |
|---|-------------|-----|-------------|---|
| Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Ligation Buffer Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| Herculase II Fusion DNA Polymerase Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| 5X Herculase II Reaction Buffer Trometamol | LD50 Dermal | Rat | >5000 mg/kg | - |
| Ammonium sulphate | LD50 Oral | Rat | 2840 mg/kg | - |
| Hexadecan-1-ol, ethoxylated | LD50 Oral | Rat | 2500 mg/kg | - |
| SureSelect Binding Buffer Sodium chloride | LD50 Oral | Rat | 3000 mg/kg | - |
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | LD50 Oral | Rat | 1288 mg/kg | - |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | LD50 Oral | Rat | 1288 mg/kg | - |
| SureSelect RNase Block Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |
| SSEL XT HS and XT Low Input Custom Capture Library Glycerol | LD50 Oral | Rat | 12600 mg/kg | - |

Irritation/Corrosion

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--|----------------------|---------|-------|-----------------|-------------|
| End Repair-A Tailing Enzyme Mix Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| End Repair-A Tailing Buffer Potassium chloride | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| T4 DNA Ligase Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Ligation Buffer Polyethylene glycol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Eyes - Mild irritant | Rabbit | - | 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| Glycerol | Skin - Mild irritant | Rabbit | - | 500 mg | - |
| | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |

Section 11. Toxicological information

| | | | | | |
|---|--------------------------|------------|---|--------------------------|---|
| Herculase II Fusion DNA Polymerase Glycerol | Skin - Mild irritant | Rabbit | - | mg 24 hours 500 mg | - |
| | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| 5X Herculase II Reaction Buffer Trometamol | Skin - Moderate irritant | Rabbit | - | 25 % | - |
| | Skin - Severe irritant | Rabbit | - | 500 mg | - |
| SureSelect Binding Buffer Sodium chloride | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Moderate irritant | Rabbit | - | 10 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | Eyes - Mild irritant | Rabbit | - | 250 ug | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Moderate irritant | Rabbit | - | 10 mg | - |
| | Skin - Mild irritant | Guinea pig | - | 24 hours 25 mg | - |
| | Skin - Moderate irritant | Mouse | - | 24 hours 25 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 50 mg | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 25 mg | - |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | Eyes - Mild irritant | Rabbit | - | 250 ug | - |
| | Eyes - Moderate irritant | Rabbit | - | 24 hours 100 mg | - |
| | Eyes - Moderate irritant | Rabbit | - | 10 mg | - |
| | Skin - Mild irritant | Guinea pig | - | 24 hours 25 mg | - |
| | Skin - Moderate irritant | Mouse | - | 24 hours 25 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 50 mg | - |
| | Skin - Moderate irritant | Rabbit | - | 24 hours 25 mg | - |
| SureSelect RNase Block Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| | Skin - Mild irritant | Rabbit | - | 24 hours 500 mg | - |
| SSEL XT HS and XT Low Input Custom Capture Library Glycerol | Eyes - Mild irritant | Rabbit | - | 24 hours 500 | - |

Section 11. Toxicological information

| | | | | | |
|--|----------------------|--------|---|--------------------------|---|
| | Skin - Mild irritant | Rabbit | - | mg 24 hours 500 mg | - |
|--|----------------------|--------|---|--------------------------|---|

Sensitization

Not available.

Mutagenicity**Conclusion/Summary** : Not available.**Carcinogenicity****Conclusion/Summary** : Not available.**Reproductive toxicity****Conclusion/Summary** : Not available.**Teratogenicity****Conclusion/Summary** : Not available.**Specific target organ toxicity (single exposure)**

| Name | Category | Route of exposure | Target organs |
|--|------------|-------------------|------------------------------|
| 5X Herculase II Reaction Buffer Trometamol | Category 3 | - | Respiratory tract irritation |
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | Category 3 | - | Respiratory tract irritation |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | Category 3 | - | Respiratory tract irritation |

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

| | |
|---|--|
| End Repair-A Tailing Enzyme Mix | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| End Repair-A Tailing Buffer | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| T4 DNA Ligase | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| Ligation Buffer | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| Adaptor Oligo Mix | Not available. |
| Forward Primer | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| Herculase II Fusion DNA Polymerase | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| 5X Herculase II Reaction Buffer | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| SureSelect Binding Buffer | Not available. |
| SureSelect Wash Buffer 1 | Not available. |
| SureSelect Wash Buffer 2 | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| SureSelect Fast Hybridization Buffer | Routes of entry anticipated: Oral, Dermal, Inhalation. |
| SureSelect RNase Block | Routes of entry anticipated: Oral, Dermal, Inhalation. |

Section 11. Toxicological information

| | |
|--|----------------|
| SureSelect Post- Capture Primer Mix | Not available. |
| SureSelect XT HS Index Primer A03-H04 | Not available. |
| SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| SSEL XT HS Human All Exon V7 Plus 2 | Not available. |

Potential acute health effects

Eye contact

| | |
|--|---|
| : End Repair-A Tailing Enzyme Mix | Causes eye irritation. |
| End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| T4 DNA Ligase | Causes eye irritation. |
| Ligation Buffer | Causes eye irritation. |
| Adaptor Oligo Mix | No known significant effects or critical hazards. |
| Forward Primer | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | Causes eye irritation. |
| 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| SureSelect Binding Buffer | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| SureSelect RNase Block | Causes eye irritation. |
| SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| SSEL XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Inhalation

| | |
|---|---|
| : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| T4 DNA Ligase | No known significant effects or critical hazards. |
| Ligation Buffer | No known significant effects or critical hazards. |
| Adaptor Oligo Mix | No known significant effects or critical hazards. |
| Forward Primer | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| SureSelect Binding Buffer | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| SureSelect RNase Block | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |

Section 11. Toxicological information

| | | |
|---------------------|--|---|
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSel XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| Skin contact | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSel XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| Ingestion | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low | No known significant effects or critical hazards. |

Section 11. Toxicological information

Input Custom Capture Library
 SSeI XT HS Human All Exon V7 Plus 2
 No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

| | | |
|--|---|--|
| Eye contact | : End Repair-A Tailing Enzyme Mix | Adverse symptoms may include the following: irritation watering redness |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | Adverse symptoms may include the following: irritation watering redness |
| | Ligation Buffer | Adverse symptoms may include the following: irritation watering redness |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | Adverse symptoms may include the following: irritation watering redness |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | Adverse symptoms may include the following: irritation watering redness |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| SureSelect XT HS Index Primer A03-H04 | No specific data. | |
| SSEL XT HS and XT Low Input Custom Capture Library | No specific data. | |
| SSeI XT HS Human All Exon V7 Plus 2 | No specific data. | |
| Inhalation | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |

Section 11. Toxicological information

| | | |
|---------------------|--|-------------------|
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSel XT HS Human All Exon V7 Plus 2 | No specific data. |
| Skin contact | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |
| | SureSelect Wash Buffer 1 | No specific data. |
| | SureSelect Wash Buffer 2 | No specific data. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| | SureSelect Fast Hybridization Buffer | No specific data. |
| | SureSelect RNase Block | No specific data. |
| | SureSelect Post- Capture Primer Mix | No specific data. |
| | SureSelect XT HS Index Primer A03-H04 | No specific data. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| | SSel XT HS Human All Exon V7 Plus 2 | No specific data. |
| Ingestion | : End Repair-A Tailing Enzyme Mix | No specific data. |
| | End Repair-A Tailing Buffer | No specific data. |
| | T4 DNA Ligase | No specific data. |
| | Ligation Buffer | No specific data. |
| | Adaptor Oligo Mix | No specific data. |
| | Forward Primer | No specific data. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No specific data. |
| | Herculase II Fusion DNA Polymerase | No specific data. |
| | 5X Herculase II Reaction Buffer | No specific data. |
| | SureSelect Binding Buffer | No specific data. |

Section 11. Toxicological information

| | |
|--|-------------------|
| SureSelect Wash Buffer 1 | No specific data. |
| SureSelect Wash Buffer 2 | No specific data. |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| SureSelect Fast | No specific data. |
| Hybridization Buffer | |
| SureSelect RNase Block | No specific data. |
| SureSelect Post- Capture Primer Mix | No specific data. |
| SureSelect XT HS Index Primer A03-H04 | No specific data. |
| SSEL XT HS and XT Low Input Custom Capture Library | No specific data. |
| SSel XT HS Human All Exon V7 Plus 2 | No specific data. |

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

| | | |
|----------------|--|---|
| General | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast | No known significant effects or critical hazards. |
| | Hybridization Buffer | |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSel XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Section 11. Toxicological information

| | | |
|--|--|---|
| Carcinogenicity | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| | Mutagenicity | : End Repair-A Tailing Enzyme Mix |
| End Repair-A Tailing Buffer | | No known significant effects or critical hazards. |
| T4 DNA Ligase | | No known significant effects or critical hazards. |
| Ligation Buffer | | No known significant effects or critical hazards. |
| Adaptor Oligo Mix | | No known significant effects or critical hazards. |
| Forward Primer | | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP) | | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | | No known significant effects or critical hazards. |
| 5X Herculase II Reaction Buffer | | No known significant effects or critical hazards. |
| SureSelect Binding Buffer | | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1 | | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2 | | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer | | No known significant effects or critical hazards. |
| SureSelect RNase Block | | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix | | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04 | | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library | | No known significant effects or critical hazards. |
| SSEL XT HS Human All Exon V7 Plus 2 | | No known significant effects or critical hazards. |

Section 11. Toxicological information

| | | |
|------------------------------|--|---|
| Reproductive toxicity | : End Repair-A Tailing Enzyme Mix | No known significant effects or critical hazards. |
| | End Repair-A Tailing Buffer | No known significant effects or critical hazards. |
| | T4 DNA Ligase | No known significant effects or critical hazards. |
| | Ligation Buffer | No known significant effects or critical hazards. |
| | Adaptor Oligo Mix | No known significant effects or critical hazards. |
| | Forward Primer | No known significant effects or critical hazards. |
| | 100 mM dNTP Mix (25 mM each dNTP) | No known significant effects or critical hazards. |
| | Herculase II Fusion DNA Polymerase | No known significant effects or critical hazards. |
| | 5X Herculase II Reaction Buffer | No known significant effects or critical hazards. |
| | SureSelect Binding Buffer | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 1 | No known significant effects or critical hazards. |
| | SureSelect Wash Buffer 2 | No known significant effects or critical hazards. |
| | SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| | SureSelect Fast Hybridization Buffer | No known significant effects or critical hazards. |
| | SureSelect RNase Block | No known significant effects or critical hazards. |
| | SureSelect Post- Capture Primer Mix | No known significant effects or critical hazards. |
| | SureSelect XT HS Index Primer A03-H04 | No known significant effects or critical hazards. |
| | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards. |
| | SSEL XT HS Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| End Repair-A Tailing Enzyme Mix | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| End Repair-A Tailing Buffer | | | | | |
| End Repair-A Tailing Buffer | 159509.2 | N/A | N/A | N/A | N/A |
| Potassium chloride | 2600 | N/A | N/A | N/A | N/A |
| T4 DNA Ligase | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| Ligation Buffer | | | | | |
| Polyethylene glycol | 28000 | N/A | N/A | N/A | N/A |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| Herculase II Fusion DNA Polymerase | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| 5X Herculase II Reaction Buffer | | | | | |
| 5X Herculase II Reaction Buffer | 112802.7 | N/A | N/A | N/A | N/A |
| Trometamol | 5900 | N/A | N/A | N/A | N/A |
| Ammonium sulphate | 2840 | N/A | N/A | N/A | N/A |
| Hexadecan-1-ol, ethoxylated | 2500 | N/A | N/A | N/A | N/A |

Section 11. Toxicological information

| | | | | | |
|---|---------|-----|-----|-----|-----|
| SureSelect Binding Buffer | | | | | |
| SureSelect Binding Buffer | 51369.9 | N/A | N/A | N/A | N/A |
| Sodium chloride | 3000 | N/A | N/A | N/A | N/A |
| SureSelect Wash Buffer 1 | | | | | |
| Sodium dodecyl sulphate | 1288 | N/A | N/A | N/A | 1.5 |
| SureSelect Wash Buffer 2 | | | | | |
| Sodium dodecyl sulphate | 1288 | N/A | N/A | N/A | 1.5 |
| SureSelect RNase Block | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |
| SSEL XT HS and XT Low Input Custom Capture Library | | | | | |
| Glycerol | 12600 | N/A | N/A | N/A | N/A |

Other information

| | |
|--|---|
| End Repair-A Tailing Enzyme Mix | Not available. |
| End Repair-A Tailing Buffer | Adverse symptoms may include the following: May cause skin sensitization. |
| T4 DNA Ligase | Not available. |
| Ligation Buffer | Not available. |
| Adaptor Oligo Mix | Not available. |
| Forward Primer | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP) | Not available. |
| Herculase II Fusion DNA Polymerase | Not available. |
| 5X Herculase II Reaction Buffer | Not available. |
| SureSelect Binding Buffer | Not available. |
| SureSelect Wash Buffer 1 | Not available. |
| SureSelect Wash Buffer 2 | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| SureSelect Fast Hybridization Buffer | Not available. |
| SureSelect RNase Block | Adverse symptoms may include the following: May cause skin sensitization. |
| SureSelect Post- Capture Primer Mix | Not available. |
| SureSelect XT HS Index Primer A03-H04 | Not available. |
| SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
| SSEL XT HS Human All Exon V7 Plus 2 | Not available. |

Section 12. Ecological information

Toxicity

Section 12. Ecological information

| Product/ingredient name | Result | Species | Exposure |
|--|--|---|---|
| End Repair-A Tailing Enzyme Mix Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| End Repair-A Tailing Buffer Potassium chloride | Acute EC50 1337000 µg/l Fresh water Acute EC50 9.24 g/L Fresh water | Algae - Navicula seminulum Algae - Desmodesmus subspicatus | 96 hours 72 hours |
| | Acute EC50 141.46 mg/l Fresh water Acute LC50 12.92 mg/l Fresh water | Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate | 48 hours 48 hours |
| | Acute LC50 880 mg/l Fresh water | Fish - Pimephales promelas | 96 hours |
| T4 DNA Ligase Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| Ligation Buffer Polyethylene glycol Glycerol | Acute LC50 >1000000 µg/l Fresh water Acute LC50 54000 mg/l Fresh water | Fish - Salmo salar - Parr Fish - Oncorhynchus mykiss | 96 hours 96 hours |
| Herculase II Fusion DNA Polymerase Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| 5X Herculase II Reaction Buffer Trometamol | Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water | Daphnia Daphnia | 48 hours 48 hours |
| Ammonium sulphate | Chronic NOEC 7.5 mg/l Marine water | Algae - Phaeodactylum tricornutum - Exponential growth phase | 96 hours |
| Hexadecan-1-ol, ethoxylated | Acute LC50 330000 to 1000000 µg/l Marine water | Crustaceans - Crangon crangon - Adult | 48 hours |
| SureSelect Binding Buffer Sodium chloride | Acute EC50 4.74 g/L Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water | Algae - Chlamydomonas reinhardtii Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) | 96 hours 48 hours 96 hours 96 hours 3 weeks |
| | Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water | Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult | 96 hours 21 days 8 weeks |
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | Acute EC50 1200 µg/l Marine water Acute LC50 900 µg/l Marine water Acute LC50 1400 µg/l Fresh water Acute LC50 590 µg/l Fresh water Chronic NOEC 1.25 mg/l Marine water Chronic NOEC 1 mg/l Fresh water | Algae - Skeletonema costatum Crustaceans - Artemia salina - Adult Daphnia - Daphnia pulex - Neonate Fish - Cirrhinus mrigala - Larvae Algae - Ulva fasciata - Zoea Crustaceans - Pseudosida ramosa - Neonate | 96 hours 48 hours 48 hours 96 hours 96 hours 21 days |

Section 12. Ecological information

| | | | |
|---|-------------------------------------|---|----------|
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | Chronic NOEC 3.2 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 21 days |
| | Chronic NOEC >1357 µg/l Fresh water | Fish - Pimephales promelas | 42 days |
| | Acute EC50 1200 µg/l Marine water | Algae - Skeletonema costatum | 96 hours |
| | Acute LC50 900 µg/l Marine water | Crustaceans - Artemia salina - Adult | 48 hours |
| | Acute LC50 1400 µg/l Fresh water | Daphnia - Daphnia pulex - Neonate | 48 hours |
| | Acute LC50 590 µg/l Fresh water | Fish - Cirrhinus mrigala - Larvae | 96 hours |
| | Chronic NOEC 1.25 mg/l Marine water | Algae - Ulva fasciata - Zoea | 96 hours |
| | Chronic NOEC 1 mg/l Fresh water | Crustaceans - Pseudosida ramosa - Neonate | 21 days |
| SureSelect RNase Block Glycerol | Chronic NOEC 3.2 mg/l Fresh water | Daphnia - Daphnia magna - Neonate | 21 days |
| | Chronic NOEC >1357 µg/l Fresh water | Fish - Pimephales promelas | 42 days |
| SSEL XT HS and XT Low Input Custom Capture Library Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
| | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |

Persistence and degradability

| Product/ingredient name | Test | Result | Dose | Inoculum |
|---|--|-----------------------------|--------|----------|
| End Repair-A Tailing Enzyme Mix Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |
| T4 DNA Ligase Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |
| Ligation Buffer Polyethylene glycol | OECD 301D Ready Biodegradability - Closed Bottle Test | 74.85 % - Readily - 28 days | 4 mg/l | - |
| | Glycerol 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |
| Herculase II Fusion DNA Polymerase Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |

Section 12. Ecological information

| | | | | |
|---|---|--------------------------|---------|------------------|
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | OECD 301B Ready Biodegradability - CO ₂ Evolution Test | 95 % - Readily - 28 days | 20 mg/l | Activated sludge |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | OECD 301B Ready Biodegradability - CO ₂ Evolution Test | 95 % - Readily - 28 days | 20 mg/l | Activated sludge |
| SureSelect RNase Block Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |
| SSEL XT HS and XT Low Input Custom Capture Library Glycerol | 301D Ready Biodegradability - Closed Bottle Test | 93 % - 30 days | - | - |

| Product/ingredient name | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|--------------------|
| End Repair-A Tailing Buffer Potassium chloride | - | - | Readily |
| Ligation Buffer Polyethylene glycol | - | - | Readily |
| 5X Herculanase II Reaction Buffer Ammonium sulphate Hexadecan-1-ol, ethoxylated | - - | - - | Readily Readily |
| SureSelect Wash Buffer 1 Sodium dodecyl sulphate | - | - | Readily |
| SureSelect Wash Buffer 2 Sodium dodecyl sulphate | - | - | Readily |

Bioaccumulative potential

| Product/ingredient name | LogP _{ow} | BCF | Potential |
|--|--------------------|-----|-----------|
| End Repair-A Tailing Enzyme Mix Glycerol | -1.76 | - | low |
| End Repair-A Tailing Buffer Potassium chloride | -0.46 | - | low |
| T4 DNA Ligase Glycerol | -1.76 | - | low |

Section 12. Ecological information

| | | | |
|---|-------|-----|-----|
| Ligation Buffer | | | |
| Polyethylene glycol | - | 3.2 | low |
| Glycerol | -1.76 | - | low |
| Herculase II Fusion DNA Polymerase | | | |
| Glycerol | -1.76 | - | low |
| 5X Herculase II Reaction Buffer | | | |
| Trometamol | -2.31 | - | low |
| Ammonium sulphate | -5.1 | - | low |
| SureSelect Wash Buffer 1 | | | |
| Sodium dodecyl sulphate | -2.03 | - | low |
| SureSelect Wash Buffer 2 | | | |
| Sodium dodecyl sulphate | -2.03 | - | low |
| SureSelect RNase Block | | | |
| Glycerol | -1.76 | - | low |
| SSEL XT HS and XT Low Input Custom Capture Library | | | |
| Glycerol | -1.76 | - | low |

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

| | |
|--------------------------|--|
| Australia | : Not determined. |
| Canada | : Not determined. |
| China | : Not determined. |
| Europe | : Not determined. |
| Japan | : Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined. |
| New Zealand | : Not determined. |
| Philippines | : Not determined. |
| Republic of Korea | : Not determined. |
| Taiwan | : All components are listed or exempted. |
| Thailand | : Not determined. |
| Turkey | : Not determined. |
| United States | : Not determined. |
| Viet Nam | : Not determined. |

Section 16. Other information

History

Date of issue/Date of revision : 06/24/2021

Date of previous issue : 08/11/2020

Version : 4

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
HPR = Hazardous Products Regulations
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
N/A = Not available
UN = United Nations

Section 16. Other information

[Procedure used to derive the classification](#)

| Classification | Justification |
|---|--------------------|
| End Repair-A Tailing Enzyme Mix EYE IRRITATION - Category 2B | Calculation method |
| T4 DNA Ligase EYE IRRITATION - Category 2B | Calculation method |
| Ligation Buffer EYE IRRITATION - Category 2B | Calculation method |
| Herculase II Fusion DNA Polymerase EYE IRRITATION - Category 2B | Calculation method |
| SureSelect RNase Block EYE IRRITATION - Category 2B | Calculation method |

References : Not available.

✔ Indicates information that has changed from previously issued version.

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Note * : *SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755