

# SAFETY DATA SHEET



SureSelect XT HS Reagent Kit, Index 17-32 + SSeI Cancer All-In-One Solid Tumor Panel, 16 rxn, Part Number G9705S

## Section 1. Identification

### 1.1 Product identifier

|                                |  |
|--------------------------------|--|
| <b>Product name</b>            | : SureSelect XT HS Reagent Kit, Index 17-32 + SSeI Cancer All-In-One Solid Tumor Panel, 16 rxn, Part Number G9705S   |
| <b>Part no. (chemical kit)</b> | : G9705S   |
| <b>Part no.</b>                | : <u>SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn</u> 5500-0138  |
|                                | End Repair-A Tailing Enzyme Mix 5190-6412  |
|                                | End Repair-A Tailing Buffer 5190-6413  |
|                                | T4 DNA Ligase 5190-6414  |
|                                | Ligation Buffer 5190-6415  |
|                                | Adaptor Oligo Mix 5190-6416  |
|                                | Forward Primer 5190-6417   |
|                                | <u>SureSelect XT HS Library Preparation Kit for ILM (Pre PCR), 16 Rxn / SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn</u> 5500-0138 / 5190-9684 |
|                                | 100 mM dNTP Mix (25 mM each dNTP) 5190-6418  |
|                                | Herculase II Fusion DNA Polymerase 5190-7742   |
|                                | 5X Herculase II Reaction Buffer 600675-52  |
|                                | <u>SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 16 Rxn</u> 5190-9685  |
|                                | SureSelect Binding Buffer 5190-4399  |
|                                | SureSelect Wash Buffer 1 5190-4400   |
|                                | SureSelect Wash Buffer 2 5190-4401   |
|                                | <u>SureSelect XT HS Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 16 Rxn</u> 5190-9684  |
|                                | SureSelect XT HS and XT Low Input Blocker Mix 5190-9683  |
|                                | SureSelect Fast Hybridization Buffer 5190-7327   |
|                                | SureSelect RNase Block 5190-4383   |
|                                | SureSelect Post- Capture Primer Mix 5190-9730  |
|                                | <u>SureSelect XT HS Index Primers 17-32 for ILM (Pre PCR)</u> 5500-0142  |
|                                | SureSelect XT HS Index Primer A03-H04 Various*   |
|                                | <u>SSeI XT HS Cancer All-In-One Solid Tumor, 16 Reactions</u> 5191-5669  |
|                                | SSeI XT HS Cancer All-In-One Solid Tumor 5191-5669   |

**Validation date** : 3/9/2023

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

|                        |   |
|------------------------|---|
| <b>Identified uses</b> | : <input checked="" type="checkbox"/> Analytical reagent.<br>For research use only.         |
|                        | <input checked="" type="checkbox"/> End Repair-A Tailing Enzyme Mix 0.064 ml (16 reactions) |
|                        | End Repair-A Tailing Buffer 0.256 ml (16 reactions)   |
|                        | T4 DNA Ligase 0.032 ml (16 reactions)   |
|                        | Ligation Buffer 0.368 ml (16 reactions)   |
|                        | Adaptor Oligo Mix 0.08 ml (16 reactions)  |
|                        | Forward Primer 0.032 ml (16 reactions)  |
|                        | 100 mM dNTP Mix (25 mM each dNTP) 0.008 ml  |
|                        | Herculase II Fusion DNA Polymerase 0.016 ml (16 reactions)                                  |
|                        | 5X Herculase II Reaction Buffer 1.5 ml  |
|                        | SureSelect Binding Buffer 13.2 ml   |
|                        | SureSelect Wash Buffer 1 8 ml   |

## Section 1. Identification

|   |                             |
|---|-----------------------------|
| SureSelect Wash Buffer 2                      | 24 ml                       |
| SureSelect XT HS and XT Low Input Blocker Mix | 0.08 ml (16 reactions)      |
| SureSelect Fast Hybridization Buffer          | 0.45 ml                     |
| SureSelect RNase Block                        | 0.016 ml                    |
| SureSelect Post- Capture Primer Mix           | 0.016 ml (16 reactions)     |
| SureSelect XT HS Index Primer A03-H04         | 16 x 0.01 ml (16 reactions) |
| SSeI XT HS Cancer All-In-One Solid Tumor      | 0.04 ml (16 reactions)      |

**Uses advised against** :  Not for use in diagnostic procedures.

### [1.3 Details of the supplier of the safety data sheet](#)

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051, USA  
800-227-9770

### [1.4 Emergency telephone number](#)

**In case of emergency** : CHEMTREC®: 1-800-424-9300

**Note \*** : \*SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755

## Section 2. Hazards identification

### [2.1 Classification of the substance or mixture](#)

|                        |  |   |
|------------------------|--|---|
| <b>OSHA/HCS status</b> | : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).<br>While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
|                        | T4 DNA Ligase  | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).   |
|                        | Ligation Buffer  | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).   |
|                        | Adaptor Oligo Mix  | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.  |
|                        | Forward Primer   | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.  |
|                        | 100 mM dNTP Mix (25 mM each dNTP)                                | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.  |
|                        | Herculase II Fusion DNA Polymerase                               | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).   |

## Section 2. Hazards identification

|   |  |
|---|--|
| 5X Herculase II Reaction Buffer               | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect Binding Buffer                     | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect Wash Buffer 1                      | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect Wash Buffer 2                      | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect XT HS and XT Low Input Blocker Mix | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect Fast Hybridization Buffer          | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect RNase Block                        | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).  |
| SureSelect Post- Capture Primer Mix           | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SureSelect XT HS Index Primer A03-H04         | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. |

### [Classification of the substance or mixture](#)

## Section 2. Hazards identification

### End Repair-A Tailing Enzyme

Mix  
H320 EYE IRRITATION - Category 2B

### T4 DNA Ligase

H320 EYE IRRITATION - Category 2B

### Ligation Buffer

H320 EYE IRRITATION - Category 2B

### Herculase II Fusion DNA Polymerase

H320 EYE IRRITATION - Category 2B

### SureSelect RNase Block

H320 EYE IRRITATION - Category 2B

|                                      |   |
|--------------------------------------|---|
| 100 mM dNTP Mix (25 mM each dNTP)    | Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 5.3%  |
| SureSelect Fast Hybridization Buffer | Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 31.3% |

## 2.2 GHS label elements

### Signal word

|   |                 |
|---|-----------------|
| : End Repair-A Tailing Enzyme Mix             | Warning         |
| End Repair-A Tailing Buffer                   | No signal word. |
| T4 DNA Ligase                                 | Warning         |
| Ligation Buffer                               | Warning         |
| Adaptor Oligo Mix                             | No signal word. |
| Forward Primer                                | No signal word. |
| 100 mM dNTP Mix (25 mM each dNTP)             | No signal word. |
| Herculase II Fusion DNA Polymerase            | Warning         |
| 5X Herculase II Reaction Buffer               | No signal word. |
| SureSelect Binding Buffer                     | No signal word. |
| SureSelect Wash Buffer 1                      | No signal word. |
| SureSelect Wash Buffer 2                      | No signal word. |
| SureSelect XT HS and XT Low Input Blocker Mix | No signal word. |
| SureSelect Fast Hybridization Buffer          | No signal word. |
| SureSelect RNase Block                        | Warning         |
| SureSelect Post- Capture Primer Mix           | No signal word. |
| SureSelect XT HS Index Primer A03-H04         | No signal word. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No signal word. |

### Hazard statements

|                                    |   |
|------------------------------------|---|
| : End Repair-A Tailing Enzyme Mix  | H320 - Causes eye irritation.                     |
| End Repair-A Tailing Buffer        | No known significant effects or critical hazards. |
| T4 DNA Ligase                      | H320 - Causes eye irritation.                     |
| Ligation Buffer                    | H320 - Causes eye irritation.                     |
| Adaptor Oligo Mix                  | No known significant effects or critical hazards. |
| Forward Primer                     | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP)  | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase | H320 - Causes eye irritation.                     |

## Section 2. Hazards identification

|  |   |
|--|---|
| 5X Herculase II Reaction Buffer          | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                 | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                 | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low              | No known significant effects or critical hazards. |
| Input Blocker Mix                        |   |
| SureSelect Fast Hybridization Buffer     | No known significant effects or critical hazards. |
| SureSelect RNase Block                   | H320 - Causes eye irritation.                     |
| SureSelect Post- Capture Primer Mix      | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04    | No known significant effects or critical hazards. |
| SSel XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards. |

### Precautionary statements

#### Prevention

|  |                 |
|--|-----------------|
| End Repair-A Tailing Enzyme Mix          | Not applicable. |
| End Repair-A Tailing Buffer              | Not applicable. |
| T4 DNA Ligase                            | Not applicable. |
| Ligation Buffer                          | Not applicable. |
| Adaptor Oligo Mix                        | Not applicable. |
| Forward Primer                           | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP)        | Not applicable. |
| Herculase II Fusion DNA Polymerase       | Not applicable. |
| 5X Herculase II Reaction Buffer          | Not applicable. |
| SureSelect Binding Buffer                | Not applicable. |
| SureSelect Wash Buffer 1                 | Not applicable. |
| SureSelect Wash Buffer 2                 | Not applicable. |
| SureSelect XT HS and XT Low              | Not applicable. |
| Input Blocker Mix                        |                 |
| SureSelect Fast Hybridization Buffer     | Not applicable. |
| SureSelect RNase Block                   | Not applicable. |
| SureSelect Post- Capture Primer Mix      | Not applicable. |
| SureSelect XT HS Index Primer A03-H04    | Not applicable. |
| SSel XT HS Cancer All-In-One Solid Tumor | Not applicable. |

#### Response

|                                 |   |
|---------------------------------|---|
| End Repair-A Tailing Enzyme Mix | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| End Repair-A Tailing Buffer     | Not applicable.   |
| T4 DNA Ligase                   | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Ligation Buffer                 | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337 + P313 - If eye irritation persists: Get medical advice or attention. |

## Section 2. Hazards identification

|                |   |   |
|----------------|---|---|
|                | Adaptor Oligo Mix                             | Not applicable.   |
|                | Forward Primer                                | Not applicable.   |
|                | 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable.   |
|                | Herculase II Fusion DNA Polymerase            | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337 + P313 - If eye irritation persists: Get medical advice or attention. |
|                | 5X Herculase II Reaction Buffer               | Not applicable.   |
|                | SureSelect Binding Buffer                     | Not applicable.   |
|                | SureSelect Wash Buffer 1                      | Not applicable.   |
|                | SureSelect Wash Buffer 2                      | Not applicable.   |
|                | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable.   |
|                | SureSelect Fast Hybridization Buffer          | Not applicable.   |
|                | SureSelect RNase Block                        | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P337 + P313 - If eye irritation persists: Get medical advice or attention. |
|                | SureSelect Post- Capture Primer Mix           | Not applicable.   |
|                | SureSelect XT HS Index Primer A03-H04         | Not applicable.   |
|                | SSeI XT HS Cancer All-In-One Solid Tumor      | Not applicable.   |
| <b>Storage</b> | : End Repair-A Tailing Enzyme Mix             | Not applicable.   |
|                | End Repair-A Tailing Buffer                   | Not applicable.   |
|                | T4 DNA Ligase                                 | Not applicable.   |
|                | Ligation Buffer                               | Not applicable.   |
|                | Adaptor Oligo Mix                             | Not applicable.   |
|                | Forward Primer                                | Not applicable.   |
|                | 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable.   |
|                | Herculase II Fusion DNA Polymerase            | Not applicable.   |
|                | 5X Herculase II Reaction Buffer               | Not applicable.   |
|                | SureSelect Binding Buffer                     | Not applicable.   |
|                | SureSelect Wash Buffer 1                      | Not applicable.   |
|                | SureSelect Wash Buffer 2                      | Not applicable.   |
|                | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable.   |
|                | SureSelect Fast Hybridization Buffer          | Not applicable.   |
|                | SureSelect RNase Block                        | Not applicable.   |
|                | SureSelect Post- Capture Primer Mix           | Not applicable.   |
|                | SureSelect XT HS Index Primer A03-H04         | Not applicable.   |
|                | SSeI XT HS Cancer All-In-One Solid Tumor      | Not applicable.   |

**Disposal** :

## Section 2. Hazards identification

|   |   |                 |
|---|---|-----------------|
|   | End Repair-A Tailing Enzyme Mix               | Not applicable. |
|   | End Repair-A Tailing Buffer                   | Not applicable. |
|   | T4 DNA Ligase                                 | Not applicable. |
|   | Ligation Buffer                               | Not applicable. |
|   | Adaptor Oligo Mix                             | Not applicable. |
|   | Forward Primer                                | Not applicable. |
|   | 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable. |
|   | Herculase II Fusion DNA Polymerase            | Not applicable. |
|   | 5X Herculase II Reaction Buffer               | Not applicable. |
|   | SureSelect Binding Buffer                     | Not applicable. |
|   | SureSelect Wash Buffer 1                      | Not applicable. |
|   | SureSelect Wash Buffer 2                      | Not applicable. |
|   | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
|   | SureSelect Fast Hybridization Buffer          | Not applicable. |
|   | SureSelect RNase Block                        | Not applicable. |
|   | SureSelect Post- Capture Primer Mix           | Not applicable. |
|   | SureSelect XT HS Index Primer A03-H04         | Not applicable. |
|   | SSel XT HS Cancer All-In-One Solid Tumor      | Not applicable. |
| <b>Supplemental label elements</b>      | : End Repair-A Tailing Enzyme Mix             | None known.     |
|   | End Repair-A Tailing Buffer                   | None known.     |
|   | T4 DNA Ligase                                 | None known.     |
|   | Ligation Buffer                               | None known.     |
|   | Adaptor Oligo Mix                             | None known.     |
|   | Forward Primer                                | None known.     |
|   | 100 mM dNTP Mix (25 mM each dNTP)             | None known.     |
|   | Herculase II Fusion DNA Polymerase            | None known.     |
|   | 5X Herculase II Reaction Buffer               | None known.     |
|   | SureSelect Binding Buffer                     | None known.     |
|   | SureSelect Wash Buffer 1                      | None known.     |
|   | SureSelect Wash Buffer 2                      | None known.     |
|   | SureSelect XT HS and XT Low Input Blocker Mix | None known.     |
|   | SureSelect Fast Hybridization Buffer          | None known.     |
|   | SureSelect RNase Block                        | None known.     |
|   | SureSelect Post- Capture Primer Mix           | None known.     |
|   | SureSelect XT HS Index Primer A03-H04         | None known.     |
|   | SSel XT HS Cancer All-In-One Solid Tumor      | None known.     |
| <b>2.3 Other hazards</b>                |   |                 |
| <b>Hazards not otherwise classified</b> | : End Repair-A Tailing Enzyme Mix             | None known.     |
|   | End Repair-A Tailing Buffer                   | None known.     |
|   | T4 DNA Ligase                                 | None known.     |
|   | Ligation Buffer                               | None known.     |
|   | Adaptor Oligo Mix                             | None known.     |
|   | Forward Primer                                | None known.     |
|   | 100 mM dNTP Mix (25 mM each dNTP)             | None known.     |
|   | Herculase II Fusion DNA                       | None known.     |

## Section 2. Hazards identification

|   |             |
|---|-------------|
| Polymerase                                    |             |
| 5X Herculase II Reaction Buffer               | None known. |
| SureSelect Binding Buffer                     | None known. |
| SureSelect Wash Buffer 1                      | None known. |
| SureSelect Wash Buffer 2                      | None known. |
| SureSelect XT HS and XT Low Input Blocker Mix | None known. |
| SureSelect Fast Hybridization Buffer          | None known. |
| SureSelect RNase Block                        | None known. |
| SureSelect Post- Capture Primer Mix           | None known. |
| SureSelect XT HS Index Primer A03-H04         | None known. |
| SSel XT HS Cancer All-In-One Solid Tumor      | None known. |

## Section 3. Composition/information on ingredients

|                          |   |   |         |
|--------------------------|---|---|---------|
| <b>Substance/mixture</b> | : | End Repair-A Tailing Enzyme Mix               | Mixture |
|                          |   | End Repair-A Tailing Buffer                   | Mixture |
|                          |   | T4 DNA Ligase                                 | Mixture |
|                          |   | Ligation Buffer                               | Mixture |
|                          |   | Adaptor Oligo Mix                             | Mixture |
|                          |   | Forward Primer                                | Mixture |
|                          |   | 100 mM dNTP Mix (25 mM each dNTP)             | Mixture |
|                          |   | Herculase II Fusion DNA Polymerase            | Mixture |
|                          |   | 5X Herculase II Reaction Buffer               | Mixture |
|                          |   | SureSelect Binding Buffer                     | Mixture |
|                          |   | SureSelect Wash Buffer 1                      | Mixture |
|                          |   | SureSelect Wash Buffer 2                      | Mixture |
|                          |   | SureSelect XT HS and XT Low Input Blocker Mix | Mixture |
|                          |   | SureSelect Fast Hybridization Buffer          | Mixture |
|                          |   | SureSelect RNase Block                        | Mixture |
|                          |   | SureSelect Post- Capture Primer Mix           | Mixture |
|                          |   | SureSelect XT HS Index Primer A03-H04         | Mixture |
|                          |   | SSel XT HS Cancer All-In-One Solid Tumor      | Mixture |

| Ingredient name                        | %         | CAS number |
|--|-----------|------------|
| <b>End Repair-A Tailing Enzyme Mix</b> |           |            |
| Glycerol                               | ≥50 - ≤75 | 56-81-5    |
| <b>End Repair-A Tailing Buffer</b>     |           |            |
| Potassium chloride                     | ≤3        | 7447-40-7  |
| <b>T4 DNA Ligase</b>                   |           |            |
| Glycerol                               | ≥50 - ≤75 | 56-81-5    |
| <b>Ligation Buffer</b>                 |           |            |

## Section 3. Composition/information on ingredients

|  |                     |            |
|--|---------------------|------------|
| Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | $\geq 10 - \leq 25$ | 25322-68-3 |
| Glycerol   | $\geq 10 - \leq 25$ | 56-81-5    |
| <b>Herculase II Fusion DNA Polymerase</b>  |                     |            |
| Glycerol   | $\geq 50 - \leq 75$ | 56-81-5    |
| <b>5X Herculase II Reaction Buffer</b>   |                     |            |
| Trometamol   | $\leq 3$            | 77-86-1    |
| Ammonium sulphate  | $\leq 3$            | 7783-20-2  |
| Hexadecan-1-ol, ethoxylated  | $< 2.5$             | 9004-95-9  |
| <b>SureSelect Wash Buffer 1</b>  |                     |            |
| Sodium dodecyl sulphate  | $\leq 0.3$          | 151-21-3   |
| <b>SureSelect Wash Buffer 2</b>  |                     |            |
| Sodium dodecyl sulphate  | $\leq 0.3$          | 151-21-3   |
| <b>SureSelect RNase Block</b>  |                     |            |
| Glycerol   | $\geq 50 - \leq 75$ | 56-81-5    |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b>  |                     |            |
| Glycerol   | $\leq 3$            | 56-81-5    |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

|                    |                                   |   |
|--------------------|-----------------------------------|---|
| <b>Eye contact</b> | : End Repair-A Tailing Enzyme Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
|                    | End Repair-A Tailing Buffer       | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
|                    | T4 DNA Ligase                     | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
|                    | Ligation Buffer                   | Immediately flush eyes with plenty of water,  |

## Section 4. First aid measures

|   |   |
|---|---|
|   | occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.  |
| Adaptor Oligo Mix                             | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| Forward Primer                                | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| 100 mM dNTP Mix (25 mM each dNTP)             | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| Herculase II Fusion DNA Polymerase            | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| 5X Herculase II Reaction Buffer               | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Binding Buffer                     | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Wash Buffer 1                      | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Wash Buffer 2                      | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Fast Hybridization Buffer          | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect RNase Block                        | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| SureSelect Post- Capture Primer Mix           | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect XT HS Index Primer A03-H04         | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.  |

## Section 4. First aid measures

### Inhalation

|                                    |  |
|------------------------------------|--|
| : End Repair-A Tailing Enzyme Mix  | Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| End Repair-A Tailing Buffer        | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| T4 DNA Ligase                      | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  |
| Ligation Buffer                    | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Adaptor Oligo Mix                  | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Forward Primer                     | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| 100 mM dNTP Mix (25 mM each dNTP)  | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  |
| Herculase II Fusion DNA Polymerase | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not  |

## Section 4. First aid measures

|   |  |
|---|--|
|   | breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.   |
| 5X Herculase II Reaction Buffer               | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  |
| SureSelect Binding Buffer                     | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SureSelect Wash Buffer 1                      | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SureSelect Wash Buffer 2                      | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SureSelect XT HS and XT Low Input Blocker Mix | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SureSelect Fast Hybridization Buffer          | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  |
| SureSelect RNase Block                        | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| SureSelect Post- Capture Primer Mix           | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SureSelect XT HS Index Primer A03-H04         | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |

## Section 4. First aid measures

|                     |   |   |
|---------------------|---|---|
| <b>Skin contact</b> | : End Repair-A Tailing Enzyme Mix             | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | End Repair-A Tailing Buffer                   | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | T4 DNA Ligase                                 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | Ligation Buffer                               | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | Adaptor Oligo Mix                             | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | Forward Primer                                | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | 100 mM dNTP Mix (25 mM each dNTP)             | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | Herculase II Fusion DNA Polymerase            | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | 5X Herculase II Reaction Buffer               | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Binding Buffer                     | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Wash Buffer 1                      | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Wash Buffer 2                      | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect XT HS and XT Low Input Blocker Mix | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Fast Hybridization Buffer          | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect RNase Block                        | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | SureSelect Post- Capture Primer Mix           | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect XT HS Index Primer A03-H04         | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get   |

## Section 4. First aid measures

### Ingestion

|   |                                   |   |
|---|-----------------------------------|---|
| SSeI XT HS Cancer All-In-One<br>Solid Tumor | : End Repair-A Tailing Enzyme Mix | medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| End Repair-A Tailing Buffer                 |                                   | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| T4 DNA Ligase                               |                                   | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| Ligation Buffer                             |                                   | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| Adaptor Oligo Mix                           |                                   | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| Forward Primer                              |                                   | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not  |

## Section 4. First aid measures

|   |  |
|---|--|
|   | induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| 100 mM dNTP Mix (25 mM each dNTP)             | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| Herculase II Fusion DNA Polymerase            | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| 5X Herculase II Reaction Buffer               | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Binding Buffer                     | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 1                      | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 2                      | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Fast Hybridization Buffer          | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect RNase Block                        | Wash out mouth with water. Remove dentures if  |

## Section 4. First aid measures

|  |   |
|--|---|
| SureSelect Post- Capture Primer Mix      | any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect XT HS Index Primer A03-H04    | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| SSeI XT HS Cancer All-In-One Solid Tumor | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

|   |   |
|---|---|
| : End Repair-A Tailing Enzyme Mix             | Causes eye irritation.                            |
| End Repair-A Tailing Buffer                   | No known significant effects or critical hazards. |
| T4 DNA Ligase                                 | Causes eye irritation.                            |
| Ligation Buffer                               | Causes eye irritation.                            |
| Adaptor Oligo Mix                             | No known significant effects or critical hazards. |
| Forward Primer                                | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP)             | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase            | Causes eye irritation.                            |
| 5X Herculase II Reaction Buffer               | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                     | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                      | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                      | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer          | No known significant effects or critical hazards. |
| SureSelect RNase Block                        | Causes eye irritation.                            |
| SureSelect Post- Capture Primer Mix           | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04         | No known significant effects or critical hazards. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No known significant effects or critical hazards. |

## Section 4. First aid measures

|                     |   |   |
|---------------------|---|---|
| <b>Inhalation</b>   | : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer<br>T4 DNA Ligase<br>Ligation Buffer<br>Adaptor Oligo Mix<br>Forward Primer<br>100 mM dNTP Mix (25 mM each dNTP)<br>Herculase II Fusion DNA Polymerase<br>5X Herculase II Reaction Buffer<br>SureSelect Binding Buffer<br>SureSelect Wash Buffer 1<br>SureSelect Wash Buffer 2<br>SureSelect XT HS and XT Low Input Blocker Mix<br>SureSelect Fast Hybridization Buffer<br>SureSelect RNase Block<br>SureSelect Post- Capture Primer Mix<br>SureSelect XT HS Index Primer A03-H04<br>SSel XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Skin contact</b> | : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer<br>T4 DNA Ligase<br>Ligation Buffer<br>Adaptor Oligo Mix<br>Forward Primer<br>100 mM dNTP Mix (25 mM each dNTP)<br>Herculase II Fusion DNA Polymerase<br>5X Herculase II Reaction Buffer<br>SureSelect Binding Buffer<br>SureSelect Wash Buffer 1<br>SureSelect Wash Buffer 2<br>SureSelect XT HS and XT Low Input Blocker Mix<br>SureSelect Fast Hybridization Buffer<br>SureSelect RNase Block<br>SureSelect Post- Capture Primer Mix<br>SureSelect XT HS Index Primer A03-H04<br>SSel XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer<br>T4 DNA Ligase<br>Ligation Buffer<br>Adaptor Oligo Mix<br>Forward Primer<br>100 mM dNTP Mix (25 mM each dNTP)<br>Herculase II Fusion DNA Polymerase  | No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.  |

## Section 4. First aid measures

|   |   |
|---|---|
| 5X Herculase II Reaction Buffer               | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                     | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                      | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                      | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer          | No known significant effects or critical hazards. |
| SureSelect RNase Block                        | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix           | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04         | No known significant effects or critical hazards. |
| SSel XT HS Cancer All-In-One Solid Tumor      | No known significant effects or critical hazards. |

### Over-exposure signs/symptoms

#### **Eye contact**

|   |  |
|---|--|
| : End Repair-A Tailing Enzyme Mix             | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness     |
| End Repair-A Tailing Buffer                   | No specific data.  |
| T4 DNA Ligase                                 | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness     |
| Ligation Buffer                               | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness     |
| Adaptor Oligo Mix                             | No specific data.  |
| Forward Primer                                | No specific data.  |
| 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.  |
| Herculase II Fusion DNA Polymerase            | Adverse symptoms may include the following:<br><br>irritation<br>watering<br>redness |
| 5X Herculase II Reaction Buffer               | No specific data.  |
| SureSelect Binding Buffer                     | No specific data.  |
| SureSelect Wash Buffer 1                      | No specific data.  |
| SureSelect Wash Buffer 2                      | No specific data.  |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific data.  |
| SureSelect Fast Hybridization Buffer          | No specific data.  |
| SureSelect RNase Block                        | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness     |
| SureSelect Post- Capture Primer Mix           | No specific data.  |
| SureSelect XT HS Index Primer A03-H04         | No specific data.  |
| SSel XT HS Cancer All-In-One Solid Tumor      | No specific data.  |

## Section 4. First aid measures

|                   |                     |   |                                 |                   |
|-------------------|---------------------|---|---------------------------------|-------------------|
| <b>Inhalation</b> | :                   | End Repair-A Tailing Enzyme Mix               | No specific data.               |                   |
|                   |                     | End Repair-A Tailing Buffer                   | No specific data.               |                   |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA Polymerase            | No specific data.               |                   |
|                   |                     | 5X Herculase II Reaction Buffer               | No specific data.               |                   |
|                   |                     | SureSelect Binding Buffer                     | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 1                      | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 2                      | No specific data.               |                   |
|                   |                     | SureSelect XT HS and XT Low Input Blocker Mix | No specific data.               |                   |
|                   |                     | SureSelect Fast Hybridization Buffer          | No specific data.               |                   |
|                   |                     | SureSelect RNase Block                        | No specific data.               |                   |
|                   |                     | SureSelect Post- Capture Primer Mix           | No specific data.               |                   |
|                   |                     | SureSelect XT HS Index Primer A03-H04         | No specific data.               |                   |
|                   |                     | SSel XT HS Cancer All-In-One Solid Tumor      | No specific data.               |                   |
|                   | <b>Skin contact</b> | :   | End Repair-A Tailing Enzyme Mix | No specific data. |
|                   |                     |   | End Repair-A Tailing Buffer     | No specific data. |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA Polymerase            | No specific data.               |                   |
|                   |                     | 5X Herculase II Reaction Buffer               | No specific data.               |                   |
|                   |                     | SureSelect Binding Buffer                     | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 1                      | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 2                      | No specific data.               |                   |
|                   |                     | SureSelect XT HS and XT Low Input Blocker Mix | No specific data.               |                   |
|                   |                     | SureSelect Fast Hybridization Buffer          | No specific data.               |                   |
|                   |                     | SureSelect RNase Block                        | No specific data.               |                   |
|                   |                     | SureSelect Post- Capture Primer Mix           | No specific data.               |                   |
|                   |                     | SureSelect XT HS Index Primer A03-H04         | No specific data.               |                   |
|                   |                     | SSel XT HS Cancer All-In-One Solid Tumor      | No specific data.               |                   |
| <b>Ingestion</b>  |                     | :   | End Repair-A Tailing Enzyme Mix | No specific data. |
|                   |                     |   | End Repair-A Tailing Buffer     | No specific data. |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA Polymerase            | No specific data.               |                   |

## Section 4. First aid measures

|   |                   |
|---|-------------------|
| 5X Herculase II Reaction Buffer               | No specific data. |
| SureSelect Binding Buffer                     | No specific data. |
| SureSelect Wash Buffer 1                      | No specific data. |
| SureSelect Wash Buffer 2                      | No specific data. |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
| SureSelect Fast Hybridization Buffer          | No specific data. |
| SureSelect RNase Block                        | No specific data. |
| SureSelect Post- Capture Primer Mix           | No specific data. |
| SureSelect XT HS Index Primer A03-H04         | No specific data. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No specific data. |

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

|                           |   |   |   |
|---------------------------|---|---|---|
| <b>Notes to physician</b> | : | End Repair-A Tailing Enzyme Mix               | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | End Repair-A Tailing Buffer                   | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                           |   | T4 DNA Ligase                                 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | Ligation Buffer                               | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | Adaptor Oligo Mix                             | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | Forward Primer                                | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | 100 mM dNTP Mix (25 mM each dNTP)             | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                           |   | Herculase II Fusion DNA Polymerase            | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | 5X Herculase II Reaction Buffer               | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                           |   | SureSelect Binding Buffer                     | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | SureSelect Wash Buffer 1                      | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | SureSelect Wash Buffer 2                      | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           |   | SureSelect XT HS and XT Low Input Blocker Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |

## Section 4. First aid measures

|   |  |
|---|--|
| SureSelect Fast Hybridization Buffer          | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.      |
| SureSelect RNase Block                        | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect Post- Capture Primer Mix           | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect XT HS Index Primer A03-H04         | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| <b>Specific treatments</b>                    |  |
| : End Repair-A Tailing Enzyme Mix             | No specific treatment.   |
| End Repair-A Tailing Buffer                   | No specific treatment.   |
| T4 DNA Ligase                                 | No specific treatment.   |
| Ligation Buffer                               | No specific treatment.   |
| Adaptor Oligo Mix                             | No specific treatment.   |
| Forward Primer                                | No specific treatment.   |
| 100 mM dNTP Mix (25 mM each dNTP)             | No specific treatment.   |
| Herculase II Fusion DNA Polymerase            | No specific treatment.   |
| 5X Herculase II Reaction Buffer               | No specific treatment.   |
| SureSelect Binding Buffer                     | No specific treatment.   |
| SureSelect Wash Buffer 1                      | No specific treatment.   |
| SureSelect Wash Buffer 2                      | No specific treatment.   |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific treatment.   |
| SureSelect Fast Hybridization Buffer          | No specific treatment.   |
| SureSelect RNase Block                        | No specific treatment.   |
| SureSelect Post- Capture Primer Mix           | No specific treatment.   |
| SureSelect XT HS Index Primer A03-H04         | No specific treatment.   |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No specific treatment.   |
| <b>Protection of first-aiders</b>             |  |
| : End Repair-A Tailing Enzyme Mix             | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| End Repair-A Tailing Buffer                   | No action shall be taken involving any personal risk or without suitable training.   |
| T4 DNA Ligase                                 | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Ligation Buffer                               | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Adaptor Oligo Mix                             | No action shall be taken involving any personal risk or without suitable training.   |
| Forward Primer                                | No action shall be taken involving any personal risk or without suitable training.   |
| 100 mM dNTP Mix (25 mM each                   | No action shall be taken involving any personal risk   |

## Section 4. First aid measures

|  |   |
|--|---|
| dNTP)<br>Herculase II Fusion DNA<br>Polymerase   | or without suitable training.<br>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| 5X Herculase II Reaction Buffer                  | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect Binding Buffer                        | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect Wash Buffer 1                         | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect Wash Buffer 2                         | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect XT HS and XT Low<br>Input Blocker Mix | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect Fast Hybridization<br>Buffer          | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect RNase Block                           | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.                                  |
| SureSelect Post- Capture Primer<br>Mix           | No action shall be taken involving any personal risk or without suitable training.  |
| SureSelect XT HS Index Primer<br>A03-H04         | No action shall be taken involving any personal risk or without suitable training.  |
| SSel XT HS Cancer All-In-One<br>Solid Tumor      | No action shall be taken involving any personal risk or without suitable training.  |

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

|  |   |
|--|---|
| : End Repair-A Tailing Enzyme Mix                | Use an extinguishing agent suitable for the surrounding fire. |
| End Repair-A Tailing Buffer                      | Use an extinguishing agent suitable for the surrounding fire. |
| T4 DNA Ligase                                    | Use an extinguishing agent suitable for the surrounding fire. |
| Ligation Buffer                                  | Use an extinguishing agent suitable for the surrounding fire. |
| Adaptor Oligo Mix                                | Use an extinguishing agent suitable for the surrounding fire. |
| Forward Primer                                   | Use an extinguishing agent suitable for the surrounding fire. |
| 100 mM dNTP Mix (25 mM each<br>dNTP)             | Use an extinguishing agent suitable for the surrounding fire. |
| Herculase II Fusion DNA<br>Polymerase            | Use an extinguishing agent suitable for the surrounding fire. |
| 5X Herculase II Reaction Buffer                  | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect Binding Buffer                        | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect Wash Buffer 1                         | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect Wash Buffer 2                         | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect XT HS and XT Low<br>Input Blocker Mix | Use an extinguishing agent suitable for the surrounding fire. |
| SureSelect Fast Hybridization                    | Use an extinguishing agent suitable for the                   |

## Section 5. Fire-fighting measures

|                                       |   |   |
|---------------------------------------|---|---|
|                                       | Buffer  | surrounding fire.   |
|                                       | SureSelect RNase Block                        | Use an extinguishing agent suitable for the surrounding fire. |
|                                       | SureSelect Post- Capture Primer Mix           | Use an extinguishing agent suitable for the surrounding fire. |
|                                       | SureSelect XT HS Index Primer A03-H04         | Use an extinguishing agent suitable for the surrounding fire. |
|                                       | SSel XT HS Cancer All-In-One Solid Tumor      | Use an extinguishing agent suitable for the surrounding fire. |
| <b>Unsuitable extinguishing media</b> | : End Repair-A Tailing Enzyme Mix             | None known.   |
|                                       | End Repair-A Tailing Buffer                   | None known.   |
|                                       | T4 DNA Ligase                                 | None known.   |
|                                       | Ligation Buffer                               | None known.   |
|                                       | Adaptor Oligo Mix                             | None known.   |
|                                       | Forward Primer                                | None known.   |
|                                       | 100 mM dNTP Mix (25 mM each dNTP)             | None known.   |
|                                       | Herculase II Fusion DNA Polymerase            | None known.   |
|                                       | 5X Herculase II Reaction Buffer               | None known.   |
|                                       | SureSelect Binding Buffer                     | None known.   |
|                                       | SureSelect Wash Buffer 1                      | None known.   |
|                                       | SureSelect Wash Buffer 2                      | None known.   |
|                                       | SureSelect XT HS and XT Low Input Blocker Mix | None known.   |
|                                       | SureSelect Fast Hybridization Buffer          | None known.   |
|                                       | SureSelect RNase Block                        | None known.   |
|                                       | SureSelect Post- Capture Primer Mix           | None known.   |
|                                       | SureSelect XT HS Index Primer A03-H04         | None known.   |
|                                       | SSel XT HS Cancer All-In-One Solid Tumor      | None known.   |

### 5.2 Special hazards arising from the substance or mixture

|   |                                    |   |
|---|------------------------------------|---|
| <b>Specific hazards arising from the chemical</b> | : End Repair-A Tailing Enzyme Mix  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | End Repair-A Tailing Buffer        | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | T4 DNA Ligase                      | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | Ligation Buffer                    | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | Adaptor Oligo Mix                  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | Forward Primer                     | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | 100 mM dNTP Mix (25 mM each dNTP)  | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | Herculase II Fusion DNA Polymerase | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | 5X Herculase II Reaction Buffer    | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | SureSelect Binding Buffer          | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | SureSelect Wash Buffer 1           | In a fire or if heated, a pressure increase will occur and the container may burst. |
|   | SureSelect Wash Buffer 2           | In a fire or if heated, a pressure increase will occur                              |

## Section 5. Fire-fighting measures

|   |   |  |
|---|---|--|
|   | SureSelect XT HS and XT Low Input Blocker Mix | and the container may burst.<br>In a fire or if heated, a pressure increase will occur and the container may burst.  |
|   | SureSelect Fast Hybridization Buffer          | In a fire or if heated, a pressure increase will occur and the container may burst.  |
|   | SureSelect RNase Block                        | In a fire or if heated, a pressure increase will occur and the container may burst.  |
|   | SureSelect Post- Capture Primer Mix           | In a fire or if heated, a pressure increase will occur and the container may burst.  |
|   | SureSelect XT HS Index Primer A03-H04         | In a fire or if heated, a pressure increase will occur and the container may burst.  |
|   | SSeI XT HS Cancer All-In-One Solid Tumor      | In a fire or if heated, a pressure increase will occur and the container may burst.  |
| <b>Hazardous thermal decomposition products</b> | : End Repair-A Tailing Enzyme Mix             | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|   | End Repair-A Tailing Buffer                   | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides |
|   | T4 DNA Ligase                                 | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|   | Ligation Buffer                               | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|   | Adaptor Oligo Mix                             | No specific data.  |
|   | Forward Primer                                | No specific data.  |
|   | 100 mM dNTP Mix (25 mM each dNTP)             | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>phosphorus oxides                           |
|   | Herculase II Fusion DNA Polymerase            | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
|   | 5X Herculase II Reaction Buffer               | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>sulfur oxides<br>metal oxide/oxides         |
|   | SureSelect Binding Buffer                     | Decomposition products may include the following materials:<br>halogenated compounds<br>metal oxide/oxides   |
|   | SureSelect Wash Buffer 1                      | No specific data.  |
|   | SureSelect Wash Buffer 2                      | No specific data.  |
|   | SureSelect XT HS and XT Low Input Blocker Mix | No specific data.  |
|   | SureSelect Fast Hybridization                 | Decomposition products may include the following   |

## Section 5. Fire-fighting measures

|  |   |
|--|---|
| Buffer                                   | materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides |
| SureSelect RNase Block                   | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide                  |
| SureSelect Post- Capture Primer Mix      | No specific data.   |
| SureSelect XT HS Index Primer A03-H04    | No specific data.   |
| SSeI XT HS Cancer All-In-One Solid Tumor | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide                  |

### 5.3 Advice for firefighters

#### **Special protective actions for fire-fighters**

|                                    |   |
|------------------------------------|---|
| : End Repair-A Tailing Enzyme Mix  | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| End Repair-A Tailing Buffer        | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| T4 DNA Ligase                      | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Ligation Buffer                    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Adaptor Oligo Mix                  | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Forward Primer                     | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| 100 mM dNTP Mix (25 mM each dNTP)  | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| Herculase II Fusion DNA Polymerase | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| 5X Herculase II Reaction Buffer    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Binding Buffer          | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or                            |

## Section 5. Fire-fighting measures

|   |  |
|---|--|
| SureSelect Wash Buffer 1                              | without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| SureSelect Wash Buffer 2                              | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SureSelect XT HS and XT Low Input Blocker Mix         | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SureSelect Fast Hybridization Buffer                  | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SureSelect RNase Block                                | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SureSelect Post- Capture Primer Mix                   | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SureSelect XT HS Index Primer A03-H04                 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| SSeI XT HS Cancer All-In-One Solid Tumor              | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                            |
| <b>Special protective equipment for fire-fighters</b> |  |
| : End Repair-A Tailing Enzyme Mix                     | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| End Repair-A Tailing Buffer                           | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| T4 DNA Ligase   | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| Ligation Buffer                                       | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| Adaptor Oligo Mix                                     | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| Forward Primer  | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| 100 mM dNTP Mix (25 mM each dNTP)                     | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive   |

## Section 5. Fire-fighting measures

|   |   |
|---|---|
| Herculase II Fusion DNA Polymerase            | pressure mode.<br>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| 5X Herculase II Reaction Buffer               | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect Binding Buffer                     | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect Wash Buffer 1                      | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect Wash Buffer 2                      | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect XT HS and XT Low Input Blocker Mix | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect Fast Hybridization Buffer          | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect RNase Block                        | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect Post- Capture Primer Mix           | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SureSelect XT HS Index Primer A03-H04         | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                   |

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

: End Repair-A Tailing Enzyme Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

End Repair-A Tailing Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate

## Section 6. Accidental release measures

|                                    |  |
|------------------------------------|--|
| T4 DNA Ligase                      | surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| Ligation Buffer                    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.   |
| Adaptor Oligo Mix                  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| Forward Primer                     | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| 100 mM dNTP Mix (25 mM each dNTP)  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| Herculase II Fusion DNA Polymerase | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.   |
| 5X Herculase II Reaction Buffer    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Binding Buffer          | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on   |

## Section 6. Accidental release measures

|   |  |
|---|--|
| SureSelect Wash Buffer 1  | appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.   |
| SureSelect Wash Buffer 2  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect XT HS and XT Low Input Blocker Mix                     | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Fast Hybridization Buffer                              | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect RNase Block  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| SureSelect Post- Capture Primer Mix                               | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect XT HS Index Primer A03-H04                             | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SSeI XT HS Cancer All-In-One Solid Tumor                          | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| <b>For emergency responders :</b> End Repair-A Tailing Enzyme Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".  |
| End Repair-A Tailing Buffer                                       | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".  |

## Section 6. Accidental release measures

|   |   |
|---|---|
| T4 DNA Ligase                                 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Ligation Buffer                               | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Adaptor Oligo Mix                             | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Forward Primer                                | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 100 mM dNTP Mix (25 mM each dNTP)             | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| Herculase II Fusion DNA Polymerase            | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 5X Herculase II Reaction Buffer               | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Binding Buffer                     | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Wash Buffer 1                      | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Wash Buffer 2                      | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect XT HS and XT Low Input Blocker Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Fast Hybridization Buffer          | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect RNase Block                        | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Post- Capture Primer Mix           | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect XT HS Index Primer A03-H04         | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |

## Section 6. Accidental release measures

|                                      |   |  |
|--------------------------------------|---|--|
|                                      | SSeI XT HS Cancer All-In-One Solid Tumor  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".  |
| <b>6.2 Environmental precautions</b> | <ul style="list-style-type: none"> <li data-bbox="454 315 925 462">: End Repair-A Tailing Enzyme Mix</li> <li data-bbox="454 462 925 609">End Repair-A Tailing Buffer</li> <li data-bbox="454 609 925 756">T4 DNA Ligase</li> <li data-bbox="454 756 925 903">Ligation Buffer</li> <li data-bbox="454 903 925 1050">Adaptor Oligo Mix</li> <li data-bbox="454 1050 925 1197">Forward Primer</li> <li data-bbox="454 1197 925 1344">100 mM dNTP Mix (25 mM each dNTP)</li> <li data-bbox="454 1344 925 1491">Herculase II Fusion DNA Polymerase</li> <li data-bbox="454 1491 925 1638">5X Herculase II Reaction Buffer</li> <li data-bbox="454 1638 925 1785">SureSelect Binding Buffer</li> <li data-bbox="454 1785 925 1932">SureSelect Wash Buffer 1</li> </ul> | <p data-bbox="925 315 1531 462">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 462 1531 609">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 609 1531 756">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 756 1531 903">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 903 1531 1050">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1050 1531 1197">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1197 1531 1344">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1344 1531 1491">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1491 1531 1638">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1638 1531 1785">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> <p data-bbox="925 1785 1531 1932">Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).</p> |

## Section 6. Accidental release measures

|   |   |
|---|---|
| SureSelect Wash Buffer 2                      | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS and XT Low Input Blocker Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Fast Hybridization Buffer          | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect RNase Block                        | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Post- Capture Primer Mix           | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS Index Primer A03-H04         | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

### 6.3 Methods and materials for containment and cleaning up

|                                |                                   |   |
|--------------------------------|-----------------------------------|---|
| <b>Methods for cleaning up</b> | : End Repair-A Tailing Enzyme Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                | End Repair-A Tailing Buffer       | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                | T4 DNA Ligase                     | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                | Ligation Buffer                   | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container.  |

## Section 6. Accidental release measures

|   |   |
|---|---|
| Adaptor Oligo Mix                             | disposal container. Dispose of via a licensed waste disposal contractor.<br>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Forward Primer                                | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| 100 mM dNTP Mix (25 mM each dNTP)             | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| Herculase II Fusion DNA Polymerase            | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| 5X Herculase II Reaction Buffer               | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect Binding Buffer                     | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect Wash Buffer 1                      | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect Wash Buffer 2                      | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect Fast Hybridization Buffer          | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |

## Section 6. Accidental release measures

|  |   |
|--|---|
| SureSelect RNase Block                   | disposal container. Dispose of via a licensed waste disposal contractor.<br>Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Post- Capture Primer Mix      | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SureSelect XT HS Index Primer A03-H04    | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| SSeI XT HS Cancer All-In-One Solid Tumor | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

|                                   |   |
|-----------------------------------|---|
| : End Repair-A Tailing Enzyme Mix | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| End Repair-A Tailing Buffer       | Put on appropriate personal protective equipment (see Section 8).   |
| T4 DNA Ligase                     | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Ligation Buffer                   | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| Adaptor Oligo Mix                 | Put on appropriate personal protective equipment (see Section 8).   |
| Forward Primer                    | Put on appropriate personal protective equipment (see Section 8).   |

## Section 7. Handling and storage

|   |   |
|---|---|
| 100 mM dNTP Mix (25 mM each dNTP)   | Put on appropriate personal protective equipment (see Section 8).   |
| Herculase II Fusion DNA Polymerase  | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| 5X Herculase II Reaction Buffer   | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect Binding Buffer   | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect Wash Buffer 1  | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect Wash Buffer 2  | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect XT HS and XT Low Input Blocker Mix                                   | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect Fast Hybridization Buffer  | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect RNase Block  | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
| SureSelect Post- Capture Primer Mix   | Put on appropriate personal protective equipment (see Section 8).   |
| SureSelect XT HS Index Primer A03-H04   | Put on appropriate personal protective equipment (see Section 8).   |
| SSel XT HS Cancer All-In-One Solid Tumor  | Put on appropriate personal protective equipment (see Section 8).   |
| <b>Advice on general occupational hygiene</b> : End Repair-A Tailing Enzyme Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.                                   |
| End Repair-A Tailing Buffer   | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.                                   |
| T4 DNA Ligase   | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.                                   |
| Ligation Buffer   | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face   |


## Section 7. Handling and storage

|                                    |   |
|------------------------------------|---|
| Adaptor Oligo Mix                  | before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| Forward Primer                     | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| 100 mM dNTP Mix (25 mM each dNTP)  | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| Herculase II Fusion DNA Polymerase | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| 5X Herculase II Reaction Buffer    | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| SureSelect Binding Buffer          | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| SureSelect Wash Buffer 1           | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |
| SureSelect Wash Buffer 2           | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.   |

## Section 7. Handling and storage

|   |   |
|---|---|
| SureSelect XT HS and XT Low Input Blocker Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Fast Hybridization Buffer          | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect RNase Block                        | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Post- Capture Primer Mix           | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect XT HS Index Primer A03-H04         | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

### 7.2 Conditions for safe storage, including any incompatibilities

|   |  |
|---|--|
| :  End Repair-A Tailing Enzyme Mix | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| End Repair-A Tailing Buffer   | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been  |

## Section 7. Handling and storage

T4 DNA Ligase

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Ligation Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Adaptor Oligo Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Forward Primer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

100 mM dNTP Mix (25 mM each dNTP)

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 7. Handling and storage

|   |  |
|---|--|
| Herculase II Fusion DNA Polymerase            | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| 5X Herculase II Reaction Buffer               | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect Binding Buffer                     | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect Wash Buffer 1                      | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect Wash Buffer 2                      | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect XT HS and XT Low Input Blocker Mix | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed   |

## Section 7. Handling and storage

SureSelect Fast Hybridization Buffer

until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect RNase Block

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Post- Capture Primer Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect XT HS Index Primer A03-H04

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSeI XT HS Cancer All-In-One Solid Tumor

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for

## Section 7. Handling and storage

incompatible materials before handling or use.

### 7.3 Specific end use(s)

#### Recommendations

|   |   |
|---|---|
| : End Repair-A Tailing Enzyme Mix             | Industrial applications, Professional applications. |
| End Repair-A Tailing Buffer                   | Industrial applications, Professional applications. |
| T4 DNA Ligase                                 | Industrial applications, Professional applications. |
| Ligation Buffer                               | Industrial applications, Professional applications. |
| Adaptor Oligo Mix                             | Industrial applications, Professional applications. |
| Forward Primer                                | Industrial applications, Professional applications. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Industrial applications, Professional applications. |
| Herculase II Fusion DNA Polymerase            | Industrial applications, Professional applications. |
| 5X Herculase II Reaction Buffer               | Industrial applications, Professional applications. |
| SureSelect Binding Buffer                     | Industrial applications, Professional applications. |
| SureSelect Wash Buffer 1                      | Industrial applications, Professional applications. |
| SureSelect Wash Buffer 2                      | Industrial applications, Professional applications. |
| SureSelect XT HS and XT Low Input Blocker Mix | Industrial applications, Professional applications. |
| SureSelect Fast Hybridization Buffer          | Industrial applications, Professional applications. |
| SureSelect RNase Block                        | Industrial applications, Professional applications. |
| SureSelect Post- Capture Primer Mix           | Industrial applications, Professional applications. |
| SureSelect XT HS Index Primer A03-H04         | Industrial applications, Professional applications. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Industrial applications, Professional applications. |

#### Industrial sector specific solutions

|   |                |
|---|----------------|
| : End Repair-A Tailing Enzyme Mix             | Not available. |
| End Repair-A Tailing Buffer                   | Not available. |
| T4 DNA Ligase                                 | Not available. |
| Ligation Buffer                               | Not available. |
| Adaptor Oligo Mix                             | Not available. |
| Forward Primer                                | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not available. |
| Herculase II Fusion DNA Polymerase            | Not available. |
| 5X Herculase II Reaction Buffer               | Not available. |
| SureSelect Binding Buffer                     | Not available. |
| SureSelect Wash Buffer 1                      | Not available. |
| SureSelect Wash Buffer 2                      | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| SureSelect Fast Hybridization Buffer          | Not available. |
| SureSelect RNase Block                        | Not available. |
| SureSelect Post- Capture Primer Mix           | Not available. |
| SureSelect XT HS Index Primer A03-H04         | Not available. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Not available. |

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

| Ingredient name  | Exposure limits  |
|--|--|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | <b>OSHA PEL 1989 (United States, 3/1989).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust<br><b>OSHA PEL (United States, 5/2018).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust  |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | None.  |
| <b>T4 DNA Ligase</b><br>Glycerol   | <b>OSHA PEL 1989 (United States, 3/1989).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust<br><b>OSHA PEL (United States, 5/2018).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust  |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated<br>Glycerol | <b>OARS WEEL (United States, 1/2021).</b><br>TWA: 10 mg/m <sup>3</sup> 8 hours.<br><b>OSHA PEL 1989 (United States, 3/1989).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust<br><b>OSHA PEL (United States, 5/2018).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | <b>OSHA PEL 1989 (United States, 3/1989).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust<br><b>OSHA PEL (United States, 5/2018).</b><br>TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction<br>TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust  |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol<br>Ammonium sulphate<br>Hexadecan-1-ol, ethoxylated                         | None.<br>None.<br>None.  |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | None.  |
| <b>SureSelect Wash Buffer 2</b>  |  |

## Section 8. Exposure controls/personal protection

|  |  |
|--|--|
| <p>Sodium dodecyl sulphate</p> <p><b>SureSelect RNase Block</b><br/>Glycerol</p> <p><b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br/>Glycerol</p> | <p>None.</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b><br/>TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust</p> <p><b>OSHA PEL (United States, 5/2018).</b><br/>TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction<br/>TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b><br/>TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust</p> <p><b>OSHA PEL (United States, 5/2018).</b><br/>TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction<br/>TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust</p> |
|--|--|

### Biological exposure indices

No exposure indices known.

### 8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

## Section 8. Exposure controls/personal protection

- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

|                       |              |   |                                 |                |
|-----------------------|--------------|---|---------------------------------|----------------|
| <b>Physical state</b> | :            | End Repair-A Tailing Enzyme Mix               | Liquid.                         |                |
|                       |              | End Repair-A Tailing Buffer                   | Liquid.                         |                |
|                       |              | T4 DNA Ligase                                 | Liquid.                         |                |
|                       |              | Ligation Buffer                               | Liquid.                         |                |
|                       |              | Adaptor Oligo Mix                             | Liquid.                         |                |
|                       |              | Forward Primer                                | Liquid.                         |                |
|                       |              | 100 mM dNTP Mix (25 mM each dNTP)             | Liquid.                         |                |
|                       |              | Herculase II Fusion DNA Polymerase            | Liquid.                         |                |
|                       |              | 5X Herculase II Reaction Buffer               | Liquid.                         |                |
|                       |              | SureSelect Binding Buffer                     | Liquid.                         |                |
|                       |              | SureSelect Wash Buffer 1                      | Liquid.                         |                |
|                       |              | SureSelect Wash Buffer 2                      | Liquid.                         |                |
|                       |              | SureSelect XT HS and XT Low Input Blocker Mix | Liquid.                         |                |
|                       |              | SureSelect Fast Hybridization Buffer          | Liquid.                         |                |
|                       |              | SureSelect RNase Block                        | Liquid.                         |                |
|                       |              | SureSelect Post- Capture Primer Mix           | Liquid.                         |                |
|                       |              | SureSelect XT HS Index Primer A03-H04         | Liquid.                         |                |
|                       |              | SSel XT HS Cancer All-In-One Solid Tumor      | Liquid.                         |                |
|                       | <b>Color</b> | :   | End Repair-A Tailing Enzyme Mix | Not available. |
|                       |              |   | End Repair-A Tailing Buffer     | Not available. |
|                       |              | T4 DNA Ligase                                 | Not available.                  |                |
|                       |              | Ligation Buffer                               | Not available.                  |                |
|                       |              | Adaptor Oligo Mix                             | Not available.                  |                |
|                       |              | Forward Primer                                | Not available.                  |                |
|                       |              | 100 mM dNTP Mix (25 mM each dNTP)             | Not available.                  |                |
|                       |              | Herculase II Fusion DNA Polymerase            | Not available.                  |                |
|                       |              | 5X Herculase II Reaction Buffer               | Not available.                  |                |
|                       |              | SureSelect Binding Buffer                     | Not available.                  |                |
|                       |              | SureSelect Wash Buffer 1                      | Not available.                  |                |
|                       |              | SureSelect Wash Buffer 2                      | Not available.                  |                |
|                       |              | SureSelect XT HS and XT Low Input Blocker Mix | Not available.                  |                |
|                       |              | SureSelect Fast Hybridization Buffer          | Not available.                  |                |
|                       |              | SureSelect RNase Block                        | Not available.                  |                |
|                       |              | SureSelect Post- Capture Primer Mix           | Not available.                  |                |

## Section 9. Physical and chemical properties and safety characteristics

|                       |   |                |
|-----------------------|---|----------------|
|                       | SureSelect XT HS Index Primer A03-H04         | Not available. |
|                       | SSel XT HS Cancer All-In-One Solid Tumor      | Not available. |
| <b>Odor</b>           | : End Repair-A Tailing Enzyme Mix             | Not available. |
|                       | End Repair-A Tailing Buffer                   | Not available. |
|                       | T4 DNA Ligase                                 | Not available. |
|                       | Ligation Buffer                               | Not available. |
|                       | Adaptor Oligo Mix                             | Not available. |
|                       | Forward Primer                                | Not available. |
|                       | 100 mM dNTP Mix (25 mM each dNTP)             | Not available. |
|                       | Herculase II Fusion DNA Polymerase            | Not available. |
|                       | 5X Herculase II Reaction Buffer               | Not available. |
|                       | SureSelect Binding Buffer                     | Not available. |
|                       | SureSelect Wash Buffer 1                      | Not available. |
|                       | SureSelect Wash Buffer 2                      | Not available. |
|                       | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
|                       | SureSelect Fast Hybridization Buffer          | Not available. |
|                       | SureSelect RNase Block                        | Not available. |
|                       | SureSelect Post- Capture Primer Mix           | Not available. |
|                       | SureSelect XT HS Index Primer A03-H04         | Not available. |
|                       | SSel XT HS Cancer All-In-One Solid Tumor      | Not available. |
| <b>Odor threshold</b> | : End Repair-A Tailing Enzyme Mix             | Not available. |
|                       | End Repair-A Tailing Buffer                   | Not available. |
|                       | T4 DNA Ligase                                 | Not available. |
|                       | Ligation Buffer                               | Not available. |
|                       | Adaptor Oligo Mix                             | Not available. |
|                       | Forward Primer                                | Not available. |
|                       | 100 mM dNTP Mix (25 mM each dNTP)             | Not available. |
|                       | Herculase II Fusion DNA Polymerase            | Not available. |
|                       | 5X Herculase II Reaction Buffer               | Not available. |
|                       | SureSelect Binding Buffer                     | Not available. |
|                       | SureSelect Wash Buffer 1                      | Not available. |
|                       | SureSelect Wash Buffer 2                      | Not available. |
|                       | SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
|                       | SureSelect Fast Hybridization Buffer          | Not available. |
|                       | SureSelect RNase Block                        | Not available. |
|                       | SureSelect Post- Capture Primer Mix           | Not available. |
|                       | SureSelect XT HS Index Primer A03-H04         | Not available. |
|                       | SSel XT HS Cancer All-In-One Solid Tumor      | Not available. |
| <b>pH</b>             | :   |                |

## Section 9. Physical and chemical properties and safety characteristics

|   |                |
|---|----------------|
| End Repair-A Tailing Enzyme Mix               | 6.5            |
| End Repair-A Tailing Buffer                   | 8              |
| T4 DNA Ligase                                 | 7.5            |
| Ligation Buffer                               | 8              |
| Adaptor Oligo Mix                             | 7.5            |
| Forward Primer                                | 7.5            |
| 100 mM dNTP Mix (25 mM each dNTP)             | 7.5            |
| Herculase II Fusion DNA Polymerase            | 8.2            |
| 5X Herculase II Reaction Buffer               | 9.5 to 10.5    |
| SureSelect Binding Buffer                     | 7.5            |
| SureSelect Wash Buffer 1                      | 7              |
| SureSelect Wash Buffer 2                      | 7              |
| SureSelect XT HS and XT Low Input Blocker Mix | 7.5            |
| SureSelect Fast Hybridization Buffer          | Not available. |
| SureSelect RNase Block                        | 7.6            |
| SureSelect Post- Capture Primer Mix           | 7.5            |
| SureSelect XT HS Index Primer A03-H04         | 7.5            |
| SSel XT HS Cancer All-In-One Solid Tumor      | Not available. |

|                                     |   |   |                |
|-------------------------------------|---|---|----------------|
| <b>Melting point/freezing point</b> | : | End Repair-A Tailing Enzyme Mix               | Not available. |
|                                     |   | End Repair-A Tailing Buffer                   | 0°C (32°F)     |
|                                     |   | T4 DNA Ligase                                 | Not available. |
|                                     |   | Ligation Buffer                               | Not available. |
|                                     |   | Adaptor Oligo Mix                             | 0°C (32°F)     |
|                                     |   | Forward Primer                                | 0°C (32°F)     |
|                                     |   | 100 mM dNTP Mix (25 mM each dNTP)             | Not available. |
|                                     |   | Herculase II Fusion DNA Polymerase            | Not available. |
|                                     |   | 5X Herculase II Reaction Buffer               | Not available. |
|                                     |   | SureSelect Binding Buffer                     | Not available. |
|                                     |   | SureSelect Wash Buffer 1                      | 0°C (32°F)     |
|                                     |   | SureSelect Wash Buffer 2                      | 0°C (32°F)     |
|                                     |   | SureSelect XT HS and XT Low Input Blocker Mix | 0°C (32°F)     |
|                                     |   | SureSelect Fast Hybridization Buffer          | Not available. |
|                                     |   | SureSelect RNase Block                        | Not available. |
|                                     |   | SureSelect Post- Capture Primer Mix           | 0°C (32°F)     |
|                                     |   | SureSelect XT HS Index Primer A03-H04         | 0°C (32°F)     |
|                                     |   | SSel XT HS Cancer All-In-One Solid Tumor      | 0°C (32°F)     |

|  |   |                                    |                |
|--|---|------------------------------------|----------------|
| <b>Boiling point, initial boiling point, and boiling range</b> | : | End Repair-A Tailing Enzyme Mix    | Not available. |
|  |   | End Repair-A Tailing Buffer        | 100°C (212°F)  |
|  |   | T4 DNA Ligase                      | Not available. |
|  |   | Ligation Buffer                    | Not available. |
|  |   | Adaptor Oligo Mix                  | 100°C (212°F)  |
|  |   | Forward Primer                     | 100°C (212°F)  |
|  |   | 100 mM dNTP Mix (25 mM each dNTP)  | Not available. |
|  |   | Herculase II Fusion DNA Polymerase | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

|  |                |
|--|----------------|
| 5X Herculase II Reaction Buffer          | Not available. |
| SureSelect Binding Buffer                | Not available. |
| SureSelect Wash Buffer 1                 | 100°C (212°F)  |
| SureSelect Wash Buffer 2                 | 100°C (212°F)  |
| SureSelect XT HS and XT Low              | 100°C (212°F)  |
| Input Blocker Mix                        |                |
| SureSelect Fast Hybridization Buffer     | Not available. |
| SureSelect RNase Block                   | Not available. |
| SureSelect Post- Capture Primer Mix      | 100°C (212°F)  |
| SureSelect XT HS Index Primer A03-H04    | 100°C (212°F)  |
| SSeI XT HS Cancer All-In-One Solid Tumor | 100°C (212°F)  |

**Flash point**

| Ingredient name   | Closed cup |              |        | Open cup   |                |        |
|---|------------|--------------|--------|------------|----------------|--------|
|   | °C         | °F           | Method | °C         | °F             | Method |
| <b>End Repair-A Tailing Enzyme Mix</b>  |            |              |        |            |                |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |
| <b>T4 DNA Ligase</b>  |            |              |        |            |                |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |
| <b>Ligation Buffer</b>  |            |              |        |            |                |        |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy-Ethane-1,2-diol, ethoxylated | 171 to 235 | 339.8 to 455 |        | 199 to 238 | 390.2 to 460.4 |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |
| <b>Herculase II Fusion DNA Polymerase</b>   |            |              |        |            |                |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |
| <b>SureSelect RNase Block</b>   |            |              |        |            |                |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b>   |            |              |        |            |                |        |
| Glycerol  |            |              |        | 177        | 350.6          |        |

## Section 9. Physical and chemical properties and safety characteristics

|   |                     |   |                                 |                 |
|---|---------------------|---|---------------------------------|-----------------|
| <b>Evaporation rate</b>                                   | :                   | End Repair-A Tailing Enzyme Mix               | Not available.                  |                 |
|   |                     | End Repair-A Tailing Buffer                   | Not available.                  |                 |
|   |                     | T4 DNA Ligase                                 | Not available.                  |                 |
|   |                     | Ligation Buffer                               | Not available.                  |                 |
|   |                     | Adaptor Oligo Mix                             | Not available.                  |                 |
|   |                     | Forward Primer                                | Not available.                  |                 |
|   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | Not available.                  |                 |
|   |                     | Herculase II Fusion DNA Polymerase            | Not available.                  |                 |
|   |                     | 5X Herculase II Reaction Buffer               | Not available.                  |                 |
|   |                     | SureSelect Binding Buffer                     | Not available.                  |                 |
|   |                     | SureSelect Wash Buffer 1                      | Not available.                  |                 |
|   |                     | SureSelect Wash Buffer 2                      | Not available.                  |                 |
|   |                     | SureSelect XT HS and XT Low Input Blocker Mix | Not available.                  |                 |
|   |                     | SureSelect Fast Hybridization Buffer          | Not available.                  |                 |
|   |                     | SureSelect RNase Block                        | Not available.                  |                 |
|   |                     | SureSelect Post- Capture Primer Mix           | Not available.                  |                 |
|   |                     | SureSelect XT HS Index Primer A03-H04         | Not available.                  |                 |
|   |                     | SSel XT HS Cancer All-In-One Solid Tumor      | Not available.                  |                 |
|   | <b>Flammability</b> | :   | End Repair-A Tailing Enzyme Mix | Not applicable. |
|   |                     |   | End Repair-A Tailing Buffer     | Not applicable. |
|   |                     | T4 DNA Ligase                                 | Not applicable.                 |                 |
|   |                     | Ligation Buffer                               | Not applicable.                 |                 |
|   |                     | Adaptor Oligo Mix                             | Not applicable.                 |                 |
|   |                     | Forward Primer                                | Not applicable.                 |                 |
|   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable.                 |                 |
|   |                     | Herculase II Fusion DNA Polymerase            | Not applicable.                 |                 |
|   |                     | 5X Herculase II Reaction Buffer               | Not applicable.                 |                 |
|   |                     | SureSelect Binding Buffer                     | Not applicable.                 |                 |
|   |                     | SureSelect Wash Buffer 1                      | Not applicable.                 |                 |
|   |                     | SureSelect Wash Buffer 2                      | Not applicable.                 |                 |
|   |                     | SureSelect XT HS and XT Low Input Blocker Mix | Not applicable.                 |                 |
|   |                     | SureSelect Fast Hybridization Buffer          | Not applicable.                 |                 |
|   |                     | SureSelect RNase Block                        | Not applicable.                 |                 |
|   |                     | SureSelect Post- Capture Primer Mix           | Not applicable.                 |                 |
|   |                     | SureSelect XT HS Index Primer A03-H04         | Not applicable.                 |                 |
|   |                     | SSel XT HS Cancer All-In-One Solid Tumor      | Not applicable.                 |                 |
| <b>Lower and upper explosion limit/flammability limit</b> |                     | :   | End Repair-A Tailing Enzyme Mix | Not available.  |
|   |                     |   | End Repair-A Tailing Buffer     | Not available.  |
|   |                     | T4 DNA Ligase                                 | Not available.                  |                 |
|   |                     | Ligation Buffer                               | Not available.                  |                 |
|   |                     | Adaptor Oligo Mix                             | Not available.                  |                 |
|   |                     | Forward Primer                                | Not available.                  |                 |
|   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | Not available.                  |                 |
|   |                     | Herculase II Fusion DNA Polymerase            | Not available.                  |                 |

## Section 9. Physical and chemical properties and safety characteristics

|  |                |
|--|----------------|
| 5X Herculase II Reaction Buffer          | Not available. |
| SureSelect Binding Buffer                | Not available. |
| SureSelect Wash Buffer 1                 | Not available. |
| SureSelect Wash Buffer 2                 | Not available. |
| SureSelect XT HS and XT Low              | Not available. |
| Input Blocker Mix                        |                |
| SureSelect Fast Hybridization Buffer     | Not available. |
| SureSelect RNase Block                   | Not available. |
| SureSelect Post- Capture Primer Mix      | Not available. |
| SureSelect XT HS Index Primer A03-H04    | Not available. |
| SSeI XT HS Cancer All-In-One Solid Tumor | Not available. |

Vapor pressure :

| Ingredient name  | Vapor Pressure at 20°C |         |        | Vapor pressure at 50°C |          |        |
|--|------------------------|---------|--------|------------------------|----------|--------|
|  | mm Hg                  | kPa     | Method | mm Hg                  | kPa      | Method |
| <b>End Repair-A Tailing Enzyme Mix</b>                   |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |
| Glycerol   | 0.000075               | 0.00001 |        | 0.0025                 | 0.00033  |        |
| <b>End Repair-A Tailing Buffer</b>                       |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |
| 2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride | 0                      | 0       |        | 0.000007501            | 0.000001 |        |
| <b>T4 DNA Ligase</b>                                     |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |
| Glycerol   | 0.000075               | 0.00001 |        | 0.0025                 | 0.00033  |        |
| <b>Ligation Buffer</b>                                   |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |
| Glycerol   | 0.000075               | 0.00001 |        | 0.0025                 | 0.00033  |        |
| <b>Adaptor Oligo Mix</b>                                 |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |
| <b>Forward Primer</b>                                    |                        |         |        |                        |          |        |
| water  | 23.8                   | 3.2     |        | 92.258                 | 12.3     |        |

**Section 9. Physical and chemical properties and safety characteristics**

|  |             |         |  |             |          |
|--|-------------|---------|--|-------------|----------|
| <b>100 mM dNTP Mix<br/>(25 mM each dNTP)</b>                       |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| <b>Herculase II<br/>Fusion DNA<br/>Polymerase</b>                  |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| Glycerol   | 0.000075    | 0.00001 |  | 0.0025      | 0.00033  |
| <b>5X Herculase II<br/>Reaction Buffer</b>                         |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| Trometamol   | <0.00075006 | <0.0001 |  |             |          |
| <b>SureSelect<br/>Binding Buffer</b>                               |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| <b>SureSelect Wash<br/>Buffer 1</b>                                |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| <b>SureSelect Wash<br/>Buffer 2</b>                                |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| <b>SureSelect XT HS<br/>and XT Low Input<br/>Blocker Mix</b>       |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| <b>SureSelect Fast<br/>Hybridization<br/>Buffer</b>                |             |         |  |             |          |
| water  | 23.8        | 3.2     |  | 92.258      | 12.3     |
| 2-Amino-2-<br>(hydroxymethyl)<br>propane-1,3-diol<br>hydrochloride | 0           | 0       |  | 0.000007501 | 0.000001 |
| <b>SureSelect RNase</b>  |             |         |  |             |          |

## Section 9. Physical and chemical properties and safety characteristics

|   |          |         |  |        |         |
|---|----------|---------|--|--------|---------|
| <b>Block</b>                                    |          |         |  |        |         |
| water   | 23.8     | 3.2     |  | 92.258 | 12.3    |
| Glycerol  | 0.000075 | 0.00001 |  | 0.0025 | 0.00033 |
| <b>SureSelect Post-Capture Primer Mix</b>       |          |         |  |        |         |
| water   | 23.8     | 3.2     |  | 92.258 | 12.3    |
| <b>SureSelect XT HS Index Primer A03-H04</b>    |          |         |  |        |         |
| water   | 23.8     | 3.2     |  | 92.258 | 12.3    |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b> |          |         |  |        |         |
| water   | 23.8     | 3.2     |  | 92.258 | 12.3    |
| Glycerol  | 0.000075 | 0.00001 |  | 0.0025 | 0.00033 |

### Relative vapor density

|   |                |
|---|----------------|
| End Repair-A Tailing Enzyme Mix               | Not available. |
| End Repair-A Tailing Buffer                   | Not available. |
| T4 DNA Ligase                                 | Not available. |
| Ligation Buffer                               | Not available. |
| Adaptor Oligo Mix                             | Not available. |
| Forward Primer                                | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not available. |
| Herculase II Fusion DNA Polymerase            | Not available. |
| 5X Herculase II Reaction Buffer               | Not available. |
| SureSelect Binding Buffer                     | Not available. |
| SureSelect Wash Buffer 1                      | Not available. |
| SureSelect Wash Buffer 2                      | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| SureSelect Fast Hybridization Buffer          | Not available. |
| SureSelect RNase Block                        | Not available. |
| SureSelect Post- Capture Primer Mix           | Not available. |
| SureSelect XT HS Index Primer A03-H04         | Not available. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Not available. |

### Relative density

|                                   |                |
|-----------------------------------|----------------|
| End Repair-A Tailing Enzyme Mix   | Not available. |
| End Repair-A Tailing Buffer       | Not available. |
| T4 DNA Ligase                     | Not available. |
| Ligation Buffer                   | Not available. |
| Adaptor Oligo Mix                 | Not available. |
| Forward Primer                    | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP) | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

|   |                |
|---|----------------|
| Herculase II Fusion DNA Polymerase            | Not available. |
| 5X Herculase II Reaction Buffer               | Not available. |
| SureSelect Binding Buffer                     | Not available. |
| SureSelect Wash Buffer 1                      | Not available. |
| SureSelect Wash Buffer 2                      | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available. |
| SureSelect Fast Hybridization Buffer          | Not available. |
| SureSelect RNase Block                        | Not available. |
| SureSelect Post- Capture Primer Mix           | Not available. |
| SureSelect XT HS Index Primer A03-H04         | Not available. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Not available. |

**Solubility(ies)**

| <b>Media</b>  | <b>Result</b> |
|---|---------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>water               | Soluble       |
| <b>End Repair-A Tailing Buffer</b><br>water                   | Soluble       |
| <b>T4 DNA Ligase</b><br>water                                 | Soluble       |
| <b>Ligation Buffer</b><br>water                               | Soluble       |
| <b>Adaptor Oligo Mix</b><br>water                             | Soluble       |
| <b>Forward Primer</b><br>water                                | Soluble       |
| <b>100 mM dNTP Mix (25 mM each dNTP)</b><br>water             | Soluble       |
| <b>Herculase II Fusion DNA Polymerase</b><br>water            | Soluble       |
| <b>5X Herculase II Reaction Buffer</b><br>water               | Soluble       |
| <b>SureSelect Binding Buffer</b><br>water                     | Soluble       |
| <b>SureSelect Wash Buffer 1</b><br>water                      | Soluble       |
| <b>SureSelect Wash Buffer 2</b><br>water                      | Soluble       |
| <b>SureSelect XT HS and XT Low Input Blocker Mix</b><br>water | Soluble       |
| <b>SureSelect Fast Hybridization Buffer</b><br>water          | Soluble       |
| <b>SureSelect RNase Block</b>                                 |               |

## Section 9. Physical and chemical properties and safety characteristics

|   |         |
|---|---------|
| water   | Soluble |
| <b>SureSelect Post-Capture Primer Mix</b>       |         |
| water   | Soluble |
| <b>SureSelect XT HS Index Primer A03-H04</b>    |         |
| water   | Soluble |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b> |         |
| water   | Soluble |

**Partition coefficient: n-octanol/water**

|   |                 |
|---|-----------------|
| End Repair-A Tailing Enzyme Mix               | Not applicable. |
| End Repair-A Tailing Buffer                   | Not applicable. |
| T4 DNA Ligase                                 | Not applicable. |
| Ligation Buffer                               | Not applicable. |
| Adaptor Oligo Mix                             | Not applicable. |
| Forward Primer                                | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable. |
| Herculase II Fusion DNA Polymerase            | Not applicable. |
| 5X Herculase II Reaction Buffer               | Not applicable. |
| SureSelect Binding Buffer                     | Not applicable. |
| SureSelect Wash Buffer 1                      | Not applicable. |
| SureSelect Wash Buffer 2                      | Not applicable. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| SureSelect Fast Hybridization Buffer          | Not applicable. |
| SureSelect RNase Block                        | Not applicable. |
| SureSelect Post- Capture Primer Mix           | Not applicable. |
| SureSelect XT HS Index Primer A03-H04         | Not applicable. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Not applicable. |

**Auto-ignition temperature**

| Ingredient name  | °C  | °F  | Method |
|--|-----|-----|--------|
| <b>End Repair-A Tailing Enzyme Mix</b>   |     |     |        |
| Glycerol   | 370 | 698 |        |
| <b>T4 DNA Ligase</b>   |     |     |        |
| Glycerol   | 370 | 698 |        |
| <b>Ligation Buffer</b>   |     |     |        |
| Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | 360 | 680 |        |
| Glycerol   | 370 | 698 |        |
| <b>Herculase II Fusion DNA Polymerase</b>  |     |     |        |
| Glycerol   | 370 | 698 |        |

## Section 9. Physical and chemical properties and safety characteristics

|   |     |     |  |
|---|-----|-----|--|
| <b>SureSelect RNase Block</b>                   |     |     |  |
| Glycerol  | 370 | 698 |  |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b> |     |     |  |
| Glycerol  | 370 | 698 |  |

**Decomposition temperature :** End Repair-A Tailing Enzyme Mix Not available.  
 End Repair-A Tailing Buffer Not available.  
 T4 DNA Ligase Not available.  
 Ligation Buffer Not available.  
 Adaptor Oligo Mix Not available.  
 Forward Primer Not available.  
 100 mM dNTP Mix (25 mM each dNTP) Not available.  
 Herculase II Fusion DNA Polymerase Not available.  
 5X Herculase II Reaction Buffer Not available.  
 SureSelect Binding Buffer Not available.  
 SureSelect Wash Buffer 1 Not available.  
 SureSelect Wash Buffer 2 Not available.  
 SureSelect XT HS and XT Low Input Blocker Mix Not available.  
 SureSelect Fast Hybridization Buffer Not available.  
 SureSelect RNase Block Not available.  
 SureSelect Post- Capture Primer Mix Not available.  
 SureSelect XT HS Index Primer A03-H04 Not available.  
 SSeI XT HS Cancer All-In-One Solid Tumor Not available.

**Viscosity :** End Repair-A Tailing Enzyme Mix Not available.  
 End Repair-A Tailing Buffer Not available.  
 T4 DNA Ligase Not available.  
 Ligation Buffer Not available.  
 Adaptor Oligo Mix Not available.  
 Forward Primer Not available.  
 100 mM dNTP Mix (25 mM each dNTP) Not available.  
 Herculase II Fusion DNA Polymerase Not available.  
 5X Herculase II Reaction Buffer Not available.  
 SureSelect Binding Buffer Not available.  
 SureSelect Wash Buffer 1 Not available.  
 SureSelect Wash Buffer 2 Not available.  
 SureSelect XT HS and XT Low Input Blocker Mix Not available.  
 SureSelect Fast Hybridization Buffer Not available.  
 SureSelect RNase Block Not available.  
 SureSelect Post- Capture Primer Mix Not available.  
 SureSelect XT HS Index Primer A03-H04 Not available.  
 SSeI XT HS Cancer All-In-One Not available.

## Section 9. Physical and chemical properties and safety characteristics

Solid Tumor

### Particle characteristics

#### Median particle size

|   |                 |
|---|-----------------|
| : End Repair-A Tailing Enzyme Mix             | Not applicable. |
| End Repair-A Tailing Buffer                   | Not applicable. |
| T4 DNA Ligase                                 | Not applicable. |
| Ligation Buffer                               | Not applicable. |
| Adaptor Oligo Mix                             | Not applicable. |
| Forward Primer                                | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable. |
| Herculase II Fusion DNA Polymerase            | Not applicable. |
| 5X Herculase II Reaction Buffer               | Not applicable. |
| SureSelect Binding Buffer                     | Not applicable. |
| SureSelect Wash Buffer 1                      | Not applicable. |
| SureSelect Wash Buffer 2                      | Not applicable. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| SureSelect Fast Hybridization Buffer          | Not applicable. |
| SureSelect RNase Block                        | Not applicable. |
| SureSelect Post- Capture Primer Mix           | Not applicable. |
| SureSelect XT HS Index Primer A03-H04         | Not applicable. |
| SSel XT HS Cancer All-In-One Solid Tumor      | Not applicable. |

## Section 10. Stability and reactivity

### 10.1 Reactivity

|   |  |
|---|--|
| : End Repair-A Tailing Enzyme Mix             | No specific test data related to reactivity available for this product or its ingredients. |
| End Repair-A Tailing Buffer                   | No specific test data related to reactivity available for this product or its ingredients. |
| T4 DNA Ligase                                 | No specific test data related to reactivity available for this product or its ingredients. |
| Ligation Buffer                               | No specific test data related to reactivity available for this product or its ingredients. |
| Adaptor Oligo Mix                             | No specific test data related to reactivity available for this product or its ingredients. |
| Forward Primer                                | No specific test data related to reactivity available for this product or its ingredients. |
| 100 mM dNTP Mix (25 mM each dNTP)             | No specific test data related to reactivity available for this product or its ingredients. |
| Herculase II Fusion DNA Polymerase            | No specific test data related to reactivity available for this product or its ingredients. |
| 5X Herculase II Reaction Buffer               | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect Binding Buffer                     | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect Wash Buffer 1                      | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect Wash Buffer 2                      | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect Fast Hybridization Buffer          | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect RNase Block                        | No specific test data related to reactivity available for this product or its ingredients. |

## Section 10. Stability and reactivity

|  |  |
|--|--|
| SureSelect Post- Capture Primer Mix      | No specific test data related to reactivity available for this product or its ingredients. |
| SureSelect XT HS Index Primer A03-H04    | No specific test data related to reactivity available for this product or its ingredients. |
| SSel XT HS Cancer All-In-One Solid Tumor | No specific test data related to reactivity available for this product or its ingredients. |

### 10.2 Chemical stability

|   |                        |
|---|------------------------|
| : End Repair-A Tailing Enzyme Mix             | The product is stable. |
| End Repair-A Tailing Buffer                   | The product is stable. |
| T4 DNA Ligase                                 | The product is stable. |
| Ligation Buffer                               | The product is stable. |
| Adaptor Oligo Mix                             | The product is stable. |
| Forward Primer                                | The product is stable. |
| 100 mM dNTP Mix (25 mM each dNTP)             | The product is stable. |
| Herculase II Fusion DNA Polymerase            | The product is stable. |
| 5X Herculase II Reaction Buffer               | The product is stable. |
| SureSelect Binding Buffer                     | The product is stable. |
| SureSelect Wash Buffer 1                      | The product is stable. |
| SureSelect Wash Buffer 2                      | The product is stable. |
| SureSelect XT HS and XT Low Input Blocker Mix | The product is stable. |
| SureSelect Fast Hybridization Buffer          | The product is stable. |
| SureSelect RNase Block                        | The product is stable. |
| SureSelect Post- Capture Primer Mix           | The product is stable. |
| SureSelect XT HS Index Primer A03-H04         | The product is stable. |
| SSel XT HS Cancer All-In-One Solid Tumor      | The product is stable. |

### 10.3 Possibility of hazardous reactions

|   |   |
|---|---|
| : End Repair-A Tailing Enzyme Mix             | Under normal conditions of storage and use, hazardous reactions will not occur. |
| End Repair-A Tailing Buffer                   | Under normal conditions of storage and use, hazardous reactions will not occur. |
| T4 DNA Ligase                                 | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Ligation Buffer                               | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Adaptor Oligo Mix                             | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Forward Primer                                | Under normal conditions of storage and use, hazardous reactions will not occur. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Under normal conditions of storage and use, hazardous reactions will not occur. |
| Herculase II Fusion DNA Polymerase            | Under normal conditions of storage and use, hazardous reactions will not occur. |
| 5X Herculase II Reaction Buffer               | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect Binding Buffer                     | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect Wash Buffer 1                      | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect Wash Buffer 2                      | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect XT HS and XT Low Input Blocker Mix | Under normal conditions of storage and use, hazardous reactions will not occur. |

## Section 10. Stability and reactivity

|  |   |
|--|---|
| SureSelect Fast Hybridization Buffer     | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect RNase Block                   | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect Post- Capture Primer Mix      | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SureSelect XT HS Index Primer A03-H04    | Under normal conditions of storage and use, hazardous reactions will not occur. |
| SSel XT HS Cancer All-In-One Solid Tumor | Under normal conditions of storage and use, hazardous reactions will not occur. |

|                                 |   |   |                   |
|---------------------------------|---|---|-------------------|
| <b>10.4 Conditions to avoid</b> | : | End Repair-A Tailing Enzyme Mix               | No specific data. |
|                                 |   | End Repair-A Tailing Buffer                   | No specific data. |
|                                 |   | T4 DNA Ligase                                 | No specific data. |
|                                 |   | Ligation Buffer                               | No specific data. |
|                                 |   | Adaptor Oligo Mix                             | No specific data. |
|                                 |   | Forward Primer                                | No specific data. |
|                                 |   | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data. |
|                                 |   | Herculase II Fusion DNA Polymerase            | No specific data. |
|                                 |   | 5X Herculase II Reaction Buffer               | No specific data. |
|                                 |   | SureSelect Binding Buffer                     | No specific data. |
|                                 |   | SureSelect Wash Buffer 1                      | No specific data. |
|                                 |   | SureSelect Wash Buffer 2                      | No specific data. |
|                                 |   | SureSelect XT HS and XT Low Input Blocker Mix | No specific data. |
|                                 |   | SureSelect Fast Hybridization Buffer          | No specific data. |
|                                 |   | SureSelect RNase Block                        | No specific data. |
|                                 |   | SureSelect Post- Capture Primer Mix           | No specific data. |
|                                 |   | SureSelect XT HS Index Primer A03-H04         | No specific data. |
|                                 |   | SSel XT HS Cancer All-In-One Solid Tumor      | No specific data. |

|                                    |   |                                    |  |
|------------------------------------|---|------------------------------------|--|
| <b>10.5 Incompatible materials</b> | : | End Repair-A Tailing Enzyme Mix    | May react or be incompatible with oxidizing materials. |
|                                    |   | End Repair-A Tailing Buffer        | May react or be incompatible with oxidizing materials. |
|                                    |   | T4 DNA Ligase                      | May react or be incompatible with oxidizing materials. |
|                                    |   | Ligation Buffer                    | May react or be incompatible with oxidizing materials. |
|                                    |   | Adaptor Oligo Mix                  | May react or be incompatible with oxidizing materials. |
|                                    |   | Forward Primer                     | May react or be incompatible with oxidizing materials. |
|                                    |   | 100 mM dNTP Mix (25 mM each dNTP)  | May react or be incompatible with oxidizing materials. |
|                                    |   | Herculase II Fusion DNA Polymerase | May react or be incompatible with oxidizing materials. |
|                                    |   | 5X Herculase II Reaction Buffer    | May react or be incompatible with oxidizing materials. |
|                                    |   | SureSelect Binding Buffer          | May react or be incompatible with oxidizing materials. |
|                                    |   | SureSelect Wash Buffer 1           | May react or be incompatible with oxidizing materials. |

## Section 10. Stability and reactivity

|   |  |
|---|--|
| SureSelect Wash Buffer 2                      | May react or be incompatible with oxidizing materials.   |
| SureSelect XT HS and XT Low Input Blocker Mix | May react or be incompatible with oxidizing materials.   |
| SureSelect Fast Hybridization Buffer          | May react or be incompatible with oxidizing materials.   |
| SureSelect RNase Block                        | May react or be incompatible with oxidizing materials.   |
| SureSelect Post- Capture Primer Mix           | May react or be incompatible with oxidizing materials.   |
| SureSelect XT HS Index Primer A03-H04         | May react or be incompatible with oxidizing materials.   |
| SSeI XT HS Cancer All-In-One Solid Tumor      | May react or be incompatible with oxidizing materials.   |
| <b>10.6 Hazardous decomposition products</b>  |  |
| : End Repair-A Tailing Enzyme Mix             | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| End Repair-A Tailing Buffer                   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| T4 DNA Ligase                                 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Ligation Buffer                               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Adaptor Oligo Mix                             | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Forward Primer                                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| Herculase II Fusion DNA Polymerase            | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| 5X Herculase II Reaction Buffer               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Binding Buffer                     | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Wash Buffer 1                      | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Wash Buffer 2                      | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect XT HS and XT Low Input Blocker Mix | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect Fast Hybridization Buffer          | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect RNase Block                        | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 10. Stability and reactivity

|  |  |
|--|--|
| SureSelect Post- Capture Primer Mix      | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SureSelect XT HS Index Primer A03-H04    | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
| SSeI XT HS Cancer All-In-One Solid Tumor | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name                                     | Result      | Species | Dose        | Exposure |
|---|-------------|---------|-------------|----------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol          | LD50 Oral   | Rat     | 12600 mg/kg | -        |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride    | LD50 Oral   | Rat     | 2600 mg/kg  | -        |
| <b>T4 DNA Ligase</b><br>Glycerol                            | LD50 Oral   | Rat     | 12600 mg/kg | -        |
| <b>Ligation Buffer</b><br>Glycerol                          | LD50 Oral   | Rat     | 12600 mg/kg | -        |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol       | LD50 Oral   | Rat     | 12600 mg/kg | -        |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol        | LD50 Dermal | Rat     | >5000 mg/kg | -        |
| Ammonium sulphate   | LD50 Oral   | Rat     | 2840 mg/kg  | -        |
| Hexadecan-1-ol, ethoxylated                                 | LD50 Oral   | Rat     | 2500 mg/kg  | -        |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate  | LD50 Oral   | Rat     | 1288 mg/kg  | -        |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate  | LD50 Oral   | Rat     | 1288 mg/kg  | -        |
| <b>SureSelect RNase Block</b><br>Glycerol                   | LD50 Oral   | Rat     | 12600 mg/kg | -        |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | LD50 Oral   | Rat     | 12600 mg/kg | -        |

#### Irritation/Corrosion

## Section 11. Toxicological information

| Product/ingredient name  | Result                   | Species    | Score | Exposure        | Observation |
|--|--------------------------|------------|-------|-----------------|-------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
| <b>T4 DNA Ligase</b><br>Glycerol   | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Eyes - Mild irritant     | Rabbit     | -     | 500 mg          | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 500 mg          | -           |
| Glycerol   | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | Eyes - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 500 mg | -           |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol   | Skin - Moderate irritant | Rabbit     | -     | 25 %            | -           |
|  | Skin - Severe irritant   | Rabbit     | -     | 500 mg          | -           |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | Eyes - Mild irritant     | Rabbit     | -     | 250 ug          | -           |
|  | Eyes - Moderate irritant | Rabbit     | -     | 10 mg           | -           |
|  | Eyes - Moderate irritant | Rabbit     | -     | 24 hours 100 mg | -           |
|  | Skin - Mild irritant     | Guinea pig | -     | 24 hours 25 mg  | -           |
|  | Skin - Mild irritant     | Rabbit     | -     | 24 hours 50 mg  | -           |
|  | Skin - Moderate irritant | Mouse      | -     | 24 hours 25 mg  | -           |
|  | Skin - Moderate irritant | Rabbit     | -     | 24 hours 25 mg  | -           |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | Eyes - Mild irritant     | Rabbit     | -     | 250 ug          | -           |

## Section 11. Toxicological information

|   |                          |            |   |                 |   |
|---|--------------------------|------------|---|-----------------|---|
|   | Eyes - Moderate irritant | Rabbit     | - | 10 mg           | - |
|   | Eyes - Moderate irritant | Rabbit     | - | 24 hours 100 mg | - |
|   | Skin - Mild irritant     | Guinea pig | - | 24 hours 25 mg  | - |
|   | Skin - Mild irritant     | Rabbit     | - | 24 hours 50 mg  | - |
|   | Skin - Moderate irritant | Mouse      | - | 24 hours 25 mg  | - |
| <b>SureSelect RNase Block</b><br>Glycerol                   | Skin - Moderate irritant | Rabbit     | - | 24 hours 25 mg  | - |
|   | Eyes - Mild irritant     | Rabbit     | - | 24 hours 500 mg | - |
|   | Skin - Mild irritant     | Rabbit     | - | 24 hours 500 mg | - |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | Eyes - Mild irritant     | Rabbit     | - | 24 hours 500 mg | - |
|   | Skin - Mild irritant     | Rabbit     | - | 24 hours 500 mg | - |

### Sensitization

Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

| Name   | Category   | Route of exposure | Target organs                |
|--|------------|-------------------|------------------------------|
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol       | Category 3 | -                 | Respiratory tract irritation |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate | Category 3 | -                 | Respiratory tract irritation |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate | Category 3 | -                 | Respiratory tract irritation |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

## Section 11. Toxicological information

### Information on the likely routes of exposure

|   |  |
|---|--|
| End Repair-A Tailing Enzyme Mix               | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| End Repair-A Tailing Buffer                   | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| T4 DNA Ligase                                 | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| Ligation Buffer                               | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| Adaptor Oligo Mix                             | Not available.   |
| Forward Primer                                | Not available.   |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not available.   |
| Herculase II Fusion DNA Polymerase            | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| 5X Herculase II Reaction Buffer               | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| SureSelect Binding Buffer                     | Not available.   |
| SureSelect Wash Buffer 1                      | Not available.   |
| SureSelect Wash Buffer 2                      | Not available.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Not available.   |
| SureSelect Fast Hybridization Buffer          | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| SureSelect RNase Block                        | Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes. |
| SureSelect Post- Capture Primer Mix           | Not available.   |
| SureSelect XT HS Index Primer A03-H04         | Not available.   |
| SSel XT HS Cancer All-In-One Solid Tumor      | Not available.   |

### Potential acute health effects

#### Eye contact

|   |   |
|---|---|
| End Repair-A Tailing Enzyme Mix               | Causes eye irritation.                            |
| End Repair-A Tailing Buffer                   | No known significant effects or critical hazards. |
| T4 DNA Ligase                                 | Causes eye irritation.                            |
| Ligation Buffer                               | Causes eye irritation.                            |
| Adaptor Oligo Mix                             | No known significant effects or critical hazards. |
| Forward Primer                                | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP)             | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase            | Causes eye irritation.                            |
| 5X Herculase II Reaction Buffer               | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                     | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                      | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                      | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer          | No known significant effects or critical hazards. |
| SureSelect RNase Block                        | Causes eye irritation.                            |
| SureSelect Post- Capture Primer Mix           | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04         | No known significant effects or critical hazards. |
| SSel XT HS Cancer All-In-One Solid Tumor      | No known significant effects or critical hazards. |

## Section 11. Toxicological information

|                     |  |   |   |
|---------------------|--|---|---|
| <b>Inhalation</b>   | :  | End Repair-A Tailing Enzyme Mix                   | No known significant effects or critical hazards. |
|                     |  | End Repair-A Tailing Buffer                       | No known significant effects or critical hazards. |
|                     |  | T4 DNA Ligase                                     | No known significant effects or critical hazards. |
|                     |  | Ligation Buffer                                   | No known significant effects or critical hazards. |
|                     |  | Adaptor Oligo Mix                                 | No known significant effects or critical hazards. |
|                     |  | Forward Primer                                    | No known significant effects or critical hazards. |
|                     |  | 100 mM dNTP Mix (25 mM each dNTP)                 | No known significant effects or critical hazards. |
|                     |  | Herculase II Fusion DNA Polymerase                | No known significant effects or critical hazards. |
|                     |  | 5X Herculase II Reaction Buffer                   | No known significant effects or critical hazards. |
|                     |  | SureSelect Binding Buffer                         | No known significant effects or critical hazards. |
|                     |  | SureSelect Wash Buffer 1                          | No known significant effects or critical hazards. |
|                     |  | SureSelect Wash Buffer 2                          | No known significant effects or critical hazards. |
|                     |  | SureSelect XT HS and XT Low Input Blocker Mix     | No known significant effects or critical hazards. |
|                     |  | SureSelect Fast Hybridization Buffer              | No known significant effects or critical hazards. |
|                     |  | SureSelect RNase Block                            | No known significant effects or critical hazards. |
|                     |  | SureSelect Post- Capture Primer Mix               | No known significant effects or critical hazards. |
|                     |  | SureSelect XT HS Index Primer A03-H04             | No known significant effects or critical hazards. |
|                     | SSeI XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards. |   |
| <b>Skin contact</b> | :  | End Repair-A Tailing Enzyme Mix                   | No known significant effects or critical hazards. |
|                     |  | End Repair-A Tailing Buffer                       | No known significant effects or critical hazards. |
|                     |  | T4 DNA Ligase                                     | No known significant effects or critical hazards. |
|                     |  | Ligation Buffer                                   | No known significant effects or critical hazards. |
|                     |  | Adaptor Oligo Mix                                 | No known significant effects or critical hazards. |
|                     |  | Forward Primer                                    | No known significant effects or critical hazards. |
|                     |  | 100 mM dNTP Mix (25 mM each dNTP)                 | No known significant effects or critical hazards. |
|                     |  | Herculase II Fusion DNA Polymerase                | No known significant effects or critical hazards. |
|                     |  | 5X Herculase II Reaction Buffer                   | No known significant effects or critical hazards. |
|                     |  | SureSelect Binding Buffer                         | No known significant effects or critical hazards. |
|                     |  | SureSelect Wash Buffer 1                          | No known significant effects or critical hazards. |
|                     |  | SureSelect Wash Buffer 2                          | No known significant effects or critical hazards. |
|                     |  | SureSelect XT HS and XT Low Input Blocker Mix     | No known significant effects or critical hazards. |
|                     |  | SureSelect Fast Hybridization Buffer              | No known significant effects or critical hazards. |
|                     |  | SureSelect RNase Block                            | No known significant effects or critical hazards. |
|                     |  | SureSelect Post- Capture Primer Mix               | No known significant effects or critical hazards. |
|                     |  | SureSelect XT HS Index Primer A03-H04             | No known significant effects or critical hazards. |
|                     | SSeI XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards. |   |
| <b>Ingestion</b>    | :  | End Repair-A Tailing Enzyme Mix                   | No known significant effects or critical hazards. |
|                     |  | End Repair-A Tailing Buffer                       | No known significant effects or critical hazards. |
|                     |  | T4 DNA Ligase                                     | No known significant effects or critical hazards. |
|                     |  | Ligation Buffer                                   | No known significant effects or critical hazards. |
|                     |  | Adaptor Oligo Mix                                 | No known significant effects or critical hazards. |
|                     |  | Forward Primer                                    | No known significant effects or critical hazards. |
|                     |  | 100 mM dNTP Mix (25 mM each dNTP)                 | No known significant effects or critical hazards. |
|                     | Herculase II Fusion DNA                  | No known significant effects or critical hazards. |   |

## Section 11. Toxicological information

|   |   |
|---|---|
| Polymerase                                    | No known significant effects or critical hazards. |
| 5X Herculanse II Reaction Buffer              | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                     | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                      | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                      | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer          | No known significant effects or critical hazards. |
| SureSelect RNase Block                        | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix           | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04         | No known significant effects or critical hazards. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

#### Eye contact

|   |  |
|---|--|
| : End Repair-A Tailing Enzyme Mix             | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| End Repair-A Tailing Buffer                   | No specific data.  |
| T4 DNA Ligase                                 | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| Ligation Buffer                               | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| Adaptor Oligo Mix                             | No specific data.  |
| Forward Primer                                | No specific data.  |
| 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.  |
| Herculanse II Fusion DNA Polymerase           | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| 5X Herculanse II Reaction Buffer              | No specific data.  |
| SureSelect Binding Buffer                     | No specific data.  |
| SureSelect Wash Buffer 1                      | No specific data.  |
| SureSelect Wash Buffer 2                      | No specific data.  |
| SureSelect XT HS and XT Low Input Blocker Mix | No specific data.  |
| SureSelect Fast Hybridization Buffer          | No specific data.  |
| SureSelect RNase Block                        | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
| SureSelect Post- Capture Primer Mix           | No specific data.  |
| SureSelect XT HS Index Primer A03-H04         | No specific data.  |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No specific data.  |

## Section 11. Toxicological information

|                   |                     |   |                                 |                   |
|-------------------|---------------------|---|---------------------------------|-------------------|
| <b>Inhalation</b> | :                   | End Repair-A Tailing Enzyme Mix               | No specific data.               |                   |
|                   |                     | End Repair-A Tailing Buffer                   | No specific data.               |                   |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA Polymerase            | No specific data.               |                   |
|                   |                     | 5X Herculase II Reaction Buffer               | No specific data.               |                   |
|                   |                     | SureSelect Binding Buffer                     | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 1                      | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 2                      | No specific data.               |                   |
|                   |                     | SureSelect XT HS and XT Low Input Blocker Mix | No specific data.               |                   |
|                   |                     | SureSelect Fast Hybridization Buffer          | No specific data.               |                   |
|                   |                     | SureSelect RNase Block                        | No specific data.               |                   |
|                   |                     | SureSelect Post- Capture Primer Mix           | No specific data.               |                   |
|                   |                     | SureSelect XT HS Index Primer A03-H04         | No specific data.               |                   |
|                   |                     | SSeI XT HS Cancer All-In-One Solid Tumor      | No specific data.               |                   |
|                   | <b>Skin contact</b> | :   | End Repair-A Tailing Enzyme Mix | No specific data. |
|                   |                     |   | End Repair-A Tailing Buffer     | No specific data. |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA Polymerase            | No specific data.               |                   |
|                   |                     | 5X Herculase II Reaction Buffer               | No specific data.               |                   |
|                   |                     | SureSelect Binding Buffer                     | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 1                      | No specific data.               |                   |
|                   |                     | SureSelect Wash Buffer 2                      | No specific data.               |                   |
|                   |                     | SureSelect XT HS and XT Low Input Blocker Mix | No specific data.               |                   |
|                   |                     | SureSelect Fast Hybridization Buffer          | No specific data.               |                   |
|                   |                     | SureSelect RNase Block                        | No specific data.               |                   |
|                   |                     | SureSelect Post- Capture Primer Mix           | No specific data.               |                   |
|                   |                     | SureSelect XT HS Index Primer A03-H04         | No specific data.               |                   |
|                   |                     | SSeI XT HS Cancer All-In-One Solid Tumor      | No specific data.               |                   |
| <b>Ingestion</b>  |                     | :   | End Repair-A Tailing Enzyme Mix | No specific data. |
|                   |                     |   | End Repair-A Tailing Buffer     | No specific data. |
|                   |                     | T4 DNA Ligase                                 | No specific data.               |                   |
|                   |                     | Ligation Buffer                               | No specific data.               |                   |
|                   |                     | Adaptor Oligo Mix                             | No specific data.               |                   |
|                   |                     | Forward Primer                                | No specific data.               |                   |
|                   |                     | 100 mM dNTP Mix (25 mM each dNTP)             | No specific data.               |                   |
|                   |                     | Herculase II Fusion DNA                       | No specific data.               |                   |

## Section 11. Toxicological information

|  |                   |
|--|-------------------|
| Polymerase                               |                   |
| 5X Herculase II Reaction Buffer          | No specific data. |
| SureSelect Binding Buffer                | No specific data. |
| SureSelect Wash Buffer 1                 | No specific data. |
| SureSelect Wash Buffer 2                 | No specific data. |
| SureSelect XT HS and XT Low              | No specific data. |
| Input Blocker Mix                        |                   |
| SureSelect Fast Hybridization Buffer     | No specific data. |
| SureSelect RNase Block                   | No specific data. |
| SureSelect Post- Capture Primer Mix      | No specific data. |
| SureSelect XT HS Index Primer A03-H04    | No specific data. |
| SSel XT HS Cancer All-In-One Solid Tumor | No specific data. |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

|                |  |   |
|----------------|--|---|
| <b>General</b> | : End Repair-A Tailing Enzyme Mix        | No known significant effects or critical hazards. |
|                | End Repair-A Tailing Buffer              | No known significant effects or critical hazards. |
|                | T4 DNA Ligase                            | No known significant effects or critical hazards. |
|                | Ligation Buffer                          | No known significant effects or critical hazards. |
|                | Adaptor Oligo Mix                        | No known significant effects or critical hazards. |
|                | Forward Primer                           | No known significant effects or critical hazards. |
|                | 100 mM dNTP Mix (25 mM each dNTP)        | No known significant effects or critical hazards. |
|                | Herculase II Fusion DNA Polymerase       | No known significant effects or critical hazards. |
|                | 5X Herculase II Reaction Buffer          | No known significant effects or critical hazards. |
|                | SureSelect Binding Buffer                | No known significant effects or critical hazards. |
|                | SureSelect Wash Buffer 1                 | No known significant effects or critical hazards. |
|                | SureSelect Wash Buffer 2                 | No known significant effects or critical hazards. |
|                | SureSelect XT HS and XT Low              | No known significant effects or critical hazards. |
|                | Input Blocker Mix                        |   |
|                | SureSelect Fast Hybridization Buffer     | No known significant effects or critical hazards. |
|                | SureSelect RNase Block                   | No known significant effects or critical hazards. |
|                | SureSelect Post- Capture Primer Mix      | No known significant effects or critical hazards. |
|                | SureSelect XT HS Index Primer A03-H04    | No known significant effects or critical hazards. |
|                | SSel XT HS Cancer All-In-One Solid Tumor | No known significant effects or critical hazards. |

## Section 11. Toxicological information

|                              |   |   |
|------------------------------|---|---|
| <b>Carcinogenicity</b>       | <ul style="list-style-type: none"> <li>: End Repair-A Tailing Enzyme Mix</li> <li>End Repair-A Tailing Buffer</li> <li>T4 DNA Ligase</li> <li>Ligation Buffer</li> <li>Adaptor Oligo Mix</li> <li>Forward Primer</li> <li>100 mM dNTP Mix (25 mM each dNTP)</li> <li>Herculase II Fusion DNA Polymerase</li> <li>5X Herculase II Reaction Buffer</li> <li>SureSelect Binding Buffer</li> <li>SureSelect Wash Buffer 1</li> <li>SureSelect Wash Buffer 2</li> <li>SureSelect XT HS and XT Low Input Blocker Mix</li> <li>SureSelect Fast Hybridization Buffer</li> <li>SureSelect RNase Block</li> <li>SureSelect Post- Capture Primer Mix</li> <li>SureSelect XT HS Index Primer A03-H04</li> <li>SSeI XT HS Cancer All-In-One Solid Tumor</li> </ul> | <ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul> |
| <b>Mutagenicity</b>          | <ul style="list-style-type: none"> <li>: End Repair-A Tailing Enzyme Mix</li> <li>End Repair-A Tailing Buffer</li> <li>T4 DNA Ligase</li> <li>Ligation Buffer</li> <li>Adaptor Oligo Mix</li> <li>Forward Primer</li> <li>100 mM dNTP Mix (25 mM each dNTP)</li> <li>Herculase II Fusion DNA Polymerase</li> <li>5X Herculase II Reaction Buffer</li> <li>SureSelect Binding Buffer</li> <li>SureSelect Wash Buffer 1</li> <li>SureSelect Wash Buffer 2</li> <li>SureSelect XT HS and XT Low Input Blocker Mix</li> <li>SureSelect Fast Hybridization Buffer</li> <li>SureSelect RNase Block</li> <li>SureSelect Post- Capture Primer Mix</li> <li>SureSelect XT HS Index Primer A03-H04</li> <li>SSeI XT HS Cancer All-In-One Solid Tumor</li> </ul> | <ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul> |
| <b>Reproductive toxicity</b> | <ul style="list-style-type: none"> <li>: End Repair-A Tailing Enzyme Mix</li> <li>End Repair-A Tailing Buffer</li> <li>T4 DNA Ligase</li> <li>Ligation Buffer</li> <li>Adaptor Oligo Mix</li> <li>Forward Primer</li> <li>100 mM dNTP Mix (25 mM each dNTP)</li> <li>Herculase II Fusion DNA</li> </ul>   | <ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>  |

## Section 11. Toxicological information

|   |   |
|---|---|
| Polymerase                                    | No known significant effects or critical hazards. |
| 5X Herculanse II Reaction Buffer              | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                     | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                      | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                      | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer          | No known significant effects or critical hazards. |
| SureSelect RNase Block                        | No known significant effects or critical hazards. |
| SureSelect Post- Capture Primer Mix           | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A03-H04         | No known significant effects or critical hazards. |
| SSeI XT HS Cancer All-In-One Solid Tumor      | No known significant effects or critical hazards. |

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name  | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|--|--------------|----------------|--------------------------|----------------------------|-------------------------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | 12600        | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>End Repair-A Tailing Buffer</b><br>End Repair-A Tailing Buffer  | 159509.2     | N/A            | N/A                      | N/A                        | N/A                                 |
| Potassium chloride   | 2600         | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>T4 DNA Ligase</b><br>Glycerol   | 12600        | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | 28000        | N/A            | N/A                      | N/A                        | N/A                                 |
| Glycerol   | 12600        | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>Herculanse II Fusion DNA Polymerase</b><br>Glycerol   | 12600        | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>5X Herculanse II Reaction Buffer</b><br>5X Herculanse II Reaction Buffer  | 107739.0     | N/A            | N/A                      | N/A                        | N/A                                 |
| Ammonium sulphate  | 2840         | N/A            | N/A                      | N/A                        | N/A                                 |
| Hexadecan-1-ol, ethoxylated  | 2500         | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>SureSelect Binding Buffer</b><br>SureSelect Binding Buffer  | 51369.9      | N/A            | N/A                      | N/A                        | N/A                                 |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | 1288         | N/A            | N/A                      | N/A                        | 1.5                                 |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | 1288         | N/A            | N/A                      | N/A                        | 1.5                                 |
| <b>SureSelect RNase Block</b><br>Glycerol  | 12600        | N/A            | N/A                      | N/A                        | N/A                                 |



## Section 12. Ecological information

|   |   |  |                                 |
|---|---|--|---------------------------------|
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol       | Acute LC50 54000 mg/l Fresh water   | Fish - Oncorhynchus mykiss   | 96 hours                        |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol        | Acute EC50 >980 mg/l Fresh water<br>Acute NOEC 520 mg/l Fresh water                                       | Daphnia<br>Daphnia   | 48 hours<br>48 hours            |
| Ammonium sulphate   | Chronic NOEC 7.5 mg/l Marine water  | Algae - Phaeodactylum tricornutum - Exponential growth phase   | 96 hours                        |
| Hexadecan-1-ol, ethoxylated                                 | Acute LC50 330000 to 1000000 µg/l Marine water  | Crustaceans - Crangon crangon - Adult  | 48 hours                        |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate  | Acute EC50 1200 µg/l Marine water<br>Acute LC50 900 µg/l Marine water                                     | Algae - Skeletonema costatum<br>Crustaceans - Artemia salina - Adult   | 96 hours<br>48 hours            |
|   | Acute LC50 1400 µg/l Fresh water  | Daphnia - Daphnia pulex - Neonate  | 48 hours                        |
|   | Acute LC50 590 µg/l Fresh water<br>Chronic NOEC 1.25 mg/l Marine water<br>Chronic NOEC 1 mg/l Fresh water | Fish - Cirrhinus mrigala - Larvae<br>Algae - Ulva fasciata - Zoea<br>Crustaceans - Pseudosida ramosa - Neonate | 96 hours<br>96 hours<br>21 days |
|   | Chronic NOEC 3.2 mg/l Fresh water   | Daphnia - Daphnia magna - Neonate  | 21 days                         |
|   | Chronic NOEC >1357 µg/l Fresh water   | Fish - Pimephales promelas   | 42 days                         |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate  | Acute EC50 1200 µg/l Marine water<br>Acute LC50 900 µg/l Marine water                                     | Algae - Skeletonema costatum<br>Crustaceans - Artemia salina - Adult   | 96 hours<br>48 hours            |
|   | Acute LC50 1400 µg/l Fresh water  | Daphnia - Daphnia pulex - Neonate  | 48 hours                        |
|   | Acute LC50 590 µg/l Fresh water<br>Chronic NOEC 1.25 mg/l Marine water<br>Chronic NOEC 1 mg/l Fresh water | Fish - Cirrhinus mrigala - Larvae<br>Algae - Ulva fasciata - Zoea<br>Crustaceans - Pseudosida ramosa - Neonate | 96 hours<br>96 hours<br>21 days |
|   | Chronic NOEC 3.2 mg/l Fresh water   | Daphnia - Daphnia magna - Neonate  | 21 days                         |
|   | Chronic NOEC >1357 µg/l Fresh water   | Fish - Pimephales promelas   | 42 days                         |
| <b>SureSelect RNase Block</b><br>Glycerol                   | Acute LC50 54000 mg/l Fresh water   | Fish - Oncorhynchus mykiss   | 96 hours                        |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | Acute LC50 54000 mg/l Fresh water   | Fish - Oncorhynchus mykiss   | 96 hours                        |

### [12.2 Persistence and degradability](#)

## Section 12. Ecological information

| Product/ingredient name  | Test  | Result                      | Dose    | Inoculum |
|--|---|-----------------------------|---------|----------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -       | -        |
| <b>T4 DNA Ligase</b><br>Glycerol   | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -       | -        |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | OECD 301D Ready Biodegradability - Closed Bottle Test             | 74.85 % - Readily - 28 days | 4 mg/l  | -        |
| Glycerol   | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -       | -        |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -       | -        |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol   | OECD 301F Ready Biodegradability - Manometric Respirometry Test   | 97.1 % - Readily - 28 days  | 30 mg/l | -        |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test | 95 % - Readily - 28 days    | 20 mg/l | -        |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test | 95 % - Readily - 28 days    | 20 mg/l | -        |
| <b>SureSelect RNase Block</b><br>Glycerol  | 301D Ready Biodegradability - Closed Bottle                       | 93 % - 30 days              | -       | -        |

## Section 12. Ecological information

|   |   |                |   |   |
|---|---|----------------|---|---|
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | Test<br><br>301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 days | - | - |
|---|---|----------------|---|---|

| Product/ingredient name  | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | -                 | -          | Readily          |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | -                 | -          | Readily          |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol   | -                 | -          | Readily          |
| Ammonium sulphate  | -                 | -          | Readily          |
| Hexadecan-1-ol, ethoxylated  | -                 | -          | Readily          |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | -                 | -          | Readily          |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | -                 | -          | Readily          |

### 12.3 Bioaccumulative potential

| Product/ingredient name  | LogP <sub>ow</sub> | BCF | Potential |
|--|--------------------|-----|-----------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | -1.76              | -   | low       |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | -0.46              | -   | low       |
| <b>T4 DNA Ligase</b><br>Glycerol   | -1.76              | -   | low       |
| <b>Ligation Buffer</b><br>Poly(oxy-1,2-ethanediyl), $\alpha$ -hydro- $\omega$ -hydroxy- Ethane-1,2-diol, ethoxylated | -                  | 3.2 | low       |
| Glycerol   | -1.76              | -   | low       |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | -1.76              | -   | low       |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol   | -2.31              | -   | low       |
| Ammonium sulphate  | -5.1               | -   | low       |

## Section 12. Ecological information

|   |       |   |     |
|---|-------|---|-----|
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate  | -2.03 | - | low |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate  | -2.03 | - | low |
| <b>SureSelect RNase Block</b><br>Glycerol                   | -1.76 | - | low |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | -1.76 | - | low |

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) CDR Exempt/Partial exemption: Not determined  
 Clean Water Act (CWA) 311: Potassium hydroxide; Edetic acid

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

#### SARA 302/304

##### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

#### SARA 311/312

##### **Classification**

|   |                              |
|---|------------------------------|
| End Repair-A Tailing Enzyme Mix               | EYE IRRITATION - Category 2B |
| End Repair-A Tailing Buffer                   | Not applicable.              |
| T4 DNA Ligase                                 | EYE IRRITATION - Category 2B |
| Ligation Buffer                               | EYE IRRITATION - Category 2B |
| Adaptor Oligo Mix                             | Not applicable.              |
| Forward Primer                                | Not applicable.              |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable.              |
| Herculase II Fusion DNA Polymerase            | EYE IRRITATION - Category 2B |
| 5X Herculase II Reaction Buffer               | Not applicable.              |
| SureSelect Binding Buffer                     | Not applicable.              |
| SureSelect Wash Buffer 1                      | Not applicable.              |
| SureSelect Wash Buffer 2                      | Not applicable.              |
| SureSelect XT HS and XT Low Input Blocker Mix | Not applicable.              |
| SureSelect Fast Hybridization Buffer          | Not applicable.              |
| SureSelect RNase Block                        | EYE IRRITATION - Category 2B |
| SureSelect Post- Capture Primer Mix           | Not applicable.              |
| SureSelect XT HS Index Primer A03-H04         | Not applicable.              |
| SSeI XT HS Cancer All-In-One Solid Tumor      | Not applicable.              |

##### Composition/information on ingredients

| Name   | %         | Classification               |
|--|-----------|------------------------------|
| <b>End Repair-A Tailing Enzyme Mix</b>                                   |           |                              |
| Glycerol   | ≥50 - ≤75 | EYE IRRITATION - Category 2B |
| <b>End Repair-A Tailing Buffer</b>                                       |           |                              |
| Potassium chloride   | ≤3        | EYE IRRITATION - Category 2B |
| <b>T4 DNA Ligase</b>   |           |                              |
| Glycerol   | ≥50 - ≤75 | EYE IRRITATION - Category 2B |
| <b>Ligation Buffer</b>   |           |                              |
| Poly(oxy-1,2-ethanediyl),α-hydro-ω-hydroxy- Ethane-1,2-diol, ethoxylated | ≥10 - ≤25 | EYE IRRITATION - Category 2B |
| Glycerol   | ≥10 - ≤25 | EYE IRRITATION - Category 2B |

## Section 15. Regulatory information

|   |           |   |
|---|-----------|---|
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol       | ≥50 - ≤75 | EYE IRRITATION - Category 2B  |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol        | ≤3        | COMBUSTIBLE DUSTS<br>SKIN IRRITATION - Category 2<br>EYE IRRITATION - Category 2A<br>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3 |
| Ammonium sulphate   | ≤3        | EYE IRRITATION - Category 2A  |
| <b>SureSelect RNase Block</b><br>Glycerol                   | ≥50 - ≤75 | EYE IRRITATION - Category 2B  |
| <b>SSeI XT HS Cancer All-In-One Solid Tumor</b><br>Glycerol | ≤3        | EYE IRRITATION - Category 2B  |

### SARA 313

|  | Product name  | CAS number | %  |
|--|---|------------|----|
| <b>Form R - Reporting requirements</b> | <b>5X Herculase II Reaction Buffer</b><br>Ammonium sulphate | 7783-20-2  | ≤3 |
| <b>Supplier notification</b>           | <b>5X Herculase II Reaction Buffer</b><br>Ammonium sulphate | 7783-20-2  | ≤3 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

### State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: GLYCERIN
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL
- California Prop. 65**

This product does not require a Safe Harbor warning under California Prop. 65.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

- Australia** : Not determined.
- Canada** : Not determined.

## Section 15. Regulatory information

|                                |  |
|--------------------------------|--|
| <b>China</b>                   | : Not determined.  |
| <b>Eurasian Economic Union</b> | : <b>Russian Federation inventory</b> : Not determined.  |
| <b>Japan</b>                   | : <b>Japan inventory (CSCL)</b> : Not determined.<br><b>Japan inventory (ISHL)</b> : Not determined. |
| <b>New Zealand</b>             | : Not determined.  |
| <b>Philippines</b>             | : Not determined.  |
| <b>Republic of Korea</b>       | : Not determined.  |
| <b>Taiwan</b>                  | : All components are listed or exempted.   |
| <b>Thailand</b>                | : Not determined.  |
| <b>Turkey</b>                  | : Not determined.  |
| <b>United States</b>           | : Not determined.  |
| <b>Viet Nam</b>                | : Not determined.  |

## Section 16. Other information

### Procedure used to derive the classification

| Classification  | Justification      |
|---|--------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>EYE IRRITATION - Category 2B    | Calculation method |
| <b>T4 DNA Ligase</b><br>EYE IRRITATION - Category 2B                      | Calculation method |
| <b>Ligation Buffer</b><br>EYE IRRITATION - Category 2B                    | Calculation method |
| <b>Herculase II Fusion DNA Polymerase</b><br>EYE IRRITATION - Category 2B | Calculation method |
| <b>SureSelect RNase Block</b><br>EYE IRRITATION - Category 2B             | Calculation method |

### History

|                               |              |
|-------------------------------|--------------|
| <b>Date of issue</b>          | : 03/09/2023 |
| <b>Date of previous issue</b> | : 03/07/2019 |
| <b>Version</b>                | : 2          |

### Key to abbreviations

|   |
|---|
| : ATE = Acute Toxicity Estimate   |
| : BCF = Bioconcentration Factor   |
| : GHS = Globally Harmonized System of Classification and Labelling of Chemicals   |
| : IATA = International Air Transport Association  |
| : IBC = Intermediate Bulk Container   |
| : IMDG = International Maritime Dangerous Goods   |
| : LogPow = logarithm of the octanol/water partition coefficient   |
| : MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| : N/A = Not available   |
| : UN = United Nations   |

Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Note \*** :

## Section 16. Other information

\*SureSelect XT HS Index Primer A03-H04: 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755