

# SAFETY DATA SHEET

SureSelect XT HS Reagent Kit, index 1-32 + Human All Exon V7 Plus 2 Target Enrichment Baits,  
96 rxn, Part Number G9706Q

## Section 1. Identification

|                                |   |
|--------------------------------|---|
| <b>Product identifier</b>      | : SureSelect XT HS Reagent Kit, index 1-32 + Human All Exon V7 Plus 2 Target Enrichment Baits, 96 rxn, Part Number G9706Q   |
| <b>Part no. (chemical kit)</b> | : G9706Q  |
| <b>Part no.</b>                | : <u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn</u> 5500-0140   |
|                                | End Repair-A Tailing Enzyme Mix 5190-6435   |
|                                | End Repair-A Tailing Buffer 5190-6436   |
|                                | T4 DNA Ligase 5190-6437   |
|                                | Ligation Buffer 5190-6438   |
|                                | Adaptor Oligo Mix 5190-6439   |
|                                | Forward Primer 5190-6440  |
|                                | <u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn / SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u> 5500-0140 / 5190-9686 |
|                                | 100 mM dNTP Mix (25 mM each dNTP) 200418-51   |
|                                | Herculase II Fusion DNA Polymerase 5600-3761  |
|                                | 5X Herculase II Reaction Buffer 600675-52   |
|                                | <u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn</u> 5190-9687  |
|                                | SureSelect Binding Buffer 5190-9734   |
|                                | SureSelect Wash Buffer 1 5190-4408  |
|                                | SureSelect Wash Buffer 2 5190-4409  |
|                                | <u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u> 5190-9686  |
|                                | SureSelect XT HS and XT Low Input Blocker Mix 5190-9534   |
|                                | SureSelect Fast Hybridization Buffer 5190-7330  |
|                                | SureSelect RNase Block 5972-3700  |
|                                | SureSelect Post-Capture Primer Mix 5190-9732  |
|                                | <u>SureSelect XT HS Index Primers 1-32 for ILM (Pre PCR)</u> 5190-9876  |
|                                | SureSelect XT HS Index Primer A01-H04 Various*  |
|                                | SSEL XT HS and XT Low Input Custom Capture Library 5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947                          |
|                                | <u>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2, 96 Reactions</u> 5191-4053   |
|                                | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 5191-4053  |
| <b>Material uses</b>           | : Analytical reagent.<br>For Research Use Only. Not for use in diagnostic procedures.   |

## Section 1. Identification

|  |                                |
|--|--------------------------------|
| End Repair-A Tailing Enzyme Mix                      | 0.512 ml (96 reactions)        |
| End Repair-A Tailing Buffer                          | 2.048 ml (96 reactions)        |
| T4 DNA Ligase  | 0.256 ml (96 reactions)        |
| Ligation Buffer                                      | 2.944 ml (96 reactions)        |
| Adaptor Oligo Mix                                    | 0.7 ml (96 reactions)          |
| Forward Primer                                       | 0.256 ml (96 reactions)        |
| 100 mM dNTP Mix (25 mM each dNTP)                    | 0.1 ml                         |
| Herculase II Fusion DNA Polymerase                   | 0.14 ml (96 reactions)         |
| 5X Herculase II Reaction Buffer                      | 1.5 ml                         |
| SureSelect Binding Buffer                            | 93 ml                          |
| SureSelect Wash Buffer 1                             | 48 ml                          |
| SureSelect Wash Buffer 2                             | 144 ml                         |
| SureSelect XT HS and XT Low Input Blocker Mix        | 0.64 ml (96 reactions)         |
| SureSelect Fast Hybridization Buffer                 | 0.918 ml                       |
| SureSelect RNase Block                               | 0.08 ml                        |
| SureSelect Post-Capture Primer Mix                   | 0.14 ml (96 reactions)         |
| SureSelect XT HS Index Primer A01-H04                | 96 x 0.01 ml (96 reactions)    |
| SSEL XT HS and XT Low Input Custom Capture Library   | 0.192 - 0.48 ml (96 reactions) |
| SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | 0.48 ml (96 reactions)         |

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
5301 Stevens Creek Blvd  
Santa Clara, CA 95051, USA  
800-227-9770

**Emergency telephone number (with hours of operation)** : CHEMTREC®: 1-800-424-9300

**Note \*** : \*SureSelect XT HS Index Primer A01-H04: 5190-6419, 5190-6420, 5190-6421, 5190-6422, 5190-6423, 5190-6424, 5190-6425, 5190-6426, 5190-6427, 5190-6428, 5190-6429, 5190-6430, 5190-6431, 5190-6432, 5190-6433, 5190-6434, 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755

## Section 2. Hazard identification

### Classification of the substance or mixture

|   |                              |
|---|------------------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>H320    | EYE IRRITATION - Category 2B |
| <b>T4 DNA Ligase</b><br>H320                      | EYE IRRITATION - Category 2B |
| <b>Ligation Buffer</b><br>H320                    | EYE IRRITATION - Category 2B |
| <b>Herculase II Fusion DNA Polymerase</b><br>H320 | EYE IRRITATION - Category 2B |
| <b>SureSelect RNase Block</b><br>H320             | EYE IRRITATION - Category 2B |

### GHS label elements

## Section 2. Hazard identification

|                          |   |  |   |
|--------------------------|---|--|---|
| <b>Signal word</b>       | : | End Repair-A Tailing Enzyme Mix                      | Warning   |
|                          |   | End Repair-A Tailing Buffer                          | No signal word.                                   |
|                          |   | T4 DNA Ligase  | Warning   |
|                          |   | Ligation Buffer                                      | Warning   |
|                          |   | Adaptor Oligo Mix                                    | No signal word.                                   |
|                          |   | Forward Primer                                       | No signal word.                                   |
|                          |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No signal word.                                   |
|                          |   | Herculase II Fusion DNA Polymerase                   | Warning   |
|                          |   | 5X Herculase II Reaction Buffer                      | No signal word.                                   |
|                          |   | SureSelect Binding Buffer                            | No signal word.                                   |
|                          |   | SureSelect Wash Buffer 1                             | No signal word.                                   |
|                          |   | SureSelect Wash Buffer 2                             | No signal word.                                   |
|                          |   | SureSelect XT HS and XT Low Input Blocker Mix        | No signal word.                                   |
|                          |   | SureSelect Fast Hybridization Buffer                 | No signal word.                                   |
|                          |   | SureSelect RNase Block                               | Warning   |
|                          |   | SureSelect Post-Capture Primer Mix                   | No signal word.                                   |
|                          |   | SureSelect XT HS Index Primer A01-H04                | No signal word.                                   |
|                          |   | SSEL XT HS and XT Low Input Custom Capture Library   | No signal word.                                   |
|                          |   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No signal word.                                   |
| <b>Hazard statements</b> | : | End Repair-A Tailing Enzyme Mix                      | H320 - Causes eye irritation.                     |
|                          |   | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                          |   | T4 DNA Ligase  | H320 - Causes eye irritation.                     |
|                          |   | Ligation Buffer                                      | H320 - Causes eye irritation.                     |
|                          |   | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                          |   | Forward Primer                                       | No known significant effects or critical hazards. |
|                          |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                          |   | Herculase II Fusion DNA Polymerase                   | H320 - Causes eye irritation.                     |
|                          |   | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                          |   | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                          |   | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                          |   | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                          |   | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                          |   | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                          |   | SureSelect RNase Block                               | H320 - Causes eye irritation.                     |
|                          |   | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                          |   | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|                          |   | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                          |   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

## Section 2. Hazard identification

### Precautionary statements

|                                    |  |  |
|------------------------------------|--|--|
| <b>Prevention</b>                  | : End Repair-A Tailing Enzyme Mix                    | Not applicable.  |
|                                    | End Repair-A Tailing Buffer                          | Not applicable.  |
|                                    | T4 DNA Ligase  | Not applicable.  |
|                                    | Ligation Buffer                                      | Not applicable.  |
|                                    | Adaptor Oligo Mix                                    | Not applicable.  |
|                                    | Forward Primer                                       | Not applicable.  |
|                                    | 100 mM dNTP Mix (25 mM each dNTP)                    | Not applicable.  |
|                                    | Herculase II Fusion DNA Polymerase                   | Not applicable.  |
|                                    | 5X Herculase II Reaction Buffer                      | Not applicable.  |
|                                    | SureSelect Binding Buffer                            | Not applicable.  |
|                                    | SureSelect Wash Buffer 1                             | Not applicable.  |
|                                    | SureSelect Wash Buffer 2                             | Not applicable.  |
|                                    | SureSelect XT HS and XT Low Input Blocker Mix        | Not applicable.  |
|                                    | SureSelect Fast Hybridization Buffer                 | Not applicable.  |
|                                    | SureSelect RNase Block                               | Not applicable.  |
|                                    | SureSelect Post-Capture Primer Mix                   | Not applicable.  |
|                                    | SureSelect XT HS Index Primer A01-H04                | Not applicable.  |
|                                    | SSEL XT HS and XT Low Input Custom Capture Library   | Not applicable.  |
|                                    | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not applicable.  |
|                                    | <b>Response</b>                                      | : End Repair-A Tailing Enzyme Mix  |
| End Repair-A Tailing Buffer        |  | Not applicable.  |
| T4 DNA Ligase                      |  | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Ligation Buffer                    |  | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| Adaptor Oligo Mix                  |  | Not applicable.  |
| Forward Primer                     |  | Not applicable.  |
| 100 mM dNTP Mix (25 mM each dNTP)  |  | Not applicable.  |
| Herculase II Fusion DNA Polymerase |  | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
| 5X Herculase II Reaction Buffer    |  | Not applicable.  |
| SureSelect Binding Buffer          |  | Not applicable.  |

## Section 2. Hazard identification

|                 |  |  |
|-----------------|--|--|
|                 | SureSelect Wash Buffer 1                             | Not applicable.  |
|                 | SureSelect Wash Buffer 2                             | Not applicable.  |
|                 | SureSelect XT HS and XT Low Input Blocker Mix        | Not applicable.  |
|                 | SureSelect Fast Hybridization Buffer                 | Not applicable.  |
|                 | SureSelect RNase Block                               | P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention. |
|                 | SureSelect Post-Capture Primer Mix                   | Not applicable.  |
|                 | SureSelect XT HS Index Primer A01-H04                | Not applicable.  |
|                 | SSEL XT HS and XT Low Input Custom Capture Library   | Not applicable.  |
|                 | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not applicable.  |
| <b>Storage</b>  | : End Repair-A Tailing Enzyme Mix                    | Not applicable.  |
|                 | End Repair-A Tailing Buffer                          | Not applicable.  |
|                 | T4 DNA Ligase  | Not applicable.  |
|                 | Ligation Buffer                                      | Not applicable.  |
|                 | Adaptor Oligo Mix                                    | Not applicable.  |
|                 | Forward Primer                                       | Not applicable.  |
|                 | 100 mM dNTP Mix (25 mM each dNTP)                    | Not applicable.  |
|                 | Herculase II Fusion DNA Polymerase                   | Not applicable.  |
|                 | 5X Herculase II Reaction Buffer                      | Not applicable.  |
|                 | SureSelect Binding Buffer                            | Not applicable.  |
|                 | SureSelect Wash Buffer 1                             | Not applicable.  |
|                 | SureSelect Wash Buffer 2                             | Not applicable.  |
|                 | SureSelect XT HS and XT Low Input Blocker Mix        | Not applicable.  |
|                 | SureSelect Fast Hybridization Buffer                 | Not applicable.  |
|                 | SureSelect RNase Block                               | Not applicable.  |
|                 | SureSelect Post-Capture Primer Mix                   | Not applicable.  |
|                 | SureSelect XT HS Index Primer A01-H04                | Not applicable.  |
|                 | SSEL XT HS and XT Low Input Custom Capture Library   | Not applicable.  |
|                 | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not applicable.  |
| <b>Disposal</b> | : End Repair-A Tailing Enzyme Mix                    | Not applicable.  |
|                 | End Repair-A Tailing Buffer                          | Not applicable.  |
|                 | T4 DNA Ligase  | Not applicable.  |
|                 | Ligation Buffer                                      | Not applicable.  |
|                 | Adaptor Oligo Mix                                    | Not applicable.  |
|                 | Forward Primer                                       | Not applicable.  |
|                 | 100 mM dNTP Mix (25 mM each dNTP)                    | Not applicable.  |
|                 | Herculase II Fusion DNA                              | Not applicable.  |

## Section 2. Hazard identification

|                                    |  |  |
|------------------------------------|--|--|
|                                    | Polymerase   |  |
|                                    | 5X Herculase II Reaction Buffer                      | Not applicable.  |
|                                    | SureSelect Binding Buffer                            | Not applicable.  |
|                                    | SureSelect Wash Buffer 1                             | Not applicable.  |
|                                    | SureSelect Wash Buffer 2                             | Not applicable.  |
|                                    | SureSelect XT HS and XT Low Input Blocker Mix        | Not applicable.  |
|                                    | SureSelect Fast Hybridization Buffer                 | Not applicable.  |
|                                    | SureSelect RNase Block                               | Not applicable.  |
|                                    | SureSelect Post-Capture Primer Mix                   | Not applicable.  |
|                                    | SureSelect XT HS Index Primer A01-H04                | Not applicable.  |
|                                    | SSEL XT HS and XT Low Input Custom Capture Library   | Not applicable.  |
|                                    | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Not applicable.  |
| <b>Supplemental label elements</b> | : End Repair-A Tailing Enzyme Mix                    | None known.  |
|                                    | End Repair-A Tailing Buffer                          | None known.  |
|                                    | T4 DNA Ligase  | None known.  |
|                                    | Ligation Buffer                                      | None known.  |
|                                    | Adaptor Oligo Mix                                    | None known.  |
|                                    | Forward Primer                                       | None known.  |
|                                    | 100 mM dNTP Mix (25 mM each dNTP)                    | None known.  |
|                                    | Herculase II Fusion DNA Polymerase                   | None known.  |
|                                    | 5X Herculase II Reaction Buffer                      | None known.  |
|                                    | SureSelect Binding Buffer                            | None known.  |
|                                    | SureSelect Wash Buffer 1                             | None known.  |
|                                    | SureSelect Wash Buffer 2                             | None known.  |
|                                    | SureSelect XT HS and XT Low Input Blocker Mix        | None known.  |
|                                    | SureSelect Fast Hybridization Buffer                 | None known.  |
|                                    | SureSelect RNase Block                               | None known.  |
|                                    | SureSelect Post-Capture Primer Mix                   | None known.  |
|                                    | SureSelect XT HS Index Primer A01-H04                | None known.  |
|                                    | SSEL XT HS and XT Low Input Custom Capture Library   | None known.  |
|                                    | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | None known.  |
|                                    | 100 mM dNTP Mix (25 mM each dNTP)                    | Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%  |
|                                    | SureSelect Fast Hybridization Buffer                 | Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 31.3% |

## Section 2. Hazard identification

|  |   |  |             |
|--|---|--|-------------|
| <b>Other hazards which do not result in classification</b> | : | End Repair-A Tailing Enzyme Mix                      | None known. |
|  |   | End Repair-A Tailing Buffer                          | None known. |
|  |   | T4 DNA Ligase  | None known. |
|  |   | Ligation Buffer                                      | None known. |
|  |   | Adaptor Oligo Mix                                    | None known. |
|  |   | Forward Primer                                       | None known. |
|  |   | 100 mM dNTP Mix (25 mM each dNTP)                    | None known. |
|  |   | Herculase II Fusion DNA Polymerase                   | None known. |
|  |   | 5X Herculase II Reaction Buffer                      | None known. |
|  |   | SureSelect Binding Buffer                            | None known. |
|  |   | SureSelect Wash Buffer 1                             | None known. |
|  |   | SureSelect Wash Buffer 2                             | None known. |
|  |   | SureSelect XT HS and XT Low Input Blocker Mix        | None known. |
|  |   | SureSelect Fast Hybridization Buffer                 | None known. |
|  |   | SureSelect RNase Block                               | None known. |
|  |   | SureSelect Post-Capture Primer Mix                   | None known. |
|  |   | SureSelect XT HS Index Primer A01-H04                | None known. |
|  |   | SSEL XT HS and XT Low Input Custom Capture Library   | None known. |
|  |   | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | None known. |

## Section 3. Composition/information on ingredients

|                          |   |  |         |
|--------------------------|---|--|---------|
| <b>Substance/mixture</b> | : | End Repair-A Tailing Enzyme Mix                    | Mixture |
|                          |   | End Repair-A Tailing Buffer                        | Mixture |
|                          |   | T4 DNA Ligase                                      | Mixture |
|                          |   | Ligation Buffer                                    | Mixture |
|                          |   | Adaptor Oligo Mix                                  | Mixture |
|                          |   | Forward Primer                                     | Mixture |
|                          |   | 100 mM dNTP Mix (25 mM each dNTP)                  | Mixture |
|                          |   | Herculase II Fusion DNA Polymerase                 | Mixture |
|                          |   | 5X Herculase II Reaction Buffer                    | Mixture |
|                          |   | SureSelect Binding Buffer                          | Mixture |
|                          |   | SureSelect Wash Buffer 1                           | Mixture |
|                          |   | SureSelect Wash Buffer 2                           | Mixture |
|                          |   | SureSelect XT HS and XT Low Input Blocker Mix      | Mixture |
|                          |   | SureSelect Fast Hybridization Buffer               | Mixture |
|                          |   | SureSelect RNase Block                             | Mixture |
|                          |   | SureSelect Post-Capture Primer Mix                 | Mixture |
|                          |   | SureSelect XT HS Index Primer A01-H04              | Mixture |
|                          |   | SSEL XT HS and XT Low Input Custom Capture Library | Mixture |

## Section 3. Composition/information on ingredients

SSEL XT HS and XT Low Mixture  
Input Human All Exon V7  
Plus 2

| Ingredient name  | % (w/w)                       | CAS number                        |
|--|-------------------------------|-----------------------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | 30 - 60                       | 56-81-5                           |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | 1 - 5                         | 7447-40-7                         |
| <b>T4 DNA Ligase</b><br>Glycerol   | 30 - 60                       | 56-81-5                           |
| <b>Ligation Buffer</b><br>Polyethylene glycol<br>Glycerol  | 10 - 30<br>10 - 30            | 25322-68-3<br>56-81-5             |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | 30 - 60                       | 56-81-5                           |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol<br>Ammonium sulphate<br>Hexadecan-1-ol, ethoxylated | 1 - 5<br>0.5 - 1.5<br>0.1 - 1 | 77-86-1<br>7783-20-2<br>9004-95-9 |
| <b>SureSelect Binding Buffer</b><br>Sodium chloride  | 3 - 7                         | 7647-14-5                         |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | <0.1                          | 151-21-3                          |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | <0.1                          | 151-21-3                          |
| <b>SureSelect RNase Block</b><br>Glycerol  | 30 - 60                       | 56-81-5                           |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol                                    | 1 - 5                         | 56-81-5                           |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First-aid measures

### Description of necessary first aid measures

|                    |                                   |   |
|--------------------|-----------------------------------|---|
| <b>Eye contact</b> | : End Repair-A Tailing Enzyme Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
|                    | End Repair-A Tailing Buffer       | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
|                    | T4 DNA Ligase                     | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.  |

## Section 4. First-aid measures

|   |   |
|---|---|
|   | Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.  |
| Ligation Buffer                               | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| Adaptor Oligo Mix                             | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| Forward Primer                                | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| 100 mM dNTP Mix (25 mM each dNTP)             | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| Herculase II Fusion DNA Polymerase            | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| 5X Herculase II Reaction Buffer               | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Binding Buffer                     | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Wash Buffer 1                      | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Wash Buffer 2                      | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect Fast Hybridization Buffer          | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect RNase Block                        | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention. |
| SureSelect Post-Capture Primer Mix            | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SureSelect XT HS Index Primer A01-H04         | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.  |

## Section 4. First-aid measures

### Inhalation

|  |  |
|--|--|
| SSEL XT HS and XT Low<br>Input Custom Capture Library      | Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.   |
| SSel XT HS and XT Low<br>Input Human All Exon V7<br>Plus 2 | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.  |
| : End Repair-A Tailing<br>Enzyme Mix                       | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| End Repair-A Tailing Buffer                                | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.  |
| T4 DNA Ligase  | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Ligation Buffer  | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Adaptor Oligo Mix  | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| Forward Primer   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.  |
| 100 mM dNTP Mix (25 mM<br>each dNTP)                       | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept   |

## Section 4. First-aid measures

|  |   |
|--|---|
| Herculase II Fusion DNA Polymerase                   | under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| 5X Herculase II Reaction Buffer                      | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.   |
| SureSelect Binding Buffer                            | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 1                             | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 2                             | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SureSelect XT HS and XT Low Input Blocker Mix        | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SureSelect Fast Hybridization Buffer                 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.   |
| SureSelect RNase Block                               | Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.  |
| SureSelect Post-Capture Primer Mix                   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SureSelect XT HS Index Primer A01-H04                | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SSEL XT HS and XT Low Input Custom Capture Library   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.   |

## Section 4. First-aid measures

|                     |  |   |
|---------------------|--|---|
| <b>Skin contact</b> | : End Repair-A Tailing Enzyme Mix                  | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | End Repair-A Tailing Buffer                        | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | T4 DNA Ligase                                      | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | Ligation Buffer                                    | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | Adaptor Oligo Mix                                  | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | Forward Primer                                     | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | 100 mM dNTP Mix (25 mM each dNTP)                  | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | Herculase II Fusion DNA Polymerase                 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | 5X Herculase II Reaction Buffer                    | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Binding Buffer                          | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Wash Buffer 1                           | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Wash Buffer 2                           | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect XT HS and XT Low Input Blocker Mix      | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect Fast Hybridization Buffer               | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect RNase Block                             | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. |
|                     | SureSelect Post-Capture Primer Mix                 | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SureSelect XT HS Index Primer A01-H04              | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SSEL XT HS and XT Low Input Custom Capture Library | Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.  |
|                     | SSel XT HS and XT Low                              | Flush contaminated skin with plenty of water.   |

## Section 4. First-aid measures

### Ingestion

|                                   |  |
|-----------------------------------|--|
| Input Human All Exon V7 Plus 2    | Remove contaminated clothing and shoes. Get medical attention if symptoms occur.   |
| : End Repair-A Tailing Enzyme Mix | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| End Repair-A Tailing Buffer       | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| T4 DNA Ligase                     | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Ligation Buffer                   | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| Adaptor Oligo Mix                 | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| Forward Primer                    | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| 100 mM dNTP Mix (25 mM            | Wash out mouth with water. If material has been  |

## Section 4. First-aid measures

|   |  |
|---|--|
| each dNTP)                                    | swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| Herculase II Fusion DNA Polymerase            | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |
| 5X Herculase II Reaction Buffer               | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Binding Buffer                     | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 1                      | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Wash Buffer 2                      | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect XT HS and XT Low Input Blocker Mix | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect Fast Hybridization Buffer          | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.   |
| SureSelect RNase Block                        | Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open   |

## Section 4. First-aid measures

|  |   |
|--|---|
| SureSelect Post-Capture Primer Mix                   | airway. Loosen tight clothing such as a collar, tie, belt or waistband.<br>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. |
| SureSelect XT HS Index Primer A01-H04                | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| SSEL XT HS and XT Low Input Custom Capture Library   | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.  |

### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### **Eye contact**

|  |   |
|--|---|
| : End Repair-A Tailing Enzyme Mix                    | Causes eye irritation.                            |
| End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
| T4 DNA Ligase  | Causes eye irritation.                            |
| Ligation Buffer                                      | Causes eye irritation.                            |
| Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
| Forward Primer                                       | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase                   | Causes eye irritation.                            |
| 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
| SureSelect RNase Block                               | Causes eye irritation.                            |
| SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

## Section 4. First-aid measures

|  |  |   |
|--|--|---|
| <b>Inhalation</b>                                    | : End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards. |
|  | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|  | T4 DNA Ligase  | No known significant effects or critical hazards. |
|  | Ligation Buffer                                      | No known significant effects or critical hazards. |
|  | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|  | Forward Primer                                       | No known significant effects or critical hazards. |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|  | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|  | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|  | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|  | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|  | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|  | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|  | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|  | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|  | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|  | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
|  | <b>Skin contact</b>                                  | : End Repair-A Tailing Enzyme Mix                 |
| End Repair-A Tailing Buffer                          |  | No known significant effects or critical hazards. |
| T4 DNA Ligase  |  | No known significant effects or critical hazards. |
| Ligation Buffer                                      |  | No known significant effects or critical hazards. |
| Adaptor Oligo Mix                                    |  | No known significant effects or critical hazards. |
| Forward Primer                                       |  | No known significant effects or critical hazards. |
| 100 mM dNTP Mix (25 mM each dNTP)                    |  | No known significant effects or critical hazards. |
| Herculase II Fusion DNA Polymerase                   |  | No known significant effects or critical hazards. |
| 5X Herculase II Reaction Buffer                      |  | No known significant effects or critical hazards. |
| SureSelect Binding Buffer                            |  | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 1                             |  | No known significant effects or critical hazards. |
| SureSelect Wash Buffer 2                             |  | No known significant effects or critical hazards. |
| SureSelect XT HS and XT Low Input Blocker Mix        |  | No known significant effects or critical hazards. |
| SureSelect Fast Hybridization Buffer                 |  | No known significant effects or critical hazards. |
| SureSelect RNase Block                               |  | No known significant effects or critical hazards. |
| SureSelect Post-Capture Primer Mix                   |  | No known significant effects or critical hazards. |
| SureSelect XT HS Index Primer A01-H04                |  | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Custom Capture Library   |  | No known significant effects or critical hazards. |
| SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 |  | No known significant effects or critical hazards. |

## Section 4. First-aid measures

|                  |   |  |   |
|------------------|---|--|---|
| <b>Ingestion</b> | : | End Repair-A Tailing Enzyme Mix                      | No known significant effects or critical hazards. |
|                  |   | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                  |   | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                  |   | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                  |   | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                  |   | Forward Primer                                       | No known significant effects or critical hazards. |
|                  |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                  |   | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                  |   | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                  |   | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                  |   | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                  |   | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                  |   | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                  |   | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                  |   | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                  |   | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                  |   | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|                  |   | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                  |   | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

### Over-exposure signs/symptoms

|                    |   |                                    |  |
|--------------------|---|------------------------------------|--|
| <b>Eye contact</b> | : | End Repair-A Tailing Enzyme Mix    | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    |   | End Repair-A Tailing Buffer        | No specific data.  |
|                    |   | T4 DNA Ligase                      | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    |   | Ligation Buffer                    | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    |   | Adaptor Oligo Mix                  | No specific data.  |
|                    |   | Forward Primer                     | No specific data.  |
|                    |   | 100 mM dNTP Mix (25 mM each dNTP)  | No specific data.  |
|                    |   | Herculase II Fusion DNA Polymerase | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    |   | 5X Herculase II Reaction Buffer    | No specific data.  |
|                    |   | SureSelect Binding Buffer          | No specific data.  |
|                    |   | SureSelect Wash Buffer 1           | No specific data.  |
|                    |   | SureSelect Wash Buffer 2           | No specific data.  |
|                    |   | SureSelect XT HS and XT            | No specific data.  |

## Section 4. First-aid measures

|                     |  |  |
|---------------------|--|--|
|                     | Low Input Blocker Mix                                      |  |
|                     | SureSelect Fast  | No specific data.  |
|                     | Hybridization Buffer                                       |  |
|                     | SureSelect RNase Block                                     | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                     | SureSelect Post-Capture<br>Primer Mix                      | No specific data.  |
|                     | SureSelect XT HS Index<br>Primer A01-H04                   | No specific data.  |
|                     | SSEL XT HS and XT Low<br>Input Custom Capture Library      | No specific data.  |
|                     | SSel XT HS and XT Low<br>Input Human All Exon V7<br>Plus 2 | No specific data.  |
| <b>Inhalation</b>   | : End Repair-A Tailing<br>Enzyme Mix                       | No specific data.  |
|                     | End Repair-A Tailing Buffer                                | No specific data.  |
|                     | T4 DNA Ligase  | No specific data.  |
|                     | Ligation Buffer  | No specific data.  |
|                     | Adaptor Oligo Mix  | No specific data.  |
|                     | Forward Primer   | No specific data.  |
|                     | 100 mM dNTP Mix (25 mM<br>each dNTP)                       | No specific data.  |
|                     | Herculase II Fusion DNA<br>Polymerase                      | No specific data.  |
|                     | 5X Herculase II Reaction<br>Buffer                         | No specific data.  |
|                     | SureSelect Binding Buffer                                  | No specific data.  |
|                     | SureSelect Wash Buffer 1                                   | No specific data.  |
|                     | SureSelect Wash Buffer 2                                   | No specific data.  |
|                     | SureSelect XT HS and XT<br>Low Input Blocker Mix           | No specific data.  |
|                     | SureSelect Fast  | No specific data.  |
|                     | Hybridization Buffer                                       |  |
|                     | SureSelect RNase Block                                     | No specific data.  |
|                     | SureSelect Post-Capture<br>Primer Mix                      | No specific data.  |
|                     | SureSelect XT HS Index<br>Primer A01-H04                   | No specific data.  |
|                     | SSEL XT HS and XT Low<br>Input Custom Capture Library      | No specific data.  |
|                     | SSel XT HS and XT Low<br>Input Human All Exon V7<br>Plus 2 | No specific data.  |
| <b>Skin contact</b> | : End Repair-A Tailing<br>Enzyme Mix                       | No specific data.  |
|                     | End Repair-A Tailing Buffer                                | No specific data.  |
|                     | T4 DNA Ligase  | No specific data.  |
|                     | Ligation Buffer  | No specific data.  |
|                     | Adaptor Oligo Mix  | No specific data.  |
|                     | Forward Primer   | No specific data.  |
|                     | 100 mM dNTP Mix (25 mM<br>each dNTP)                       | No specific data.  |
|                     | Herculase II Fusion DNA<br>Polymerase                      | No specific data.  |
|                     | 5X Herculase II Reaction<br>Buffer                         | No specific data.  |
|                     | SureSelect Binding Buffer                                  | No specific data.  |

## Section 4. First-aid measures

|                  |  |                   |
|------------------|--|-------------------|
|                  | SureSelect Wash Buffer 1                             | No specific data. |
|                  | SureSelect Wash Buffer 2                             | No specific data. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data. |
|                  | SureSelect Fast                                      | No specific data. |
|                  | Hybridization Buffer                                 |                   |
|                  | SureSelect RNase Block                               | No specific data. |
|                  | SureSelect Post-Capture Primer Mix                   | No specific data. |
|                  | SureSelect XT HS Index Primer A01-H04                | No specific data. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data. |
|                  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data. |
| <b>Ingestion</b> | : End Repair-A Tailing Enzyme Mix                    | No specific data. |
|                  | End Repair-A Tailing Buffer                          | No specific data. |
|                  | T4 DNA Ligase  | No specific data. |
|                  | Ligation Buffer                                      | No specific data. |
|                  | Adaptor Oligo Mix                                    | No specific data. |
|                  | Forward Primer                                       | No specific data. |
|                  | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific data. |
|                  | Herculase II Fusion DNA Polymerase                   | No specific data. |
|                  | 5X Herculase II Reaction Buffer                      | No specific data. |
|                  | SureSelect Binding Buffer                            | No specific data. |
|                  | SureSelect Wash Buffer 1                             | No specific data. |
|                  | SureSelect Wash Buffer 2                             | No specific data. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data. |
|                  | SureSelect Fast                                      | No specific data. |
|                  | Hybridization Buffer                                 |                   |
|                  | SureSelect RNase Block                               | No specific data. |
|                  | SureSelect Post-Capture Primer Mix                   | No specific data. |
|                  | SureSelect XT HS Index Primer A01-H04                | No specific data. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data. |
|                  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data. |

### Indication of immediate medical attention and special treatment needed, if necessary

|                           |                                   |   |
|---------------------------|-----------------------------------|---|
| <b>Notes to physician</b> | : End Repair-A Tailing Enzyme Mix | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           | End Repair-A Tailing Buffer       | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
|                           | T4 DNA Ligase                     | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.   |
|                           | Ligation Buffer                   | Treat symptomatically. Contact poison treatment   |

## Section 4. First-aid measures

|  |  |
|--|--|
| Adaptor Oligo Mix                                    | specialist immediately if large quantities have been ingested or inhaled.<br>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| Forward Primer                                       | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| 100 mM dNTP Mix (25 mM each dNTP)                    | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.                                    |
| Herculase II Fusion DNA Polymerase                   | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| 5X Herculase II Reaction Buffer                      | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.                                    |
| SureSelect Binding Buffer                            | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect Wash Buffer 1                             | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect Wash Buffer 2                             | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect XT HS and XT Low Input Blocker Mix        | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect Fast Hybridization Buffer                 | In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.                                    |
| SureSelect RNase Block                               | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect Post-Capture Primer Mix                   | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SureSelect XT HS Index Primer A01-H04                | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SSEL XT HS and XT Low Input Custom Capture Library   | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  |
| <b>Specific treatments</b>                           | :  |
| End Repair-A Tailing Enzyme Mix                      | No specific treatment.   |
| End Repair-A Tailing Buffer                          | No specific treatment.   |
| T4 DNA Ligase  | No specific treatment.   |
| Ligation Buffer                                      | No specific treatment.   |
| Adaptor Oligo Mix                                    | No specific treatment.   |
| Forward Primer                                       | No specific treatment.   |
| 100 mM dNTP Mix (25 mM each dNTP)                    | No specific treatment.   |
| Herculase II Fusion DNA                              | No specific treatment.   |

## Section 4. First-aid measures

|  |          |  |
|--|----------|--|
| Polymerase   |          |  |
| 5X Herculase II Reaction Buffer                      |          | No specific treatment.   |
| SureSelect Binding Buffer                            |          | No specific treatment.   |
| SureSelect Wash Buffer 1                             |          | No specific treatment.   |
| SureSelect Wash Buffer 2                             |          | No specific treatment.   |
| SureSelect XT HS and XT Low Input Blocker Mix        |          | No specific treatment.   |
| SureSelect Fast Hybridization Buffer                 |          | No specific treatment.   |
| SureSelect RNase Block                               |          | No specific treatment.   |
| SureSelect Post-Capture Primer Mix                   |          | No specific treatment.   |
| SureSelect XT HS Index Primer A01-H04                |          | No specific treatment.   |
| SSEL XT HS and XT Low Input Custom Capture Library   |          | No specific treatment.   |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 |          | No specific treatment.   |
| <b>Protection of first-aiders</b>                    | <b>:</b> |  |
| End Repair-A Tailing Enzyme Mix                      |          | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| End Repair-A Tailing Buffer                          |          | No action shall be taken involving any personal risk or without suitable training.   |
| T4 DNA Ligase  |          | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Ligation Buffer                                      |          | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| Adaptor Oligo Mix                                    |          | No action shall be taken involving any personal risk or without suitable training.   |
| Forward Primer                                       |          | No action shall be taken involving any personal risk or without suitable training.   |
| 100 mM dNTP Mix (25 mM each dNTP)                    |          | No action shall be taken involving any personal risk or without suitable training.   |
| Herculase II Fusion DNA Polymerase                   |          | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |
| 5X Herculase II Reaction Buffer                      |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect Binding Buffer                            |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect Wash Buffer 1                             |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect Wash Buffer 2                             |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect XT HS and XT Low Input Blocker Mix        |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect Fast Hybridization Buffer                 |          | No action shall be taken involving any personal risk or without suitable training.   |
| SureSelect RNase Block                               |          | No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. |

## Section 4. First-aid measures

|  |  |
|--|--|
| SureSelect Post-Capture Primer Mix                   | No action shall be taken involving any personal risk or without suitable training. |
| SureSelect XT HS Index Primer A01-H04                | No action shall be taken involving any personal risk or without suitable training. |
| SSEL XT HS and XT Low Input Custom Capture Library   | No action shall be taken involving any personal risk or without suitable training. |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No action shall be taken involving any personal risk or without suitable training. |

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### Extinguishing media

|                                     |  |   |
|-------------------------------------|--|---|
| <b>Suitable extinguishing media</b> | : End Repair-A Tailing Enzyme Mix                    | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | End Repair-A Tailing Buffer                          | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | T4 DNA Ligase  | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | Ligation Buffer                                      | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | Adaptor Oligo Mix                                    | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | Forward Primer                                       | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | 100 mM dNTP Mix (25 mM each dNTP)                    | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | Herculase II Fusion DNA Polymerase                   | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | 5X Herculase II Reaction Buffer                      | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect Binding Buffer                            | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect Wash Buffer 1                             | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect Wash Buffer 2                             | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect XT HS and XT Low Input Blocker Mix        | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect Fast Hybridization Buffer                 | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect RNase Block                               | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect Post-Capture Primer Mix                   | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SureSelect XT HS Index Primer A01-H04                | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SSEL XT HS and XT Low Input Custom Capture Library   | Use an extinguishing agent suitable for the surrounding fire. |
|                                     | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Use an extinguishing agent suitable for the surrounding fire. |



## Section 5. Fire-fighting measures

### Hazardous thermal decomposition products

|  |  |
|--|--|
| SureSelect Post-Capture Primer Mix                   | and the container may burst.<br>In a fire or if heated, a pressure increase will occur and the container may burst.  |
| SureSelect XT HS Index Primer A01-H04                | In a fire or if heated, a pressure increase will occur and the container may burst.  |
| SSEL XT HS and XT Low Input Custom Capture Library   | In a fire or if heated, a pressure increase will occur and the container may burst.  |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | In a fire or if heated, a pressure increase will occur and the container may burst.  |
| : End Repair-A Tailing Enzyme Mix                    | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
| End Repair-A Tailing Buffer                          | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides |
| T4 DNA Ligase  | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
| Ligation Buffer                                      | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
| Adaptor Oligo Mix                                    | No specific data.  |
| Forward Primer                                       | No specific data.  |
| 100 mM dNTP Mix (25 mM each dNTP)                    | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>phosphorus oxides                           |
| Herculase II Fusion DNA Polymerase                   | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |
| 5X Herculase II Reaction Buffer                      | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides<br>sulfur oxides<br>metal oxide/oxides         |
| SureSelect Binding Buffer                            | Decomposition products may include the following materials:<br>halogenated compounds<br>metal oxide/oxides   |
| SureSelect Wash Buffer 1                             | No specific data.  |
| SureSelect Wash Buffer 2                             | No specific data.  |
| SureSelect XT HS and XT Low Input Blocker Mix        | No specific data.  |
| SureSelect Fast Hybridization Buffer                 | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide   |

## Section 5. Fire-fighting measures

|   |  |   |
|---|--|---|
|   |  | nitrogen oxides<br>halogenated compounds<br>metal oxide/oxides  |
|   | SureSelect RNase Block                               | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide  |
|   | SureSelect Post-Capture Primer Mix                   | No specific data.   |
|   | SureSelect XT HS Index Primer A01-H04                | No specific data.   |
|   | SSEL XT HS and XT Low Input Custom Capture Library   | Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide  |
|   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data.   |
| <b>Special protective actions for fire-fighters</b> | : End Repair-A Tailing Enzyme Mix                    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | End Repair-A Tailing Buffer                          | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | T4 DNA Ligase  | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | Ligation Buffer                                      | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | Adaptor Oligo Mix                                    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | Forward Primer                                       | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | 100 mM dNTP Mix (25 mM each dNTP)                    | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | Herculase II Fusion DNA Polymerase                   | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | 5X Herculase II Reaction Buffer                      | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect Binding Buffer                            | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect Wash Buffer 1                             | Promptly isolate the scene by removing all persons  |

## Section 5. Fire-fighting measures

|   |  |   |
|---|--|---|
|   |  | from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  |
|   | SureSelect Wash Buffer 2                             | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect XT HS and XT Low Input Blocker Mix        | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect Fast Hybridization Buffer                 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect RNase Block                               | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect Post-Capture Primer Mix                   | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SureSelect XT HS Index Primer A01-H04                | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SSEL XT HS and XT Low Input Custom Capture Library   | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
|   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. |
| <b>Special protective equipment for fire-fighters</b> | : End Repair-A Tailing Enzyme Mix                    | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | End Repair-A Tailing Buffer                          | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | T4 DNA Ligase  | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | Ligation Buffer                                      | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | Adaptor Oligo Mix                                    | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | Forward Primer                                       | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.                         |
|   | 100 mM dNTP Mix (25 mM                               | Fire-fighters should wear appropriate protective  |

## Section 5. Fire-fighting measures

|  |   |
|--|---|
| each dNTP)   | equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.  |
| Herculase II Fusion DNA Polymerase                   | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| 5X Herculase II Reaction Buffer                      | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Binding Buffer                            | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Wash Buffer 1                             | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Wash Buffer 2                             | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect XT HS and XT Low Input Blocker Mix        | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Fast Hybridization Buffer                 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect RNase Block                               | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect Post-Capture Primer Mix                   | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SureSelect XT HS Index Primer A01-H04                | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SSEL XT HS and XT Low Input Custom Capture Library   | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

|                                    |  |
|------------------------------------|--|
| End Repair-A Tailing Enzyme Mix    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| End Repair-A Tailing Buffer        | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| T4 DNA Ligase                      | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| Ligation Buffer                    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| Adaptor Oligo Mix                  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| Forward Primer                     | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| 100 mM dNTP Mix (25 mM each dNTP)  | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| Herculase II Fusion DNA Polymerase | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| 5X Herculase II Reaction Buffer    | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding  |

## Section 6. Accidental release measures

|  |  |
|--|--|
|  | areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Binding Buffer                          | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Wash Buffer 1                           | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Wash Buffer 2                           | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect XT HS and XT Low Input Blocker Mix      | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect Fast Hybridization Buffer               | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect RNase Block                             | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| SureSelect Post-Capture Primer Mix                 | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SureSelect XT HS Index Primer A01-H04              | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |
| SSEL XT HS and XT Low Input Custom Capture Library | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.  |

## Section 6. Accidental release measures

|   |   |
|---|---|
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2              | No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. |
| <b>For emergency responders</b> : End Repair-A Tailing Enzyme Mix | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| End Repair-A Tailing Buffer                                       | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| T4 DNA Ligase   | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| Ligation Buffer   | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| Adaptor Oligo Mix   | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| Forward Primer  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| 100 mM dNTP Mix (25 mM each dNTP)                                 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| Herculase II Fusion DNA Polymerase                                | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| 5X Herculase II Reaction Buffer                                   | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect Binding Buffer   | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect Wash Buffer 1  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect Wash Buffer 2  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect XT HS and XT Low Input Blocker Mix                     | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect Fast Hybridization Buffer                              | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on   |

## Section 6. Accidental release measures

|  |   |
|--|---|
| SureSelect RNase Block   | suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| SureSelect Post-Capture Primer Mix                                 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SureSelect XT HS Index Primer A01-H04                              | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SSEL XT HS and XT Low Input Custom Capture Library                 | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2               | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| <b>Environmental precautions</b> : End Repair-A Tailing Enzyme Mix | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| End Repair-A Tailing Buffer  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| T4 DNA Ligase  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Ligation Buffer  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Adaptor Oligo Mix  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Forward Primer   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| 100 mM dNTP Mix (25 mM each dNTP)                                  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| Herculase II Fusion DNA Polymerase                                 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.   |

## Section 6. Accidental release measures

|  |   |
|--|---|
|  | Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).   |
| 5X Herculase II Reaction Buffer                      | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Binding Buffer                            | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Wash Buffer 1                             | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Wash Buffer 2                             | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS and XT Low Input Blocker Mix        | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Fast Hybridization Buffer                 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect RNase Block                               | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect Post-Capture Primer Mix                   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SureSelect XT HS Index Primer A01-H04                | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SSEL XT HS and XT Low Input Custom Capture Library   | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |

### [Methods and materials for containment and cleaning up](#)

## Section 6. Accidental release measures

|                                |   |                                    |   |
|--------------------------------|---|------------------------------------|---|
| <b>Methods for cleaning up</b> | : | End Repair-A Tailing Enzyme Mix    | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | End Repair-A Tailing Buffer        | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | T4 DNA Ligase                      | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | Ligation Buffer                    | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | Adaptor Oligo Mix                  | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | Forward Primer                     | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | 100 mM dNTP Mix (25 mM each dNTP)  | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | Herculase II Fusion DNA Polymerase | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | 5X Herculase II Reaction Buffer    | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
|                                |   | SureSelect Binding Buffer          | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

## Section 6. Accidental release measures

|  |   |
|--|---|
| SureSelect Wash Buffer 1                             | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Wash Buffer 2                             | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect XT HS and XT Low Input Blocker Mix        | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Fast Hybridization Buffer                 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect RNase Block                               | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect Post-Capture Primer Mix                   | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SureSelect XT HS Index Primer A01-H04                | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SSEL XT HS and XT Low Input Custom Capture Library   | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |

## Section 7. Handling and storage

### Precautions for safe handling

|                            |   |   |
|----------------------------|---|---|
| <b>Protective measures</b> | : End Repair-A Tailing Enzyme Mix             | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|                            | End Repair-A Tailing Buffer                   | Put on appropriate personal protective equipment (see Section 8).   |
|                            | T4 DNA Ligase                                 | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|                            | Ligation Buffer                               | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|                            | Adaptor Oligo Mix                             | Put on appropriate personal protective equipment (see Section 8).   |
|                            | Forward Primer                                | Put on appropriate personal protective equipment (see Section 8).   |
|                            | 100 mM dNTP Mix (25 mM each dNTP)             | Put on appropriate personal protective equipment (see Section 8).   |
|                            | Herculase II Fusion DNA Polymerase            | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|                            | 5X Herculase II Reaction Buffer               | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect Binding Buffer                     | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect Wash Buffer 1                      | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect Wash Buffer 2                      | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect XT HS and XT Low Input Blocker Mix | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect Fast Hybridization Buffer          | Put on appropriate personal protective equipment (see Section 8).   |
|                            | SureSelect RNase Block                        | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers  |

## Section 7. Handling and storage

### Advice on general occupational hygiene

|  |  |   |
|--|--|---|
|  |  | retain product residue and can be hazardous. Do not reuse container.  |
|  | SureSelect Post-Capture Primer Mix                   | Put on appropriate personal protective equipment (see Section 8).   |
|  | SureSelect XT HS Index Primer A01-H04                | Put on appropriate personal protective equipment (see Section 8).   |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | Put on appropriate personal protective equipment (see Section 8).   |
|  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Put on appropriate personal protective equipment (see Section 8).   |
|  | : End Repair-A Tailing Enzyme Mix                    | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | End Repair-A Tailing Buffer                          | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | T4 DNA Ligase  | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | Ligation Buffer                                      | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | Adaptor Oligo Mix                                    | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | Forward Primer                                       | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

## Section 7. Handling and storage

|   |   |
|---|---|
| Herculase II Fusion DNA Polymerase            | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| 5X Herculase II Reaction Buffer               | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Binding Buffer                     | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Wash Buffer 1                      | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Wash Buffer 2                      | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect XT HS and XT Low Input Blocker Mix | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Fast Hybridization Buffer          | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect RNase Block                        | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |
| SureSelect Post-Capture Primer Mix            | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove   |

## Section 7. Handling and storage

|  |  |  |
|--|--|--|
|  | <p>SureSelect XT HS Index Primer A01-H04</p> <p>SSEL XT HS and XT Low Input Custom Capture Library</p> <p>SSel XT HS and XT Low Input Human All Exon V7 Plus 2</p> | <p>contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>  |
| <p><b>Conditions for safe storage, including any incompatibilities</b></p> | <p>: End Repair-A Tailing Enzyme Mix</p> <p>End Repair-A Tailing Buffer</p> <p>T4 DNA Ligase</p> <p>Ligation Buffer</p>  | <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a</p> |

## Section 7. Handling and storage

|                                    |   |
|------------------------------------|---|
| Adaptor Oligo Mix                  | dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| Forward Primer                     | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| 100 mM dNTP Mix (25 mM each dNTP)  | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| Herculase II Fusion DNA Polymerase | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| 5X Herculase II Reaction Buffer    | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to   |

## Section 7. Handling and storage

|   |   |
|---|---|
| SureSelect Binding Buffer                     | prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |
| SureSelect Wash Buffer 1                      | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| SureSelect Wash Buffer 2                      | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| SureSelect XT HS and XT Low Input Blocker Mix | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| SureSelect Fast Hybridization Buffer          | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
| SureSelect RNase Block                        | Store in accordance with local regulations. Store in  |

## Section 7. Handling and storage

|  |  |
|--|--|
| SureSelect Post-Capture Primer Mix                   | original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.  |
|  | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.   |
| SureSelect XT HS Index Primer A01-H04                | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.   |
| SSEL XT HS and XT Low Input Custom Capture Library   | Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.   |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 48 months. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. |

## Section 8. Exposure controls/personal protection

### [Control parameters](#)

### [Occupational exposure limits](#)

| Ingredient name   | Exposure limits   |
|---|---|
| <p><b>End Repair-A Tailing Enzyme Mix</b><br/>Glycerol</p>              | <p><b>CA Alberta Provincial (Canada, 6/2018).</b><br/>8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist<br/><b>CA Quebec Provincial (Canada, 7/2019).</b><br/>TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA Saskatchewan Provincial (Canada, 7/2013).</b><br/>STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA British Columbia Provincial (Canada, 1/2021).</b><br/>TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>   |
| <p><b>T4 DNA Ligase</b><br/>Glycerol</p>                                | <p><b>CA Alberta Provincial (Canada, 6/2018).</b><br/>8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist<br/><b>CA Quebec Provincial (Canada, 7/2019).</b><br/>TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA Saskatchewan Provincial (Canada, 7/2013).</b><br/>STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA British Columbia Provincial (Canada, 1/2021).</b><br/>TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p>   |
| <p><b>Ligation Buffer</b><br/>Polyethylene glycol<br/><br/>Glycerol</p> | <p><b>OARS WEEL (United States, 1/2021).</b><br/>TWA: 10 mg/m<sup>3</sup> 8 hours.<br/><b>CA Alberta Provincial (Canada, 6/2018).</b><br/>8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist<br/><b>CA Quebec Provincial (Canada, 7/2019).</b><br/>TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA Saskatchewan Provincial (Canada, 7/2013).</b><br/>STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA British Columbia Provincial (Canada, 1/2021).</b><br/>TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist<br/>TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist</p> |
| <p><b>Herculase II Fusion DNA Polymerase</b><br/>Glycerol</p>           | <p><b>CA Alberta Provincial (Canada, 6/2018).</b><br/>8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist<br/><b>CA Quebec Provincial (Canada, 7/2019).</b><br/>TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist<br/><b>CA Saskatchewan Provincial (Canada,</b></p>  |

## Section 8. Exposure controls/personal protection

**SureSelect RNase Block**  
Glycerol

**7/2013).**  
STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  
**CA British Columbia Provincial (Canada, 1/2021).**  
TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist

**CA Alberta Provincial (Canada, 6/2018).**  
8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  
**CA Quebec Provincial (Canada, 7/2019).**  
TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  
**CA Saskatchewan Provincial (Canada, 7/2013).**  
STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  
**CA British Columbia Provincial (Canada, 1/2021).**  
TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist

**SSEL XT HS and XT Low Input Custom Capture Library**  
Glycerol

**CA Alberta Provincial (Canada, 6/2018).**  
8 hrs OEL: 10 mg/m<sup>3</sup> 8 hours. Form: Mist  
**CA Quebec Provincial (Canada, 7/2019).**  
TWAEV: 10 mg/m<sup>3</sup> 8 hours. Form: mist  
**CA Saskatchewan Provincial (Canada, 7/2013).**  
STEL: 20 mg/m<sup>3</sup> 15 minutes. Form: mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: mist  
**CA British Columbia Provincial (Canada, 1/2021).**  
TWA: 3 mg/m<sup>3</sup> 8 hours. Form: respirable mist  
TWA: 10 mg/m<sup>3</sup> 8 hours. Form: total mist

**Appropriate engineering controls**

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Environmental exposure controls**

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

**Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

|                       |  |         |
|-----------------------|--|---------|
| <b>Physical state</b> | : End Repair-A Tailing Enzyme Mix                  | Liquid. |
|                       | End Repair-A Tailing Buffer                        | Liquid. |
|                       | T4 DNA Ligase                                      | Liquid. |
|                       | Ligation Buffer                                    | Liquid. |
|                       | Adaptor Oligo Mix                                  | Liquid. |
|                       | Forward Primer                                     | Liquid. |
|                       | 100 mM dNTP Mix (25 mM each dNTP)                  | Liquid. |
|                       | Herculase II Fusion DNA Polymerase                 | Liquid. |
|                       | 5X Herculase II Reaction Buffer                    | Liquid. |
|                       | SureSelect Binding Buffer                          | Liquid. |
|                       | SureSelect Wash Buffer 1                           | Liquid. |
|                       | SureSelect Wash Buffer 2                           | Liquid. |
|                       | SureSelect XT HS and XT Low Input Blocker Mix      | Liquid. |
|                       | SureSelect Fast Hybridization Buffer               | Liquid. |
|                       | SureSelect RNase Block                             | Liquid. |
|                       | SureSelect Post-Capture Primer Mix                 | Liquid. |
|                       | SureSelect XT HS Index Primer A01-H04              | Liquid. |
|                       | SSEL XT HS and XT Low Input Custom Capture Library | Liquid. |

## Section 9. Physical and chemical properties and safety characteristics

|              |  |                |
|--------------|--|----------------|
|              | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Liquid.        |
| <b>Color</b> | : End Repair-A Tailing Enzyme Mix                    | Not available. |
|              | End Repair-A Tailing Buffer                          | Not available. |
|              | T4 DNA Ligase  | Not available. |
|              | Ligation Buffer                                      | Not available. |
|              | Adaptor Oligo Mix                                    | Not available. |
|              | Forward Primer                                       | Not available. |
|              | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|              | Herculase II Fusion DNA Polymerase                   | Not available. |
|              | 5X Herculase II Reaction Buffer                      | Not available. |
|              | SureSelect Binding Buffer                            | Not available. |
|              | SureSelect Wash Buffer 1                             | Not available. |
|              | SureSelect Wash Buffer 2                             | Not available. |
|              | SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
|              | SureSelect Fast Hybridization Buffer                 | Not available. |
|              | SureSelect RNase Block                               | Not available. |
|              | SureSelect Post-Capture Primer Mix                   | Not available. |
|              | SureSelect XT HS Index Primer A01-H04                | Not available. |
|              | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|              | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |
| <b>Odor</b>  | : End Repair-A Tailing Enzyme Mix                    | Not available. |
|              | End Repair-A Tailing Buffer                          | Not available. |
|              | T4 DNA Ligase  | Not available. |
|              | Ligation Buffer                                      | Not available. |
|              | Adaptor Oligo Mix                                    | Not available. |
|              | Forward Primer                                       | Not available. |
|              | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|              | Herculase II Fusion DNA Polymerase                   | Not available. |
|              | 5X Herculase II Reaction Buffer                      | Not available. |
|              | SureSelect Binding Buffer                            | Not available. |
|              | SureSelect Wash Buffer 1                             | Not available. |
|              | SureSelect Wash Buffer 2                             | Not available. |
|              | SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
|              | SureSelect Fast Hybridization Buffer                 | Not available. |
|              | SureSelect RNase Block                               | Not available. |
|              | SureSelect Post-Capture Primer Mix                   | Not available. |
|              | SureSelect XT HS Index Primer A01-H04                | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

|                       |  |                |
|-----------------------|--|----------------|
|                       | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|                       | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |
| <b>Odor threshold</b> | : End Repair-A Tailing Enzyme Mix                    | Not available. |
|                       | End Repair-A Tailing Buffer                          | Not available. |
|                       | T4 DNA Ligase  | Not available. |
|                       | Ligation Buffer                                      | Not available. |
|                       | Adaptor Oligo Mix                                    | Not available. |
|                       | Forward Primer                                       | Not available. |
|                       | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|                       | Herculase II Fusion DNA Polymerase                   | Not available. |
|                       | 5X Herculase II Reaction Buffer                      | Not available. |
|                       | SureSelect Binding Buffer                            | Not available. |
|                       | SureSelect Wash Buffer 1                             | Not available. |
|                       | SureSelect Wash Buffer 2                             | Not available. |
|                       | SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
|                       | SureSelect Fast Hybridization Buffer                 | Not available. |
|                       | SureSelect RNase Block                               | Not available. |
|                       | SureSelect Post-Capture Primer Mix                   | Not available. |
|                       | SureSelect XT HS Index Primer A01-H04                | Not available. |
|                       | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|                       | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |
| <b>pH</b>             | : End Repair-A Tailing Enzyme Mix                    | 6.5            |
|                       | End Repair-A Tailing Buffer                          | 8              |
|                       | T4 DNA Ligase  | 7.5            |
|                       | Ligation Buffer                                      | 8              |
|                       | Adaptor Oligo Mix                                    | 7.5            |
|                       | Forward Primer                                       | 7.5            |
|                       | 100 mM dNTP Mix (25 mM each dNTP)                    | 7.5            |
|                       | Herculase II Fusion DNA Polymerase                   | 8.2            |
|                       | 5X Herculase II Reaction Buffer                      | 9.5 to 10.5    |
|                       | SureSelect Binding Buffer                            | 7.5            |
|                       | SureSelect Wash Buffer 1                             | 7.5            |
|                       | SureSelect Wash Buffer 2                             | 7              |
|                       | SureSelect XT HS and XT Low Input Blocker Mix        | 7.5            |
|                       | SureSelect Fast Hybridization Buffer                 | Not available. |
|                       | SureSelect RNase Block                               | 7.6            |
|                       | SureSelect Post-Capture Primer Mix                   | 7.5            |

## Section 9. Physical and chemical properties and safety characteristics

|  |  |                |
|--|--|----------------|
|  | SureSelect XT HS Index                               | 7.5            |
|  | Primer A01-H04                                       |                |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |
| <b>Melting point/freezing point</b>                            | End Repair-A Tailing Enzyme Mix                      | Not available. |
|  | End Repair-A Tailing Buffer                          | 0°C (32°F)     |
|  | T4 DNA Ligase  | Not available. |
|  | Ligation Buffer                                      | Not available. |
|  | Adaptor Oligo Mix                                    | 0°C (32°F)     |
|  | Forward Primer                                       | 0°C (32°F)     |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|  | Herculase II Fusion DNA Polymerase                   | Not available. |
|  | 5X Herculase II Reaction Buffer                      | Not available. |
|  | SureSelect Binding Buffer                            | Not available. |
|  | SureSelect Wash Buffer 1                             | 0°C (32°F)     |
|  | SureSelect Wash Buffer 2                             | 0°C (32°F)     |
|  | SureSelect XT HS and XT Low Input Blocker Mix        | 0°C (32°F)     |
|  | SureSelect Fast Hybridization Buffer                 | Not available. |
|  | SureSelect RNase Block                               | Not available. |
|  | SureSelect Post-Capture Primer Mix                   | 0°C (32°F)     |
|  | SureSelect XT HS Index Primer A01-H04                | 0°C (32°F)     |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | 0°C (32°F)     |
|  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | 0°C (32°F)     |
| <b>Boiling point, initial boiling point, and boiling range</b> | End Repair-A Tailing Enzyme Mix                      | Not available. |
|  | End Repair-A Tailing Buffer                          | 100°C (212°F)  |
|  | T4 DNA Ligase  | Not available. |
|  | Ligation Buffer                                      | Not available. |
|  | Adaptor Oligo Mix                                    | 100°C (212°F)  |
|  | Forward Primer                                       | 100°C (212°F)  |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|  | Herculase II Fusion DNA Polymerase                   | Not available. |
|  | 5X Herculase II Reaction Buffer                      | Not available. |
|  | SureSelect Binding Buffer                            | Not available. |
|  | SureSelect Wash Buffer 1                             | 100°C (212°F)  |
|  | SureSelect Wash Buffer 2                             | 100°C (212°F)  |
|  | SureSelect XT HS and XT Low Input Blocker Mix        | 100°C (212°F)  |
|  | SureSelect Fast Hybridization Buffer                 | Not available. |
|  | SureSelect RNase Block                               | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

SureSelect Post-Capture Primer Mix 100°C (212°F)  
 SureSelect XT HS Index Primer A01-H04 100°C (212°F)  
 SSEL XT HS and XT Low Input Custom Capture Library 100°C (212°F)  
 SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 100°C (212°F)

**Flash point**

| Ingredient name                           | Closed cup |              |                | Open cup   |                |        |
|---|------------|--------------|----------------|------------|----------------|--------|
|   | °C         | °F           | Method         | °C         | °F             | Method |
| <b>End Repair-A Tailing Enzyme Mix</b>    |            |              |                |            |                |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-2,3-diol | >110       | >230         |                |            |                |        |
| Glycerol                                  |            |              | Pensky-Martens | 177        | 350.6          |        |
| <b>End Repair-A Tailing Buffer</b>        |            |              |                |            |                |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-2,3-diol | >110       | >230         |                |            |                |        |
| <b>T4 DNA Ligase</b>                      |            |              |                |            |                |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-2,3-diol | >110       | >230         |                |            |                |        |
| Glycerol                                  |            |              | Pensky-Martens | 177        | 350.6          |        |
| <b>Ligation Buffer</b>                    |            |              |                |            |                |        |
| (R*,R*)<br>-1,4-Dimercaptobutane-2,3-diol | >110       | >230         |                |            |                |        |
| Polyethylene glycol                       | 171 to 235 | 339.8 to 455 |                | 199 to 238 | 390.2 to 460.4 |        |
| <b>Adaptor Oligo Mix</b>                  |            |              |                |            |                |        |
| Edetic acid                               | >100       | >212         | DIN 51758      |            |                |        |
| <b>Forward Primer</b>                     |            |              |                |            |                |        |
| Edetic acid                               | >100       | >212         | DIN 51758      |            |                |        |
| <b>100 mM dNTP Mix (25 mM each dNTP)</b>  |            |              |                |            |                |        |
| Edetic acid                               | >100       | >212         | DIN 51758      |            |                |        |
| <b>Herculase II Fusion DNA Polymerase</b> |            |              |                |            |                |        |
| Edetic acid                               | >100       | >212         | DIN 51758      |            |                |        |

## Section 9. Physical and chemical properties and safety characteristics

|   |      |      |                    |     |       |
|---|------|------|--------------------|-----|-------|
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol               | >110 | >230 |                    |     |       |
| <b>SureSelect Binding Buffer</b>                            |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| <b>SureSelect Wash Buffer 1</b>                             |      |      |                    |     |       |
| Citric acid, trisodium salt, dihydrate                      | >100 | >212 |                    |     |       |
| <b>SureSelect Wash Buffer 2</b>                             |      |      |                    |     |       |
| Citric acid, trisodium salt, dihydrate                      | >100 | >212 |                    |     |       |
| <b>SureSelect XT HS and XT Low Input Blocker Mix</b>        |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| <b>SureSelect RNase Block</b>                               |      |      |                    |     |       |
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol               | >110 | >230 |                    |     |       |
| Glycerol  |      |      | Pensky-<br>Martens | 177 | 350.6 |
| <b>SureSelect Post-Capture Primer Mix</b>                   |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| <b>SureSelect XT HS Index Primer A01-H04</b>                |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b>   |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol               | >110 | >230 |                    |     |       |
| <b>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2</b> |      |      |                    |     |       |
| Edetic acid   | >100 | >212 | DIN 51758          |     |       |
| (R*,R*)<br>-1,4-Dimercaptobutane-<br>2,3-diol               | >110 | >230 |                    |     |       |

## Section 9. Physical and chemical properties and safety characteristics

|  |  |                                   |                 |
|--|--|-----------------------------------|-----------------|
| <b>Evaporation rate</b>                            | : End Repair-A Tailing Enzyme Mix                    | Not available.                    |                 |
|  | End Repair-A Tailing Buffer                          | Not available.                    |                 |
|  | T4 DNA Ligase  | Not available.                    |                 |
|  | Ligation Buffer                                      | Not available.                    |                 |
|  | Adaptor Oligo Mix                                    | Not available.                    |                 |
|  | Forward Primer                                       | Not available.                    |                 |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available.                    |                 |
|  | Herculase II Fusion DNA Polymerase                   | Not available.                    |                 |
|  | 5X Herculase II Reaction Buffer                      | Not available.                    |                 |
|  | SureSelect Binding Buffer                            | Not available.                    |                 |
|  | SureSelect Wash Buffer 1                             | Not available.                    |                 |
|  | SureSelect Wash Buffer 2                             | Not available.                    |                 |
|  | SureSelect XT HS and XT Low Input Blocker Mix        | Not available.                    |                 |
|  | SureSelect Fast Hybridization Buffer                 | Not available.                    |                 |
|  | SureSelect RNase Block                               | Not available.                    |                 |
|  | SureSelect Post-Capture Primer Mix                   | Not available.                    |                 |
|  | SureSelect XT HS Index Primer A01-H04                | Not available.                    |                 |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | Not available.                    |                 |
|  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available.                    |                 |
|  | <b>Flammability</b>                                  | : End Repair-A Tailing Enzyme Mix | Not applicable. |
|  |  | End Repair-A Tailing Buffer       | Not applicable. |
|  |  | T4 DNA Ligase                     | Not applicable. |
|  |  | Ligation Buffer                   | Not applicable. |
| Adaptor Oligo Mix                                  |  | Not applicable.                   |                 |
| Forward Primer                                     |  | Not applicable.                   |                 |
| 100 mM dNTP Mix (25 mM each dNTP)                  |  | Not applicable.                   |                 |
| Herculase II Fusion DNA Polymerase                 |  | Not applicable.                   |                 |
| 5X Herculase II Reaction Buffer                    |  | Not applicable.                   |                 |
| SureSelect Binding Buffer                          |  | Not applicable.                   |                 |
| SureSelect Wash Buffer 1                           |  | Not applicable.                   |                 |
| SureSelect Wash Buffer 2                           |  | Not applicable.                   |                 |
| SureSelect XT HS and XT Low Input Blocker Mix      |  | Not applicable.                   |                 |
| SureSelect Fast Hybridization Buffer               |  | Not applicable.                   |                 |
| SureSelect RNase Block                             |  | Not applicable.                   |                 |
| SureSelect Post-Capture Primer Mix                 |  | Not applicable.                   |                 |
| SureSelect XT HS Index Primer A01-H04              |  | Not applicable.                   |                 |
| SSEL XT HS and XT Low Input Custom Capture Library |  | Not applicable.                   |                 |
| SSEL XT HS and XT Low                              |  | Not applicable.                   |                 |

## Section 9. Physical and chemical properties and safety characteristics

**Lower and upper explosion limit/flammability limit**

|  |                |
|--|----------------|
| Input Human All Exon V7 Plus 2                       |                |
| End Repair-A Tailing Enzyme Mix                      | Not available. |
| End Repair-A Tailing Buffer                          | Not available. |
| T4 DNA Ligase  | Not available. |
| Ligation Buffer                                      | Not available. |
| Adaptor Oligo Mix                                    | Not available. |
| Forward Primer                                       | Not available. |
| 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
| Herculase II Fusion DNA Polymerase                   | Not available. |
| 5X Herculase II Reaction Buffer                      | Not available. |
| SureSelect Binding Buffer                            | Not available. |
| SureSelect Wash Buffer 1                             | Not available. |
| SureSelect Wash Buffer 2                             | Not available. |
| SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
| SureSelect Fast Hybridization Buffer                 | Not available. |
| SureSelect RNase Block                               | Not available. |
| SureSelect Post-Capture Primer Mix                   | Not available. |
| SureSelect XT HS Index Primer A01-H04                | Not available. |
| SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
| SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |

**Vapor pressure**

| Ingredient name  | Vapor Pressure at 20°C |         |        | Vapor pressure at 50°C |         |        |
|--|------------------------|---------|--------|------------------------|---------|--------|
|  | mm Hg                  | kPa     | Method | mm Hg                  | kPa     | Method |
| <b>End Repair-A Tailing Enzyme Mix</b>                   |                        |         |        |                        |         |        |
| Water  | 23.8                   | 3.2     |        | 92.258                 | 12.3    |        |
| Adenosine 5'-(tetrahydrogen triphosphate), disodium salt | <0.00075006            | <0.0001 |        | <0.00075006            | <0.0001 |        |
| <b>End Repair-A Tailing Buffer</b>                       |                        |         |        |                        |         |        |
| Water  | 23.8                   | 3.2     |        | 92.258                 | 12.3    |        |
| Adenosine 5'-(tetrahydrogen triphosphate), disodium salt | <0.00075006            | <0.0001 |        | <0.00075006            | <0.0001 |        |
| <b>T4 DNA Ligase</b>                                     |                        |         |        |                        |         |        |
| Water  | 23.8                   | 3.2     |        | 92.258                 | 12.3    |        |
| Glycerol   | 0.000075               | 0.00001 |        | 0.0025                 | 0.00033 |        |

## Section 9. Physical and chemical properties and safety characteristics

|   |            |           |  |             |          |
|---|------------|-----------|--|-------------|----------|
| <b>Ligation Buffer</b>                                  |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Glycerol  | 0.000075   | 0.00001   |  | 0.0025      | 0.00033  |
| <b>Adaptor Oligo Mix</b>                                |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>Forward Primer</b>                                   |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>100 mM dNTP Mix (25 mM each dNTP)</b>                |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>Herculase II Fusion DNA Polymerase</b>               |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Glycerol  | 0.000075   | 0.00001   |  | 0.0025      | 0.00033  |
| <b>5X Herculase II Reaction Buffer</b>                  |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Sulfuric acid, magnesium salt, hydrate (1:1:7)          | <0.1       | <0.013    |  |             |          |
| <b>SureSelect Binding Buffer</b>                        |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>SureSelect Wash Buffer 1</b>                         |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Sodium dodecyl sulphate                                 | ≤0.0013501 | ≤0.00018  |  |             |          |
| <b>SureSelect Wash Buffer 2</b>                         |            |           |  |             |          |

## Section 9. Physical and chemical properties and safety characteristics

|   |            |           |  |             |          |
|---|------------|-----------|--|-------------|----------|
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Sodium dodecyl sulphate                                     | ≤0.0013501 | ≤0.00018  |  |             |          |
| <b>SureSelect XT HS and XT Low Input Blocker Mix</b>        |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride     | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>SureSelect Fast Hybridization Buffer</b>                 |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride     | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>SureSelect RNase Block</b>                               |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Glycerol  | 0.000075   | 0.00001   |  | 0.0025      | 0.00033  |
| <b>SureSelect Post-Capture Primer Mix</b>                   |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride     | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>SureSelect XT HS Index Primer A01-H04</b>                |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride     | 0.000027   | 0.0000036 |  | 0.000007501 | 0.000001 |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b>   |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Glycerol  | 0.000075   | 0.00001   |  | 0.0025      | 0.00033  |
| <b>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2</b> |            |           |  |             |          |
| Water   | 23.8       | 3.2       |  | 92.258      | 12.3     |
| Glycerol  | 0.000075   | 0.00001   |  | 0.0025      | 0.00033  |

## Section 9. Physical and chemical properties and safety characteristics

|                               |  |                |
|-------------------------------|--|----------------|
| <b>Relative vapor density</b> | : End Repair-A Tailing Enzyme Mix                    | Not available. |
|                               | End Repair-A Tailing Buffer                          | Not available. |
|                               | T4 DNA Ligase  | Not available. |
|                               | Ligation Buffer                                      | Not available. |
|                               | Adaptor Oligo Mix                                    | Not available. |
|                               | Forward Primer                                       | Not available. |
|                               | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|                               | Herculase II Fusion DNA Polymerase                   | Not available. |
|                               | 5X Herculase II Reaction Buffer                      | Not available. |
|                               | SureSelect Binding Buffer                            | Not available. |
|                               | SureSelect Wash Buffer 1                             | Not available. |
|                               | SureSelect Wash Buffer 2                             | Not available. |
|                               | SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
|                               | SureSelect Fast Hybridization Buffer                 | Not available. |
|                               | SureSelect RNase Block                               | Not available. |
|                               | SureSelect Post-Capture Primer Mix                   | Not available. |
|                               | SureSelect XT HS Index Primer A01-H04                | Not available. |
|                               | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|                               | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |

|                         |  |                |
|-------------------------|--|----------------|
| <b>Relative density</b> | : End Repair-A Tailing Enzyme Mix                  | Not available. |
|                         | End Repair-A Tailing Buffer                        | Not available. |
|                         | T4 DNA Ligase                                      | Not available. |
|                         | Ligation Buffer                                    | Not available. |
|                         | Adaptor Oligo Mix                                  | Not available. |
|                         | Forward Primer                                     | Not available. |
|                         | 100 mM dNTP Mix (25 mM each dNTP)                  | Not available. |
|                         | Herculase II Fusion DNA Polymerase                 | Not available. |
|                         | 5X Herculase II Reaction Buffer                    | Not available. |
|                         | SureSelect Binding Buffer                          | Not available. |
|                         | SureSelect Wash Buffer 1                           | Not available. |
|                         | SureSelect Wash Buffer 2                           | Not available. |
|                         | SureSelect XT HS and XT Low Input Blocker Mix      | Not available. |
|                         | SureSelect Fast Hybridization Buffer               | Not available. |
|                         | SureSelect RNase Block                             | Not available. |
|                         | SureSelect Post-Capture Primer Mix                 | Not available. |
|                         | SureSelect XT HS Index Primer A01-H04              | Not available. |
|                         | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
|                         | SSEL XT HS and XT Low                              | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

|   |  |  |
|---|--|--|
|   | Input Human All Exon V7 Plus 2                       |  |
| <b>Solubility</b>                             | : End Repair-A Tailing Enzyme Mix                    | Easily soluble in the following materials: cold water and hot water. |
|   | End Repair-A Tailing Buffer                          | Easily soluble in the following materials: cold water and hot water. |
|   | T4 DNA Ligase  | Easily soluble in the following materials: cold water and hot water. |
|   | Ligation Buffer                                      | Easily soluble in the following materials: cold water and hot water. |
|   | Adaptor Oligo Mix                                    | Easily soluble in the following materials: cold water and hot water. |
|   | Forward Primer                                       | Easily soluble in the following materials: cold water and hot water. |
|   | 100 mM dNTP Mix (25 mM each dNTP)                    | Easily soluble in the following materials: cold water and hot water. |
|   | Herculase II Fusion DNA Polymerase                   | Easily soluble in the following materials: cold water and hot water. |
|   | 5X Herculase II Reaction Buffer                      | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect Binding Buffer                            | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect Wash Buffer 1                             | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect Wash Buffer 2                             | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect XT HS and XT Low Input Blocker Mix        | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect Fast Hybridization Buffer                 | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect RNase Block                               | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect Post-Capture Primer Mix                   | Easily soluble in the following materials: cold water and hot water. |
|   | SureSelect XT HS Index Primer A01-H04                | Easily soluble in the following materials: cold water and hot water. |
|   | SSEL XT HS and XT Low Input Custom Capture Library   | Easily soluble in the following materials: cold water and hot water. |
|   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Easily soluble in the following materials: cold water and hot water. |
| <b>Partition coefficient: n-octanol/water</b> | : End Repair-A Tailing Enzyme Mix                    | Not applicable.  |
|   | End Repair-A Tailing Buffer                          | Not applicable.  |
|   | T4 DNA Ligase  | Not applicable.  |
|   | Ligation Buffer                                      | Not applicable.  |
|   | Adaptor Oligo Mix                                    | Not applicable.  |
|   | Forward Primer                                       | Not applicable.  |
|   | 100 mM dNTP Mix (25 mM each dNTP)                    | Not applicable.  |
|   | Herculase II Fusion DNA Polymerase                   | Not applicable.  |
|   | 5X Herculase II Reaction Buffer                      | Not applicable.  |
|   | SureSelect Binding Buffer                            | Not applicable.  |
|   | SureSelect Wash Buffer 1                             | Not applicable.  |
|   | SureSelect Wash Buffer 2                             | Not applicable.  |
|   | SureSelect XT HS and XT                              | Not applicable.  |

## Section 9. Physical and chemical properties and safety characteristics

|                                |                 |
|--------------------------------|-----------------|
| Low Input Blocker Mix          |                 |
| SureSelect Fast                | Not applicable. |
| Hybridization Buffer           |                 |
| SureSelect RNase Block         | Not applicable. |
| SureSelect Post-Capture        | Not applicable. |
| Primer Mix                     |                 |
| SureSelect XT HS Index         | Not applicable. |
| Primer A01-H04                 |                 |
| SSEL XT HS and XT Low          | Not applicable. |
| Input Custom Capture Library   |                 |
| SSel XT HS and XT Low          | Not applicable. |
| Input Human All Exon V7 Plus 2 |                 |

### Auto-ignition temperature

| Ingredient name                           | °C    | °F    | Method   |
|---|-------|-------|----------|
| <b>End Repair-A Tailing Enzyme Mix</b>    |       |       |          |
| Glycerol                                  | 370   | 698   |          |
| <b>T4 DNA Ligase</b>                      |       |       |          |
| Glycerol                                  | 370   | 698   |          |
| <b>Ligation Buffer</b>                    |       |       |          |
| Polyethylene glycol                       | 360   | 680   |          |
| Glycerol                                  | 370   | 698   |          |
| <b>Adaptor Oligo Mix</b>                  |       |       |          |
| Edetic acid                               | >400  | >752  | VDI 2263 |
| <b>Forward Primer</b>                     |       |       |          |
| Edetic acid                               | >400  | >752  | VDI 2263 |
| <b>100 mM dNTP Mix (25 mM each dNTP)</b>  |       |       |          |
| Edetic acid                               | >400  | >752  | VDI 2263 |
| <b>Herculase II Fusion DNA Polymerase</b> |       |       |          |
| Glycerol                                  | 370   | 698   |          |
| Edetic acid                               | >400  | >752  | VDI 2263 |
| <b>SureSelect Binding Buffer</b>          |       |       |          |
| Edetic acid                               | >400  | >752  | VDI 2263 |
| <b>SureSelect Wash Buffer 1</b>           |       |       |          |
| Sodium dodecyl sulphate                   | 310.5 | 590.9 | VDI 2263 |
| <b>SureSelect Wash Buffer 2</b>           |       |       |          |
| Sodium dodecyl sulphate                   | 310.5 | 590.9 | VDI 2263 |
| <b>SureSelect XT HS and XT Low</b>        |       |       |          |

## Section 9. Physical and chemical properties and safety characteristics

|   |      |      |          |
|---|------|------|----------|
| <b>Input Blocker Mix</b>                                    |      |      |          |
| Edetic acid   | >400 | >752 | VDI 2263 |
| <b>SureSelect RNase Block</b>                               |      |      |          |
| Glycerol  | 370  | 698  |          |
| 4-(2-Hydroxyethyl)piperazin-1-ylethanesulphonic acid        | >400 | >752 | EU A.16  |
| <b>SureSelect Post-Capture Primer Mix</b>                   |      |      |          |
| Edetic acid   | >400 | >752 | VDI 2263 |
| <b>SureSelect XT HS Index Primer A01-H04</b>                |      |      |          |
| Edetic acid   | >400 | >752 | VDI 2263 |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b>   |      |      |          |
| Glycerol  | 370  | 698  |          |
| Edetic acid   | >400 | >752 | VDI 2263 |
| <b>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2</b> |      |      |          |
| Glycerol  | 370  | 698  |          |
| Edetic acid   | >400 | >752 | VDI 2263 |

|                                  |  |                |
|----------------------------------|--|----------------|
| <b>Decomposition temperature</b> | End Repair-A Tailing Enzyme Mix                    | Not available. |
|                                  | End Repair-A Tailing Buffer                        | Not available. |
|                                  | T4 DNA Ligase                                      | Not available. |
|                                  | Ligation Buffer                                    | Not available. |
|                                  | Adaptor Oligo Mix                                  | Not available. |
|                                  | Forward Primer                                     | Not available. |
|                                  | 100 mM dNTP Mix (25 mM each dNTP)                  | Not available. |
|                                  | Herculase II Fusion DNA Polymerase                 | Not available. |
|                                  | 5X Herculase II Reaction Buffer                    | Not available. |
|                                  | SureSelect Binding Buffer                          | Not available. |
|                                  | SureSelect Wash Buffer 1                           | Not available. |
|                                  | SureSelect Wash Buffer 2                           | Not available. |
|                                  | SureSelect XT HS and XT Low Input Blocker Mix      | Not available. |
|                                  | SureSelect Fast Hybridization Buffer               | Not available. |
|                                  | SureSelect RNase Block                             | Not available. |
|                                  | SureSelect Post-Capture Primer Mix                 | Not available. |
|                                  | SureSelect XT HS Index Primer A01-H04              | Not available. |
|                                  | SSEL XT HS and XT Low Input Custom Capture Library | Not available. |
|                                  | SSEL XT HS and XT Low Input Human All Exon V7      | Not available. |

## Section 9. Physical and chemical properties and safety characteristics

|                  |  |                |
|------------------|--|----------------|
|                  | Plus 2   |                |
| <b>Viscosity</b> | : End Repair-A Tailing Enzyme Mix                    | Not available. |
|                  | End Repair-A Tailing Buffer                          | Not available. |
|                  | T4 DNA Ligase  | Not available. |
|                  | Ligation Buffer                                      | Not available. |
|                  | Adaptor Oligo Mix                                    | Not available. |
|                  | Forward Primer                                       | Not available. |
|                  | 100 mM dNTP Mix (25 mM each dNTP)                    | Not available. |
|                  | Herculase II Fusion DNA Polymerase                   | Not available. |
|                  | 5X Herculase II Reaction Buffer                      | Not available. |
|                  | SureSelect Binding Buffer                            | Not available. |
|                  | SureSelect Wash Buffer 1                             | Not available. |
|                  | SureSelect Wash Buffer 2                             | Not available. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | Not available. |
|                  | SureSelect Fast Hybridization Buffer                 | Not available. |
|                  | SureSelect RNase Block                               | Not available. |
|                  | SureSelect Post-Capture Primer Mix                   | Not available. |
|                  | SureSelect XT HS Index Primer A01-H04                | Not available. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | Not available. |
|                  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Not available. |

### Particle characteristics

#### **Median particle size**

|   |                 |
|---|-----------------|
| : End Repair-A Tailing Enzyme Mix             | Not applicable. |
| End Repair-A Tailing Buffer                   | Not applicable. |
| T4 DNA Ligase                                 | Not applicable. |
| Ligation Buffer                               | Not applicable. |
| Adaptor Oligo Mix                             | Not applicable. |
| Forward Primer                                | Not applicable. |
| 100 mM dNTP Mix (25 mM each dNTP)             | Not applicable. |
| Herculase II Fusion DNA Polymerase            | Not applicable. |
| 5X Herculase II Reaction Buffer               | Not applicable. |
| SureSelect Binding Buffer                     | Not applicable. |
| SureSelect Wash Buffer 1                      | Not applicable. |
| SureSelect Wash Buffer 2                      | Not applicable. |
| SureSelect XT HS and XT Low Input Blocker Mix | Not applicable. |
| SureSelect Fast Hybridization Buffer          | Not applicable. |
| SureSelect RNase Block                        | Not applicable. |
| SureSelect Post-Capture Primer Mix            | Not applicable. |
| SureSelect XT HS Index Primer A01-H04         | Not applicable. |

## Section 9. Physical and chemical properties and safety characteristics

|  |                 |
|--|-----------------|
| SSEL XT HS and XT Low Input Custom Capture Library   | Not applicable. |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Not applicable. |

## Section 10. Stability and reactivity

|                           |   |  |  |
|---------------------------|---|--|--|
| <b>Reactivity</b>         | : | End Repair-A Tailing Enzyme Mix                      | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | End Repair-A Tailing Buffer                          | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | T4 DNA Ligase  | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | Ligation Buffer                                      | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | Adaptor Oligo Mix                                    | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | Forward Primer                                       | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | Herculase II Fusion DNA Polymerase                   | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | 5X Herculase II Reaction Buffer                      | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect Binding Buffer                            | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect Wash Buffer 1                             | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect Wash Buffer 2                             | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect XT HS and XT Low Input Blocker Mix        | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect Fast Hybridization Buffer                 | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect RNase Block                               | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect Post-Capture Primer Mix                   | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SureSelect XT HS Index Primer A01-H04                | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SSEL XT HS and XT Low Input Custom Capture Library   | No specific test data related to reactivity available for this product or its ingredients. |
|                           |   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific test data related to reactivity available for this product or its ingredients. |
| <b>Chemical stability</b> | : | End Repair-A Tailing Enzyme Mix                      | The product is stable.   |
|                           |   | End Repair-A Tailing Buffer                          | The product is stable.   |
|                           |   | T4 DNA Ligase  | The product is stable.   |
|                           |   | Ligation Buffer                                      | The product is stable.   |
|                           |   | Adaptor Oligo Mix                                    | The product is stable.   |
|                           |   | Forward Primer                                       | The product is stable.   |
|                           |   | 100 mM dNTP Mix (25 mM each dNTP)                    | The product is stable.   |
|                           |   | Herculase II Fusion DNA Polymerase                   | The product is stable.   |

## Section 10. Stability and reactivity

|  |   |
|--|---|
| 5X Herculase II Reaction Buffer                      | The product is stable.  |
| SureSelect Binding Buffer                            | The product is stable.  |
| SureSelect Wash Buffer 1                             | The product is stable.  |
| SureSelect Wash Buffer 2                             | The product is stable.  |
| SureSelect XT HS and XT Low Input Blocker Mix        | The product is stable.  |
| SureSelect Fast Hybridization Buffer                 | The product is stable.  |
| SureSelect RNase Block                               | The product is stable.  |
| SureSelect Post-Capture Primer Mix                   | The product is stable.  |
| SureSelect XT HS Index Primer A01-H04                | The product is stable.  |
| SSEL XT HS and XT Low Input Custom Capture Library   | The product is stable.  |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information. |
| <b>Possibility of hazardous reactions</b>            |   |
| : End Repair-A Tailing Enzyme Mix                    | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| End Repair-A Tailing Buffer                          | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| T4 DNA Ligase  | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Ligation Buffer                                      | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Adaptor Oligo Mix                                    | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Forward Primer                                       | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| 100 mM dNTP Mix (25 mM each dNTP)                    | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| Herculase II Fusion DNA Polymerase                   | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| 5X Herculase II Reaction Buffer                      | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect Binding Buffer                            | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect Wash Buffer 1                             | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect Wash Buffer 2                             | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect XT HS and XT Low Input Blocker Mix        | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect Fast Hybridization Buffer                 | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect RNase Block                               | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect Post-Capture Primer Mix                   | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SureSelect XT HS Index Primer A01-H04                | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SSEL XT HS and XT Low Input Custom Capture Library   | Under normal conditions of storage and use, hazardous reactions will not occur.   |
| SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Under normal conditions of storage and use, hazardous reactions will not occur.   |

## Section 10. Stability and reactivity

|  |  |  |
|--|--|--|
| <b>Conditions to avoid</b>                         | : End Repair-A Tailing Enzyme Mix                    | No specific data.                                      |
|  | End Repair-A Tailing Buffer                          | No specific data.                                      |
|  | T4 DNA Ligase  | No specific data.                                      |
|  | Ligation Buffer                                      | No specific data.                                      |
|  | Adaptor Oligo Mix                                    | No specific data.                                      |
|  | Forward Primer                                       | No specific data.                                      |
|  | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific data.                                      |
|  | Herculase II Fusion DNA Polymerase                   | No specific data.                                      |
|  | 5X Herculase II Reaction Buffer                      | No specific data.                                      |
|  | SureSelect Binding Buffer                            | No specific data.                                      |
|  | SureSelect Wash Buffer 1                             | No specific data.                                      |
|  | SureSelect Wash Buffer 2                             | No specific data.                                      |
|  | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data.                                      |
|  | SureSelect Fast Hybridization Buffer                 | No specific data.                                      |
|  | SureSelect RNase Block                               | No specific data.                                      |
|  | SureSelect Post-Capture Primer Mix                   | No specific data.                                      |
|  | SureSelect XT HS Index Primer A01-H04                | No specific data.                                      |
|  | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data.                                      |
|  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data.                                      |
|  | <b>Incompatible materials</b>                        | : End Repair-A Tailing Enzyme Mix                      |
| End Repair-A Tailing Buffer                        |  | May react or be incompatible with oxidizing materials. |
| T4 DNA Ligase                                      |  | May react or be incompatible with oxidizing materials. |
| Ligation Buffer                                    |  | May react or be incompatible with oxidizing materials. |
| Adaptor Oligo Mix                                  |  | May react or be incompatible with oxidizing materials. |
| Forward Primer                                     |  | May react or be incompatible with oxidizing materials. |
| 100 mM dNTP Mix (25 mM each dNTP)                  |  | May react or be incompatible with oxidizing materials. |
| Herculase II Fusion DNA Polymerase                 |  | May react or be incompatible with oxidizing materials. |
| 5X Herculase II Reaction Buffer                    |  | May react or be incompatible with oxidizing materials. |
| SureSelect Binding Buffer                          |  | May react or be incompatible with oxidizing materials. |
| SureSelect Wash Buffer 1                           |  | May react or be incompatible with oxidizing materials. |
| SureSelect Wash Buffer 2                           |  | May react or be incompatible with oxidizing materials. |
| SureSelect XT HS and XT Low Input Blocker Mix      |  | May react or be incompatible with oxidizing materials. |
| SureSelect Fast Hybridization Buffer               |  | May react or be incompatible with oxidizing materials. |
| SureSelect RNase Block                             |  | May react or be incompatible with oxidizing materials. |
| SureSelect Post-Capture Primer Mix                 |  | May react or be incompatible with oxidizing materials. |
| SureSelect XT HS Index Primer A01-H04              |  | May react or be incompatible with oxidizing materials. |
| SSEL XT HS and XT Low Input Custom Capture Library |  | May react or be incompatible with oxidizing materials. |
| SSEL XT HS and XT Low Input Human All Exon V7      |  | May react or be incompatible with oxidizing materials. |

## Section 10. Stability and reactivity

Plus 2

|   |  |  |
|---|--|--|
| <b>Hazardous decomposition products</b> | : End Repair-A Tailing Enzyme Mix                    | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | End Repair-A Tailing Buffer                          | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | T4 DNA Ligase  | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | Ligation Buffer                                      | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | Adaptor Oligo Mix                                    | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | Forward Primer                                       | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | 100 mM dNTP Mix (25 mM each dNTP)                    | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | Herculase II Fusion DNA Polymerase                   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | 5X Herculase II Reaction Buffer                      | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect Binding Buffer                            | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect Wash Buffer 1                             | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect Wash Buffer 2                             | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect XT HS and XT Low Input Blocker Mix        | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect Fast Hybridization Buffer                 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect RNase Block                               | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect Post-Capture Primer Mix                   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SureSelect XT HS Index Primer A01-H04                | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SSEL XT HS and XT Low Input Custom Capture Library   | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

## Section 11. Toxicological information

### [Information on toxicological effects](#)

#### [Acute toxicity](#)

| Product/ingredient name  | Result                                | Species           | Dose                                    | Exposure    |
|--|---------------------------------------|-------------------|---|-------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol   | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | LD50 Oral                             | Rat               | 2600 mg/kg                              | -           |
| <b>T4 DNA Ligase</b><br>Glycerol   | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |
| <b>Ligation Buffer</b><br>Glycerol   | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol  | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol<br>Ammonium sulphate<br>Hexadecan-1-ol, ethoxylated | LD50 Dermal<br>LD50 Oral<br>LD50 Oral | Rat<br>Rat<br>Rat | >5000 mg/kg<br>2840 mg/kg<br>2500 mg/kg | -<br>-<br>- |
| <b>SureSelect Binding Buffer</b><br>Sodium chloride  | LD50 Oral                             | Rat               | 3000 mg/kg                              | -           |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate   | LD50 Oral                             | Rat               | 1288 mg/kg                              | -           |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate   | LD50 Oral                             | Rat               | 1288 mg/kg                              | -           |
| <b>SureSelect RNase Block</b><br>Glycerol  | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol                                    | LD50 Oral                             | Rat               | 12600 mg/kg                             | -           |

#### [Irritation/Corrosion](#)

| Product/ingredient name                                  | Result               | Species | Score | Exposure        | Observation |
|--|----------------------|---------|-------|-----------------|-------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol       | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |
|  | Skin - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride | Eyes - Mild irritant | Rabbit  | -     | 24 hours 500 mg | -           |

**Section 11. Toxicological information**

|  |  |  |                      |                           |                           |        |
|--|--|--|----------------------|---------------------------|---------------------------|--------|
| <b>T4 DNA Ligase</b><br>Glycerol                           | Eyes - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
|  | Skin - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
| <b>Ligation Buffer</b><br>Polyethylene glycol              | Eyes - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
|  | Eyes - Mild irritant<br>Skin - Mild irritant               | Rabbit<br>Rabbit                                 | -<br>-               | 500 mg<br>24 hours 500 mg | -<br>-                    |        |
| Glycerol   | Skin - Mild irritant<br>Eyes - Mild irritant               | Rabbit<br>Rabbit                                 | -<br>-               | 500 mg<br>24 hours 500 mg | -<br>-                    |        |
|  | Skin - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol      | Eyes - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
|  | Skin - Mild irritant                                       | Rabbit   | -                    | 24 hours 500 mg           | -                         |        |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol       | Skin - Moderate irritant<br>Skin - Severe irritant         | Rabbit<br>Rabbit                                 | -<br>-               | 25 %<br>500 mg            | -<br>-                    |        |
|  | <b>SureSelect Binding Buffer</b><br>Sodium chloride        | Eyes - Moderate irritant                         | Rabbit               | -                         | 24 hours 100 mg           | -      |
| Eyes - Moderate irritant<br>Skin - Mild irritant           |  | Rabbit<br>Rabbit                                 | -<br>-               | 10 mg<br>24 hours 500 mg  | -<br>-                    |        |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate |  | Eyes - Mild irritant<br>Eyes - Moderate irritant | Rabbit<br>Rabbit     | -<br>-                    | 250 ug<br>24 hours 100 mg | -<br>- |
|  | Eyes - Moderate irritant<br>Skin - Mild irritant           | Rabbit<br>Guinea pig                             | -<br>-               | 10 mg<br>24 hours 25 mg   | -<br>-                    |        |
|  | Skin - Moderate irritant                                   | Mouse  | -                    | 24 hours 25 mg            | -                         |        |
|  | Skin - Mild irritant                                       | Rabbit   | -                    | 24 hours 50 mg            | -                         |        |
|  | Skin - Moderate irritant                                   | Rabbit   | -                    | 24 hours 25 mg            | -                         |        |
|  | <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate | Eyes - Mild irritant<br>Eyes - Moderate irritant | Rabbit<br>Rabbit     | -<br>-                    | 250 ug<br>24 hours 100 mg | -<br>- |
|  |  | Eyes - Moderate irritant<br>Skin - Mild irritant | Rabbit<br>Guinea pig | -<br>-                    | 10 mg<br>24 hours 25 mg   | -<br>- |
| Skin - Moderate irritant                                   |  | Mouse  | -                    | 24 hours 25 mg            | -                         |        |

## Section 11. Toxicological information

|   |                          |        |   |                    |   |
|---|--------------------------|--------|---|--------------------|---|
| <b>SureSelect RNase Block</b><br>Glycerol                             | Skin - Mild irritant     | Rabbit | - | mg<br>24 hours 50  | - |
|   | Skin - Moderate irritant | Rabbit | - | mg<br>24 hours 25  | - |
|   | Eyes - Mild irritant     | Rabbit | - | 24 hours 500       | - |
|   | Skin - Mild irritant     | Rabbit | - | mg<br>24 hours 500 | - |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol | Eyes - Mild irritant     | Rabbit | - | 24 hours 500       | - |
|   | Skin - Mild irritant     | Rabbit | - | mg<br>24 hours 500 | - |

### Sensitization

Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

| Name   | Category   | Route of exposure | Target organs                |
|--|------------|-------------------|------------------------------|
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol       | Category 3 | -                 | Respiratory tract irritation |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate | Category 3 | -                 | Respiratory tract irritation |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate | Category 3 | -                 | Respiratory tract irritation |

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

## Section 11. Toxicological information

|   |  |  |
|---|--|--|
| <b>Information on the likely routes of exposure</b> | : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer<br>T4 DNA Ligase<br>Ligation Buffer<br>Adaptor Oligo Mix<br>Forward Primer<br>100 mM dNTP Mix (25 mM each dNTP)<br>Herculase II Fusion DNA Polymerase<br>5X Herculase II Reaction Buffer<br>SureSelect Binding Buffer<br>SureSelect Wash Buffer 1<br>SureSelect Wash Buffer 2<br>SureSelect XT HS and XT Low Input Blocker Mix<br>SureSelect Fast Hybridization Buffer<br>SureSelect RNase Block<br>SureSelect Post-Capture Primer Mix<br>SureSelect XT HS Index Primer A01-H04<br>SSEL XT HS and XT Low Input Custom Capture Library<br>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Not available.<br>Not available.<br>Not available.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Not available.<br>Not available.<br>Not available.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Not available.<br>Not available.<br>Not available.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Routes of entry anticipated: Oral, Dermal, Inhalation.<br>Not available.<br>Not available.<br>Not available. |
|---|--|--|

### Potential acute health effects

#### Eye contact

|   |  |
|---|--|
| : End Repair-A Tailing Enzyme Mix<br>End Repair-A Tailing Buffer<br>T4 DNA Ligase<br>Ligation Buffer<br>Adaptor Oligo Mix<br>Forward Primer<br>100 mM dNTP Mix (25 mM each dNTP)<br>Herculase II Fusion DNA Polymerase<br>5X Herculase II Reaction Buffer<br>SureSelect Binding Buffer<br>SureSelect Wash Buffer 1<br>SureSelect Wash Buffer 2<br>SureSelect XT HS and XT Low Input Blocker Mix<br>SureSelect Fast Hybridization Buffer<br>SureSelect RNase Block<br>SureSelect Post-Capture Primer Mix<br>SureSelect XT HS Index Primer A01-H04<br>SSEL XT HS and XT Low Input Custom Capture Library<br>SSEL XT HS and XT Low | Causes eye irritation.<br>No known significant effects or critical hazards.<br>Causes eye irritation.<br>Causes eye irritation.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>Causes eye irritation.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>Causes eye irritation.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>Causes eye irritation.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards.<br>No known significant effects or critical hazards. |
|---|--|

## Section 11. Toxicological information

|                   |                     |  |  |
|-------------------|---------------------|--|--|
| <b>Inhalation</b> | :                   | Input Human All Exon V7 Plus 2                     | No known significant effects or critical hazards.    |
|                   | :                   | End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards.    |
|                   | :                   | End Repair-A Tailing Buffer                        | No known significant effects or critical hazards.    |
|                   | :                   | T4 DNA Ligase                                      | No known significant effects or critical hazards.    |
|                   | :                   | Ligation Buffer                                    | No known significant effects or critical hazards.    |
|                   | :                   | Adaptor Oligo Mix                                  | No known significant effects or critical hazards.    |
|                   | :                   | Forward Primer                                     | No known significant effects or critical hazards.    |
|                   | :                   | 100 mM dNTP Mix (25 mM each dNTP)                  | No known significant effects or critical hazards.    |
|                   | :                   | Herculase II Fusion DNA Polymerase                 | No known significant effects or critical hazards.    |
|                   | :                   | 5X Herculase II Reaction Buffer                    | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect Binding Buffer                          | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect Wash Buffer 1                           | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect Wash Buffer 2                           | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect XT HS and XT Low Input Blocker Mix      | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect Fast Hybridization Buffer               | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect RNase Block                             | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect Post-Capture Primer Mix                 | No known significant effects or critical hazards.    |
|                   | :                   | SureSelect XT HS Index Primer A01-H04              | No known significant effects or critical hazards.    |
|                   | :                   | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards.    |
|                   | <b>Skin contact</b> | :  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 |
| :                 |                     | End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards.    |
| :                 |                     | End Repair-A Tailing Buffer                        | No known significant effects or critical hazards.    |
| :                 |                     | T4 DNA Ligase                                      | No known significant effects or critical hazards.    |
| :                 |                     | Ligation Buffer                                    | No known significant effects or critical hazards.    |
| :                 |                     | Adaptor Oligo Mix                                  | No known significant effects or critical hazards.    |
| :                 |                     | Forward Primer                                     | No known significant effects or critical hazards.    |
| :                 |                     | 100 mM dNTP Mix (25 mM each dNTP)                  | No known significant effects or critical hazards.    |
| :                 |                     | Herculase II Fusion DNA Polymerase                 | No known significant effects or critical hazards.    |
| :                 |                     | 5X Herculase II Reaction Buffer                    | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect Binding Buffer                          | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect Wash Buffer 1                           | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect Wash Buffer 2                           | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect XT HS and XT Low Input Blocker Mix      | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect Fast Hybridization Buffer               | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect RNase Block                             | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect Post-Capture Primer Mix                 | No known significant effects or critical hazards.    |
| :                 |                     | SureSelect XT HS Index Primer A01-H04              | No known significant effects or critical hazards.    |
| :                 |                     | SSEL XT HS and XT Low Input Custom Capture Library | No known significant effects or critical hazards.    |
| :                 |                     | SSEL XT HS and XT Low                              | No known significant effects or critical hazards.    |

## Section 11. Toxicological information

|                  |  |   |
|------------------|--|---|
|                  | Input Human All Exon V7 Plus 2                       |   |
| <b>Ingestion</b> | : End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards. |
|                  | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                  | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                  | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                  | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                  | Forward Primer                                       | No known significant effects or critical hazards. |
|                  | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                  | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                  | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                  | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                  | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                  | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                  | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                  | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                  | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                  | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                  | SSEL XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |

### Symptoms related to the physical, chemical and toxicological characteristics

|                    |                                    |  |
|--------------------|------------------------------------|--|
| <b>Eye contact</b> | : End Repair-A Tailing Enzyme Mix  | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    | End Repair-A Tailing Buffer        | No specific data.  |
|                    | T4 DNA Ligase                      | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    | Ligation Buffer                    | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    | Adaptor Oligo Mix                  | No specific data.  |
|                    | Forward Primer                     | No specific data.  |
|                    | 100 mM dNTP Mix (25 mM each dNTP)  | No specific data.  |
|                    | Herculase II Fusion DNA Polymerase | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                    | 5X Herculase II Reaction Buffer    | No specific data.  |

## Section 11. Toxicological information

|                     |  |  |
|---------------------|--|--|
|                     | SureSelect Binding Buffer                            | No specific data.  |
|                     | SureSelect Wash Buffer 1                             | No specific data.  |
|                     | SureSelect Wash Buffer 2                             | No specific data.  |
|                     | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data.  |
|                     | SureSelect Fast Hybridization Buffer                 | No specific data.  |
|                     | SureSelect RNase Block                               | Adverse symptoms may include the following:<br>irritation<br>watering<br>redness |
|                     | SureSelect Post-Capture Primer Mix                   | No specific data.  |
|                     | SureSelect XT HS Index Primer A01-H04                | No specific data.  |
|                     | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data.  |
|                     | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data.  |
| <b>Inhalation</b>   | : End Repair-A Tailing Enzyme Mix                    | No specific data.  |
|                     | End Repair-A Tailing Buffer                          | No specific data.  |
|                     | T4 DNA Ligase  | No specific data.  |
|                     | Ligation Buffer                                      | No specific data.  |
|                     | Adaptor Oligo Mix                                    | No specific data.  |
|                     | Forward Primer                                       | No specific data.  |
|                     | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific data.  |
|                     | Herculase II Fusion DNA Polymerase                   | No specific data.  |
|                     | 5X Herculase II Reaction Buffer                      | No specific data.  |
|                     | SureSelect Binding Buffer                            | No specific data.  |
|                     | SureSelect Wash Buffer 1                             | No specific data.  |
|                     | SureSelect Wash Buffer 2                             | No specific data.  |
|                     | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data.  |
|                     | SureSelect Fast Hybridization Buffer                 | No specific data.  |
|                     | SureSelect RNase Block                               | No specific data.  |
|                     | SureSelect Post-Capture Primer Mix                   | No specific data.  |
|                     | SureSelect XT HS Index Primer A01-H04                | No specific data.  |
|                     | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data.  |
|                     | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data.  |
| <b>Skin contact</b> | : End Repair-A Tailing Enzyme Mix                    | No specific data.  |
|                     | End Repair-A Tailing Buffer                          | No specific data.  |
|                     | T4 DNA Ligase  | No specific data.  |
|                     | Ligation Buffer                                      | No specific data.  |
|                     | Adaptor Oligo Mix                                    | No specific data.  |
|                     | Forward Primer                                       | No specific data.  |
|                     | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific data.  |

## Section 11. Toxicological information

|                  |  |                   |
|------------------|--|-------------------|
|                  | Herculase II Fusion DNA Polymerase                   | No specific data. |
|                  | 5X Herculase II Reaction Buffer                      | No specific data. |
|                  | SureSelect Binding Buffer                            | No specific data. |
|                  | SureSelect Wash Buffer 1                             | No specific data. |
|                  | SureSelect Wash Buffer 2                             | No specific data. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data. |
|                  | SureSelect Fast Hybridization Buffer                 | No specific data. |
|                  | SureSelect RNase Block                               | No specific data. |
|                  | SureSelect Post-Capture Primer Mix                   | No specific data. |
|                  | SureSelect XT HS Index Primer A01-H04                | No specific data. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data. |
|                  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data. |
| <b>Ingestion</b> | End Repair-A Tailing Enzyme Mix                      | No specific data. |
|                  | End Repair-A Tailing Buffer                          | No specific data. |
|                  | T4 DNA Ligase  | No specific data. |
|                  | Ligation Buffer                                      | No specific data. |
|                  | Adaptor Oligo Mix                                    | No specific data. |
|                  | Forward Primer                                       | No specific data. |
|                  | 100 mM dNTP Mix (25 mM each dNTP)                    | No specific data. |
|                  | Herculase II Fusion DNA Polymerase                   | No specific data. |
|                  | 5X Herculase II Reaction Buffer                      | No specific data. |
|                  | SureSelect Binding Buffer                            | No specific data. |
|                  | SureSelect Wash Buffer 1                             | No specific data. |
|                  | SureSelect Wash Buffer 2                             | No specific data. |
|                  | SureSelect XT HS and XT Low Input Blocker Mix        | No specific data. |
|                  | SureSelect Fast Hybridization Buffer                 | No specific data. |
|                  | SureSelect RNase Block                               | No specific data. |
|                  | SureSelect Post-Capture Primer Mix                   | No specific data. |
|                  | SureSelect XT HS Index Primer A01-H04                | No specific data. |
|                  | SSEL XT HS and XT Low Input Custom Capture Library   | No specific data. |
|                  | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No specific data. |

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

## Section 11. Toxicological information

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

|                        |   |  |   |
|------------------------|---|--|---|
| <b>General</b>         | : | End Repair-A Tailing Enzyme Mix                      | No known significant effects or critical hazards. |
|                        |   | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                        |   | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                        |   | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                        |   | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                        |   | Forward Primer                                       | No known significant effects or critical hazards. |
|                        |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                        |   | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                        |   | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                        |   | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                        |   | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                        |   | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                        |   | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                        |   | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                        |   | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                        |   | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                        |   | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|                        |   | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                        |   | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| <b>Carcinogenicity</b> | : | End Repair-A Tailing Enzyme Mix                      | No known significant effects or critical hazards. |
|                        |   | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                        |   | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                        |   | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                        |   | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                        |   | Forward Primer                                       | No known significant effects or critical hazards. |
|                        |   | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                        |   | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                        |   | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                        |   | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                        |   | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                        |   | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                        |   | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                        |   | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                        |   | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                        |   | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                        |   | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |

## Section 11. Toxicological information

|                              |  |   |
|------------------------------|--|---|
|                              | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                              | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| <b>Mutagenicity</b>          | : End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards. |
|                              | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                              | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                              | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                              | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                              | Forward Primer                                       | No known significant effects or critical hazards. |
|                              | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                              | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                              | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                              | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                              | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                              | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                              | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                              | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                              | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                              | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                              | SureSelect XT HS Index Primer A01-H04                | No known significant effects or critical hazards. |
|                              | SSEL XT HS and XT Low Input Custom Capture Library   | No known significant effects or critical hazards. |
|                              | SSel XT HS and XT Low Input Human All Exon V7 Plus 2 | No known significant effects or critical hazards. |
| <b>Reproductive toxicity</b> | : End Repair-A Tailing Enzyme Mix                    | No known significant effects or critical hazards. |
|                              | End Repair-A Tailing Buffer                          | No known significant effects or critical hazards. |
|                              | T4 DNA Ligase  | No known significant effects or critical hazards. |
|                              | Ligation Buffer                                      | No known significant effects or critical hazards. |
|                              | Adaptor Oligo Mix                                    | No known significant effects or critical hazards. |
|                              | Forward Primer                                       | No known significant effects or critical hazards. |
|                              | 100 mM dNTP Mix (25 mM each dNTP)                    | No known significant effects or critical hazards. |
|                              | Herculase II Fusion DNA Polymerase                   | No known significant effects or critical hazards. |
|                              | 5X Herculase II Reaction Buffer                      | No known significant effects or critical hazards. |
|                              | SureSelect Binding Buffer                            | No known significant effects or critical hazards. |
|                              | SureSelect Wash Buffer 1                             | No known significant effects or critical hazards. |
|                              | SureSelect Wash Buffer 2                             | No known significant effects or critical hazards. |
|                              | SureSelect XT HS and XT Low Input Blocker Mix        | No known significant effects or critical hazards. |
|                              | SureSelect Fast Hybridization Buffer                 | No known significant effects or critical hazards. |
|                              | SureSelect RNase Block                               | No known significant effects or critical hazards. |
|                              | SureSelect Post-Capture Primer Mix                   | No known significant effects or critical hazards. |
|                              | SureSelect XT HS Index                               | No known significant effects or critical hazards. |

## Section 11. Toxicological information

Primer A01-H04  
 SSEL XT HS and XT Low Input Custom Capture Library  
 SSEL XT HS and XT Low Input Human All Exon V7 Plus 2  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

| Product/ingredient name   | Oral (mg/kg)             | Dermal (mg/kg)    | Inhalation (gases) (ppm) | Inhalation (vapors) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|---|--------------------------|-------------------|--------------------------|----------------------------|-------------------------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol  | 12600                    | N/A               | N/A                      | N/A                        | N/A                                 |
| <b>End Repair-A Tailing Buffer</b><br>End Repair-A Tailing Buffer<br>Potassium chloride                                       | 159509.2<br>2600         | N/A<br>N/A        | N/A<br>N/A               | N/A<br>N/A                 | N/A<br>N/A                          |
| <b>T4 DNA Ligase</b><br>Glycerol  | 12600                    | N/A               | N/A                      | N/A                        | N/A                                 |
| <b>Ligation Buffer</b><br>Polyethylene glycol<br>Glycerol   | 28000<br>12600           | N/A<br>N/A        | N/A<br>N/A               | N/A<br>N/A                 | N/A<br>N/A                          |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol   | 12600                    | N/A               | N/A                      | N/A                        | N/A                                 |
| <b>5X Herculase II Reaction Buffer</b><br>5X Herculase II Reaction Buffer<br>Ammonium sulphate<br>Hexadecan-1-ol, ethoxylated | 112802.7<br>2840<br>2500 | N/A<br>N/A<br>N/A | N/A<br>N/A<br>N/A        | N/A<br>N/A<br>N/A          | N/A<br>N/A<br>N/A                   |
| <b>SureSelect Binding Buffer</b><br>SureSelect Binding Buffer<br>Sodium chloride  | 51369.9<br>3000          | N/A<br>N/A        | N/A<br>N/A               | N/A<br>N/A                 | N/A<br>N/A                          |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate  | 1288                     | N/A               | N/A                      | N/A                        | 1.5                                 |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate  | 1288                     | N/A               | N/A                      | N/A                        | 1.5                                 |
| <b>SureSelect RNase Block</b><br>Glycerol   | 12600                    | N/A               | N/A                      | N/A                        | N/A                                 |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol   | 12600                    | N/A               | N/A                      | N/A                        | N/A                                 |

## Section 11. Toxicological information

|                          |   |   |
|--------------------------|---|---|
| <b>Other information</b> | : <b>End Repair-A Tailing Enzyme Mix</b>                    | Not available.  |
|                          | <b>End Repair-A Tailing Buffer</b>                          | Adverse symptoms may include the following: May cause skin sensitization. |
|                          | <b>T4 DNA Ligase</b>  | Not available.  |
|                          | <b>Ligation Buffer</b>                                      | Not available.  |
|                          | <b>Adaptor Oligo Mix</b>                                    | Not available.  |
|                          | <b>Forward Primer</b>                                       | Not available.  |
|                          | <b>100 mM dNTP Mix (25 mM each dNTP)</b>                    | Not available.  |
|                          | <b>Herculase II Fusion DNA Polymerase</b>                   | Not available.  |
|                          | <b>5X Herculase II Reaction Buffer</b>                      | Not available.  |
|                          | <b>SureSelect Binding Buffer</b>                            | Not available.  |
|                          | <b>SureSelect Wash Buffer 1</b>                             | Not available.  |
|                          | <b>SureSelect Wash Buffer 2</b>                             | Not available.  |
|                          | <b>SureSelect XT HS and XT Low Input Blocker Mix</b>        | Not available.  |
|                          | <b>SureSelect Fast Hybridization Buffer</b>                 | Not available.  |
|                          | <b>SureSelect RNase Block</b>                               | Adverse symptoms may include the following: May cause skin sensitization. |
|                          | <b>SureSelect Post-Capture Primer Mix</b>                   | Not available.  |
|                          | <b>SureSelect XT HS Index Primer A01-H04</b>                | Not available.  |
|                          | <b>SSEL XT HS and XT Low Input Custom Capture Library</b>   | Not available.  |
|                          | <b>SSEL XT HS and XT Low Input Human All Exon V7 Plus 2</b> | Not available.  |

## Section 12. Ecological information

### Toxicity

| Product/ingredient name                                   | Result  | Species  | Exposure             |
|---|---|--|----------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol        | Acute LC50 54000 mg/l Fresh water   | Fish - Oncorhynchus mykiss   | 96 hours             |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride  | Acute EC50 1337000 µg/l Fresh water<br>Acute EC50 9.24 g/L Fresh water    | Algae - Navicula seminulum<br>Algae - Desmodesmus subspicatus        | 96 hours<br>72 hours |
|   | Acute EC50 83000 µg/l Fresh water<br>Acute LC50 9.68 mg/l Fresh water     | Daphnia - Daphnia magna<br>Crustaceans - Pseudosida ramosa - Neonate | 48 hours<br>48 hours |
|   | Acute LC50 509.65 mg/l Fresh water  | Fish - Danio rerio   | 96 hours             |
| <b>T4 DNA Ligase</b><br>Glycerol                          | Acute LC50 54000 mg/l Fresh water   | Fish - Oncorhynchus mykiss   | 96 hours             |
| <b>Ligation Buffer</b><br>Polyethylene glycol<br>Glycerol | Acute LC50 >1000000 µg/l Fresh water<br>Acute LC50 54000 mg/l Fresh water | Fish - Salmo salar - Parr<br>Fish - Oncorhynchus mykiss              | 96 hours<br>96 hours |
| <b>Herculase II Fusion DNA Polymerase</b>                 |   |  |                      |

**Section 12. Ecological information**

|   |  |  |   |
|---|--|--|---|
| Glycerol  | Acute LC50 54000 mg/l Fresh water  | Fish - Oncorhynchus mykiss   | 96 hours                                    |
| <b>5X Herculanase II Reaction Buffer</b>          |  |  |   |
| Trometamol  | Acute EC50 >980 mg/l Fresh water   | Daphnia  | 48 hours                                    |
| Ammonium sulphate                                 | Acute NOEC 520 mg/l Fresh water<br>Chronic NOEC 7.5 mg/l Marine water  | Daphnia<br>Algae - Phaeodactylum tricornutum - Exponential growth phase  | 48 hours<br>96 hours                        |
| Hexadecan-1-ol, ethoxylated                       | Acute LC50 330000 to 1000000 µg/l Marine water   | Crustaceans - Crangon crangon - Adult  | 48 hours                                    |
| <b>SureSelect Binding Buffer</b>                  |  |  |   |
| Sodium chloride                                   | Acute EC50 2430000 µg/l Fresh water<br>Acute EC50 519.6 mg/l Fresh water   | Algae - Navicula seminulum<br>Crustaceans - Cypris subglobosa  | 96 hours<br>48 hours                        |
|   | Acute EC50 402.6 mg/l Fresh water<br>Acute IC50 6.87 g/L Fresh water<br>Acute LC50 1000000 µg/l Fresh water<br>Chronic LC10 781 mg/l Fresh water | Daphnia - Daphnia magna<br>Aquatic plants - Lemna minor<br>Fish - Morone saxatilis - Larvae<br>Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) | 48 hours<br>96 hours<br>96 hours<br>3 weeks |
|   | Chronic NOEC 6 g/L Fresh water<br>Chronic NOEC 0.314 g/L Fresh water<br>Chronic NOEC 100 mg/l Fresh water  | Aquatic plants - Lemna minor<br>Daphnia - Daphnia pulex<br>Fish - Gambusia holbrooki - Adult   | 96 hours<br>21 days<br>8 weeks              |
| <b>SureSelect Wash Buffer 1</b>                   |  |  |   |
| Sodium dodecyl sulphate                           | Acute EC50 1200 µg/l Marine water<br>Acute LC50 900 µg/l Marine water  | Algae - Skeletonema costatum<br>Crustaceans - Artemia salina - Adult   | 96 hours<br>48 hours                        |
|   | Acute LC50 1400 µg/l Fresh water   | Daphnia - Daphnia pulex - Neonate  | 48 hours                                    |
|   | Acute LC50 590 µg/l Fresh water<br>Chronic NOEC 1.25 mg/l Marine water<br>Chronic NOEC 1 mg/l Fresh water  | Fish - Cirrhinus mrigala - Larvae<br>Algae - Ulva fasciata - Zoea<br>Crustaceans - Pseudosida ramosa - Neonate   | 96 hours<br>96 hours<br>21 days             |
|   | Chronic NOEC 3.2 mg/l Fresh water  | Daphnia - Daphnia magna - Neonate  | 21 days                                     |
|   | Chronic NOEC >1357 µg/l Fresh water  | Fish - Pimephales promelas   | 42 days                                     |
| <b>SureSelect Wash Buffer 2</b>                   |  |  |   |
| Sodium dodecyl sulphate                           | Acute EC50 1200 µg/l Marine water<br>Acute LC50 900 µg/l Marine water  | Algae - Skeletonema costatum<br>Crustaceans - Artemia salina - Adult   | 96 hours<br>48 hours                        |
|   | Acute LC50 1400 µg/l Fresh water   | Daphnia - Daphnia pulex - Neonate  | 48 hours                                    |
|   | Acute LC50 590 µg/l Fresh water<br>Chronic NOEC 1.25 mg/l Marine water<br>Chronic NOEC 1 mg/l Fresh water  | Fish - Cirrhinus mrigala - Larvae<br>Algae - Ulva fasciata - Zoea<br>Crustaceans - Pseudosida ramosa - Neonate   | 96 hours<br>96 hours<br>21 days             |
|   | Chronic NOEC 3.2 mg/l Fresh water  | Daphnia - Daphnia magna - Neonate  | 21 days                                     |
|   | Chronic NOEC >1357 µg/l Fresh water  | Fish - Pimephales promelas   | 42 days                                     |
| <b>SureSelect RNase Block</b>                     |  |  |   |
| Glycerol  | Acute LC50 54000 mg/l Fresh water  | Fish - Oncorhynchus mykiss   | 96 hours                                    |
| <b>SSEL XT HS and XT Low Input Custom Capture</b> |  |  |   |

**Section 12. Ecological information**

|                            |                                   |                            |          |
|----------------------------|-----------------------------------|----------------------------|----------|
| <b>Library</b><br>Glycerol | Acute LC50 54000 mg/l Fresh water | Fish - Oncorhynchus mykiss | 96 hours |
|----------------------------|-----------------------------------|----------------------------|----------|

**Persistence and degradability**

| <b>Product/ingredient name</b>                             | <b>Test</b>   | <b>Result</b>               | <b>Dose</b> | <b>Inoculum</b>  |
|--|---|-----------------------------|-------------|------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol         | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -           | -                |
| <b>T4 DNA Ligase</b><br>Glycerol                           | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -           | -                |
| <b>Ligation Buffer</b><br>Polyethylene glycol              | OECD 301D Ready Biodegradability - Closed Bottle Test             | 74.85 % - Readily - 28 days | 4 mg/l      | -                |
| Glycerol   | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -           | -                |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol      | 301D Ready Biodegradability - Closed Bottle Test                  | 93 % - 30 days              | -           | -                |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol       | OECD 301F Ready Biodegradability - Manometric Respirometry Test   | 97.1 % - Readily - 28 days  | 30 mg/l     | -                |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate | OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test | 95 % - Readily - 28 days    | 20 mg/l     | Activated sludge |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate | OECD 301B Ready Biodegradability - CO <sub>2</sub> Evolution Test | 95 % - Readily - 28 days    | 20 mg/l     | Activated sludge |

## Section 12. Ecological information

|   |   |                |   |   |
|---|---|----------------|---|---|
| <b>SureSelect RNase Block</b><br>Glycerol                             | 301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 days | - | - |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol | 301D Ready<br>Biodegradability -<br>Closed Bottle<br>Test | 93 % - 30 days | - | - |

| Product/ingredient name                                    | Aquatic half-life | Photolysis | Biodegradability |
|--|-------------------|------------|------------------|
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride   | -                 | -          | Readily          |
| <b>Ligation Buffer</b><br>Polyethylene glycol              | -                 | -          | Readily          |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol       | -                 | -          | Readily          |
| Ammonium sulphate  | -                 | -          | Readily          |
| Hexadecan-1-ol, ethoxylated                                | -                 | -          | Readily          |
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate | -                 | -          | Readily          |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate | -                 | -          | Readily          |

### Bioaccumulative potential

| Product/ingredient name                                  | LogP <sub>ow</sub> | BCF | Potential |
|--|--------------------|-----|-----------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>Glycerol       | -1.76              | -   | low       |
| <b>End Repair-A Tailing Buffer</b><br>Potassium chloride | -0.46              | -   | low       |
| <b>T4 DNA Ligase</b><br>Glycerol                         | -1.76              | -   | low       |
| <b>Ligation Buffer</b><br>Polyethylene glycol            | -                  | 3.2 | low       |
| Glycerol   | -1.76              | -   | low       |
| <b>Herculase II Fusion DNA Polymerase</b><br>Glycerol    | -1.76              | -   | low       |
| <b>5X Herculase II Reaction Buffer</b><br>Trometamol     | -2.31              | -   | low       |
| Ammonium sulphate  | -5.1               | -   | low       |

## Section 12. Ecological information

|   |       |   |     |
|---|-------|---|-----|
| <b>SureSelect Wash Buffer 1</b><br>Sodium dodecyl sulphate            | -2.03 | - | low |
| <b>SureSelect Wash Buffer 2</b><br>Sodium dodecyl sulphate            | -2.03 | - | low |
| <b>SureSelect RNase Block</b><br>Glycerol                             | -1.76 | - | low |
| <b>SSEL XT HS and XT Low Input Custom Capture Library</b><br>Glycerol | -1.76 | - | low |

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**TDG / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Canadian lists

**Canadian NPRI** : None of the components are listed.

**CEPA Toxic substances** : None of the components are listed.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

## Section 15. Regulatory information

### Montreal Protocol

Not listed.

### Stockholm Convention on Persistent Organic Pollutants

Not listed.

### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

|                          |  |
|--------------------------|--|
| <b>Australia</b>         | : Not determined.  |
| <b>Canada</b>            | : Not determined.  |
| <b>China</b>             | : Not determined.  |
| <b>Europe</b>            | : Not determined.  |
| <b>Japan</b>             | : <b>Japan inventory (CSCL):</b> Not determined.<br><b>Japan inventory (ISHL):</b> Not determined. |
| <b>New Zealand</b>       | : Not determined.  |
| <b>Philippines</b>       | : Not determined.  |
| <b>Republic of Korea</b> | : Not determined.  |
| <b>Taiwan</b>            | : All components are listed or exempted.   |
| <b>Thailand</b>          | : Not determined.  |
| <b>Turkey</b>            | : Not determined.  |
| <b>United States</b>     | : Not determined.  |
| <b>Viet Nam</b>          | : Not determined.  |

## Section 16. Other information

### History

**Date of issue/Date of revision** : 03/31/2022

**Date of previous issue** : 08/11/2020

**Version** : 4

### Key to abbreviations

: ATE = Acute Toxicity Estimate  
 BCF = Bioconcentration Factor  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 HPR = Hazardous Products Regulations  
 IATA = International Air Transport Association  
 IBC = Intermediate Bulk Container  
 IMDG = International Maritime Dangerous Goods  
 LogPow = logarithm of the octanol/water partition coefficient  
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
 N/A = Not available  
 UN = United Nations

### Procedure used to derive the classification

## Section 16. Other information

| Classification  | Justification      |
|---|--------------------|
| <b>End Repair-A Tailing Enzyme Mix</b><br>EYE IRRITATION - Category 2B    | Calculation method |
| <b>T4 DNA Ligase</b><br>EYE IRRITATION - Category 2B                      | Calculation method |
| <b>Ligation Buffer</b><br>EYE IRRITATION - Category 2B                    | Calculation method |
| <b>Herculase II Fusion DNA Polymerase</b><br>EYE IRRITATION - Category 2B | Calculation method |
| <b>SureSelect RNase Block</b><br>EYE IRRITATION - Category 2B             | Calculation method |

**References** : Not available.

Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Note \*** : \*SureSelect XT HS Index Primer A01-H04: 5190-6419, 5190-6420, 5190-6421, 5190-6422, 5190-6423, 5190-6424, 5190-6425, 5190-6426, 5190-6427, 5190-6428, 5190-6429, 5190-6430, 5190-6431, 5190-6432, 5190-6433, 5190-6434, 5190-9740, 5190-9741, 5190-9742, 5190-9743, 5190-9744, 5190-9745, 5190-9746, 5190-9747, 5190-9748, 5190-9749, 5190-9750, 5190-9751, 5190-9752, 5190-9753, 5190-9754, 5190-9755