

# SAFETY DATA SHEET



SureSelect XT Low Input Reagent Kit, index 1-96 + Human All Exon V7 Plus 1 Target Enrichment Baits, 96 rxn, Part Number G9707P

## Section 1. Identification

<b>Product identifier</b>	:	SureSelect XT Low Input Reagent Kit, index 1-96 + Human All Exon V7 Plus 1 Target Enrichment Baits, 96 rxn, Part Number G9707P																																																		
<b>Part no. (chemical kit)</b>	:	G9707P																																																		
<b>Part no.</b>	:	<table border="0"> <tr> <td><u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn</u></td> <td>5500-0140</td> </tr> <tr> <td>End Repair-A Tailing Enzyme Mix</td> <td>5190-6435</td> </tr> <tr> <td>End Repair-A Tailing Buffer</td> <td>5190-6436</td> </tr> <tr> <td>T4 DNA Ligase</td> <td>5190-6437</td> </tr> <tr> <td>Ligation Buffer</td> <td>5190-6438</td> </tr> <tr> <td>Adaptor Oligo Mix</td> <td>5190-6439</td> </tr> <tr> <td>Forward Primer</td> <td>5190-6440</td> </tr> <tr> <td><u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn / SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u></td> <td>5500-0140 / 5190-9686</td> </tr> <tr> <td>100 mM dNTP Mix (25 mM each dNTP)</td> <td>200418-51</td> </tr> <tr> <td>Herculase II Fusion DNA Polymerase</td> <td>5600-3761</td> </tr> <tr> <td>5X Herculase II Reaction Buffer</td> <td>600675-52</td> </tr> <tr> <td><u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn</u></td> <td>5190-9687</td> </tr> <tr> <td>SureSelect Binding Buffer</td> <td>5190-9734</td> </tr> <tr> <td>SureSelect Wash Buffer 1</td> <td>5190-4408</td> </tr> <tr> <td>SureSelect Wash Buffer 2</td> <td>5190-4409</td> </tr> <tr> <td><u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u></td> <td>5190-9686</td> </tr> <tr> <td>SureSelect XT HS and XT Low Input Blocker Mix</td> <td>5190-9534</td> </tr> <tr> <td>SureSelect Fast Hybridization Buffer</td> <td>5190-7330</td> </tr> <tr> <td>SureSelect RNase Block</td> <td>5972-3700</td> </tr> <tr> <td>SureSelect Post-Capture Primer Mix</td> <td>5190-9732</td> </tr> <tr> <td><u>SureSelect XT Low Input Index Primers 1-96 for ILM (Pre PCR)</u></td> <td>5190-6444</td> </tr> <tr> <td>SureSelect XT Low Input Index Bulk Set 1 A01-H12</td> <td>Various*</td> </tr> <tr> <td>SSEL XT HS and XT Low Input Custom Capture Library</td> <td>5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947</td> </tr> <tr> <td><u>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1, 96 Reactions</u></td> <td>5191-4050</td> </tr> <tr> <td>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1</td> <td>5191-4050</td> </tr> </table>	<u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn</u>	5500-0140	End Repair-A Tailing Enzyme Mix	5190-6435	End Repair-A Tailing Buffer	5190-6436	T4 DNA Ligase	5190-6437	Ligation Buffer	5190-6438	Adaptor Oligo Mix	5190-6439	Forward Primer	5190-6440	<u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn / SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u>	5500-0140 / 5190-9686	100 mM dNTP Mix (25 mM each dNTP)	200418-51	Herculase II Fusion DNA Polymerase	5600-3761	5X Herculase II Reaction Buffer	600675-52	<u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn</u>	5190-9687	SureSelect Binding Buffer	5190-9734	SureSelect Wash Buffer 1	5190-4408	SureSelect Wash Buffer 2	5190-4409	<u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u>	5190-9686	SureSelect XT HS and XT Low Input Blocker Mix	5190-9534	SureSelect Fast Hybridization Buffer	5190-7330	SureSelect RNase Block	5972-3700	SureSelect Post-Capture Primer Mix	5190-9732	<u>SureSelect XT Low Input Index Primers 1-96 for ILM (Pre PCR)</u>	5190-6444	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Various*	SSEL XT HS and XT Low Input Custom Capture Library	5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947	<u>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1, 96 Reactions</u>	5191-4050	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	5191-4050
<u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn</u>	5500-0140																																																			
End Repair-A Tailing Enzyme Mix	5190-6435																																																			
End Repair-A Tailing Buffer	5190-6436																																																			
T4 DNA Ligase	5190-6437																																																			
Ligation Buffer	5190-6438																																																			
Adaptor Oligo Mix	5190-6439																																																			
Forward Primer	5190-6440																																																			
<u>SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn / SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u>	5500-0140 / 5190-9686																																																			
100 mM dNTP Mix (25 mM each dNTP)	200418-51																																																			
Herculase II Fusion DNA Polymerase	5600-3761																																																			
5X Herculase II Reaction Buffer	600675-52																																																			
<u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn</u>	5190-9687																																																			
SureSelect Binding Buffer	5190-9734																																																			
SureSelect Wash Buffer 1	5190-4408																																																			
SureSelect Wash Buffer 2	5190-4409																																																			
<u>SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn</u>	5190-9686																																																			
SureSelect XT HS and XT Low Input Blocker Mix	5190-9534																																																			
SureSelect Fast Hybridization Buffer	5190-7330																																																			
SureSelect RNase Block	5972-3700																																																			
SureSelect Post-Capture Primer Mix	5190-9732																																																			
<u>SureSelect XT Low Input Index Primers 1-96 for ILM (Pre PCR)</u>	5190-6444																																																			
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Various*																																																			
SSEL XT HS and XT Low Input Custom Capture Library	5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947																																																			
<u>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1, 96 Reactions</u>	5191-4050																																																			
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	5191-4050																																																			

### Relevant identified uses of the substance or mixture and uses advised against

**Material uses** : Analytical reagent.  
For Research Use Only. Not for use in diagnostic procedures.

## Section 1. Identification

End Repair-A Tailing Enzyme Mix	0.512 ml (96 reactions)
End Repair-A Tailing Buffer	2.048 ml (96 reactions)
T4 DNA Ligase	0.256 ml (96 reactions)
Ligation Buffer	2.944 ml (96 reactions)
Adaptor Oligo Mix	0.7 ml (96 reactions)
Forward Primer	0.256 ml (96 reactions)
100 mM dNTP Mix (25 mM each dNTP)	0.1 ml
Herculase II Fusion DNA Polymerase	0.14 ml (96 reactions)
5X Herculase II Reaction Buffer	1.5 ml
SureSelect Binding Buffer	93 ml
SureSelect Wash Buffer 1	48 ml
SureSelect Wash Buffer 2	144 ml
SureSelect XT HS and XT Low Input Blocker Mix	0.64 ml (96 reactions)
SureSelect Fast Hybridization Buffer	0.918 ml
SureSelect RNase Block	0.08 ml
SureSelect Post-Capture Primer Mix	0.14 ml (96 reactions)
SureSelect XT Low Input Index Bulk Set 1 A01-H12	96 x 0.01 ml (96 reactions)
SSEL XT HS and XT Low Input Custom Capture Library	0.192 - 0.48 ml (96 reactions)
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	0.48 ml (96 reactions)

**Supplier/Manufacturer** : Agilent Technologies Australia Pty Ltd  
679 Springvale Road  
Mulgrave  
Victoria 3170, Australia  
1800 802 402

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +(61)-290372994

**Note \*** : \*SureSelect XT Low Input Index Bulk Set 1 A01-H12: 5600-3801, 5600-3802, 5600-3803, 5600-3804, 5600-3805, 5600-3806, 5600-3807, 5600-3808, 5600-3809, 5600-3810, 5600-3811, 5600-3812, 5600-3813, 5600-3814, 5600-3815, 5600-3816, 5600-3817, 5600-3818, 5600-3819, 5600-3820, 5600-3821, 5600-3822, 5600-3823, 5600-3824, 5600-3825, 5600-3826, 5600-3827, 5600-3828, 5600-3829, 5600-3830, 5600-3831, 5600-3832, 5600-3833, 5600-3834, 5600-3835, 5600-3836, 5600-3837, 5600-3838, 5600-3839, 5600-3840, 5600-3841, 5600-3842, 5600-3843, 5600-3844, 5600-3845, 5600-3846, 5600-3847, 5600-3848, 5600-3849, 5600-3850, 5600-3851, 5600-3852, 5600-3853, 5600-3854, 5600-3855, 5600-3856, 5600-3857, 5600-3858, 5600-3859, 5600-3860, 5600-3861, 5600-3862, 5600-3863, 5600-3864, 5600-3865, 5600-3866, 5600-3867, 5600-3868, 5600-3869, 5600-3870, 5600-3871, 5600-3872, 5600-3873, 5600-3874, 5600-3875, 5600-3876, 5600-3877, 5600-3878, 5600-3879, 5600-3880, 5600-3881, 5600-3882, 5600-3883, 5600-3884, 5600-3885, 5600-3886, 5600-3887, 5600-3888, 5600-3889, 5600-3890, 5600-3891, 5600-3892, 5600-3893, 5600-3894, 5600-3895, 5600-3896

## Section 2. Hazard(s) identification

### Classification of the substance or mixture

**5X Herculase II Reaction Buffer**  
H319

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A

100 mM dNTP Mix (25 mM each dNTP)	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%
SureSelect Fast Hybridization Buffer	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 31.3%

### GHS label elements

## Section 2. Hazard(s) identification

### Hazard pictograms

: 5X Herculase II Reaction Buffer



### Signal word

: End Repair-A Tailing Enzyme Mix No signal word.  
 End Repair-A Tailing Buffer No signal word.  
 T4 DNA Ligase No signal word.  
 Ligation Buffer No signal word.  
 Adaptor Oligo Mix No signal word.  
 Forward Primer No signal word.  
 100 mM dNTP Mix (25 mM each dNTP) No signal word.  
 Herculase II Fusion DNA Polymerase No signal word.  
 5X Herculase II Reaction Buffer WARNING  
 SureSelect Binding Buffer No signal word.  
 SureSelect Wash Buffer 1 No signal word.  
 SureSelect Wash Buffer 2 No signal word.  
 SureSelect XT HS and XT Low Input Blocker Mix No signal word.  
 SureSelect Fast Hybridization Buffer No signal word.  
 SureSelect RNase Block No signal word.  
 SureSelect Post-Capture Primer Mix No signal word.  
 SureSelect XT Low Input Index Bulk Set 1 A01-H12 No signal word.  
 SSEL XT HS and XT Low Input Custom Capture Library No signal word.  
 SSEL XT HS and XT Low Input Human All Exon V7 Plus 1 No signal word.

### Hazard statements


: End Repair-A Tailing Enzyme Mix No known significant effects or critical hazards.  
 End Repair-A Tailing Buffer No known significant effects or critical hazards.  
 T4 DNA Ligase No known significant effects or critical hazards.  
 Ligation Buffer No known significant effects or critical hazards.  
 Adaptor Oligo Mix No known significant effects or critical hazards.  
 Forward Primer No known significant effects or critical hazards.  
 100 mM dNTP Mix (25 mM each dNTP) No known significant effects or critical hazards.  
 Herculase II Fusion DNA Polymerase No known significant effects or critical hazards.  
 5X Herculase II Reaction Buffer H319 - Causes serious eye irritation.  
 SureSelect Binding Buffer No known significant effects or critical hazards.  
 SureSelect Wash Buffer 1 No known significant effects or critical hazards.  
 SureSelect Wash Buffer 2 No known significant effects or critical hazards.  
 SureSelect XT HS and XT Low Input Blocker Mix No known significant effects or critical hazards.  
 SureSelect Fast Hybridization Buffer No known significant effects or critical hazards.  
 SureSelect RNase Block No known significant effects or critical hazards.  
 SureSelect Post-Capture Primer Mix No known significant effects or critical hazards.  
 SureSelect XT Low Input Index Bulk Set 1 A01-H12 No known significant effects or critical hazards.  
 SSEL XT HS and XT Low Input Custom Capture Library No known significant effects or critical hazards.  
 SSEL XT HS and XT Low Input Human All Exon V7 Plus 1 No known significant effects or critical hazards.

## Section 2. Hazard(s) identification


Input Human All Exon V7  
Plus 1

### Precautionary statements

#### Prevention

:  End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	P280 - Wear eye or face protection.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

#### Response

:  End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.

**Section 2. Hazard(s) identification**

	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.
<b>Storage</b>	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.
<b>Disposal</b>	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

## Section 2. Hazard(s) identification

### Supplemental label elements

#### Additional warning phrases

End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

#### Other hazards which do not result in classification

End Repair-A Tailing Enzyme Mix	None known.
End Repair-A Tailing Buffer	None known.
T4 DNA Ligase	None known.
Ligation Buffer	None known.
Adaptor Oligo Mix	None known.
Forward Primer	None known.
100 mM dNTP Mix (25 mM each dNTP)	None known.
Herculase II Fusion DNA Polymerase	None known.
5X Herculase II Reaction Buffer	None known.
SureSelect Binding Buffer	None known.
SureSelect Wash Buffer 1	None known.
SureSelect Wash Buffer 2	None known.
SureSelect XT HS and XT Low Input Blocker Mix	None known.
SureSelect Fast Hybridization Buffer	None known.
SureSelect RNase Block	None known.
SureSelect Post-Capture Primer Mix	None known.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	None known.
SSEL XT HS and XT Low Input Custom Capture Library	None known.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	None known.

## Section 3. Composition and ingredient information

<b>Substance/mixture</b>	:	End Repair-A Tailing Enzyme Mix	Mixture
		End Repair-A Tailing Buffer	Mixture
		T4 DNA Ligase	Mixture
		Ligation Buffer	Mixture
		Adaptor Oligo Mix	Mixture
		Forward Primer	Mixture
		100 mM dNTP Mix (25 mM each dNTP)	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		5X Herculase II Reaction Buffer	Mixture
		SureSelect Binding Buffer	Mixture
		SureSelect Wash Buffer 1	Mixture
		SureSelect Wash Buffer 2	Mixture
		SureSelect XT HS and XT Low Input Blocker Mix	Mixture
		SureSelect Fast Hybridization Buffer	Mixture
		SureSelect RNase Block	Mixture
		SureSelect Post-Capture Primer Mix	Mixture
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Mixture
		SSEL XT HS and XT Low Input Custom Capture Library	Mixture
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Mixture

### CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	≥30 - ≤60	56-81-5
<b>T4 DNA Ligase</b> Glycerol	≥30 - ≤60	56-81-5
<b>Ligation Buffer</b> Polyethylene glycol Glycerol	≥10 - ≤30 ≥10 - ≤30	25322-68-3 56-81-5
<b>Herculase II Fusion DNA Polymerase</b> Glycerol	≥30 - ≤60	56-81-5
<b>5X Herculase II Reaction Buffer</b> Hexadecan-1-ol, ethoxylated	<3	9004-95-9
<b>SureSelect RNase Block</b> Glycerol	≥30 - ≤60	56-81-5
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	≤3	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

<b>Eye contact</b>	: End Repair-A Tailing Enzyme Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	End Repair-A Tailing Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	T4 DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Ligation Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Adaptor Oligo Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Forward Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	100 mM dNTP Mix (25 mM each dNTP)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	5X Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	SureSelect Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT HS and XT Low Input Blocker Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Fast Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Post-Capture Primer Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

## Section 4. First aid measures

	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSEL XT HS and XT Low Input Custom Capture Library	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Inhalation</b>	: End Repair-A Tailing Enzyme Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	T4 DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Ligation Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Adaptor Oligo Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Forward Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	100 mM dNTP Mix (25 mM each dNTP)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	5X Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 1	Remove victim to fresh air and keep at rest in a

## Section 4. First aid measures

		position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT HS and XT Low Input Blocker Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect Fast Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect Post-Capture Primer Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SSEL XT HS and XT Low Input Custom Capture Library	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
<b>Skin contact</b>	: End Repair-A Tailing Enzyme Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	T4 DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Ligation Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Adaptor Oligo Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Forward Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	100 mM dNTP Mix (25 mM each dNTP)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	5X Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	SureSelect Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Wash Buffer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

## Section 4. First aid measures

	SureSelect Wash Buffer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT HS and XT Low Input Blocker Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Fast Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect Post-Capture Primer Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SSEL XT HS and XT Low Input Custom Capture Library	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
<b>Ingestion</b>	: End Repair-A Tailing Enzyme Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	End Repair-A Tailing Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	T4 DNA Ligase	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Ligation Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Adaptor Oligo Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Forward Primer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	100 mM dNTP Mix (25 mM each dNTP)	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Herculase II Fusion DNA Polymerase	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical

## Section 4. First aid measures

5X Herculase II Reaction Buffer	personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
SureSelect Binding Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Fast Hybridization Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect RNase Block	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Post-Capture Primer Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce



## Section 4. First aid measures

	SSEl XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Skin contact</b>	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSEl XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Ingestion</b>	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSEl XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

## Section 4. First aid measures

### Over-exposure signs/symptoms

<b>Eye contact</b>	:	End Repair-A Tailing Enzyme Mix	No specific data.	
		End Repair-A Tailing Buffer	No specific data.	
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		Adaptor Oligo Mix	No specific data.	
		Forward Primer	No specific data.	
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer	Adverse symptoms may include the following:  pain or irritation watering redness	
		SureSelect Binding Buffer	No specific data.	
		SureSelect Wash Buffer 1	No specific data.	
		SureSelect Wash Buffer 2	No specific data.	
		SureSelect XT HS and XT Low Input Blocker Mix	No specific data.	
		SureSelect Fast Hybridization Buffer	No specific data.	
		SureSelect RNase Block	No specific data.	
		SureSelect Post-Capture Primer Mix	No specific data.	
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.	
		SSEL XT HS and XT Low Input Custom Capture Library	No specific data.	
		SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.	
	<b>Inhalation</b>	:	End Repair-A Tailing Enzyme Mix	No specific data.
			End Repair-A Tailing Buffer	No specific data.
			T4 DNA Ligase	No specific data.
			Ligation Buffer	No specific data.
		Adaptor Oligo Mix	No specific data.	
		Forward Primer	No specific data.	
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer	No specific data.	
		SureSelect Binding Buffer	No specific data.	
		SureSelect Wash Buffer 1	No specific data.	
		SureSelect Wash Buffer 2	No specific data.	
		SureSelect XT HS and XT Low Input Blocker Mix	No specific data.	
		SureSelect Fast Hybridization Buffer	No specific data.	
		SureSelect RNase Block	No specific data.	
		SureSelect Post-Capture Primer Mix	No specific data.	
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.	
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.		
	SSel XT HS and XT Low	No specific data.		

## Section 4. First aid measures

	Input Human All Exon V7 Plus 1	
<b>Skin contact</b>	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
<b>Ingestion</b>	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.

## Section 4. First aid measures

### Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	:	End Repair-A Tailing Enzyme Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		End Repair-A Tailing Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		T4 DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Ligation Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Adaptor Oligo Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Forward Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		100 mM dNTP Mix (25 mM each dNTP)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		5X Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		SureSelect Binding Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect Wash Buffer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect Wash Buffer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect XT HS and XT Low Input Blocker Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect Fast Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		SureSelect RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect Post-Capture Primer Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SSEL XT HS and XT Low Input Custom Capture Library	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## Section 4. First aid measures

<b>Specific treatments</b>	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 1 A01-H12 SSEL XT HS and XT Low Input Custom Capture Library SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	No specific treatment. No specific treatment.
<b>Protection of first-aiders</b>	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer  T4 DNA Ligase  Ligation Buffer  Adaptor Oligo Mix  Forward Primer  100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer  SureSelect Binding Buffer  SureSelect Wash Buffer 1  SureSelect Wash Buffer 2  SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block  SureSelect Post-Capture	No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training.

## Section 4. First aid measures

Primer Mix	or without suitable training.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Custom Capture Library	No action shall be taken involving any personal risk or without suitable training.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

## Section 5. Firefighting measures

### Extinguishing media

#### Suitable extinguishing media

: End Repair-A Tailing Enzyme Mix	Use an extinguishing agent suitable for the surrounding fire.
End Repair-A Tailing Buffer	Use an extinguishing agent suitable for the surrounding fire.
T4 DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
Ligation Buffer	Use an extinguishing agent suitable for the surrounding fire.
Adaptor Oligo Mix	Use an extinguishing agent suitable for the surrounding fire.
Forward Primer	Use an extinguishing agent suitable for the surrounding fire.
100 mM dNTP Mix (25 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
5X Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Binding Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 1	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 2	Use an extinguishing agent suitable for the surrounding fire.
SureSelect XT HS and XT Low Input Blocker Mix	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Fast Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect RNase Block	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Post-Capture Primer Mix	Use an extinguishing agent suitable for the surrounding fire.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Use an extinguishing agent suitable for the surrounding fire.
SSEL XT HS and XT Low Input Custom Capture Library	Use an extinguishing agent suitable for the surrounding fire.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable extinguishing media

: End Repair-A Tailing Enzyme Mix	None known.
End Repair-A Tailing Buffer	None known.
T4 DNA Ligase	None known.
Ligation Buffer	None known.
Adaptor Oligo Mix	None known.
Forward Primer	None known.
100 mM dNTP Mix (25 mM each dNTP)	None known.
Herculase II Fusion DNA	None known.

## Section 5. Firefighting measures

Polymerase	
5X Herculase II Reaction Buffer	None known.
SureSelect Binding Buffer	None known.
SureSelect Wash Buffer 1	None known.
SureSelect Wash Buffer 2	None known.
SureSelect XT HS and XT Low Input Blocker Mix	None known.
SureSelect Fast Hybridization Buffer	None known.
SureSelect RNase Block	None known.
SureSelect Post-Capture Primer Mix	None known.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	None known.
SSEL XT HS and XT Low Input Custom Capture Library	None known.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	None known.

### Specific hazards arising from the chemical

: End Repair-A Tailing Enzyme Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
End Repair-A Tailing Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
T4 DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
Ligation Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
Adaptor Oligo Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
Forward Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
100 mM dNTP Mix (25 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
5X Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Wash Buffer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Wash Buffer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect XT HS and XT Low Input Blocker Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Fast Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Post-Capture Primer Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	In a fire or if heated, a pressure increase will occur and the container may burst.
SSEL XT HS and XT Low Input Custom Capture Library	In a fire or if heated, a pressure increase will occur and the container may burst.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	In a fire or if heated, a pressure increase will occur and the container may burst.

## Section 5. Firefighting measures

<b>Hazardous thermal decomposition products</b>	: End Repair-A Tailing Enzyme Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	End Repair-A Tailing Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	T4 DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Ligation Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
	Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	5X Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
	SureSelect Binding Buffer	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	SureSelect RNase Block	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	Decomposition products may include the following materials:

## Section 5. Firefighting measures

	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	carbon dioxide carbon monoxide No specific data.
<b>Special protective actions for fire-fighters</b>	: End Repair-A Tailing Enzyme Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	End Repair-A Tailing Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	T4 DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Ligation Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Adaptor Oligo Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Forward Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	100 mM dNTP Mix (25 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	5X Herculase II Reaction Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Wash Buffer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT HS and XT Low Input Blocker Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect Fast Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect RNase Block	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No

## Section 5. Firefighting measures

		action shall be taken involving any personal risk or without suitable training.
	SureSelect Post-Capture Primer Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SSEL XT HS and XT Low Input Custom Capture Library	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b>	: End Repair-A Tailing Enzyme Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	End Repair-A Tailing Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	T4 DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Ligation Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Adaptor Oligo Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Forward Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	100 mM dNTP Mix (25 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	5X Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect Wash Buffer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	SureSelect Wash Buffer 2	Fire-fighters should wear appropriate protective

## Section 5. Firefighting measures

	equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT HS and XT Low Input Blocker Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Fast Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Post-Capture Primer Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSEL XT HS and XT Low Input Custom Capture Library	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
<b>Hazchem code</b>	
: End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Not available.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
100 mM dNTP Mix (25 mM each dNTP)	Not available.
Herculase II Fusion DNA Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS and XT Low Input Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post-Capture Primer Mix	Not available.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
SSEL XT HS and XT Low Input Custom Capture Library	Not available.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

## Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: End Repair-A Tailing Enzyme Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	End Repair-A Tailing Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	T4 DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Ligation Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Adaptor Oligo Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Forward Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	100 mM dNTP Mix (25 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	5X Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

## Section 6. Accidental release measures

SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect XT HS and XT Low Input Blocker Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect Fast Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect Post-Capture Primer Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SSEL XT HS and XT Low Input Custom Capture Library	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
<b>For emergency responders :</b> End Repair-A Tailing Enzyme Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
End Repair-A Tailing Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
T4 DNA Ligase	If specialised clothing is required to deal with the

## Section 6. Accidental release measures

Ligation Buffer	spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Adaptor Oligo Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Forward Primer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM dNTP Mix (25 mM each dNTP)	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5X Herculase II Reaction Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Binding Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT HS and XT Low Input Blocker Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Fast Hybridization Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect RNase Block	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Post-Capture Primer Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT Low Input Index Bulk Set 1 A01-H12	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSEL XT HS and XT Low Input Custom Capture Library	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

SSel XT HS and XT Low Input Human All Exon V7 Plus 1  
If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

<b>Environmental precautions</b>	:	End Repair-A Tailing Enzyme Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		End Repair-A Tailing Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		T4 DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Ligation Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Adaptor Oligo Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Forward Primer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		100 mM dNTP Mix (25 mM each dNTP)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		Herculase II Fusion DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		5X Herculase II Reaction Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		SureSelect Binding Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		SureSelect Wash Buffer 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
		SureSelect Wash Buffer 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

## Section 6. Accidental release measures

	caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT HS and XT Low Input Blocker Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Fast Hybridization Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect RNase Block	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Post-Capture Primer Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSEL XT HS and XT Low Input Custom Capture Library	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	: End Repair-A Tailing Enzyme Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	End Repair-A Tailing Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	T4 DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Ligation Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**Section 6. Accidental release measures**

Adaptor Oligo Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Forward Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
100 mM dNTP Mix (25 mM each dNTP)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
5X Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Wash Buffer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Wash Buffer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT HS and XT Low Input Blocker Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Fast Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an

## Section 6. Accidental release measures

SureSelect Post-Capture Primer Mix	inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSEL XT HS and XT Low Input Custom Capture Library	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### Precautions for safe handling

#### Protective measures

End Repair-A Tailing Enzyme Mix	Put on appropriate personal protective equipment (see Section 8).
End Repair-A Tailing Buffer	Put on appropriate personal protective equipment (see Section 8).
T4 DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
Ligation Buffer	Put on appropriate personal protective equipment (see Section 8).
Adaptor Oligo Mix	Put on appropriate personal protective equipment (see Section 8).
Forward Primer	Put on appropriate personal protective equipment (see Section 8).
100 mM dNTP Mix (25 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8).
5X Herculase II Reaction Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
SureSelect Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
SureSelect Wash Buffer 1	Put on appropriate personal protective equipment (see Section 8).
SureSelect Wash Buffer 2	Put on appropriate personal protective equipment (see Section 8).
SureSelect XT HS and XT Low Input Blocker Mix	Put on appropriate personal protective equipment (see Section 8).

## Section 7. Handling and storage

### Advice on general occupational hygiene

SureSelect Fast Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8).
SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8).
SureSelect Post-Capture Primer Mix	Put on appropriate personal protective equipment (see Section 8).
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Put on appropriate personal protective equipment (see Section 8).
SSEL XT HS and XT Low Input Custom Capture Library	Put on appropriate personal protective equipment (see Section 8).
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Put on appropriate personal protective equipment (see Section 8).
: End Repair-A Tailing Enzyme Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
End Repair-A Tailing Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
T4 DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Ligation Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Adaptor Oligo Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Forward Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM dNTP Mix (25 mM each dNTP)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Fusion DNA	Eating, drinking and smoking should be prohibited in

## Section 7. Handling and storage

Polymerase	areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
5X Herculase II Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect XT HS and XT Low Input Blocker Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Fast Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Post-Capture Primer Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect XT Low Input	Eating, drinking and smoking should be prohibited in

## Section 7. Handling and storage

Index Bulk Set 1 A01-H12	areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SSEL XT HS and XT Low Input Custom Capture Library	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**Conditions for safe storage, including any incompatibilities** : End Repair-A Tailing Enzyme Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

End Repair-A Tailing Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

T4 DNA Ligase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Ligation Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid

## Section 7. Handling and storage

Adaptor Oligo Mix	environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Forward Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
100 mM dNTP Mix (25 mM each dNTP)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Herculase II Fusion DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
5X Herculase II Reaction Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Binding Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened

## Section 7. Handling and storage

SureSelect Wash Buffer 1

must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Wash Buffer 2

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect XT HS and XT Low Input Blocker Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Fast Hybridization Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect RNase Block

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect Post-Capture Primer Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

## Section 7. Handling and storage

SureSelect XT Low Input  
Index Bulk Set 1 A01-H12

incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSEL XT HS and XT Low  
Input Custom Capture Library

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSEL XT HS and XT Low  
Input Human All Exon V7  
Plus 1

Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 48 months. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls and personal protection

### [Control parameters](#)

### [Occupational exposure limits](#)

Ingredient name	Exposure limits
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>T4 DNA Ligase</b> Glycerol	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>Ligation Buffer</b> Polyethylene glycol	<b>DFG MAC-values list (Germany, 8/2020).</b> PEAK: 400 mg/m <sup>3</sup> , 4 times per shift, 15 minutes. Form: inhalable fraction TWA: 200 mg/m <sup>3</sup> 8 hours. Form: inhalable

## Section 8. Exposure controls and personal protection

Glycerol	fraction <b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>Herculase II Fusion DNA Polymerase</b> Glycerol	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>SureSelect RNase Block</b> Glycerol	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	<b>Safe Work Australia (Australia, 12/2019).</b> TWA: 10 mg/m <sup>3</sup> 8 hours.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### Appearance

## Section 9. Physical and chemical properties and safety characteristics

<b>Physical state</b>	:	End Repair-A Tailing Enzyme Mix	Liquid.	
		End Repair-A Tailing Buffer	Liquid.	
		T4 DNA Ligase	Liquid.	
		Ligation Buffer	Liquid.	
		Adaptor Oligo Mix	Liquid.	
		Forward Primer	Liquid.	
		100 mM dNTP Mix (25 mM each dNTP)	Liquid.	
		Herculase II Fusion DNA Polymerase	Liquid.	
		5X Herculase II Reaction Buffer	Liquid.	
		SureSelect Binding Buffer	Liquid.	
		SureSelect Wash Buffer 1	Liquid.	
		SureSelect Wash Buffer 2	Liquid.	
		SureSelect XT HS and XT Low Input Blocker Mix	Liquid.	
		SureSelect Fast Hybridization Buffer	Liquid.	
		SureSelect RNase Block	Liquid.	
		SureSelect Post-Capture Primer Mix	Liquid.	
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Liquid.	
		SSEL XT HS and XT Low Input Custom Capture Library	Liquid.	
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Liquid.	
	<b>Colour</b>	:	End Repair-A Tailing Enzyme Mix	Not available.
			End Repair-A Tailing Buffer	Not available.
			T4 DNA Ligase	Not available.
			Ligation Buffer	Not available.
		Adaptor Oligo Mix	Not available.	
		Forward Primer	Not available.	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	
		Herculase II Fusion DNA Polymerase	Not available.	
		5X Herculase II Reaction Buffer	Not available.	
		SureSelect Binding Buffer	Not available.	
		SureSelect Wash Buffer 1	Not available.	
		SureSelect Wash Buffer 2	Not available.	
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.	
		SureSelect Fast Hybridization Buffer	Not available.	
		SureSelect RNase Block	Not available.	
		SureSelect Post-Capture Primer Mix	Not available.	
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.	
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.	
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.	

## Section 9. Physical and chemical properties and safety characteristics

<b>Odour</b>	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		Adaptor Oligo Mix	Not available.
		Forward Primer	Not available.
		100 mM dNTP Mix (25 mM each dNTP)	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.
		SureSelect Fast Hybridization Buffer	Not available.
		SureSelect RNase Block	Not available.
		SureSelect Post-Capture Primer Mix	Not available.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.
		SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.
<b>Odour threshold</b>	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		Adaptor Oligo Mix	Not available.
		Forward Primer	Not available.
		100 mM dNTP Mix (25 mM each dNTP)	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.
		SureSelect Fast Hybridization Buffer	Not available.
		SureSelect RNase Block	Not available.
		SureSelect Post-Capture Primer Mix	Not available.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.
		SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

## Section 9. Physical and chemical properties and safety characteristics

<b>pH</b>	: End Repair-A Tailing Enzyme Mix	6.5	
	End Repair-A Tailing Buffer	8	
	T4 DNA Ligase	7.5	
	Ligation Buffer	8	
	Adaptor Oligo Mix	7.5	
	Forward Primer	7.5	
	100 mM dNTP Mix (25 mM each dNTP)	7.5	
	Herculase II Fusion DNA Polymerase	8.2	
	5X Herculase II Reaction Buffer	9.5 to 10.5	
	SureSelect Binding Buffer	7.5	
	SureSelect Wash Buffer 1	7.5	
	SureSelect Wash Buffer 2	7	
	SureSelect XT HS and XT Low Input Blocker Mix	7.5	
	SureSelect Fast Hybridization Buffer	Not available.	
	SureSelect RNase Block	7.6	
	SureSelect Post-Capture Primer Mix	7.5	
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	7.5	
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.	
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.	
	<b>Melting point/freezing point</b>	: End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	0°C (32°F)
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		Adaptor Oligo Mix	0°C (32°F)
		Forward Primer	0°C (32°F)
		100 mM dNTP Mix (25 mM each dNTP)	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
5X Herculase II Reaction Buffer		Not available.	
SureSelect Binding Buffer		Not available.	
SureSelect Wash Buffer 1		0°C (32°F)	
SureSelect Wash Buffer 2		0°C (32°F)	
SureSelect XT HS and XT Low Input Blocker Mix		0°C (32°F)	
SureSelect Fast Hybridization Buffer		Not available.	
SureSelect RNase Block		Not available.	
SureSelect Post-Capture Primer Mix		0°C (32°F)	
SureSelect XT Low Input Index Bulk Set 1 A01-H12		0°C (32°F)	
SSEL XT HS and XT Low Input Custom Capture Library		0°C (32°F)	
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1		0°C (32°F)	

## Section 9. Physical and chemical properties and safety characteristics

<b>Boiling point, initial boiling point, and boiling range</b>	<b>:</b> End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	100°C (212°F)
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	100°C (212°F)
	Forward Primer	100°C (212°F)
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	100°C (212°F)
	SureSelect Wash Buffer 2	100°C (212°F)
	SureSelect XT HS and XT Low Input Blocker Mix	100°C (212°F)
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	100°C (212°F)
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	100°C (212°F)
	SSEL XT HS and XT Low Input Custom Capture Library	100°C (212°F)
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	100°C (212°F)

**Flash point**

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
<b>End Repair-A Tailing Enzyme Mix</b>						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Glycerol			Pensky-Martens	177	350.6	
<b>End Repair-A Tailing Buffer</b>						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
<b>T4 DNA Ligase</b>						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Glycerol			Pensky-Martens	177	350.6	
<b>Ligation Buffer</b>						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Polyethylene glycol	171 to 235	339.8 to 455		199 to 238	390.2 to 460.4	

## Section 9. Physical and chemical properties and safety characteristics

<b>Adaptor Oligo Mix</b>						
Edetic acid	>100	>212	DIN 51758			
<b>Forward Primer</b>						
Edetic acid	>100	>212	DIN 51758			
<b>100 mM dNTP Mix (25 mM each dNTP)</b>						
Edetic acid	>100	>212	DIN 51758			
<b>Herculase II Fusion DNA Polymerase</b>						
Edetic acid	>100	>212	DIN 51758			
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
<b>SureSelect Binding Buffer</b>						
Edetic acid	>100	>212	DIN 51758			
<b>SureSelect Wash Buffer 1</b>						
Citric acid, trisodium salt, dihydrate	>100	>212				
<b>SureSelect Wash Buffer 2</b>						
Citric acid, trisodium salt, dihydrate	>100	>212				
<b>SureSelect XT HS and XT Low Input Blocker Mix</b>						
Edetic acid	>100	>212	DIN 51758			
<b>SureSelect RNase Block</b>						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Glycerol			Pensky-Martens	177	350.6	
<b>SureSelect Post-Capture Primer Mix</b>						
Edetic acid	>100	>212	DIN 51758			
<b>SureSelect XT Low Input Index Bulk Set 1 A01-H12</b>						
Edetic acid	>100	>212	DIN 51758			
<b>SSEL XT HS and XT</b>						

## Section 9. Physical and chemical properties and safety characteristics

<b>Low Input Custom Capture Library</b>			
Edetic acid	>100	>212	DIN 51758
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230	
<b>SSel XT HS and XT Low Input Human All Exon V7 Plus 1</b>			
Edetic acid	>100	>212	DIN 51758
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230	

**Evaporation rate**

- : End Repair-A Tailing Enzyme Mix Not available.
- End Repair-A Tailing Buffer Not available.
- T4 DNA Ligase Not available.
- Ligation Buffer Not available.
- Adaptor Oligo Mix Not available.
- Forward Primer Not available.
- 100 mM dNTP Mix (25 mM each dNTP) Not available.
- Herculase II Fusion DNA Polymerase Not available.
- 5X Herculase II Reaction Buffer Not available.
- SureSelect Binding Buffer Not available.
- SureSelect Wash Buffer 1 Not available.
- SureSelect Wash Buffer 2 Not available.
- SureSelect XT HS and XT Low Input Blocker Mix Not available.
- SureSelect Fast Hybridization Buffer Not available.
- SureSelect RNase Block Not available.
- SureSelect Post-Capture Primer Mix Not available.
- SureSelect XT Low Input Index Bulk Set 1 A01-H12 Not available.
- SSEL XT HS and XT Low Input Custom Capture Library Not available.
- SSel XT HS and XT Low Input Human All Exon V7 Plus 1 Not available.

**Flammability**

- : End Repair-A Tailing Enzyme Mix Not applicable.
- End Repair-A Tailing Buffer Not applicable.
- T4 DNA Ligase Not applicable.
- Ligation Buffer Not applicable.
- Adaptor Oligo Mix Not applicable.
- Forward Primer Not applicable.
- 100 mM dNTP Mix (25 mM each dNTP) Not applicable.
- Herculase II Fusion DNA Polymerase Not applicable.
- 5X Herculase II Reaction Buffer Not applicable.
- SureSelect Binding Buffer Not applicable.
- SureSelect Wash Buffer 1 Not applicable.
- SureSelect Wash Buffer 2 Not applicable.
- SureSelect XT HS and XT Low Input Blocker Mix Not applicable.

## Section 9. Physical and chemical properties and safety characteristics

	Low Input Blocker Mix	
	SureSelect Fast	Not applicable.
	Hybridization Buffer	
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture	Not applicable.
	Primer Mix	
	SureSelect XT Low Input	Not applicable.
	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	Not applicable.
	Input Custom Capture Library	
	SSEL XT HS and XT Low	Not applicable.
	Input Human All Exon V7	
	Plus 1	
<b>Lower and upper explosion limit/flammability limit</b>	End Repair-A Tailing	Not available.
	Enzyme Mix	
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase	
	5X Herculase II Reaction	Not available.
	Buffer	
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT	Not available.
	Low Input Blocker Mix	
	SureSelect Fast	Not available.
	Hybridization Buffer	
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture	Not available.
	Primer Mix	
	SureSelect XT Low Input	Not available.
	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	Not available.
	Input Custom Capture Library	
	SSEL XT HS and XT Low	Not available.
	Input Human All Exon V7	
	Plus 1	

<b>Vapour pressure</b>	<b>Ingredient name</b>	<b>Vapour Pressure at 20 °C</b>			<b>Vapour pressure at 50 °C</b>		
		<b>mm Hg</b>	<b>kPa</b>	<b>Method</b>	<b>mm Hg</b>	<b>kPa</b>	<b>Method</b>
	<b>End Repair-A Tailing Enzyme Mix</b>						
	Water	23.8	3.2		92.258	12.3	
	Adenosine 5'-(tetrahydrogen triphosphate), disodium salt	<0.00075006	<0.0001		<0.00075006	<0.0001	
	<b>End Repair-A Tailing Buffer</b>						
	Water	23.8	3.2		92.258	12.3	
	Adenosine 5'-(tetrahydrogen	<0.00075006	<0.0001		<0.00075006	<0.0001	

## Section 9. Physical and chemical properties and safety characteristics

triphosphate), disodium salt					
<b>T4 DNA Ligase</b>					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
<b>Ligation Buffer</b>					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
<b>Adaptor Oligo Mix</b>					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
<b>Forward Primer</b>					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
<b>100 mM dNTP Mix (25 mM each dNTP)</b>					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
<b>Herculase II Fusion DNA Polymerase</b>					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
<b>5X Herculase II Reaction Buffer</b>					
Water	23.8	3.2		92.258	12.3
Sulfuric acid, magnesium salt, hydrate (1:1:7)	<0.1	<0.013			
<b>SureSelect Binding Buffer</b>					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
<b>SureSelect Wash Buffer 1</b>					
Water	23.8	3.2		92.258	12.3
Sodium dodecyl	≤0.0013501	≤0.00018			



## Section 9. Physical and chemical properties and safety characteristics

<b>Relative vapour density</b>	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		Adaptor Oligo Mix	Not available.
		Forward Primer	Not available.
		100 mM dNTP Mix (25 mM each dNTP)	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.
		SureSelect Fast Hybridization Buffer	Not available.
		SureSelect RNase Block	Not available.
		SureSelect Post-Capture Primer Mix	Not available.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

<b>Relative density</b>	:	End Repair-A Tailing Enzyme Mix	Not available.
		End Repair-A Tailing Buffer	Not available.
		T4 DNA Ligase	Not available.
		Ligation Buffer	Not available.
		Adaptor Oligo Mix	Not available.
		Forward Primer	Not available.
		100 mM dNTP Mix (25 mM each dNTP)	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		5X Herculase II Reaction Buffer	Not available.
		SureSelect Binding Buffer	Not available.
		SureSelect Wash Buffer 1	Not available.
		SureSelect Wash Buffer 2	Not available.
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.
		SureSelect Fast Hybridization Buffer	Not available.
		SureSelect RNase Block	Not available.
		SureSelect Post-Capture Primer Mix	Not available.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

## Section 9. Physical and chemical properties and safety characteristics

<b>Solubility</b>	:	End Repair-A Tailing Enzyme Mix	Easily soluble in the following materials: cold water and hot water.
		End Repair-A Tailing Buffer	Easily soluble in the following materials: cold water and hot water.
		T4 DNA Ligase	Easily soluble in the following materials: cold water and hot water.
		Ligation Buffer	Easily soluble in the following materials: cold water and hot water.
		Adaptor Oligo Mix	Easily soluble in the following materials: cold water and hot water.
		Forward Primer	Easily soluble in the following materials: cold water and hot water.
		100 mM dNTP Mix (25 mM each dNTP)	Easily soluble in the following materials: cold water and hot water.
		Herculase II Fusion DNA Polymerase	Easily soluble in the following materials: cold water and hot water.
		5X Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
		SureSelect Binding Buffer	Easily soluble in the following materials: cold water and hot water.
		SureSelect Wash Buffer 1	Easily soluble in the following materials: cold water and hot water.
		SureSelect Wash Buffer 2	Easily soluble in the following materials: cold water and hot water.
		SureSelect XT HS and XT Low Input Blocker Mix	Easily soluble in the following materials: cold water and hot water.
		SureSelect Fast Hybridization Buffer	Easily soluble in the following materials: cold water and hot water.
		SureSelect RNase Block	Easily soluble in the following materials: cold water and hot water.
		SureSelect Post-Capture Primer Mix	Easily soluble in the following materials: cold water and hot water.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Easily soluble in the following materials: cold water and hot water.
		SSEL XT HS and XT Low Input Custom Capture Library	Easily soluble in the following materials: cold water and hot water.
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Easily soluble in the following materials: cold water and hot water.
	<b>Partition coefficient: n-octanol/water</b>	:	End Repair-A Tailing Enzyme Mix
		End Repair-A Tailing Buffer	Not applicable.
		T4 DNA Ligase	Not applicable.
		Ligation Buffer	Not applicable.
		Adaptor Oligo Mix	Not applicable.
		Forward Primer	Not applicable.
		100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		5X Herculase II Reaction Buffer	Not applicable.
		SureSelect Binding Buffer	Not applicable.
		SureSelect Wash Buffer 1	Not applicable.
		SureSelect Wash Buffer 2	Not applicable.
		SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
		SureSelect Fast Hybridization Buffer	Not applicable.
		SureSelect RNase Block	Not applicable.
		SureSelect Post-Capture Primer Mix	Not applicable.

## Section 9. Physical and chemical properties and safety characteristics

SureSelect XT Low Input Index Bulk Set 1 A01-H12 Not applicable.  
 SSEL XT HS and XT Low Input Custom Capture Library Not applicable.  
 SSEL XT HS and XT Low Input Human All Exon V7 Plus 1 Not applicable.

**Auto-ignition temperature :**

Ingredient name	°C	°F	Method
<b>End Repair-A Tailing Enzyme Mix</b>			
Glycerol	370	698	
<b>T4 DNA Ligase</b>			
Glycerol	370	698	
<b>Ligation Buffer</b>			
Polyethylene glycol	360	680	
Glycerol	370	698	
<b>Adaptor Oligo Mix</b>			
Edetic acid	>400	>752	VDI 2263
<b>Forward Primer</b>			
Edetic acid	>400	>752	VDI 2263
<b>100 mM dNTP Mix (25 mM each dNTP)</b>			
Edetic acid	>400	>752	VDI 2263
<b>Herculase II Fusion DNA Polymerase</b>			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263
<b>SureSelect Binding Buffer</b>			
Edetic acid	>400	>752	VDI 2263
<b>SureSelect Wash Buffer 1</b>			
Sodium dodecyl sulphate	310.5	590.9	VDI 2263
<b>SureSelect Wash Buffer 2</b>			
Sodium dodecyl sulphate	310.5	590.9	VDI 2263
<b>SureSelect XT HS and XT Low Input Blocker Mix</b>			
Edetic acid	>400	>752	VDI 2263
<b>SureSelect RNase Block</b>			
Glycerol	370	698	
4-(2-Hydroxyethyl)piperazin-1-ylethanesulphonic acid	>400	>752	EU A.16

## Section 9. Physical and chemical properties and safety characteristics

<b>SureSelect Post-Capture Primer Mix</b>			
Edetic acid	>400	>752	VDI 2263
<b>SureSelect XT Low Input Index Bulk Set 1 A01-H12</b>			
Edetic acid	>400	>752	VDI 2263
<b>SSEL XT HS and XT Low Input Custom Capture Library</b>			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263
<b>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1</b>			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263

**Decomposition temperature** :

- End Repair-A Tailing Enzyme Mix Not available.
- End Repair-A Tailing Buffer Not available.
- T4 DNA Ligase Not available.
- Ligation Buffer Not available.
- Adaptor Oligo Mix Not available.
- Forward Primer Not available.
- 100 mM dNTP Mix (25 mM each dNTP) Not available.
- Herculase II Fusion DNA Polymerase Not available.
- 5X Herculase II Reaction Buffer Not available.
- SureSelect Binding Buffer Not available.
- SureSelect Wash Buffer 1 Not available.
- SureSelect Wash Buffer 2 Not available.
- SureSelect XT HS and XT Low Input Blocker Mix Not available.
- SureSelect Fast Hybridization Buffer Not available.
- SureSelect RNase Block Not available.
- SureSelect Post-Capture Primer Mix Not available.
- SureSelect XT Low Input Index Bulk Set 1 A01-H12 Not available.
- SSEL XT HS and XT Low Input Custom Capture Library Not available.
- SSEL XT HS and XT Low Input Human All Exon V7 Plus 1 Not available.

**Viscosity** :

- End Repair-A Tailing Enzyme Mix Not available.
- End Repair-A Tailing Buffer Not available.
- T4 DNA Ligase Not available.
- Ligation Buffer Not available.
- Adaptor Oligo Mix Not available.
- Forward Primer Not available.
- 100 mM dNTP Mix (25 mM each dNTP) Not available.
- Herculase II Fusion DNA Polymerase Not available.

## Section 9. Physical and chemical properties and safety characteristics

5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS and XT Low Input Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post-Capture Primer Mix	Not available.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
SSEL XT HS and XT Low Input Custom Capture Library	Not available.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

### Particle characteristics

#### Median particle size

End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

## Section 10. Stability and reactivity

### Reactivity

End Repair-A Tailing Enzyme Mix	No specific test data related to reactivity available for this product or its ingredients.
End Repair-A Tailing Buffer	No specific test data related to reactivity available for this product or its ingredients.
T4 DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
Ligation Buffer	No specific test data related to reactivity available for this product or its ingredients.
Adaptor Oligo Mix	No specific test data related to reactivity available for this product or its ingredients.

## Section 10. Stability and reactivity

Forward Primer	this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
100 mM dNTP Mix (25 mM each dNTP)	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
5X Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Wash Buffer 1	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Wash Buffer 2	No specific test data related to reactivity available for this product or its ingredients.
SureSelect XT HS and XT Low Input Blocker Mix	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Fast Hybridization Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect RNase Block	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Post-Capture Primer Mix	No specific test data related to reactivity available for this product or its ingredients.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific test data related to reactivity available for this product or its ingredients.
SSEL XT HS and XT Low Input Custom Capture Library	No specific test data related to reactivity available for this product or its ingredients.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	No specific test data related to reactivity available for this product or its ingredients.

### Chemical stability

: End Repair-A Tailing Enzyme Mix	The product is stable.
End Repair-A Tailing Buffer	The product is stable.
T4 DNA Ligase	The product is stable.
Ligation Buffer	The product is stable.
Adaptor Oligo Mix	The product is stable.
Forward Primer	The product is stable.
100 mM dNTP Mix (25 mM each dNTP)	The product is stable.
Herculase II Fusion DNA Polymerase	The product is stable.
5X Herculase II Reaction Buffer	The product is stable.
SureSelect Binding Buffer	The product is stable.
SureSelect Wash Buffer 1	The product is stable.
SureSelect Wash Buffer 2	The product is stable.
SureSelect XT HS and XT Low Input Blocker Mix	The product is stable.
SureSelect Fast Hybridization Buffer	The product is stable.
SureSelect RNase Block	The product is stable.
SureSelect Post-Capture Primer Mix	The product is stable.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	The product is stable.
SSEL XT HS and XT Low Input Custom Capture Library	The product is stable.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information.

## Section 10. Stability and reactivity

<b>Possibility of hazardous reactions</b>	:	End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
		End Repair-A Tailing Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
		T4 DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
		Ligation Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
		Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
		Forward Primer	Under normal conditions of storage and use, hazardous reactions will not occur.
		100 mM dNTP Mix (25 mM each dNTP)	Under normal conditions of storage and use, hazardous reactions will not occur.
		Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
		5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect XT HS and XT Low Input Blocker Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect Fast Hybridization Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect RNase Block	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect Post-Capture Primer Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	Under normal conditions of storage and use, hazardous reactions will not occur.
		SSEL XT HS and XT Low Input Custom Capture Library	Under normal conditions of storage and use, hazardous reactions will not occur.
		SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Under normal conditions of storage and use, hazardous reactions will not occur.

<b>Conditions to avoid</b>	:	End Repair-A Tailing Enzyme Mix	No specific data.
		End Repair-A Tailing Buffer	No specific data.
		T4 DNA Ligase	No specific data.
		Ligation Buffer	No specific data.
		Adaptor Oligo Mix	No specific data.
		Forward Primer	No specific data.
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		5X Herculase II Reaction Buffer	No specific data.
		SureSelect Binding Buffer	No specific data.
		SureSelect Wash Buffer 1	No specific data.
		SureSelect Wash Buffer 2	No specific data.
		SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
		SureSelect Fast Hybridization Buffer	No specific data.
		SureSelect RNase Block	No specific data.
		SureSelect Post-Capture Primer Mix	No specific data.

## Section 10. Stability and reactivity

SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.

<b>Incompatible materials</b>	:	End Repair-A Tailing Enzyme Mix	May react or be incompatible with oxidising materials.
		End Repair-A Tailing Buffer	May react or be incompatible with oxidising materials.
		T4 DNA Ligase	May react or be incompatible with oxidising materials.
		Ligation Buffer	May react or be incompatible with oxidising materials.
		Adaptor Oligo Mix	May react or be incompatible with oxidising materials.
		Forward Primer	May react or be incompatible with oxidising materials.
		100 mM dNTP Mix (25 mM each dNTP)	May react or be incompatible with oxidising materials.
		Herculase II Fusion DNA Polymerase	May react or be incompatible with oxidising materials.
		5X Herculase II Reaction Buffer	May react or be incompatible with oxidising materials.
		SureSelect Binding Buffer	May react or be incompatible with oxidising materials.
		SureSelect Wash Buffer 1	May react or be incompatible with oxidising materials.
		SureSelect Wash Buffer 2	May react or be incompatible with oxidising materials.
		SureSelect XT HS and XT Low Input Blocker Mix	May react or be incompatible with oxidising materials.
		SureSelect Fast Hybridization Buffer	May react or be incompatible with oxidising materials.
		SureSelect RNase Block	May react or be incompatible with oxidising materials.
		SureSelect Post-Capture Primer Mix	May react or be incompatible with oxidising materials.
		SureSelect XT Low Input Index Bulk Set 1 A01-H12	May react or be incompatible with oxidising materials.
		SSEL XT HS and XT Low Input Custom Capture Library	May react or be incompatible with oxidising materials.
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	May react or be incompatible with oxidising materials.

<b>Hazardous decomposition products</b>	:	End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		End Repair-A Tailing Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		T4 DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Ligation Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Forward Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		100 mM dNTP Mix (25 mM each dNTP)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect XT HS and XT Low Input Blocker Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Fast Hybridization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect RNase Block	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Post-Capture Primer Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SSEL XT HS and XT Low Input Custom Capture Library	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### [Information on toxicological effects](#)

#### [Acute toxicity](#)

Product/ingredient name	Result	Species	Dose	Exposure
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>T4 DNA Ligase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Ligation Buffer</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Herculase II Fusion DNA Polymerase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>5X Herculase II Reaction Buffer</b> Hexadecan-1-ol, ethoxylated	LD50 Oral	Rat	2500 mg/kg	-
<b>SureSelect RNase Block</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>SSEL XT HS and XT Low Input Custom Capture</b>				

## Section 11. Toxicological information

<b>Library</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
----------------------------	-----------	-----	-------------	---

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>T4 DNA Ligase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>Ligation Buffer</b> Polyethylene glycol  Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Eyes - Mild irritant	Rabbit	-	500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	500 mg	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>Herculase II Fusion DNA Polymerase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>SureSelect RNase Block</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-

### Sensitisation

Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

## Section 11. Toxicological information

**Conclusion/Summary** : Not available.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

<b>Information on likely routes of exposure</b>	<ul style="list-style-type: none"> <li>: End Repair-A Tailing Enzyme Mix</li> <li>End Repair-A Tailing Buffer</li> <li>T4 DNA Ligase</li> <li>Ligation Buffer</li> <li>Adaptor Oligo Mix</li> <li>Forward Primer</li> <li>100 mM dNTP Mix (25 mM each dNTP)</li> <li>Herculase II Fusion DNA Polymerase</li> <li>5X Herculase II Reaction Buffer</li> <li>SureSelect Binding Buffer</li> <li>SureSelect Wash Buffer 1</li> <li>SureSelect Wash Buffer 2</li> <li>SureSelect XT HS and XT Low Input Blocker Mix</li> <li>SureSelect Fast Hybridization Buffer</li> <li>SureSelect RNase Block</li> <li>SureSelect Post-Capture Primer Mix</li> <li>SureSelect XT Low Input Index Bulk Set 1 A01-H12</li> <li>SSEL XT HS and XT Low Input Custom Capture Library</li> <li>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1</li> </ul>	<ul style="list-style-type: none"> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> </ul>
---	---	--

**Potential acute health effects**

<b>Eye contact</b>	<ul style="list-style-type: none"> <li>: End Repair-A Tailing Enzyme Mix</li> <li>End Repair-A Tailing Buffer</li> <li>T4 DNA Ligase</li> <li>Ligation Buffer</li> <li>Adaptor Oligo Mix</li> <li>Forward Primer</li> <li>100 mM dNTP Mix (25 mM each dNTP)</li> <li>Herculase II Fusion DNA Polymerase</li> <li>5X Herculase II Reaction Buffer</li> <li>SureSelect Binding Buffer</li> <li>SureSelect Wash Buffer 1</li> <li>SureSelect Wash Buffer 2</li> <li>SureSelect XT HS and XT Low Input Blocker Mix</li> <li>SureSelect Fast Hybridization Buffer</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes serious eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
--------------------	---	---

## Section 11. Toxicological information

	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture	No known significant effects or critical hazards.
	Primer Mix	
	SureSelect XT Low Input	No known significant effects or critical hazards.
	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	No known significant effects or critical hazards.
	Input Custom Capture Library	
	SSel XT HS and XT Low	No known significant effects or critical hazards.
	Input Human All Exon V7	
	Plus 1	
<b>Inhalation</b>	: End Repair-A Tailing	No known significant effects or critical hazards.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM	No known significant effects or critical hazards.
	each dNTP)	
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	5X Herculase II Reaction	No known significant effects or critical hazards.
	Buffer	
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT	No known significant effects or critical hazards.
	Low Input Blocker Mix	
	SureSelect Fast	No known significant effects or critical hazards.
	Hybridization Buffer	
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture	No known significant effects or critical hazards.
	Primer Mix	
	SureSelect XT Low Input	No known significant effects or critical hazards.
	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	No known significant effects or critical hazards.
	Input Custom Capture Library	
	SSel XT HS and XT Low	No known significant effects or critical hazards.
	Input Human All Exon V7	
	Plus 1	
<b>Skin contact</b>	: End Repair-A Tailing	No known significant effects or critical hazards.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM	No known significant effects or critical hazards.
	each dNTP)	
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	5X Herculase II Reaction	No known significant effects or critical hazards.
	Buffer	
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT	No known significant effects or critical hazards.
	Low Input Blocker Mix	
	SureSelect Fast	No known significant effects or critical hazards.
	Hybridization Buffer	
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture	No known significant effects or critical hazards.
	Primer Mix	

## Section 11. Toxicological information

	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Ingestion</b>	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	Adverse symptoms may include the following:  pain or irritation watering redness
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.

## Section 11. Toxicological information

	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
<b>Inhalation</b>	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
<b>Skin contact</b>	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input	No specific data.

## Section 11. Toxicological information

	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	No specific data.
	Input Custom Capture Library	
	SSEL XT HS and XT Low	No specific data.
	Input Human All Exon V7	
	Plus 1	
<b>Ingestion</b>	: End Repair-A Tailing	No specific data.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM	No specific data.
	each dNTP)	
	Herculase II Fusion DNA	No specific data.
	Polymerase	
	5X Herculase II Reaction	No specific data.
	Buffer	
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT	No specific data.
	Low Input Blocker Mix	
	SureSelect Fast	No specific data.
	Hybridization Buffer	
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture	No specific data.
	Primer Mix	
	SureSelect XT Low Input	No specific data.
	Index Bulk Set 1 A01-H12	
	SSEL XT HS and XT Low	No specific data.
	Input Custom Capture Library	
	SSEL XT HS and XT Low	No specific data.
	Input Human All Exon V7	
	Plus 1	

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

<b>General</b>	: End Repair-A Tailing	No known significant effects or critical hazards.
	Enzyme Mix	
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM	No known significant effects or critical hazards.
	each dNTP)	
	Herculase II Fusion DNA	No known significant effects or critical hazards.
	Polymerase	
	5X Herculase II Reaction	No known significant effects or critical hazards.
	Buffer	

## Section 11. Toxicological information

	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Carcinogenicity</b>	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Mutagenicity</b>	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.

## Section 11. Toxicological information

	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
<b>Reproductive toxicity</b>	<b>End Repair-A Tailing Enzyme Mix</b>	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 1 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	12600	N/A	N/A	N/A	N/A
<b>T4 DNA Ligase</b> Glycerol	12600	N/A	N/A	N/A	N/A
<b>Ligation Buffer</b> Polyethylene glycol Glycerol	28000 12600	N/A N/A	N/A N/A	N/A N/A	N/A N/A

## Section 11. Toxicological information

<b>Herculase II Fusion DNA Polymerase</b> Glycerol	12600	N/A	N/A	N/A	N/A
<b>5X Herculase II Reaction Buffer</b> 5X Herculase II Reaction Buffer Hexadecan-1-ol, ethoxylated	52350 500	N/A N/A	N/A N/A	N/A N/A	N/A N/A
<b>SureSelect RNase Block</b> Glycerol	12600	N/A	N/A	N/A	N/A
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	12600	N/A	N/A	N/A	N/A

### Other information

End Repair-A Tailing Enzyme Mix	Not available.
End Repair-A Tailing Buffer	Adverse symptoms may include the following: May cause skin sensitisation.
T4 DNA Ligase	Not available.
Ligation Buffer	Not available.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
100 mM dNTP Mix (25 mM each dNTP)	Not available.
Herculase II Fusion DNA Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS and XT Low Input Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Adverse symptoms may include the following: May cause skin sensitisation.
SureSelect Post-Capture Primer Mix	Not available.
SureSelect XT Low Input Index Bulk Set 1 A01-H12	Not available.
SSEL XT HS and XT Low Input Custom Capture Library	Not available.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

## Section 12. Ecological information

### Toxicity

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
T4 DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer Polyethylene glycol Glycerol	Acute LC50 >1000000 µg/l Fresh water Acute LC50 54000 mg/l Fresh water	Fish - Salmo salar - Parr Fish - Oncorhynchus mykiss	96 hours 96 hours

## Section 12. Ecological information

<b>Herculase II Fusion DNA Polymerase</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>5X Herculase II Reaction Buffer</b> Hexadecan-1-ol, ethoxylated	Acute LC50 330000 to 1000000 µg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
<b>SureSelect RNase Block</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>T4 DNA Ligase</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Ligation Buffer</b> Polyethylene glycol	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Herculase II Fusion DNA Polymerase</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>SureSelect RNase Block</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	301D Ready	93 % - 30 days	-	-

## Section 12. Ecological information

	Biodegradability - Closed Bottle Test		
Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>Ligation Buffer</b> Polyethylene glycol	-	-	Readily
<b>5X Herculanase II Reaction Buffer</b> Hexadecan-1-ol, ethoxylated	-	-	Readily

### Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>End Repair-A Tailing Enzyme Mix</b> Glycerol	-1.76	-	low
<b>T4 DNA Ligase</b> Glycerol	-1.76	-	low
<b>Ligation Buffer</b> Polyethylene glycol	-	3.2	low
Glycerol	-1.76	-	low
<b>Herculanase II Fusion DNA Polymerase</b> Glycerol	-1.76	-	low
<b>SureSelect RNase Block</b> Glycerol	-1.76	-	low
<b>SSEL XT HS and XT Low Input Custom Capture Library</b> Glycerol	-1.76	-	low

### Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

**ADG / IMDG / IATA** : Not regulated as Dangerous Goods according to the ADG Code .

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to IMO instruments** : Not available.

## Section 15. Regulatory information

### Standard for the Uniform Scheduling of Medicines and Poisons

5

### Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

<b>Australia</b>	: Not determined.
<b>Canada</b>	: Not determined.
<b>China</b>	: Not determined.
<b>Europe</b>	: Not determined.
<b>Japan</b>	: <b>Japan inventory (CSCL):</b> Not determined. <b>Japan inventory (ISHL):</b> Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: All components are listed or exempted.
<b>Thailand</b>	: Not determined.
<b>Turkey</b>	: Not determined.
<b>United States</b>	: Not determined.
<b>Viet Nam</b>	: Not determined.

## Section 16. Any other relevant information

### History

<b>Date of issue/Date of revision</b>	: 31/03/2022
<b>Date of previous issue</b>	: 11/08/2020
<b>Version</b>	: 4

## Section 16. Any other relevant information

**Key to abbreviations** :

- ADG = Australian Dangerous Goods
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IMDG = International Maritime Dangerous Goods
- LogPow = logarithm of the octanol/water partition coefficient
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
- N/A = Not available
- SUSMP = Standard Uniform Schedule of Medicine and Poisons
- UN = United Nations

### Procedure used to derive the classification

Classification	Justification
<span style="color: blue;">5X</span> <b>Herculase II Reaction Buffer</b> SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2A	Calculation method

**References** : Not available.

✔ Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**Note \*** : \*SureSelect XT Low Input Index Bulk Set 1 A01-H12: 5600-3801, 5600-3802, 5600-3803, 5600-3804, 5600-3805, 5600-3806, 5600-3807, 5600-3808, 5600-3809, 5600-3810, 5600-3811, 5600-3812, 5600-3813, 5600-3814, 5600-3815, 5600-3816, 5600-3817, 5600-3818, 5600-3819, 5600-3820, 5600-3821, 5600-3822, 5600-3823, 5600-3824, 5600-3825, 5600-3826, 5600-3827, 5600-3828, 5600-3829, 5600-3830, 5600-3831, 5600-3832, 5600-3833, 5600-3834, 5600-3835, 5600-3836, 5600-3837, 5600-3838, 5600-3839, 5600-3840, 5600-3841, 5600-3842, 5600-3843, 5600-3844, 5600-3845, 5600-3846, 5600-3847, 5600-3848, 5600-3849, 5600-3850, 5600-3851, 5600-3852, 5600-3853, 5600-3854, 5600-3855, 5600-3856, 5600-3857, 5600-3858, 5600-3859, 5600-3860, 5600-3861, 5600-3862, 5600-3863, 5600-3864, 5600-3865, 5600-3866, 5600-3867, 5600-3868, 5600-3869, 5600-3870, 5600-3871, 5600-3872, 5600-3873, 5600-3874, 5600-3875, 5600-3876, 5600-3877, 5600-3878, 5600-3879, 5600-3880, 5600-3881, 5600-3882, 5600-3883, 5600-3884, 5600-3885, 5600-3886, 5600-3887, 5600-3888, 5600-3889, 5600-3890, 5600-3891, 5600-3892, 5600-3893, 5600-3894, 5600-3895, 5600-3896