

SAFETY DATA SHEET



SureSelect XT Low Input Reagent Kit with indexes 97-192, 96 reactions, Part Number G9708 A-L

Section 1. Identification

1.1 Product identifier

Product name	: SureSelect XT Low Input Reagent Kit with indexes 97-192, 96 reactions, Part Number G9708 A-L	
Part No. (Chemical Kit)	: G9708 A-L	
Part No.	:	End Repair-A Tailing Enzyme Mix 5190-6435
		End Repair-A Trailing Buffer 5190-6436
		T4 DNA Ligase 5190-6437
		Ligation Buffer 5190-6438
		Adaptor Oligo Mix 5190-6439
		Forward Primer 5190-6440
		100 mM dNTP Mix (25 mM each dNTP) 200418-51
		Herculase II Fusion DNA Polymerase 5600-3761
		5X Herculase II Reaction Buffer 600675-52
		SureSelect Binding Buffer 5190-9734
		SureSelect Wash Buffer 1 5190-4408
		SureSelect Wash Buffer 2 5190-4409
		SureSelect XT HS and XT Low Input Blocker Mix 5190-9534
		SureSelect Fast Hybridization Buffer 5190-7330
		SureSelect RNase Block 5972-3700
		SureSelect Post-Capture Primer Mix 5190-9732
		SureSelect XT Low Input Index Bulk Set 2 A01 5600-3901
		SSEL XT HS and XT Low Input Custom Capture Library 5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947

Validation date : 6/30/2017

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	:	Analytical reagent.
		End Repair-A Tailing Enzyme Mix 0.512 ml (96 reactions)
		End Repair-A Trailing Buffer 2.048 ml (96 reactions)
		T4 DNA Ligase 0.256 ml (96 reactions)
		Ligation Buffer 2.944 ml (96 reactions)
		Adaptor Oligo Mix 0.64 ml (96 reactions)
		Forward Primer 0.256 ml (96 reactions)
		100 mM dNTP Mix (25 mM each dNTP) 0.1 ml
		Herculase II Fusion DNA Polymerase 0.128 ml (96 reactions)
		5X Herculase II Reaction Buffer 1.5 ml
		SureSelect Binding Buffer 93 ml
		SureSelect Wash Buffer 1 48 ml
		SureSelect Wash Buffer 2 144 ml
		SureSelect XT HS and XT Low Input Blocker Mix 0.64 ml (96 reactions)
		SureSelect Fast Hybridization Buffer 0.77 ml
		SureSelect RNase Block 0.08 ml
		SureSelect Post-Capture Primer Mix 0.128 ml (96 reactions)
		SureSelect XT Low Input Index Bulk Set 2 A01 96 x 0.01 ml (96 reactions)
		SSEL XT HS and XT Low Input Custom Capture Library 0.192 - 0.48 ml (96 reactions)

Section 1. Identification

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

1.4 Emergency telephone number

In case of emergency : CHEMTREC®: 1-800-424-9300

Note * : **SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn 5500-0140**
A kit containing: End Repair-A Tailing Enzyme Mix; End Repair-A Trailing Buffer; T4 DNA Ligase;
Ligation Buffer; Adaptor Oligo Mix; Forward Primer; 100 mM dNTP Mix (25 mM each dNTP);
Herculase II Fusion DNA Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn 5190-9687
A kit containing: SureSelect Binding Buffer; SureSelect Wash Buffer 1; SureSelect Wash Buffer 2

SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn 5190-9686
A kit containing: SureSelect XT HS and XT Low Input Blocker Mix; SureSelect Fast Hybridization Buffer; SureSelect RNase Block; SureSelect Post-Capture Primer Mix; 100 mM dNTP Mix (25 mM each dNTP); Herculase II Fusion DNA Polymerase; 5X Herculase II Reaction Buffer

SureSelect XT Low Input Index Primers 97-192 for ILM (Pre PCR) 5190-6445
A kit containing: SureSelect XT Low Input Index Bulk Set 2 A01

Section 2. Hazards identification

2.1 Classification of the substance or mixture

OSHA/HCS status	: End Repair-A Tailing Enzyme Mix End Repair-A Trailing Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	T4 DNA Ligase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Ligation Buffer	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Adaptor Oligo Mix	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Forward Primer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	100 mM dNTP Mix (25 mM each dNTP)	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Section 2. Hazards identification

Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer	other users of this product. This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect Binding Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect Wash Buffer 1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect Wash Buffer 2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect XT HS and XT Low Input Blocker Mix	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect Fast Hybridization Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect RNase Block	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
SureSelect Post-Capture Primer Mix	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SureSelect XT Low Input Index Bulk Set 2 A01	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
SSEL XT HS and XT Low Input Custom Capture Library	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Section 2. Hazards identification

Classification of the substance or mixture

End Repair-A Tailing Enzyme

Mix

H320 EYE IRRITATION - Category 2B

T4 DNA Ligase

H320 EYE IRRITATION - Category 2B

Ligation Buffer

H320 EYE IRRITATION - Category 2B

Herculase II Fusion DNA

Polymerase

H320 EYE IRRITATION - Category 2B

SureSelect RNase Block

H320 EYE IRRITATION - Category 2B

Ingredients of unknown toxicity

End Repair-A Tailing Enzyme Mix End Repair-A Trailing Buffer T4 DNA Ligase Ligation Buffer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Fast Hybridization Buffer SureSelect RNase Block SSEL XT HS and XT Low Input Custom Capture Library	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown dermal toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown oral toxicity: 1 - 10% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60% Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%
--	---

2.2 GHS label elements

Signal word :

Section 2. Hazards identification

	End Repair-A Tailing Enzyme Mix	Warning
	End Repair-A Trailing Buffer	No signal word.
	T4 DNA Ligase	Warning
	Ligation Buffer	Warning
	Adaptor Oligo Mix	No signal word.
	Forward Primer	No signal word.
	100 mM dNTP Mix (25 mM each dNTP)	No signal word.
	Herculase II Fusion DNA Polymerase	Warning
	5X Herculase II Reaction Buffer	No signal word.
	SureSelect Binding Buffer	No signal word.
	SureSelect Wash Buffer 1	No signal word.
	SureSelect Wash Buffer 2	No signal word.
	SureSelect XT HS and XT Low Input Blocker Mix	No signal word.
	SureSelect Fast Hybridization Buffer	No signal word.
	SureSelect RNase Block	Warning
	SureSelect Post-Capture Primer Mix	No signal word.
	SureSelect XT Low Input Index Bulk Set 2 A01	No signal word.
	SSEL XT HS and XT Low Input Custom Capture Library	No signal word.
Hazard statements	: End Repair-A Tailing Enzyme Mix	H320 - Causes eye irritation.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	H320 - Causes eye irritation.
	Ligation Buffer	H320 - Causes eye irritation.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	H320 - Causes eye irritation.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	H320 - Causes eye irritation.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Precautionary statements		
Prevention	: End Repair-A Tailing Enzyme Mix	P264 - Wash hands thoroughly after handling.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	P264 - Wash hands thoroughly after handling.
	Ligation Buffer	P264 - Wash hands thoroughly after handling.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.

Section 2. Hazards identification

	Herculase II Fusion DNA Polymerase	P264 - Wash hands thoroughly after handling.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	P264 - Wash hands thoroughly after handling.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Response	: End Repair-A Tailing Enzyme Mix	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Ligation Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.

Section 2. Hazards identification

		attention.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Storage	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Disposal	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.

Section 2. Hazards identification

Supplemental label elements	:	End Repair-A Tailing Enzyme Mix	None known.
		End Repair-A Trailing Buffer	None known.
		T4 DNA Ligase	None known.
		Ligation Buffer	None known.
		Adaptor Oligo Mix	None known.
		Forward Primer	None known.
		100 mM dNTP Mix (25 mM each dNTP)	None known.
		Herculase II Fusion DNA Polymerase	None known.
		5X Herculase II Reaction Buffer	None known.
		SureSelect Binding Buffer	None known.
		SureSelect Wash Buffer 1	None known.
		SureSelect Wash Buffer 2	None known.
		SureSelect XT HS and XT Low Input Blocker Mix	None known.
		SureSelect Fast Hybridization Buffer	None known.
		SureSelect RNase Block	None known.
		SureSelect Post-Capture Primer Mix	None known.
		SureSelect XT Low Input Index Bulk Set 2 A01	None known.
		SSEL XT HS and XT Low Input Custom Capture Library	None known.

2.3 Other hazards

Hazards not otherwise classified	:	End Repair-A Tailing Enzyme Mix	None known.
		End Repair-A Trailing Buffer	None known.
		T4 DNA Ligase	None known.
		Ligation Buffer	None known.
		Adaptor Oligo Mix	None known.
		Forward Primer	None known.
		100 mM dNTP Mix (25 mM each dNTP)	None known.
		Herculase II Fusion DNA Polymerase	None known.
		5X Herculase II Reaction Buffer	None known.
		SureSelect Binding Buffer	None known.
		SureSelect Wash Buffer 1	None known.
		SureSelect Wash Buffer 2	None known.
		SureSelect XT HS and XT Low Input Blocker Mix	None known.
		SureSelect Fast Hybridization Buffer	None known.
		SureSelect RNase Block	None known.
		SureSelect Post-Capture Primer Mix	None known.
		SureSelect XT Low Input Index Bulk Set 2 A01	None known.
		SSEL XT HS and XT Low Input Custom Capture Library	None known.

Section 3. Composition/information on ingredients

Substance/mixture	:	End Repair-A Tailing Enzyme Mix	Mixture
		End Repair-A Trailing Buffer	Mixture
		T4 DNA Ligase	Mixture
		Ligation Buffer	Mixture
		Adaptor Oligo Mix	Mixture
		Forward Primer	Mixture
		100 mM dNTP Mix (25 mM each dNTP)	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		5X Herculase II Reaction Buffer	Mixture
		SureSelect Binding Buffer	Mixture
		SureSelect Wash Buffer 1	Mixture
		SureSelect Wash Buffer 2	Mixture
		SureSelect XT HS and XT Low Input Blocker Mix	Mixture
		SureSelect Fast Hybridization Buffer	Mixture
		SureSelect RNase Block	Mixture
		SureSelect Post-Capture Primer Mix	Mixture
		SureSelect XT Low Input Index Bulk Set 2 A01	Mixture
		SSEL XT HS and XT Low Input Custom Capture Library	Mixture

Ingredient name	%	CAS number
End Repair-A Tailing Enzyme Mix Glycerol	≥50 - ≤75	56-81-5
End Repair-A Trailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Potassium chloride	≤3 ≤3	1185-53-1 7447-40-7
T4 DNA Ligase Glycerol	≥50 - ≤75	56-81-5
Ligation Buffer Polyethylene glycol Glycerol	≥10 - ≤25 ≥10 - ≤25	25322-68-3 56-81-5
100 mM dNTP Mix (25 mM each dNTP) 2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate) 2'-Deoxyadenosine 5'-(tetrahydrogen triphosphate)	≤3 ≤3	2564-35-4 1927-31-7
Herculase II Fusion DNA Polymerase Glycerol	≥50 - ≤75	56-81-5
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate	≤3 ≤3	77-86-1 7783-20-2
SureSelect Binding Buffer Sodium chloride	<10	7647-14-5
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	≤3	1185-53-1
SureSelect RNase Block Glycerol	≥50 - ≤75	56-81-5

Section 3. Composition/information on ingredients

SSEL XT HS and XT Low Input Custom Capture Library Glycerol	≤3	56-81-5
--	----	---------

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

4.1 Description of necessary first aid measures

Eye contact

: End Repair-A Tailing Enzyme Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
End Repair-A Trailing Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
T4 DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Ligation Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Adaptor Oligo Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Forward Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
100 mM dNTP Mix (25 mM each dNTP)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
5X Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect Wash Buffer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Section 4. First aid measures

SureSelect Wash Buffer 2	Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect XT HS and XT Low Input Blocker Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect Fast Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect RNase Block	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
SureSelect Post-Capture Primer Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SureSelect XT Low Input Index Bulk Set 2 A01	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
SSEL XT HS and XT Low Input Custom Capture Library	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	
: End Repair-A Tailing Enzyme Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
End Repair-A Trailing Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
T4 DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position

Section 4. First aid measures

Ligation Buffer	and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Adaptor Oligo Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Forward Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
100 mM dNTP Mix (25 mM each dNTP)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
5X Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
SureSelect Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Section 4. First aid measures

SureSelect Fast Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
SureSelect Post-Capture Primer Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact : End Repair-A Tailing Enzyme Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
End Repair-A Trailing Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
T4 DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ligation Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Adaptor Oligo Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Forward Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM dNTP Mix (25 mM each dNTP)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

Section 4. First aid measures

5X Herculase II Reaction Buffer	before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Fast Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
SureSelect Post-Capture Primer Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion : End Repair-A Tailing Enzyme Mix	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
End Repair-A Trailing Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
T4 DNA Ligase	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has

Section 4. First aid measures

Ligation Buffer	<p>been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
Adaptor Oligo Mix	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Forward Primer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
100 mM dNTP Mix (25 mM each dNTP)	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Herculase II Fusion DNA Polymerase	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit</p>

Section 4. First aid measures

	<p>does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
5X Herculase II Reaction Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect Binding Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect Wash Buffer 1	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect Wash Buffer 2	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect XT HS and XT Low Input Blocker Mix	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect Fast Hybridization Buffer	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
SureSelect RNase Block	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if</p>

Section 4. First aid measures

SureSelect Post-Capture Primer Mix	adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

4.2 Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	<ul style="list-style-type: none"> : End Repair-A Tailing Enzyme Mix End Repair-A Trailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 2 A01 SSEL XT HS and XT Low Input Custom Capture Library 	<p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p> <p>Causes eye irritation.</p> <p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>Causes eye irritation.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
--------------------	--	---

Section 4. First aid measures

Inhalation	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.	
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.	
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.	
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.	
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
Herculase II Fusion DNA	No known significant effects or critical hazards.	

Section 4. First aid measures

Polymerase	No known significant effects or critical hazards.
5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
SureSelect Binding Buffer	No known significant effects or critical hazards.
SureSelect Wash Buffer 1	No known significant effects or critical hazards.
SureSelect Wash Buffer 2	No known significant effects or critical hazards.
SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
SureSelect RNase Block	No known significant effects or critical hazards.
SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact

: End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following: irritation watering redness
End Repair-A Trailing Buffer	No specific data.
T4 DNA Ligase	Adverse symptoms may include the following: irritation watering redness
Ligation Buffer	Adverse symptoms may include the following: irritation watering redness
Adaptor Oligo Mix	No specific data.
Forward Primer	No specific data.
100 mM dNTP Mix (25 mM each dNTP)	No specific data.
Herculase II Fusion DNA Polymerase	Adverse symptoms may include the following: irritation watering redness
5X Herculase II Reaction Buffer	No specific data.
SureSelect Binding Buffer	No specific data.
SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	No specific data.
SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	No specific data.

Section 4. First aid measures

Inhalation	:	End Repair-A Tailing Enzyme Mix	No specific data.	
		End Repair-A Trailing Buffer	No specific data.	
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		Adaptor Oligo Mix	No specific data.	
		Forward Primer	No specific data.	
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer	No specific data.	
		SureSelect Binding Buffer	No specific data.	
		SureSelect Wash Buffer 1	No specific data.	
		SureSelect Wash Buffer 2	No specific data.	
		SureSelect XT HS and XT Low Input Blocker Mix	No specific data.	
		SureSelect Fast Hybridization Buffer	No specific data.	
		SureSelect RNase Block	No specific data.	
		SureSelect Post-Capture Primer Mix	No specific data.	
		SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.	
		SSEL XT HS and XT Low Input Custom Capture Library	No specific data.	
	Skin contact	:	End Repair-A Tailing Enzyme Mix	No specific data.
			End Repair-A Trailing Buffer	No specific data.
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		Adaptor Oligo Mix	No specific data.	
		Forward Primer	No specific data.	
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
		Herculase II Fusion DNA Polymerase	No specific data.	
		5X Herculase II Reaction Buffer	No specific data.	
		SureSelect Binding Buffer	No specific data.	
		SureSelect Wash Buffer 1	No specific data.	
		SureSelect Wash Buffer 2	No specific data.	
		SureSelect XT HS and XT Low Input Blocker Mix	No specific data.	
		SureSelect Fast Hybridization Buffer	No specific data.	
		SureSelect RNase Block	No specific data.	
		SureSelect Post-Capture Primer Mix	No specific data.	
		SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.	
		SSEL XT HS and XT Low Input Custom Capture Library	No specific data.	
Ingestion		:	End Repair-A Tailing Enzyme Mix	No specific data.
			End Repair-A Trailing Buffer	No specific data.
		T4 DNA Ligase	No specific data.	
		Ligation Buffer	No specific data.	
		Adaptor Oligo Mix	No specific data.	
		Forward Primer	No specific data.	
		100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
		Herculase II Fusion DNA	No specific data.	

Section 4. First aid measures

Polymerase	
5X Herculase II Reaction Buffer	No specific data.
SureSelect Binding Buffer	No specific data.
SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	No specific data.
SureSelect RNase Block	No specific data.
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	No specific data.

4.3 Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: End Repair-A Tailing Enzyme Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
End Repair-A Trailing Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
T4 DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Ligation Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Adaptor Oligo Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Forward Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
100 mM dNTP Mix (25 mM each dNTP)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
5X Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
SureSelect Binding Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect Wash Buffer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect Wash Buffer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
SureSelect XT HS and XT Low	Treat symptomatically. Contact poison treatment

Section 4. First aid measures

	Input Blocker Mix	specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Fast Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Post-Capture Primer Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect XT Low Input Index Bulk Set 2 A01	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSEL XT HS and XT Low Input Custom Capture Library	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: End Repair-A Tailing Enzyme Mix	No specific treatment.
	End Repair-A Trailing Buffer	No specific treatment.
	T4 DNA Ligase	No specific treatment.
	Ligation Buffer	No specific treatment.
	Adaptor Oligo Mix	No specific treatment.
	Forward Primer	No specific treatment.
	100 mM dNTP Mix (25 mM each dNTP)	No specific treatment.
	Herculase II Fusion DNA Polymerase	No specific treatment.
	5X Herculase II Reaction Buffer	No specific treatment.
	SureSelect Binding Buffer	No specific treatment.
	SureSelect Wash Buffer 1	No specific treatment.
	SureSelect Wash Buffer 2	No specific treatment.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific treatment.
	SureSelect Fast Hybridization Buffer	No specific treatment.
	SureSelect RNase Block	No specific treatment.
	SureSelect Post-Capture Primer Mix	No specific treatment.
	SureSelect XT Low Input Index Bulk Set 2 A01	No specific treatment.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific treatment.
Protection of first-aiders	: End Repair-A Tailing Enzyme Mix	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	End Repair-A Trailing Buffer	No action shall be taken involving any personal risk or without suitable training.
	T4 DNA Ligase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Ligation Buffer	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Adaptor Oligo Mix	No action shall be taken involving any personal risk or without suitable training.

Section 4. First aid measures

Forward Primer	No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix (25 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
5X Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training.
SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training.
SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training.
SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT HS and XT Low Input Blocker Mix	No action shall be taken involving any personal risk or without suitable training.
SureSelect Fast Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training.
SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
SureSelect Post-Capture Primer Mix	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT Low Input Index Bulk Set 2 A01	No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Custom Capture Library	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

: End Repair-A Tailing Enzyme Mix	Use an extinguishing agent suitable for the surrounding fire.
End Repair-A Trailing Buffer	Use an extinguishing agent suitable for the surrounding fire.
T4 DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
Ligation Buffer	Use an extinguishing agent suitable for the surrounding fire.
Adaptor Oligo Mix	Use an extinguishing agent suitable for the surrounding fire.
Forward Primer	Use an extinguishing agent suitable for the surrounding fire.
100 mM dNTP Mix (25 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
5X Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Binding Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 1	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 2	Use an extinguishing agent suitable for the

Section 5. Fire-fighting measures

	SureSelect XT HS and XT Low Input Blocker Mix	surrounding fire. Use an extinguishing agent suitable for the surrounding fire.
	SureSelect Fast Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect RNase Block	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect Post-Capture Primer Mix	Use an extinguishing agent suitable for the surrounding fire.
	SureSelect XT Low Input Index Bulk Set 2 A01	Use an extinguishing agent suitable for the surrounding fire.
	SSEL XT HS and XT Low Input Custom Capture Library	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: End Repair-A Tailing Enzyme Mix	None known.
	End Repair-A Trailing Buffer	None known.
	T4 DNA Ligase	None known.
	Ligation Buffer	None known.
	Adaptor Oligo Mix	None known.
	Forward Primer	None known.
	100 mM dNTP Mix (25 mM each dNTP)	None known.
	Herculase II Fusion DNA Polymerase	None known.
	5X Herculase II Reaction Buffer	None known.
	SureSelect Binding Buffer	None known.
	SureSelect Wash Buffer 1	None known.
	SureSelect Wash Buffer 2	None known.
	SureSelect XT HS and XT Low Input Blocker Mix	None known.
	SureSelect Fast Hybridization Buffer	None known.
	SureSelect RNase Block	None known.
	SureSelect Post-Capture Primer Mix	None known.
	SureSelect XT Low Input Index Bulk Set 2 A01	None known.
	SSEL XT HS and XT Low Input Custom Capture Library	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	: End Repair-A Tailing Enzyme Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	End Repair-A Trailing Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	T4 DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Ligation Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Adaptor Oligo Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	Forward Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	100 mM dNTP Mix (25 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	5X Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

Hazardous thermal decomposition products

SureSelect Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Wash Buffer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Wash Buffer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect XT HS and XT Low Input Blocker Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Fast Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect Post-Capture Primer Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
SureSelect XT Low Input Index Bulk Set 2 A01	In a fire or if heated, a pressure increase will occur and the container may burst.
SSEL XT HS and XT Low Input Custom Capture Library	In a fire or if heated, a pressure increase will occur and the container may burst.
: End Repair-A Tailing Enzyme Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide
End Repair-A Trailing Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
T4 DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Ligation Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Adaptor Oligo Mix	No specific data.
Forward Primer	No specific data.
100 mM dNTP Mix (25 mM each dNTP)	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
5X Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
SureSelect Binding Buffer	Decomposition products may include the following materials: halogenated compounds

Section 5. Fire-fighting measures

SureSelect Wash Buffer 1	metal oxide/oxides No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
SureSelect RNase Block	Decomposition products may include the following materials: carbon dioxide carbon monoxide
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	Decomposition products may include the following materials: carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special protective actions for fire-fighters

: End Repair-A Tailing Enzyme Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
End Repair-A Trailing Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
T4 DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Ligation Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Adaptor Oligo Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Forward Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix (25 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
5X Herculase II Reaction Buffer	Promptly isolate the scene by removing all persons

Section 5. Fire-fighting measures

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect Binding Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect Wash Buffer 1

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect Wash Buffer 2

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect XT HS and XT Low Input Blocker Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect Fast Hybridization Buffer

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect RNase Block

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect Post-Capture Primer Mix

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SureSelect XT Low Input Index Bulk Set 2 A01

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

SSEL XT HS and XT Low Input Custom Capture Library

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: End Repair-A Tailing Enzyme Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

End Repair-A Trailing Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

T4 DNA Ligase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Ligation Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Adaptor Oligo Mix

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 5. Fire-fighting measures

Forward Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM dNTP Mix (25 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
5X Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Wash Buffer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Wash Buffer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT HS and XT Low Input Blocker Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Fast Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Post-Capture Primer Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT Low Input Index Bulk Set 2 A01	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSEL XT HS and XT Low Input Custom Capture Library	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: End Repair-A Tailing Enzyme Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

End Repair-A Trailing Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

T4 DNA Ligase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Ligation Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Adaptor Oligo Mix

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Forward Primer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

100 mM dNTP Mix (25 mM each dNTP)

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Herculase II Fusion DNA Polymerase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate

Section 6. Accidental release measures

5X Herculase II Reaction Buffer	ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect XT HS and XT Low Input Blocker Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Fast Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
SureSelect Post-Capture Primer Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect XT Low Input Index Bulk Set 2 A01	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on

Section 6. Accidental release measures

SSEL XT HS and XT Low Input Custom Capture Library	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders : End Repair-A Tailing Enzyme Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
End Repair-A Trailing Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
T4 DNA Ligase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Ligation Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Adaptor Oligo Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Forward Primer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM dNTP Mix (25 mM each dNTP)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5X Herculase II Reaction Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Binding Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT HS and XT Low Input Blocker Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

SureSelect Fast Hybridization Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect RNase Block	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Post-Capture Primer Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT Low Input Index Bulk Set 2 A01	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSEL XT HS and XT Low Input Custom Capture Library	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: End Repair-A Tailing Enzyme Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
End Repair-A Trailing Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
T4 DNA Ligase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Adaptor Oligo Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Forward Primer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM dNTP Mix (25 mM each dNTP)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Fusion DNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

Section 6. Accidental release measures

	caused environmental pollution (sewers, waterways, soil or air).
5X Herculase II Reaction Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Binding Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT HS and XT Low Input Blocker Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Fast Hybridization Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect RNase Block	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Post-Capture Primer Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT Low Input Index Bulk Set 2 A01	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSEL XT HS and XT Low Input Custom Capture Library	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Section 6. Accidental release measures

Methods for cleaning up	: End Repair-A Tailing Enzyme Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	End Repair-A Trailing Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	T4 DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Ligation Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Adaptor Oligo Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Forward Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	100 mM dNTP Mix (25 mM each dNTP)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	5X Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

SureSelect Wash Buffer 1	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Wash Buffer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT HS and XT Low Input Blocker Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Fast Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Post-Capture Primer Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT Low Input Index Bulk Set 2 A01	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSEL XT HS and XT Low Input Custom Capture Library	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

[7.1 Precautions for safe handling](#)

Section 7. Handling and storage

Protective measures	: End Repair-A Tailing Enzyme Mix	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	End Repair-A Trailing Buffer	Put on appropriate personal protective equipment (see Section 8).
	T4 DNA Ligase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Ligation Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Adaptor Oligo Mix	Put on appropriate personal protective equipment (see Section 8).
	Forward Primer	Put on appropriate personal protective equipment (see Section 8).
	100 mM dNTP Mix (25 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
	Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5X Herculase II Reaction Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 2	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT HS and XT Low Input Blocker Mix	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Fast Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

Section 7. Handling and storage

Advice on general occupational hygiene

SureSelect Post-Capture Primer Mix	not reuse container. Put on appropriate personal protective equipment (see Section 8).
SureSelect XT Low Input Index Bulk Set 2 A01	Put on appropriate personal protective equipment (see Section 8).
SSEL XT HS and XT Low Input Custom Capture Library	Put on appropriate personal protective equipment (see Section 8).
: End Repair-A Tailing Enzyme Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
End Repair-A Trailing Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
T4 DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Ligation Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Adaptor Oligo Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Forward Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM dNTP Mix (25 mM each dNTP)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face

Section 7. Handling and storage

5X Herculase II Reaction Buffer	before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect XT HS and XT Low Input Blocker Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Fast Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Post-Capture Primer Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

SureSelect XT Low Input Index
Bulk Set 2 A01

for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

SSEL XT HS and XT Low Input
Custom Capture Library

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: End Repair-A Tailing Enzyme Mix

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

End Repair-A Trailing Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

T4 DNA Ligase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Ligation Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for

Section 7. Handling and storage

Adaptor Oligo Mix	incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Forward Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
100 mM dNTP Mix (25 mM each dNTP)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Herculase II Fusion DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
5X Herculase II Reaction Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Binding Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

Section 7. Handling and storage

SureSelect Wash Buffer 1	incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Wash Buffer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT HS and XT Low Input Blocker Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Fast Hybridization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect RNase Block	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright

Section 7. Handling and storage

SureSelect Post-Capture Primer Mix

to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SureSelect XT Low Input Index Bulk Set 2 A01

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSEL XT HS and XT Low Input Custom Capture Library

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

: End Repair-A Tailing Enzyme Mix	Industrial applications, Professional applications.
End Repair-A Trailing Buffer	Industrial applications, Professional applications.
T4 DNA Ligase	Industrial applications, Professional applications.
Ligation Buffer	Industrial applications, Professional applications.
Adaptor Oligo Mix	Industrial applications, Professional applications.
Forward Primer	Industrial applications, Professional applications.
100 mM dNTP Mix (25 mM each dNTP)	Industrial applications, Professional applications.
Herculase II Fusion DNA Polymerase	Industrial applications, Professional applications.
5X Herculase II Reaction Buffer	Industrial applications, Professional applications.
SureSelect Binding Buffer	Industrial applications, Professional applications.
SureSelect Wash Buffer 1	Industrial applications, Professional applications.
SureSelect Wash Buffer 2	Industrial applications, Professional applications.
SureSelect XT HS and XT Low Input Blocker Mix	Industrial applications, Professional applications.
SureSelect Fast Hybridization Buffer	Industrial applications, Professional applications.
SureSelect RNase Block	Industrial applications, Professional applications.

Section 7. Handling and storage

	SureSelect Post-Capture Primer Mix	Industrial applications, Professional applications.
	SureSelect XT Low Input Index Bulk Set 2 A01	Industrial applications, Professional applications.
	SSEL XT HS and XT Low Input Custom Capture Library	Industrial applications, Professional applications.
Industrial sector specific solutions	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
End Repair-A Tailing Enzyme Mix Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 15 mg/m ³ 8 hours. Form: Total dust
End Repair-A Trailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride Potassium chloride	None. None.
T4 DNA Ligase Glycerol	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hours. Form: Respirable fraction TWA: 10 mg/m ³ 8 hours. Form: Total dust OSHA PEL (United States, 6/2016).

Section 8. Exposure controls/personal protection

Ligation Buffer

Polyethylene glycol

Glycerol

100 mM dNTP Mix (25 mM each dNTP)

2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate)

2'-Deoxyadenosine 5'-(tetrahydrogen triphosphate)

Herculase II Fusion DNA Polymerase

Glycerol

5X Herculase II Reaction Buffer

Trometamol

Ammonium sulphate

SureSelect Binding Buffer

Sodium chloride

SureSelect Fast Hybridization Buffer

2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride

SureSelect RNase Block

Glycerol

SSEL XT HS and XT Low Input Custom Capture Library

Glycerol

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m³ 8 hours. Form: Total dust

AIHA WEEL (United States, 10/2011).

TWA: 10 mg/m³ 8 hours. Form: Aerosol

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust

OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m³ 8 hours. Form: Total dust

None.

None.

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust

OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m³ 8 hours. Form: Total dust

None.

None.

None.

None.

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust

OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 15 mg/m³ 8 hours. Form: Total dust

OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m³ 8 hours. Form: Respirable fraction

TWA: 10 mg/m³ 8 hours. Form: Total dust

OSHA PEL (United States, 6/2016).

TWA: 5 mg/m³ 8 hours. Form: Respirable

Section 8. Exposure controls/personal protection

fraction
TWA: 15 mg/m³ 8 hours. Form: Total dust

8.2 Exposure controls

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state**
- | | |
|------------------------------------|---------|
| End Repair-A Tailing Enzyme Mix | Liquid. |
| End Repair-A Trailing Buffer | Liquid. |
| T4 DNA Ligase | Liquid. |
| Ligation Buffer | Liquid. |
| Adaptor Oligo Mix | Liquid. |
| Forward Primer | Liquid. |
| 100 mM dNTP Mix (25 mM each dNTP) | Liquid. |
| Herculase II Fusion DNA Polymerase | Liquid. |
| 5X Herculase II Reaction Buffer | Liquid. |

Section 9. Physical and chemical properties

	SureSelect Binding Buffer	Liquid.
	SureSelect Wash Buffer 1	Liquid.
	SureSelect Wash Buffer 2	Liquid.
	SureSelect XT HS and XT Low Input Blocker Mix	Liquid.
	SureSelect Fast Hybridization Buffer	Liquid.
	SureSelect RNase Block	Liquid.
	SureSelect Post-Capture Primer Mix	Liquid.
	SureSelect XT Low Input Index Bulk Set 2 A01	Liquid.
	SSEL XT HS and XT Low Input Custom Capture Library	Liquid.
Color	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Odor	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.

Section 9. Physical and chemical properties

	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Odor threshold	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
pH	: End Repair-A Tailing Enzyme Mix	6.5
	End Repair-A Trailing Buffer	8
	T4 DNA Ligase	7.5
	Ligation Buffer	8
	Adaptor Oligo Mix	7.5
	Forward Primer	7.5
	100 mM dNTP Mix (25 mM each dNTP)	7.5
	Herculase II Fusion DNA Polymerase	8.2
	5X Herculase II Reaction Buffer	10
	SureSelect Binding Buffer	7.5
	SureSelect Wash Buffer 1	6.5 to 7.5
	SureSelect Wash Buffer 2	6.8 to 7.8
	SureSelect XT HS and XT Low Input Blocker Mix	7.5
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	7.6
	SureSelect Post-Capture Primer Mix	7.5
	SureSelect XT Low Input Index Bulk Set 2 A01	7.5
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.

Section 9. Physical and chemical properties

Melting point	:	End Repair-A Tailing Enzyme Mix	Not available.	
		End Repair-A Trailing Buffer	0°C (32°F)	
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	0°C (32°F)	
		Forward Primer	0°C (32°F)	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	
		Herculase II Fusion DNA Polymerase	Not available.	
		5X Herculase II Reaction Buffer	Not available.	
		SureSelect Binding Buffer	Not available.	
		SureSelect Wash Buffer 1	0°C (32°F)	
		SureSelect Wash Buffer 2	0°C (32°F)	
		SureSelect XT HS and XT Low Input Blocker Mix	0°C (32°F)	
		SureSelect Fast Hybridization Buffer	Not available.	
		SureSelect RNase Block	Not available.	
		SureSelect Post-Capture Primer Mix	0°C (32°F)	
		SureSelect XT Low Input Index Bulk Set 2 A01	0°C (32°F)	
		SSEL XT HS and XT Low Input Custom Capture Library	0°C (32°F)	
	Boiling point	:	End Repair-A Tailing Enzyme Mix	Not available.
			End Repair-A Trailing Buffer	100°C (212°F)
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	100°C (212°F)	
		Forward Primer	100°C (212°F)	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	
		Herculase II Fusion DNA Polymerase	Not available.	
		5X Herculase II Reaction Buffer	Not available.	
		SureSelect Binding Buffer	Not available.	
		SureSelect Wash Buffer 1	100°C (212°F)	
		SureSelect Wash Buffer 2	100°C (212°F)	
		SureSelect XT HS and XT Low Input Blocker Mix	100°C (212°F)	
		SureSelect Fast Hybridization Buffer	Not available.	
		SureSelect RNase Block	Not available.	
		SureSelect Post-Capture Primer Mix	100°C (212°F)	
		SureSelect XT Low Input Index Bulk Set 2 A01	100°C (212°F)	
		SSEL XT HS and XT Low Input Custom Capture Library	100°C (212°F)	
Flash point		:	End Repair-A Tailing Enzyme Mix	Not available.
			End Repair-A Trailing Buffer	Not available.
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	Not available.	
		Forward Primer	Not available.	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	

Section 9. Physical and chemical properties

	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Evaporation rate	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Flammability (solid, gas)	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Trailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.

Section 9. Physical and chemical properties

	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
Lower and upper explosive (flammable) limits	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Vapor pressure	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input	Not available.

Section 9. Physical and chemical properties

	Custom Capture Library	
Vapor density	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Relative density	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
Solubility	: End Repair-A Tailing Enzyme Mix	Easily soluble in the following materials: cold water and hot water.
	End Repair-A Trailing Buffer	Easily soluble in the following materials: cold water and hot water.
	T4 DNA Ligase	Easily soluble in the following materials: cold water and hot water.
	Ligation Buffer	Soluble in the following materials: cold water and

Section 9. Physical and chemical properties

	Adaptor Oligo Mix	hot water. Easily soluble in the following materials: cold water and hot water.
	Forward Primer	Easily soluble in the following materials: cold water and hot water.
	100 mM dNTP Mix (25 mM each dNTP)	Easily soluble in the following materials: cold water and hot water.
	Herculase II Fusion DNA Polymerase	Soluble in the following materials: cold water and hot water.
	5X Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect Binding Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect Wash Buffer 1	Easily soluble in the following materials: cold water and hot water.
	SureSelect Wash Buffer 2	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT HS and XT Low Input Blocker Mix	Easily soluble in the following materials: cold water and hot water.
	SureSelect Fast Hybridization Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect RNase Block	Soluble in the following materials: cold water and hot water.
	SureSelect Post-Capture Primer Mix	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT Low Input Index Bulk Set 2 A01	Easily soluble in the following materials: cold water and hot water.
	SSEL XT HS and XT Low Input Custom Capture Library	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Trailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.

Section 9. Physical and chemical properties

Auto-ignition temperature	:	End Repair-A Tailing Enzyme Mix	Not available.	
		End Repair-A Trailing Buffer	Not available.	
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	Not available.	
		Forward Primer	Not available.	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	
		Herculase II Fusion DNA Polymerase	Not available.	
		5X Herculase II Reaction Buffer	Not available.	
		SureSelect Binding Buffer	Not available.	
		SureSelect Wash Buffer 1	Not available.	
		SureSelect Wash Buffer 2	Not available.	
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.	
		SureSelect Fast Hybridization Buffer	Not available.	
		SureSelect RNase Block	Not available.	
		SureSelect Post-Capture Primer Mix	Not available.	
		SureSelect XT Low Input Index Bulk Set 2 A01	Not available.	
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.	
	Decomposition temperature	:	End Repair-A Tailing Enzyme Mix	Not available.
			End Repair-A Trailing Buffer	Not available.
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	Not available.	
		Forward Primer	Not available.	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	
		Herculase II Fusion DNA Polymerase	Not available.	
		5X Herculase II Reaction Buffer	Not available.	
		SureSelect Binding Buffer	Not available.	
		SureSelect Wash Buffer 1	Not available.	
		SureSelect Wash Buffer 2	Not available.	
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.	
		SureSelect Fast Hybridization Buffer	Not available.	
		SureSelect RNase Block	Not available.	
		SureSelect Post-Capture Primer Mix	Not available.	
		SureSelect XT Low Input Index Bulk Set 2 A01	Not available.	
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.	
Viscosity		:	End Repair-A Tailing Enzyme Mix	Not available.
			End Repair-A Trailing Buffer	Not available.
		T4 DNA Ligase	Not available.	
		Ligation Buffer	Not available.	
		Adaptor Oligo Mix	Not available.	
		Forward Primer	Not available.	
		100 mM dNTP Mix (25 mM each dNTP)	Not available.	

Section 9. Physical and chemical properties

Herculase II Fusion DNA Polymerase	Not available.
5X Herculase II Reaction Buffer	Not available.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS and XT Low Input Blocker Mix	Not available.
SureSelect Fast Hybridization Buffer	Not available.
SureSelect RNase Block	Not available.
SureSelect Post-Capture Primer Mix	Not available.
SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
SSEL XT HS and XT Low Input Custom Capture Library	Not available.

Section 10. Stability and reactivity

10.1 Reactivity

: End Repair-A Tailing Enzyme Mix	No specific test data related to reactivity available for this product or its ingredients.
End Repair-A Trailing Buffer	No specific test data related to reactivity available for this product or its ingredients.
T4 DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
Ligation Buffer	No specific test data related to reactivity available for this product or its ingredients.
Adaptor Oligo Mix	No specific test data related to reactivity available for this product or its ingredients.
Forward Primer	No specific test data related to reactivity available for this product or its ingredients.
100 mM dNTP Mix (25 mM each dNTP)	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
5X Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Wash Buffer 1	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Wash Buffer 2	No specific test data related to reactivity available for this product or its ingredients.
SureSelect XT HS and XT Low Input Blocker Mix	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Fast Hybridization Buffer	No specific test data related to reactivity available for this product or its ingredients.
SureSelect RNase Block	No specific test data related to reactivity available for this product or its ingredients.
SureSelect Post-Capture Primer Mix	No specific test data related to reactivity available for this product or its ingredients.
SureSelect XT Low Input Index Bulk Set 2 A01	No specific test data related to reactivity available for this product or its ingredients.
SSEL XT HS and XT Low Input Custom Capture Library	No specific test data related to reactivity available for this product or its ingredients.

Section 10. Stability and reactivity

	Bulk Set 2 A01	hazardous reactions will not occur.
	SSEL XT HS and XT Low Input Custom Capture Library	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Trailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index	No specific data.
	Bulk Set 2 A01	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
10.5 Incompatible materials	: End Repair-A Tailing Enzyme Mix	May react or be incompatible with oxidizing materials.
	End Repair-A Trailing Buffer	May react or be incompatible with oxidizing materials.
	T4 DNA Ligase	May react or be incompatible with oxidizing materials.
	Ligation Buffer	May react or be incompatible with oxidizing materials.
	Adaptor Oligo Mix	May react or be incompatible with oxidizing materials.
	Forward Primer	May react or be incompatible with oxidizing materials.
	100 mM dNTP Mix (25 mM each dNTP)	May react or be incompatible with oxidizing materials.
	Herculase II Fusion DNA Polymerase	May react or be incompatible with oxidizing materials.
	5X Herculase II Reaction Buffer	May react or be incompatible with oxidizing materials.
	SureSelect Binding Buffer	May react or be incompatible with oxidizing materials.
	SureSelect Wash Buffer 1	May react or be incompatible with oxidizing materials.
	SureSelect Wash Buffer 2	May react or be incompatible with oxidizing materials.
	SureSelect XT HS and XT Low Input Blocker Mix	May react or be incompatible with oxidizing materials.
	SureSelect Fast Hybridization Buffer	May react or be incompatible with oxidizing materials.

Section 10. Stability and reactivity

10.6 Hazardous decomposition products

SureSelect RNase Block	May react or be incompatible with oxidizing materials.
SureSelect Post-Capture Primer Mix	May react or be incompatible with oxidizing materials.
SureSelect XT Low Input Index Bulk Set 2 A01	May react or be incompatible with oxidizing materials.
SSEL XT HS and XT Low Input Custom Capture Library	May react or be incompatible with oxidizing materials.
: End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
End Repair-A Trailing Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
T4 DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Ligation Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Forward Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
100 mM dNTP Mix (25 mM each dNTP)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect XT HS and XT Low Input Blocker Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Fast Hybridization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect RNase Block	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect Post-Capture Primer Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SureSelect XT Low Input Index Bulk Set 2 A01	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 10. Stability and reactivity

SSEL XT HS and XT Low Input
Custom Capture Library

produced.
Under normal conditions of storage and use,
hazardous decomposition products should not be
produced.

Section 11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	LD50 Oral	Rat	12600 mg/kg	-
End Repair-A Trailing Buffer Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
T4 DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Ligation Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II Fusion DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X Herculase II Reaction Buffer Trometamol	LD50 Dermal LD50 Oral	Rat Rat	>5000 mg/kg 5000 mg/kg	- -
Ammonium sulphate	LD50 Oral	Rat	2840 mg/kg	-
SureSelect Binding Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
SureSelect RNase Block Glycerol	LD50 Oral	Rat	12600 mg/kg	-
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
End Repair-A Tailing Enzyme Mix Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
End Repair-A Trailing Buffer					

Section 11. Toxicological information

Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
T4 DNA Ligase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Ligation Buffer					
Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Herculase II Fusion DNA Polymerase					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
5X Herculase II Reaction Buffer					
Trometamol	Skin - Moderate irritant	Rabbit	-	25 Percent	-
	Skin - Severe irritant	Rabbit	-	500 milligrams	-
SureSelect Binding Buffer					
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
SureSelect RNase Block					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
SSEL XT HS and XT Low Input Custom Capture Library					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitization

Section 11. Toxicological information

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
End Repair-A Trailing Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation
5X Herculase II Reaction Buffer Trometamol	Category 3	Not applicable.	Respiratory tract irritation
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

: End Repair-A Tailing Enzyme Mix	Routes of entry anticipated: Oral, Dermal, Inhalation.
End Repair-A Trailing Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
T4 DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
Ligation Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
Adaptor Oligo Mix	Not available.
Forward Primer	Not available.
100 mM dNTP Mix (25 mM each dNTP)	Not available.
Herculase II Fusion DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
5X Herculase II Reaction Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
SureSelect Binding Buffer	Not available.
SureSelect Wash Buffer 1	Not available.
SureSelect Wash Buffer 2	Not available.
SureSelect XT HS and XT Low Input Blocker Mix	Not available.
SureSelect Fast Hybridization	Routes of entry anticipated: Oral, Dermal,

Section 11. Toxicological information

Buffer	Inhalation.
SureSelect RNase Block	Routes of entry anticipated: Oral, Dermal, Inhalation.
SureSelect Post-Capture Primer Mix	Not available.
SureSelect XT Low Input Index Bulk Set 2 A01	Not available.
SSEL XT HS and XT Low Input Custom Capture Library	Not available.

Potential acute health effects

Eye contact

: End Repair-A Tailing Enzyme Mix	Causes eye irritation.
End Repair-A Trailing Buffer	No known significant effects or critical hazards.
T4 DNA Ligase	Causes eye irritation.
Ligation Buffer	Causes eye irritation.
Adaptor Oligo Mix	No known significant effects or critical hazards.
Forward Primer	No known significant effects or critical hazards.
100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	Causes eye irritation.
5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
SureSelect Binding Buffer	No known significant effects or critical hazards.
SureSelect Wash Buffer 1	No known significant effects or critical hazards.
SureSelect Wash Buffer 2	No known significant effects or critical hazards.
SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
SureSelect RNase Block	Causes eye irritation.
SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.

Inhalation

: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
End Repair-A Trailing Buffer	No known significant effects or critical hazards.
T4 DNA Ligase	No known significant effects or critical hazards.
Ligation Buffer	No known significant effects or critical hazards.
Adaptor Oligo Mix	No known significant effects or critical hazards.
Forward Primer	No known significant effects or critical hazards.
100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
SureSelect Binding Buffer	No known significant effects or critical hazards.
SureSelect Wash Buffer 1	No known significant effects or critical hazards.
SureSelect Wash Buffer 2	No known significant effects or critical hazards.
SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
SureSelect RNase Block	No known significant effects or critical hazards.
SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.

Section 11. Toxicological information

	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.

[Symptoms related to the physical, chemical and toxicological characteristics](#)

Section 11. Toxicological information

Eye contact	: End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following: irritation watering redness
	End Repair-A Trailing Buffer T4 DNA Ligase	No specific data. Adverse symptoms may include the following: irritation watering redness
	Ligation Buffer	Adverse symptoms may include the following: irritation watering redness
	Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP)	No specific data. No specific data. No specific data.
	Herculase II Fusion DNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: irritation watering redness
	SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 2 A01 SSEL XT HS and XT Low Input Custom Capture Library	No specific data. No specific data. No specific data.
Inhalation	: End Repair-A Tailing Enzyme Mix End Repair-A Trailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

Section 11. Toxicological information

	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
Skin contact	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Trailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
Ingestion	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Trailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.

Section 11. Toxicological information

	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Mutagenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
Teratogenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Trailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.

Section 11. Toxicological information

Developmental effects	:	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.	
		End Repair-A Trailing Buffer	No known significant effects or critical hazards.	
		T4 DNA Ligase	No known significant effects or critical hazards.	
		Ligation Buffer	No known significant effects or critical hazards.	
		Adaptor Oligo Mix	No known significant effects or critical hazards.	
		Forward Primer	No known significant effects or critical hazards.	
		100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.	
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.	
		5X Herculase II Reaction Buffer	No known significant effects or critical hazards.	
		SureSelect Binding Buffer	No known significant effects or critical hazards.	
		SureSelect Wash Buffer 1	No known significant effects or critical hazards.	
		SureSelect Wash Buffer 2	No known significant effects or critical hazards.	
		SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.	
		SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.	
		SureSelect RNase Block	No known significant effects or critical hazards.	
		SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.	
		SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.	
		SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.	
	Fertility effects	:	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
			End Repair-A Trailing Buffer	No known significant effects or critical hazards.
		T4 DNA Ligase	No known significant effects or critical hazards.	
		Ligation Buffer	No known significant effects or critical hazards.	
		Adaptor Oligo Mix	No known significant effects or critical hazards.	
		Forward Primer	No known significant effects or critical hazards.	
		100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.	
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.	
		5X Herculase II Reaction Buffer	No known significant effects or critical hazards.	
		SureSelect Binding Buffer	No known significant effects or critical hazards.	
		SureSelect Wash Buffer 1	No known significant effects or critical hazards.	
		SureSelect Wash Buffer 2	No known significant effects or critical hazards.	
		SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.	
		SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.	
		SureSelect RNase Block	No known significant effects or critical hazards.	
		SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.	
		SureSelect XT Low Input Index Bulk Set 2 A01	No known significant effects or critical hazards.	
		SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.	

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Route	ATE value
End Repair-A Trailing Buffer Oral	159509.2 mg/kg
5X Herculase II Reaction Buffer Oral	81278.2 mg/kg
SureSelect Binding Buffer Oral	51369.9 mg/kg

Section 12. Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
End Repair-A Trailing Buffer Potassium chloride	Acute EC50 1337000 µg/l Fresh water Acute EC50 9.24 g/L Fresh water Acute EC50 141460 µg/l Fresh water Acute LC50 12.92 mg/l Fresh water Acute LC50 880000 µg/l Fresh water	Algae - Navicula seminulum Algae - Desmodesmus subspicatus Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate Fish - Pimephales promelas	96 hours 72 hours 48 hours 48 hours 96 hours
T4 DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer Polyethylene glycol Glycerol	Acute LC50 >1000000 µg/l Fresh water Acute LC50 54000 mg/l Fresh water	Fish - Salmo salar - Parr Fish - Oncorhynchus mykiss	96 hours 96 hours
Herculase II Fusion DNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate	Acute EC50 >980 mg/l Fresh water Acute NOEC 520 mg/l Fresh water Acute LC50 2.6 mg/l Fresh water Acute LC50 14000 to 15000 µg/l Fresh water Acute LC50 68 µg/l Fresh water Chronic NOEC 7.5 mg/l Marine water Chronic NOEC 143 µg/l Marine water	Daphnia Daphnia Crustaceans - Ceriodaphnia dubia - Young Daphnia - Daphnia magna - Young Fish - Oncorhynchus gorbuscha - Alevin Algae - Phaeodactylum tricornutum - Exponential growth phase Fish - Salmo salar - Post-smolt	48 hours 48 hours 48 hours 48 hours 96 hours 96 hours 5 weeks
SureSelect Binding Buffer			

Section 12. Ecological information

Sodium chloride	Acute EC50 4.74 g/L Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1.56 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Algae - Chlamydomonas reinhardtii Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 48 hours 96 hours 48 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
SureSelect RNase Block Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

12.2 Persistence and degradability

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
End Repair-A Trailing Buffer Potassium chloride	-	-	Readily
5X Herculase II Reaction Buffer Ammonium sulphate	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
End Repair-A Tailing Enzyme Mix Glycerol	-1.76	-	low
End Repair-A Trailing Buffer Potassium chloride	-0.46	-	low
T4 DNA Ligase Glycerol	-1.76	-	low
Ligation Buffer Polyethylene glycol	-	3.2	low
Glycerol	-1.76	-	low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
5X Herculase II Reaction Buffer Trometamol	-1.56	-	low
Ammonium sulphate	-5.1	-	low

Section 12. Ecological information

SureSelect RNase Block Glycerol	-1.76	-	low
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	-1.76	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

12.5 Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

13.1 Waste treatment methods

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

Section 14. Transport information

DOT / TDG / Mexico / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) CDR Exempt/Partial exemption: Not determined
 Clean Water Act (CWA) 311: Edetic acid; Potassium hydroxide

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification

End Repair-A Tailing Enzyme Mix	Immediate (acute) health hazard
End Repair-A Trailing Buffer	Not applicable.
T4 DNA Ligase	Immediate (acute) health hazard
Ligation Buffer	Immediate (acute) health hazard
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Immediate (acute) health hazard
5X Herculase II Reaction Buffer	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Immediate (acute) health hazard
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 2 A01	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.

Composition/information on ingredients

Section 15. Regulatory information

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
End Repair-A Tailing Enzyme Mix Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
End Repair-A Trailing Buffer 2-Amino-2-(hydroxymethyl)propane-1, 3-diol hydrochloride	≤3	No.	No.	No.	Yes.	No.
Potassium chloride	≤3	No.	No.	No.	Yes.	No.
T4 DNA Ligase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
Ligation Buffer Polyethylene glycol	≥10 - ≤25	No.	No.	No.	Yes.	No.
Glycerol	≥10 - ≤25	No.	No.	No.	Yes.	No.
100 mM dNTP Mix (25 mM each dNTP) 2'-Deoxyguanosine 5'-(tetrahydrogen triphosphate)	≤3	No.	No.	No.	Yes.	No.
2'-Deoxyadenosine 5'-(tetrahydrogen triphosphate)	≤3	No.	No.	No.	Yes.	No.
Herculase II Fusion DNA Polymerase Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
5X Herculase II Reaction Buffer Trometamol	≤3	Yes.	No.	No.	Yes.	No.
Ammonium sulphate	≤3	No.	No.	No.	Yes.	No.
SureSelect Binding Buffer Sodium chloride	<10	No.	No.	No.	Yes.	No.
SureSelect Fast Hybridization Buffer 2-Amino-2-(hydroxymethyl)propane-1, 3-diol hydrochloride	≤3	No.	No.	No.	Yes.	No.
SureSelect RNase Block Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	≤3	No.	No.	No.	Yes.	No.

SARA 313

	Product name	CAS number	%
Form R - Reporting requirements	5X Herculase II Reaction Buffer Ammonium sulphate	7783-20-2	≤3
Supplier notification	5X Herculase II Reaction Buffer Ammonium sulphate	7783-20-2	≤3

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Section 15. Regulatory information

State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST
New York : None of the components are listed.
New Jersey : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL
Pennsylvania : The following components are listed: 1,2,3-PROPANETRIOL
Not available.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : Not determined.
Canada : Not determined.
China : Not determined.
Europe : Not determined.
Japan : **Japan inventory (ENCS)**: Not determined.
Japan inventory (ISHL): Not determined.
Malaysia : Not determined.
New Zealand : Not determined.
Philippines : Not determined.
Republic of Korea : Not determined.
Taiwan : Not determined.
Thailand : Not determined.
Turkey : Not determined.
United States : Not determined.
Viet Nam : Not determined.

Section 16. Other information

History

- Date of issue** : 06/30/2017
Date of previous issue : No previous validation.
Version : 1

✔ Indicates information that has changed from previously issued version.

Note * :

Section 16. Other information

SureSelect XT HS and XT Low Input Library Prep Kit for ILM (Pre PCR), 96 Rxn 5500-0140
A kit containing: End Repair-A Tailing Enzyme Mix; End Repair-A Trailing Buffer; T4 DNA Ligase; Ligation Buffer; Adaptor Oligo Mix; Forward Primer; 100 mM dNTP Mix (25 mM each dNTP); Herculanse II Fusion DNA Polymerase; 5X Herculanse II Reaction Buffer

SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 1 (Post PCR), 96 Rxn 5190-9687
A kit containing: SureSelect Binding Buffer; SureSelect Wash Buffer 1; SureSelect Wash Buffer 2

SureSelect XT HS and XT Low Input Target Enrichment Kit, ILM Hyb Module, Box 2 (Post PCR), 96 Rxn 5190-9686
A kit containing: SureSelect XT HS and XT Low Input Blocker Mix; SureSelect Fast Hybridization Buffer; SureSelect RNase Block; SureSelect Post-Capture Primer Mix; 100 mM dNTP Mix (25 mM each dNTP); Herculanse II Fusion DNA Polymerase; 5X Herculanse II Reaction Buffer

SureSelect XT Low Input Index Primers 97-192 for ILM (Pre PCR) 5190-6445
A kit containing: SureSelect XT Low Input Index Bulk Set 2 A01

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.