

SAFETY DATA SHEET

SureSelect XT Low Input Reagent Kit, index 97-192 + Human All Exon V7 Plus 1 Target
Enrichment Baits, 96 rxn, Part Number G9708P

Section 1. Identification

Product identifier	: SureSelect XT Low Input Reagent Kit, index 97-192 + Human All Exon V7 Plus 1 Target Enrichment Baits, 96 rxn, Part Number G9708P
Part no. (chemical kit)	: G9708P
Part no.	: <u>SureSelect XT HS and XT Low Input Library</u> 5500-0140 <u>Prep Kit for ILM (Pre PCR), 96 Rxn</u> End Repair-A Tailing Enzyme Mix 5190-6435 End Repair-A Tailing Buffer 5190-6436 T4 DNA Ligase 5190-6437 Ligation Buffer 5190-6438 Adaptor Oligo Mix 5190-6439 Forward Primer 5190-6440 <u>SureSelect XT HS and XT Low Input Library</u> 5500-0140 / 5190-9686 <u>Prep Kit for ILM (Pre PCR), 96 Rxn /</u> <u>SureSelect XT HS and XT Low Input Target</u> <u>Enrichment Kit, ILM Hyb Module, Box 2 (Post</u> <u>PCR), 96 Rxn</u> 100 mM dNTP Mix (25 mM each dNTP) 200418-51 Herculase II Fusion DNA Polymerase 5600-3761 5X Herculase II Reaction Buffer 600675-52 <u>SureSelect XT HS and XT Low Input Target</u> 5190-9687 <u>Enrichment Kit, ILM Hyb Module, Box 1 (Post</u> <u>PCR), 96 Rxn</u> SureSelect Binding Buffer 5190-9734 SureSelect Wash Buffer 1 5190-4408 SureSelect Wash Buffer 2 5190-4409 <u>SureSelect XT HS and XT Low Input Target</u> 5190-9686 <u>Enrichment Kit, ILM Hyb Module, Box 2 (Post</u> <u>PCR), 96 Rxn</u> SureSelect XT HS and XT Low Input Blocker Mix 5190-9534 SureSelect Fast Hybridization Buffer 5190-7330 SureSelect RNase Block 5972-3700 SureSelect Post-Capture Primer Mix 5190-9732 <u>SureSelect XT Low Input Index Primers</u> 5190-6445 <u>97-192 for ILM (Pre PCR)</u> SureSelect XT Low Input Index Bulk Set 2 A01-H12 Various* SSEL XT HS and XT Low Input Custom Capture Library 5190-9927 / 5190-9928 / 5190-9929 / 5190-9930 / 5190-9931 / 5190-9943 / 5190-9950 / 5190-9952 / 5190-9945 / 5190-9954 / 5190-9947 <u>SSEL XT HS and XT Low Input Human All Exon V7 Plus 1, 96 Reactions</u> 5191-4050 SSEL XT HS and XT Low Input Human All Exon V7 Plus 1 5191-4050
Material uses	: Analytical reagent. For Research Use Only. Not for use in diagnostic procedures.

Section 1. Identification

End Repair-A Tailing Enzyme Mix	0.512 ml (96 reactions)
End Repair-A Tailing Buffer	2.048 ml (96 reactions)
T4 DNA Ligase	0.256 ml (96 reactions)
Ligation Buffer	2.944 ml (96 reactions)
Adaptor Oligo Mix	0.7 ml (96 reactions)
Forward Primer	0.256 ml (96 reactions)
100 mM dNTP Mix (25 mM each dNTP)	0.1 ml
Herculase II Fusion DNA Polymerase	0.14 ml (96 reactions)
5X Herculase II Reaction Buffer	1.5 ml
SureSelect Binding Buffer	93 ml
SureSelect Wash Buffer 1	48 ml
SureSelect Wash Buffer 2	144 ml
SureSelect XT HS and XT Low Input Blocker Mix	0.64 ml (96 reactions)
SureSelect Fast Hybridization Buffer	0.918 ml
SureSelect RNase Block	0.08 ml
SureSelect Post-Capture Primer Mix	0.14 ml (96 reactions)
SureSelect XT Low Input Index Bulk Set 2 A01-H12	96 x 0.01 ml (96 reactions)
SSEL XT HS and XT Low Input Custom Capture Library	0.192 ml - 0.48 ml (96 reactions)
Ssel XT HS and XT Low Input Human All Exon V7 Plus 1	0.48 ml (96 reactions)

Supplier/Manufacturer : Agilent Technologies, Inc.
5301 Stevens Creek Blvd
Santa Clara, CA 95051, USA
800-227-9770

Emergency telephone number (with hours of operation) : CHEMTREC®: 1-800-424-9300

Note * : *SureSelect XT Low Input Index Bulk Set 2 A01-H12: 5190-3901, 5190-3902, 5190-3903, 5190-3904, 5190-3905, 5190-3906, 5190-3907, 5190-3908, 5190-3909, 5190-3910, 5190-3911, 5190-3912, 5190-3913, 5190-3914, 5190-3915, 5190-3916, 5190-3917, 5190-3918, 5190-3919, 5190-3920, 5190-3921, 5190-3922, 5190-3923, 5190-3924, 5190-3925, 5190-3926, 5190-3927, 5190-3928, 5190-3929, 5190-3930, 5190-3931, 5190-3932, 5190-3933, 5190-3934, 5190-3935, 5190-3936, 5190-3937, 5190-3938, 5190-3939, 5190-3940, 5190-3941, 5190-3942, 5190-3943, 5190-3944, 5190-3945, 5190-3946, 5190-3947, 5190-3948, 5190-3949, 5190-3950, 5190-3951, 5190-3952, 5190-3953, 5190-3954, 5190-3955, 5190-3956, 5190-3957, 5190-3958, 5190-3959, 5190-3960, 5190-3961, 5190-3962, 5190-3963, 5190-3964, 5190-3965, 5190-3966, 5190-3967, 5190-3968, 5190-3969, 5190-3970, 5190-3971, 5190-3972, 5190-3973, 5190-3974, 5190-3975, 5190-3976, 5190-3977, 5190-3978, 5190-3979, 5190-3980, 5190-3981, 5190-3982, 5190-3983, 5190-3984, 5190-3985, 5190-3986, 5190-3987, 5190-3988, 5190-3989, 5190-3990, 5190-3991, 5190-3992, 5190-3993, 5190-3994, 5190-3995, 5190-3996

Section 2. Hazard identification

Classification of the substance or mixture

End Repair-A Tailing Enzyme Mix
H320

EYE IRRITATION - Category 2B

T4 DNA Ligase
H320

EYE IRRITATION - Category 2B

Ligation Buffer
H320

EYE IRRITATION - Category 2B

Herculase II Fusion DNA Polymerase

Section 2. Hazard identification

H320 EYE IRRITATION - Category 2B

SureSelect RNase Block

H320 EYE IRRITATION - Category 2B

GHS label elements

Signal word

: End Repair-A Tailing Enzyme Mix	Warning
End Repair-A Tailing Buffer	No signal word.
T4 DNA Ligase	Warning
Ligation Buffer	Warning
Adaptor Oligo Mix	No signal word.
Forward Primer	No signal word.
100 mM dNTP Mix (25 mM each dNTP)	No signal word.
Herculase II Fusion DNA Polymerase	Warning
5X Herculase II Reaction Buffer	No signal word.
SureSelect Binding Buffer	No signal word.
SureSelect Wash Buffer 1	No signal word.
SureSelect Wash Buffer 2	No signal word.
SureSelect XT HS and XT Low Input Blocker Mix	No signal word.
SureSelect Fast Hybridization Buffer	No signal word.
SureSelect RNase Block	Warning
SureSelect Post-Capture Primer Mix	No signal word.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No signal word.
SSEL XT HS and XT Low Input Custom Capture Library	No signal word.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No signal word.

Hazard statements

: End Repair-A Tailing Enzyme Mix	H320 - Causes eye irritation.
End Repair-A Tailing Buffer	No known significant effects or critical hazards.
T4 DNA Ligase	H320 - Causes eye irritation.
Ligation Buffer	H320 - Causes eye irritation.
Adaptor Oligo Mix	No known significant effects or critical hazards.
Forward Primer	No known significant effects or critical hazards.
100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	H320 - Causes eye irritation.
5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
SureSelect Binding Buffer	No known significant effects or critical hazards.
SureSelect Wash Buffer 1	No known significant effects or critical hazards.
SureSelect Wash Buffer 2	No known significant effects or critical hazards.
SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
SureSelect RNase Block	H320 - Causes eye irritation.
SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.

Section 2. Hazard identification

SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

Precautionary statements

Prevention

: End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.
SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

Response

: End Repair-A Tailing Enzyme Mix	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Ligation Buffer	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Section 2. Hazard identification

		lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical advice or attention.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.
Storage	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

Section 2. Hazard identification

Disposal	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
	SureSelect Fast Hybridization Buffer	Not applicable.
	SureSelect RNase Block	Not applicable.
	SureSelect Post-Capture Primer Mix	Not applicable.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.
	SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.
	Supplemental label elements	: End Repair-A Tailing Enzyme Mix
End Repair-A Tailing Buffer		None known.
T4 DNA Ligase		None known.
Ligation Buffer		None known.
Adaptor Oligo Mix		None known.
Forward Primer		None known.
100 mM dNTP Mix (25 mM each dNTP)		None known.
Herculase II Fusion DNA Polymerase		None known.
5X Herculase II Reaction Buffer		None known.
SureSelect Binding Buffer		None known.
SureSelect Wash Buffer 1		None known.
SureSelect Wash Buffer 2		None known.
SureSelect XT HS and XT Low Input Blocker Mix		None known.
SureSelect Fast Hybridization Buffer		None known.
SureSelect RNase Block		None known.
SureSelect Post-Capture Primer Mix		None known.
SureSelect XT Low Input Index Bulk Set 2 A01-H12		None known.
SSEL XT HS and XT Low Input Custom Capture Library		None known.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1		None known.

Section 2. Hazard identification

	100 mM dNTP Mix (25 mM each dNTP)	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%
	SureSelect Fast Hybridization Buffer	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 31.3%
Other hazards which do not result in classification	: End Repair-A Tailing Enzyme Mix	None known.
	End Repair-A Tailing Buffer	None known.
	T4 DNA Ligase	None known.
	Ligation Buffer	None known.
	Adaptor Oligo Mix	None known.
	Forward Primer	None known.
	100 mM dNTP Mix (25 mM each dNTP)	None known.
	Herculase II Fusion DNA Polymerase	None known.
	5X Herculase II Reaction Buffer	None known.
	SureSelect Binding Buffer	None known.
	SureSelect Wash Buffer 1	None known.
	SureSelect Wash Buffer 2	None known.
	SureSelect XT HS and XT Low Input Blocker Mix	None known.
	SureSelect Fast Hybridization Buffer	None known.
	SureSelect RNase Block	None known.
	SureSelect Post-Capture Primer Mix	None known.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	None known.
	SSEL XT HS and XT Low Input Custom Capture Library	None known.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	None known.

Section 3. Composition/information on ingredients

Substance/mixture	: End Repair-A Tailing Enzyme Mix	Mixture
	End Repair-A Tailing Buffer	Mixture
	T4 DNA Ligase	Mixture
	Ligation Buffer	Mixture
	Adaptor Oligo Mix	Mixture
	Forward Primer	Mixture
	100 mM dNTP Mix (25 mM each dNTP)	Mixture
	Herculase II Fusion DNA Polymerase	Mixture
	5X Herculase II Reaction Buffer	Mixture
	SureSelect Binding Buffer	Mixture
	SureSelect Wash Buffer 1	Mixture
	SureSelect Wash Buffer 2	Mixture
	SureSelect XT HS and XT Low Input Blocker Mix	Mixture
	SureSelect Fast Hybridization Buffer	Mixture
	SureSelect RNase Block	Mixture
	SureSelect Post-Capture	Mixture

Section 3. Composition/information on ingredients

Primer Mix
 SureSelect XT Low Input Mixture
 Index Bulk Set 2 A01-H12
 SSEL XT HS and XT Low Mixture
 Input Custom Capture Library
 SSEL XT HS and XT Low Mixture
 Input Human All Exon V7
 Plus 1

Ingredient name	% (w/w)	CAS number
End Repair-A Tailing Enzyme Mix Glycerol	30 - 60	56-81-5
End Repair-A Tailing Buffer Potassium chloride	1 - 5	7447-40-7
T4 DNA Ligase Glycerol	30 - 60	56-81-5
Ligation Buffer Polyethylene glycol Glycerol	10 - 30 10 - 30	25322-68-3 56-81-5
Herculase II Fusion DNA Polymerase Glycerol	30 - 60	56-81-5
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated	1 - 5 0.5 - 1.5 0.1 - 1	77-86-1 7783-20-2 9004-95-9
SureSelect Binding Buffer Sodium chloride	3 - 7	7647-14-5
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	<0.1	151-21-3
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	<0.1	151-21-3
SureSelect RNase Block Glycerol	30 - 60	56-81-5
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	1 - 5	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	: End Repair-A Tailing Enzyme Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	End Repair-A Tailing Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	T4 DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Ligation Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Adaptor Oligo Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Forward Primer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	100 mM dNTP Mix (25 mM each dNTP)	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	5X Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Binding Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Wash Buffer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT HS and XT Low Input Blocker Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect Fast Hybridization Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

Section 4. First-aid measures

	SureSelect RNase Block	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	SureSelect Post-Capture Primer Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSEL XT HS and XT Low Input Custom Capture Library	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: End Repair-A Tailing Enzyme Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	End Repair-A Tailing Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	T4 DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Ligation Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

Section 4. First-aid measures

Adaptor Oligo Mix	as a collar, tie, belt or waistband. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Forward Primer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
100 mM dNTP Mix (25 mM each dNTP)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
5X Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
SureSelect Binding Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect Fast Hybridization Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
SureSelect RNase Block	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
SureSelect Post-Capture	Remove victim to fresh air and keep at rest in a

Section 4. First-aid measures

Skin contact

Primer Mix	position comfortable for breathing. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
: End Repair-A Tailing Enzyme Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
End Repair-A Tailing Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
T4 DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ligation Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Adaptor Oligo Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Forward Primer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM dNTP Mix (25 mM each dNTP)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
5X Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Binding Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect Fast Hybridization Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect RNase Block	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing

Section 4. First-aid measures

Ingestion

SureSelect Post-Capture Primer Mix	before reuse. Clean shoes thoroughly before reuse. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
: End Repair-A Tailing Enzyme Mix	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
End Repair-A Tailing Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
T4 DNA Ligase	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ligation Buffer	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Section 4. First-aid measures

Adaptor Oligo Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Forward Primer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
100 mM dNTP Mix (25 mM each dNTP)	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
5X Herculase II Reaction Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Binding Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Wash Buffer 1	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Wash Buffer 2	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT HS and XT Low Input Blocker Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect Fast Hybridization Buffer	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect RNase Block	Wash out mouth with water. Remove dentures if any.

Section 4. First-aid measures

	If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
SureSelect Post-Capture Primer Mix	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSEL XT HS and XT Low Input Custom Capture Library	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: End Repair-A Tailing Enzyme Mix	Causes eye irritation.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	Causes eye irritation.
	Ligation Buffer	Causes eye irritation.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	Causes eye irritation.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	Causes eye irritation.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.

Section 4. First-aid measures

	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
Inhalation	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
Skin contact	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture	No known significant effects or critical hazards.

Section 4. First-aid measures

Ingestion

Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
End Repair-A Tailing Buffer	No known significant effects or critical hazards.
T4 DNA Ligase	No known significant effects or critical hazards.
Ligation Buffer	No known significant effects or critical hazards.
Adaptor Oligo Mix	No known significant effects or critical hazards.
Forward Primer	No known significant effects or critical hazards.
100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
SureSelect Binding Buffer	No known significant effects or critical hazards.
SureSelect Wash Buffer 1	No known significant effects or critical hazards.
SureSelect Wash Buffer 2	No known significant effects or critical hazards.
SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
SureSelect RNase Block	No known significant effects or critical hazards.
SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact

End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following: irritation watering redness
End Repair-A Tailing Buffer	No specific data.
T4 DNA Ligase	Adverse symptoms may include the following: irritation watering redness
Ligation Buffer	Adverse symptoms may include the following: irritation watering redness
Adaptor Oligo Mix	No specific data.
Forward Primer	No specific data.
100 mM dNTP Mix (25 mM each dNTP)	No specific data.
Herculase II Fusion DNA Polymerase	Adverse symptoms may include the following: irritation

Section 4. First-aid measures

Inhalation

	watering
	redness
5X Herculase II Reaction Buffer	No specific data.
SureSelect Binding Buffer	No specific data.
SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	No specific data.
SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
: End Repair-A Tailing Enzyme Mix	No specific data.
End Repair-A Tailing Buffer	No specific data.
T4 DNA Ligase	No specific data.
Ligation Buffer	No specific data.
Adaptor Oligo Mix	No specific data.
Forward Primer	No specific data.
100 mM dNTP Mix (25 mM each dNTP)	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
5X Herculase II Reaction Buffer	No specific data.
SureSelect Binding Buffer	No specific data.
SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	No specific data.
SureSelect RNase Block	No specific data.
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.

Section 4. First-aid measures

Skin contact	: End Repair-A Tailing Enzyme Mix	No specific data.	
	End Repair-A Tailing Buffer	No specific data.	
	T4 DNA Ligase	No specific data.	
	Ligation Buffer	No specific data.	
	Adaptor Oligo Mix	No specific data.	
	Forward Primer	No specific data.	
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.	
	Herculase II Fusion DNA Polymerase	No specific data.	
	5X Herculase II Reaction Buffer	No specific data.	
	SureSelect Binding Buffer	No specific data.	
	SureSelect Wash Buffer 1	No specific data.	
	SureSelect Wash Buffer 2	No specific data.	
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.	
	SureSelect Fast Hybridization Buffer	No specific data.	
	SureSelect RNase Block	No specific data.	
	SureSelect Post-Capture Primer Mix	No specific data.	
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.	
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.	
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.	
	Ingestion	: End Repair-A Tailing Enzyme Mix	No specific data.
		End Repair-A Tailing Buffer	No specific data.
		T4 DNA Ligase	No specific data.
		Ligation Buffer	No specific data.
Adaptor Oligo Mix		No specific data.	
Forward Primer		No specific data.	
100 mM dNTP Mix (25 mM each dNTP)		No specific data.	
Herculase II Fusion DNA Polymerase		No specific data.	
5X Herculase II Reaction Buffer		No specific data.	
SureSelect Binding Buffer		No specific data.	
SureSelect Wash Buffer 1		No specific data.	
SureSelect Wash Buffer 2		No specific data.	
SureSelect XT HS and XT Low Input Blocker Mix		No specific data.	
SureSelect Fast Hybridization Buffer		No specific data.	
SureSelect RNase Block		No specific data.	
SureSelect Post-Capture Primer Mix		No specific data.	
SureSelect XT Low Input Index Bulk Set 2 A01-H12		No specific data.	
SSEL XT HS and XT Low Input Custom Capture Library		No specific data.	
SSel XT HS and XT Low Input Human All Exon V7 Plus 1		No specific data.	

Section 4. First-aid measures

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: End Repair-A Tailing Enzyme Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	End Repair-A Tailing Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	T4 DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Adaptor Oligo Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Forward Primer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	100 mM dNTP Mix (25 mM each dNTP)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	5X Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect Binding Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Wash Buffer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Wash Buffer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect XT HS and XT Low Input Blocker Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Fast Hybridization Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	SureSelect RNase Block	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect Post-Capture Primer Mix	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSEL XT HS and XT Low Input Custom Capture Library	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

Section 4. First-aid measures

Specific treatments	<p>SSel XT HS and XT Low Input Human All Exon V7 Plus 1 End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 2 A01-H12 SSEL XT HS and XT Low Input Custom Capture Library SSel XT HS and XT Low Input Human All Exon V7 Plus 1</p>	<p>ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.</p>
Protection of first-aiders	<p>End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer</p>	<p>No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. No action shall be taken involving any personal risk or without suitable training.</p>

Section 4. First-aid measures

SureSelect Wash Buffer 1	or without suitable training. No action shall be taken involving any personal risk or without suitable training.
SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT HS and XT Low Input Blocker Mix	No action shall be taken involving any personal risk or without suitable training.
SureSelect Fast	No action shall be taken involving any personal risk or without suitable training.
Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training.
SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
SureSelect Post-Capture Primer Mix	No action shall be taken involving any personal risk or without suitable training.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Custom Capture Library	No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

: End Repair-A Tailing Enzyme Mix	Use an extinguishing agent suitable for the surrounding fire.
End Repair-A Tailing Buffer	Use an extinguishing agent suitable for the surrounding fire.
T4 DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
Ligation Buffer	Use an extinguishing agent suitable for the surrounding fire.
Adaptor Oligo Mix	Use an extinguishing agent suitable for the surrounding fire.
Forward Primer	Use an extinguishing agent suitable for the surrounding fire.
100 mM dNTP Mix (25 mM each dNTP)	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
5X Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Binding Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 1	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Wash Buffer 2	Use an extinguishing agent suitable for the surrounding fire.
SureSelect XT HS and XT Low Input Blocker Mix	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Fast	Use an extinguishing agent suitable for the surrounding fire.
Hybridization Buffer	Use an extinguishing agent suitable for the surrounding fire.
SureSelect RNase Block	Use an extinguishing agent suitable for the surrounding fire.
SureSelect Post-Capture Primer Mix	Use an extinguishing agent suitable for the surrounding fire.

Section 5. Fire-fighting measures

	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Use an extinguishing agent suitable for the surrounding fire.
	SSEL XT HS and XT Low Input Custom Capture Library	Use an extinguishing agent suitable for the surrounding fire.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: End Repair-A Tailing Enzyme Mix	None known.
	End Repair-A Tailing Buffer	None known.
	T4 DNA Ligase	None known.
	Ligation Buffer	None known.
	Adaptor Oligo Mix	None known.
	Forward Primer	None known.
	100 mM dNTP Mix (25 mM each dNTP)	None known.
	Herculase II Fusion DNA Polymerase	None known.
	5X Herculase II Reaction Buffer	None known.
	SureSelect Binding Buffer	None known.
	SureSelect Wash Buffer 1	None known.
	SureSelect Wash Buffer 2	None known.
	SureSelect XT HS and XT Low Input Blocker Mix	None known.
	SureSelect Fast Hybridization Buffer	None known.
	SureSelect RNase Block	None known.
	SureSelect Post-Capture Primer Mix	None known.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	None known.
	SSEL XT HS and XT Low Input Custom Capture Library	None known.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	None known.
Specific hazards arising from the chemical	: End Repair-A Tailing Enzyme Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	End Repair-A Tailing Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	T4 DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Ligation Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Adaptor Oligo Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	Forward Primer	In a fire or if heated, a pressure increase will occur and the container may burst.
	100 mM dNTP Mix (25 mM each dNTP)	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	5X Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Binding Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Wash Buffer 1	In a fire or if heated, a pressure increase will occur

Section 5. Fire-fighting measures

	SureSelect Wash Buffer 2	and the container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT HS and XT Low Input Blocker Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Fast Hybridization Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect RNase Block	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect Post-Capture Primer Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	In a fire or if heated, a pressure increase will occur and the container may burst.
	SSEL XT HS and XT Low Input Custom Capture Library	In a fire or if heated, a pressure increase will occur and the container may burst.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: End Repair-A Tailing Enzyme Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	End Repair-A Tailing Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	T4 DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Ligation Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
	Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	5X Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
	SureSelect Binding Buffer	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides

Section 5. Fire-fighting measures

SureSelect Wash Buffer 1	No specific data.
SureSelect Wash Buffer 2	No specific data.
SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
SureSelect Fast Hybridization Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
SureSelect RNase Block	Decomposition products may include the following materials: carbon dioxide carbon monoxide
SureSelect Post-Capture Primer Mix	No specific data.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
SSEL XT HS and XT Low Input Custom Capture Library	Decomposition products may include the following materials: carbon dioxide carbon monoxide
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
Special protective actions for fire-fighters	
: End Repair-A Tailing Enzyme Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
End Repair-A Tailing Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
T4 DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Ligation Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Adaptor Oligo Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Forward Primer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix (25 mM each dNTP)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
5X Herculase II Reaction	Promptly isolate the scene by removing all persons

Section 5. Fire-fighting measures

Buffer	from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect Binding Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect Wash Buffer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect Wash Buffer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect XT HS and XT Low Input Blocker Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect Fast Hybridization Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect RNase Block	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect Post-Capture Primer Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Custom Capture Library	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters : End Repair-A Tailing Enzyme Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
End Repair-A Tailing Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
T4 DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Ligation Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Adaptor Oligo Mix	Fire-fighters should wear appropriate protective

Section 5. Fire-fighting measures

	equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Forward Primer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM dNTP Mix (25 mM each dNTP)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
5X Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Binding Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Wash Buffer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Wash Buffer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT HS and XT Low Input Blocker Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Fast Hybridization Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect RNase Block	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect Post-Capture Primer Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSEL XT HS and XT Low Input Custom Capture Library	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

End Repair-A Tailing Enzyme Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
End Repair-A Tailing Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
T4 DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Ligation Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Adaptor Oligo Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Forward Primer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
100 mM dNTP Mix (25 mM each dNTP)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
5X Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

Section 6. Accidental release measures

	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Binding Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Wash Buffer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Wash Buffer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect XT HS and XT Low Input Blocker Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect Fast Hybridization Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect RNase Block	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
SureSelect Post-Capture Primer Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
SSEL XT HS and XT Low Input Custom Capture Library	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders : End Repair-A Tailing Enzyme Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
End Repair-A Tailing Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
T4 DNA Ligase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Ligation Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Adaptor Oligo Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Forward Primer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM dNTP Mix (25 mM each dNTP)	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
5X Herculase II Reaction Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Binding Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Wash Buffer 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT HS and XT Low Input Blocker Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Fast Hybridization Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on

Section 6. Accidental release measures

SureSelect RNase Block	suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect Post-Capture Primer Mix	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SureSelect XT Low Input Index Bulk Set 2 A01-H12	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSEL XT HS and XT Low Input Custom Capture Library	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions : End Repair-A Tailing Enzyme Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
End Repair-A Tailing Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
T4 DNA Ligase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Adaptor Oligo Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Forward Primer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM dNTP Mix (25 mM each dNTP)	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Fusion DNA Polymerase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 6. Accidental release measures

	Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
5X Herculase II Reaction Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Binding Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Wash Buffer 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT HS and XT Low Input Blocker Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Fast Hybridization Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect RNase Block	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect Post-Capture Primer Mix	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSEL XT HS and XT Low Input Custom Capture Library	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

[Methods and materials for containment and cleaning up](#)

Section 6. Accidental release measures

Methods for cleaning up	: End Repair-A Tailing Enzyme Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	End Repair-A Tailing Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	T4 DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Ligation Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Adaptor Oligo Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Forward Primer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	100 mM dNTP Mix (25 mM each dNTP)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	5X Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SureSelect Binding Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

SureSelect Wash Buffer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Wash Buffer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT HS and XT Low Input Blocker Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Fast Hybridization Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect RNase Block	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect Post-Capture Primer Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSEL XT HS and XT Low Input Custom Capture Library	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	: End Repair-A Tailing Enzyme Mix	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	End Repair-A Tailing Buffer	Put on appropriate personal protective equipment (see Section 8).
	T4 DNA Ligase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Ligation Buffer	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Adaptor Oligo Mix	Put on appropriate personal protective equipment (see Section 8).
	Forward Primer	Put on appropriate personal protective equipment (see Section 8).
	100 mM dNTP Mix (25 mM each dNTP)	Put on appropriate personal protective equipment (see Section 8).
	Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	5X Herculase II Reaction Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Binding Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 1	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Wash Buffer 2	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT HS and XT Low Input Blocker Mix	Put on appropriate personal protective equipment (see Section 8).
	SureSelect Fast Hybridization Buffer	Put on appropriate personal protective equipment (see Section 8).
	SureSelect RNase Block	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers

Section 7. Handling and storage

Advice on general occupational hygiene

		retain product residue and can be hazardous. Do not reuse container.
	SureSelect Post-Capture Primer Mix	Put on appropriate personal protective equipment (see Section 8).
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Put on appropriate personal protective equipment (see Section 8).
	SSEL XT HS and XT Low Input Custom Capture Library	Put on appropriate personal protective equipment (see Section 8).
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Put on appropriate personal protective equipment (see Section 8).
	: End Repair-A Tailing Enzyme Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	End Repair-A Tailing Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	T4 DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Ligation Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Adaptor Oligo Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Forward Primer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	100 mM dNTP Mix (25 mM each dNTP)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
5X Herculase II Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Binding Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Wash Buffer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect XT HS and XT Low Input Blocker Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Fast Hybridization Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect RNase Block	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SureSelect Post-Capture Primer Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

Section 7. Handling and storage

	<p>SureSelect XT Low Input Index Bulk Set 2 A01-H12</p> <p>SSEL XT HS and XT Low Input Custom Capture Library</p> <p>SSel XT HS and XT Low Input Human All Exon V7 Plus 1</p>	<p>contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>
<p>Conditions for safe storage, including any incompatibilities</p>	<p>: End Repair-A Tailing Enzyme Mix</p> <p>End Repair-A Tailing Buffer</p> <p>T4 DNA Ligase</p> <p>Ligation Buffer</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a</p>

Section 7. Handling and storage

Adaptor Oligo Mix	dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Forward Primer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
100 mM dNTP Mix (25 mM each dNTP)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Herculase II Fusion DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
5X Herculase II Reaction Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to

Section 7. Handling and storage

SureSelect Binding Buffer	prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Wash Buffer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Wash Buffer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT HS and XT Low Input Blocker Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect Fast Hybridization Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect RNase Block	Store in accordance with local regulations. Store in

Section 7. Handling and storage

SureSelect Post-Capture Primer Mix	original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SSEL XT HS and XT Low Input Custom Capture Library	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Storage temperature: -80°C (-112°F). Store in accordance with local regulations. Shelf life: 48 months. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Ingredient name	Exposure limits
End Repair-A Tailing Enzyme Mix Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist
T4 DNA Ligase Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist
Ligation Buffer Polyethylene glycol Glycerol	OARS WEEL (United States, 1/2021). TWA: 10 mg/m ³ 8 hours. CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada, 7/2013). STEL: 20 mg/m ³ 15 minutes. Form: mist TWA: 10 mg/m ³ 8 hours. Form: mist CA British Columbia Provincial (Canada, 1/2021). TWA: 3 mg/m ³ 8 hours. Form: respirable mist TWA: 10 mg/m ³ 8 hours. Form: total mist
Herculase II Fusion DNA Polymerase Glycerol	CA Alberta Provincial (Canada, 6/2018). 8 hrs OEL: 10 mg/m ³ 8 hours. Form: Mist CA Quebec Provincial (Canada, 7/2019). TWAEV: 10 mg/m ³ 8 hours. Form: mist CA Saskatchewan Provincial (Canada,

Section 8. Exposure controls/personal protection

SureSelect RNase Block
Glycerol

7/2013).
STEL: 20 mg/m³ 15 minutes. Form: mist
TWA: 10 mg/m³ 8 hours. Form: mist
CA British Columbia Provincial (Canada, 1/2021).
TWA: 3 mg/m³ 8 hours. Form: respirable mist
TWA: 10 mg/m³ 8 hours. Form: total mist

CA Alberta Provincial (Canada, 6/2018).
8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist
CA Quebec Provincial (Canada, 7/2019).
TWAEV: 10 mg/m³ 8 hours. Form: mist
CA Saskatchewan Provincial (Canada, 7/2013).
STEL: 20 mg/m³ 15 minutes. Form: mist
TWA: 10 mg/m³ 8 hours. Form: mist
CA British Columbia Provincial (Canada, 1/2021).
TWA: 3 mg/m³ 8 hours. Form: respirable mist
TWA: 10 mg/m³ 8 hours. Form: total mist

SSEL XT HS and XT Low Input Custom Capture Library
Glycerol

CA Alberta Provincial (Canada, 6/2018).
8 hrs OEL: 10 mg/m³ 8 hours. Form: Mist
CA Quebec Provincial (Canada, 7/2019).
TWAEV: 10 mg/m³ 8 hours. Form: mist
CA Saskatchewan Provincial (Canada, 7/2013).
STEL: 20 mg/m³ 15 minutes. Form: mist
TWA: 10 mg/m³ 8 hours. Form: mist
CA British Columbia Provincial (Canada, 1/2021).
TWA: 3 mg/m³ 8 hours. Form: respirable mist
TWA: 10 mg/m³ 8 hours. Form: total mist

Appropriate engineering controls

: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Section 8. Exposure controls/personal protection

- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties and safety characteristics

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance

Physical state	: End Repair-A Tailing Enzyme Mix	Liquid.
	End Repair-A Tailing Buffer	Liquid.
	T4 DNA Ligase	Liquid.
	Ligation Buffer	Liquid.
	Adaptor Oligo Mix	Liquid.
	Forward Primer	Liquid.
	100 mM dNTP Mix (25 mM each dNTP)	Liquid.
	Herculase II Fusion DNA Polymerase	Liquid.
	5X Herculase II Reaction Buffer	Liquid.
	SureSelect Binding Buffer	Liquid.
	SureSelect Wash Buffer 1	Liquid.
	SureSelect Wash Buffer 2	Liquid.
	SureSelect XT HS and XT Low Input Blocker Mix	Liquid.
	SureSelect Fast Hybridization Buffer	Liquid.
	SureSelect RNase Block	Liquid.
	SureSelect Post-Capture Primer Mix	Liquid.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Liquid.
	SSEL XT HS and XT Low Input Custom Capture Library	Liquid.

Section 9. Physical and chemical properties and safety characteristics

	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Liquid.
Color	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.
Odor	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.

Section 9. Physical and chemical properties and safety characteristics

	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.
Odor threshold	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.
pH	: End Repair-A Tailing Enzyme Mix	6.5
	End Repair-A Tailing Buffer	8
	T4 DNA Ligase	7.5
	Ligation Buffer	8
	Adaptor Oligo Mix	7.5
	Forward Primer	7.5
	100 mM dNTP Mix (25 mM each dNTP)	7.5
	Herculase II Fusion DNA Polymerase	8.2
	5X Herculase II Reaction Buffer	9.5 to 10.5
	SureSelect Binding Buffer	7.5
	SureSelect Wash Buffer 1	7.5
	SureSelect Wash Buffer 2	7
	SureSelect XT HS and XT Low Input Blocker Mix	7.5
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	7.6
	SureSelect Post-Capture Primer Mix	7.5

Section 9. Physical and chemical properties and safety characteristics

	SureSelect XT Low Input Index Bulk Set 2 A01-H12	7.5
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.
Melting point/freezing point	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	0°C (32°F)
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	0°C (32°F)
	Forward Primer	0°C (32°F)
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	0°C (32°F)
	SureSelect Wash Buffer 2	0°C (32°F)
	SureSelect XT HS and XT Low Input Blocker Mix	0°C (32°F)
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	0°C (32°F)
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	0°C (32°F)
	SSEL XT HS and XT Low Input Custom Capture Library	0°C (32°F)
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	0°C (32°F)
Boiling point, initial boiling point, and boiling range	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	100°C (212°F)
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	100°C (212°F)
	Forward Primer	100°C (212°F)
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	100°C (212°F)
	SureSelect Wash Buffer 2	100°C (212°F)
	SureSelect XT HS and XT Low Input Blocker Mix	100°C (212°F)
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.

Section 9. Physical and chemical properties and safety characteristics

SureSelect Post-Capture Primer Mix 100°C (212°F)
 SureSelect XT Low Input Index Bulk Set 2 A01-H12 100°C (212°F)
 SSEL XT HS and XT Low Input Custom Capture Library 100°C (212°F)
 SSeL XT HS and XT Low Input Human All Exon V7 Plus 1 100°C (212°F)

Flash point

Ingredient name	Closed cup			Open cup		
	°C	°F	Method	°C	°F	Method
End Repair-A Tailing Enzyme Mix						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Glycerol			Pensky-Martens	177	350.6	
End Repair-A Tailing Buffer						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
T4 DNA Ligase						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Glycerol			Pensky-Martens	177	350.6	
Ligation Buffer						
(R*,R*) -1,4-Dimercaptobutane-2,3-diol	>110	>230				
Polyethylene glycol	171 to 235	339.8 to 455		199 to 238	390.2 to 460.4	
Adaptor Oligo Mix						
Edetic acid	>100	>212	DIN 51758			
Forward Primer						
Edetic acid	>100	>212	DIN 51758			
100 mM dNTP Mix (25 mM each dNTP)						
Edetic acid	>100	>212	DIN 51758			
Herculase II Fusion DNA Polymerase						
Edetic acid	>100	>212	DIN 51758			

Section 9. Physical and chemical properties and safety characteristics

(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230			
SureSelect Binding Buffer					
Edetic acid	>100	>212	DIN 51758		
SureSelect Wash Buffer 1					
Citric acid, trisodium salt, dihydrate	>100	>212			
SureSelect Wash Buffer 2					
Citric acid, trisodium salt, dihydrate	>100	>212			
SureSelect XT HS and XT Low Input Blocker Mix					
Edetic acid	>100	>212	DIN 51758		
SureSelect RNase Block					
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230			
Glycerol			Pensky- Martens	177	350.6
SureSelect Post-Capture Primer Mix					
Edetic acid	>100	>212	DIN 51758		
SureSelect XT Low Input Index Bulk Set 2 A01-H12					
Edetic acid	>100	>212	DIN 51758		
SSEL XT HS and XT Low Input Custom Capture Library					
Edetic acid	>100	>212	DIN 51758		
(R*,R*) -1,4-Dimercaptobutane- 2,3-diol	>110	>230			
SSel XT HS and XT Low Input Human All Exon V7 Plus 1					
Edetic acid	>100	>212	DIN 51758		
(R*,R*) -1,4-Dimercaptobutane-	>110	>230			

Section 9. Physical and chemical properties and safety characteristics

	2,3-diol					
Evaporation rate	:	End Repair-A Tailing Enzyme Mix	Not available.			
		End Repair-A Tailing Buffer	Not available.			
		T4 DNA Ligase	Not available.			
		Ligation Buffer	Not available.			
		Adaptor Oligo Mix	Not available.			
		Forward Primer	Not available.			
		100 mM dNTP Mix (25 mM each dNTP)	Not available.			
		Herculase II Fusion DNA Polymerase	Not available.			
		5X Herculase II Reaction Buffer	Not available.			
		SureSelect Binding Buffer	Not available.			
		SureSelect Wash Buffer 1	Not available.			
		SureSelect Wash Buffer 2	Not available.			
		SureSelect XT HS and XT Low Input Blocker Mix	Not available.			
		SureSelect Fast Hybridization Buffer	Not available.			
		SureSelect RNase Block	Not available.			
		SureSelect Post-Capture Primer Mix	Not available.			
		SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.			
		SSEL XT HS and XT Low Input Custom Capture Library	Not available.			
		SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.			
Flammability	:	End Repair-A Tailing Enzyme Mix	Not applicable.			
		End Repair-A Tailing Buffer	Not applicable.			
		T4 DNA Ligase	Not applicable.			
		Ligation Buffer	Not applicable.			
		Adaptor Oligo Mix	Not applicable.			
		Forward Primer	Not applicable.			
		100 mM dNTP Mix (25 mM each dNTP)	Not applicable.			
		Herculase II Fusion DNA Polymerase	Not applicable.			
		5X Herculase II Reaction Buffer	Not applicable.			
		SureSelect Binding Buffer	Not applicable.			
		SureSelect Wash Buffer 1	Not applicable.			
		SureSelect Wash Buffer 2	Not applicable.			
		SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.			
		SureSelect Fast Hybridization Buffer	Not applicable.			
		SureSelect RNase Block	Not applicable.			
		SureSelect Post-Capture Primer Mix	Not applicable.			
		SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.			
		SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.			

Section 9. Physical and chemical properties and safety characteristics

	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.
Lower and upper explosion limit/flammability limit	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

Vapor pressure

Ingredient name	Vapor Pressure at 20°C			Vapor pressure at 50°C		
	mm Hg	kPa	Method	mm Hg	kPa	Method
End Repair-A Tailing Enzyme Mix						
Water	23.8	3.2		92.258	12.3	
Adenosine 5'-(tetrahydrogen triphosphate), disodium salt	<0.00075006	<0.0001		<0.00075006	<0.0001	
End Repair-A Tailing Buffer						
Water	23.8	3.2		92.258	12.3	
Adenosine 5'-(tetrahydrogen triphosphate), disodium salt	<0.00075006	<0.0001		<0.00075006	<0.0001	
T4 DNA Ligase						
Water	23.8	3.2		92.258	12.3	
Glycerol	0.000075	0.00001		0.0025	0.00033	

Section 9. Physical and chemical properties and safety characteristics

Ligation Buffer					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
Adaptor Oligo Mix					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
Forward Primer					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
100 mM dNTP Mix (25 mM each dNTP)					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
Herculase II Fusion DNA Polymerase					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
5X Herculase II Reaction Buffer					
Water	23.8	3.2		92.258	12.3
Sulfuric acid, magnesium salt, hydrate (1:1:7)	<0.1	<0.013			
SureSelect Binding Buffer					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
SureSelect Wash Buffer 1					
Water	23.8	3.2		92.258	12.3
Sodium dodecyl sulphate	≤0.0013501	≤0.00018			
SureSelect Wash Buffer 2					

Section 9. Physical and chemical properties and safety characteristics

Water	23.8	3.2		92.258	12.3
Sodium dodecyl sulphate	≤0.0013501	≤0.00018			
SureSelect XT HS and XT Low Input Blocker Mix					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
SureSelect Fast Hybridization Buffer					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
SureSelect RNase Block					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
SureSelect Post-Capture Primer Mix					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
SureSelect XT Low Input Index Bulk Set 2 A01-H12					
Water	23.8	3.2		92.258	12.3
2-Amino-2-(hydroxymethyl)propane-1,3-diol hydrochloride	0.000027	0.0000036		0.000007501	0.000001
SSEL XT HS and XT Low Input Custom Capture Library					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1					
Water	23.8	3.2		92.258	12.3
Glycerol	0.000075	0.00001		0.0025	0.00033

Section 9. Physical and chemical properties and safety characteristics

Relative vapor density	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

Relative density	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low	Not available.

Section 9. Physical and chemical properties and safety characteristics

	Input Human All Exon V7 Plus 1	
Solubility	: End Repair-A Tailing Enzyme Mix	Easily soluble in the following materials: cold water and hot water.
	End Repair-A Tailing Buffer	Easily soluble in the following materials: cold water and hot water.
	T4 DNA Ligase	Easily soluble in the following materials: cold water and hot water.
	Ligation Buffer	Easily soluble in the following materials: cold water and hot water.
	Adaptor Oligo Mix	Easily soluble in the following materials: cold water and hot water.
	Forward Primer	Easily soluble in the following materials: cold water and hot water.
	100 mM dNTP Mix (25 mM each dNTP)	Easily soluble in the following materials: cold water and hot water.
	Herculase II Fusion DNA Polymerase	Easily soluble in the following materials: cold water and hot water.
	5X Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect Binding Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect Wash Buffer 1	Easily soluble in the following materials: cold water and hot water.
	SureSelect Wash Buffer 2	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT HS and XT Low Input Blocker Mix	Easily soluble in the following materials: cold water and hot water.
	SureSelect Fast Hybridization Buffer	Easily soluble in the following materials: cold water and hot water.
	SureSelect RNase Block	Easily soluble in the following materials: cold water and hot water.
	SureSelect Post-Capture Primer Mix	Easily soluble in the following materials: cold water and hot water.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Easily soluble in the following materials: cold water and hot water.
	SSEL XT HS and XT Low Input Custom Capture Library	Easily soluble in the following materials: cold water and hot water.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: End Repair-A Tailing Enzyme Mix	Not applicable.
	End Repair-A Tailing Buffer	Not applicable.
	T4 DNA Ligase	Not applicable.
	Ligation Buffer	Not applicable.
	Adaptor Oligo Mix	Not applicable.
	Forward Primer	Not applicable.
	100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	5X Herculase II Reaction Buffer	Not applicable.
	SureSelect Binding Buffer	Not applicable.
	SureSelect Wash Buffer 1	Not applicable.
	SureSelect Wash Buffer 2	Not applicable.
	SureSelect XT HS and XT	Not applicable.

Section 9. Physical and chemical properties and safety characteristics

Low Input Blocker Mix	
SureSelect Fast	Not applicable.
Hybridization Buffer	
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture	Not applicable.
Primer Mix	
SureSelect XT Low Input	Not applicable.
Index Bulk Set 2 A01-H12	
SSEL XT HS and XT Low	Not applicable.
Input Custom Capture Library	
SSel XT HS and XT Low	Not applicable.
Input Human All Exon V7 Plus 1	

Auto-ignition temperature

Ingredient name	°C	°F	Method
End Repair-A Tailing Enzyme Mix			
Glycerol	370	698	
T4 DNA Ligase			
Glycerol	370	698	
Ligation Buffer			
Polyethylene glycol	360	680	
Glycerol	370	698	
Adaptor Oligo Mix			
Edetic acid	>400	>752	VDI 2263
Forward Primer			
Edetic acid	>400	>752	VDI 2263
100 mM dNTP Mix (25 mM each dNTP)			
Edetic acid	>400	>752	VDI 2263
Herculase II Fusion DNA Polymerase			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263
SureSelect Binding Buffer			
Edetic acid	>400	>752	VDI 2263
SureSelect Wash Buffer 1			
Sodium dodecyl sulphate	310.5	590.9	VDI 2263
SureSelect Wash Buffer 2			
Sodium dodecyl sulphate	310.5	590.9	VDI 2263
SureSelect XT HS and XT Low			

Section 9. Physical and chemical properties and safety characteristics

Input Blocker Mix			
Edetic acid	>400	>752	VDI 2263
SureSelect RNase Block			
Glycerol	370	698	
4-(2-Hydroxyethyl)piperazin-1-ylethanesulphonic acid	>400	>752	EU A.16
SureSelect Post-Capture Primer Mix			
Edetic acid	>400	>752	VDI 2263
SureSelect XT Low Input Index Bulk Set 2 A01-H12			
Edetic acid	>400	>752	VDI 2263
SSEL XT HS and XT Low Input Custom Capture Library			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263
SSEL XT HS and XT Low Input Human All Exon V7 Plus 1			
Glycerol	370	698	
Edetic acid	>400	>752	VDI 2263

Decomposition temperature	End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7	Not available.

Section 9. Physical and chemical properties and safety characteristics

	Plus 1	
Viscosity	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Not available.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Not available.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

Particle characteristics

Median particle size

: End Repair-A Tailing Enzyme Mix	Not applicable.
End Repair-A Tailing Buffer	Not applicable.
T4 DNA Ligase	Not applicable.
Ligation Buffer	Not applicable.
Adaptor Oligo Mix	Not applicable.
Forward Primer	Not applicable.
100 mM dNTP Mix (25 mM each dNTP)	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
5X Herculase II Reaction Buffer	Not applicable.
SureSelect Binding Buffer	Not applicable.
SureSelect Wash Buffer 1	Not applicable.
SureSelect Wash Buffer 2	Not applicable.
SureSelect XT HS and XT Low Input Blocker Mix	Not applicable.
SureSelect Fast Hybridization Buffer	Not applicable.
SureSelect RNase Block	Not applicable.
SureSelect Post-Capture Primer Mix	Not applicable.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not applicable.

Section 9. Physical and chemical properties and safety characteristics

SSEL XT HS and XT Low Input Custom Capture Library	Not applicable.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Not applicable.

Section 10. Stability and reactivity

Reactivity	:	End Repair-A Tailing Enzyme Mix	No specific test data related to reactivity available for this product or its ingredients.
		End Repair-A Tailing Buffer	No specific test data related to reactivity available for this product or its ingredients.
		T4 DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
		Ligation Buffer	No specific test data related to reactivity available for this product or its ingredients.
		Adaptor Oligo Mix	No specific test data related to reactivity available for this product or its ingredients.
		Forward Primer	No specific test data related to reactivity available for this product or its ingredients.
		100 mM dNTP Mix (25 mM each dNTP)	No specific test data related to reactivity available for this product or its ingredients.
		Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
		5X Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect Binding Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect Wash Buffer 1	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect Wash Buffer 2	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect XT HS and XT Low Input Blocker Mix	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect Fast Hybridization Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect RNase Block	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect Post-Capture Primer Mix	No specific test data related to reactivity available for this product or its ingredients.
		SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific test data related to reactivity available for this product or its ingredients.
		SSEL XT HS and XT Low Input Custom Capture Library	No specific test data related to reactivity available for this product or its ingredients.
		SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific test data related to reactivity available for this product or its ingredients.

Chemical stability	:	End Repair-A Tailing Enzyme Mix	The product is stable.
		End Repair-A Tailing Buffer	The product is stable.
		T4 DNA Ligase	The product is stable.
		Ligation Buffer	The product is stable.
		Adaptor Oligo Mix	The product is stable.
		Forward Primer	The product is stable.
		100 mM dNTP Mix (25 mM each dNTP)	The product is stable.
		Herculase II Fusion DNA Polymerase	The product is stable.

Section 10. Stability and reactivity

5X Herculase II Reaction Buffer	The product is stable.
SureSelect Binding Buffer	The product is stable.
SureSelect Wash Buffer 1	The product is stable.
SureSelect Wash Buffer 2	The product is stable.
SureSelect XT HS and XT Low Input Blocker Mix	The product is stable.
SureSelect Fast Hybridization Buffer	The product is stable.
SureSelect RNase Block	The product is stable.
SureSelect Post-Capture Primer Mix	The product is stable.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	The product is stable.
SSEL XT HS and XT Low Input Custom Capture Library	The product is stable.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	The product may not be stable under certain conditions of storage or use. See "Possibility of Hazardous Reactions" for further information.
Possibility of hazardous reactions	
: End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
End Repair-A Tailing Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
T4 DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
Ligation Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
Forward Primer	Under normal conditions of storage and use, hazardous reactions will not occur.
100 mM dNTP Mix (25 mM each dNTP)	Under normal conditions of storage and use, hazardous reactions will not occur.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect XT HS and XT Low Input Blocker Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Fast Hybridization Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect RNase Block	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect Post-Capture Primer Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
SureSelect XT Low Input Index Bulk Set 2 A01-H12	Under normal conditions of storage and use, hazardous reactions will not occur.
SSEL XT HS and XT Low Input Custom Capture Library	Under normal conditions of storage and use, hazardous reactions will not occur.
SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

Conditions to avoid	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
	Incompatible materials	: End Repair-A Tailing Enzyme Mix
End Repair-A Tailing Buffer		May react or be incompatible with oxidizing materials.
T4 DNA Ligase		May react or be incompatible with oxidizing materials.
Ligation Buffer		May react or be incompatible with oxidizing materials.
Adaptor Oligo Mix		May react or be incompatible with oxidizing materials.
Forward Primer		May react or be incompatible with oxidizing materials.
100 mM dNTP Mix (25 mM each dNTP)		May react or be incompatible with oxidizing materials.
Herculase II Fusion DNA Polymerase		May react or be incompatible with oxidizing materials.
5X Herculase II Reaction Buffer		May react or be incompatible with oxidizing materials.
SureSelect Binding Buffer		May react or be incompatible with oxidizing materials.
SureSelect Wash Buffer 1		May react or be incompatible with oxidizing materials.
SureSelect Wash Buffer 2		May react or be incompatible with oxidizing materials.
SureSelect XT HS and XT Low Input Blocker Mix		May react or be incompatible with oxidizing materials.
SureSelect Fast Hybridization Buffer		May react or be incompatible with oxidizing materials.
SureSelect RNase Block		May react or be incompatible with oxidizing materials.
SureSelect Post-Capture Primer Mix		May react or be incompatible with oxidizing materials.
SureSelect XT Low Input Index Bulk Set 2 A01-H12		May react or be incompatible with oxidizing materials.
SSEL XT HS and XT Low Input Custom Capture Library		May react or be incompatible with oxidizing materials.
SSEL XT HS and XT Low Input Human All Exon V7		May react or be incompatible with oxidizing materials.

Section 10. Stability and reactivity

Plus 1

Hazardous decomposition products	: End Repair-A Tailing Enzyme Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	End Repair-A Tailing Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	T4 DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Ligation Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Adaptor Oligo Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Forward Primer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM dNTP Mix (25 mM each dNTP)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	5X Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Binding Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Wash Buffer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Wash Buffer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect XT HS and XT Low Input Blocker Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Fast Hybridization Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect RNase Block	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect Post-Capture Primer Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SSEL XT HS and XT Low Input Custom Capture Library	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

[Information on toxicological effects](#)

[Acute toxicity](#)

Product/ingredient name	Result	Species	Dose	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	LD50 Oral	Rat	12600 mg/kg	-
End Repair-A Tailing Buffer Potassium chloride	LD50 Oral	Rat	2600 mg/kg	-
T4 DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Ligation Buffer Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Herculase II Fusion DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
5X Herculase II Reaction Buffer Trometamol Ammonium sulphate Hexadecan-1-ol, ethoxylated	LD50 Dermal LD50 Oral LD50 Oral	Rat Rat Rat	>5000 mg/kg 2840 mg/kg 2500 mg/kg	- - -
SureSelect Binding Buffer Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	LD50 Oral	Rat	1288 mg/kg	-
SureSelect RNase Block Glycerol	LD50 Oral	Rat	12600 mg/kg	-
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	LD50 Oral	Rat	12600 mg/kg	-

[Irritation/Corrosion](#)

Product/ingredient name	Result	Species	Score	Exposure	Observation
End Repair-A Tailing Enzyme Mix Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-
End Repair-A Tailing Buffer Potassium chloride	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-

Section 11. Toxicological information

T4 DNA Ligase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
Ligation Buffer Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Eyes - Mild irritant Skin - Mild irritant	Rabbit Rabbit	- -	500 mg 24 hours 500 mg	- -	
Glycerol	Skin - Mild irritant Eyes - Mild irritant	Rabbit Rabbit	- -	500 mg 24 hours 500 mg	- -	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
Herculase II Fusion DNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 500 mg	-	
5X Herculase II Reaction Buffer Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 % 500 mg	- -	
	SureSelect Binding Buffer Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 mg	-
Eyes - Moderate irritant Skin - Mild irritant		Rabbit Rabbit	- -	10 mg 24 hours 500 mg	- -	
SureSelect Wash Buffer 1 Sodium dodecyl sulphate		Eyes - Mild irritant Eyes - Moderate irritant	Rabbit Rabbit	- -	250 ug 24 hours 100 mg	- -
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Guinea pig	- -	10 mg 24 hours 25 mg	- -	
	Skin - Moderate irritant	Mouse	-	24 hours 25 mg	-	
	Skin - Mild irritant	Rabbit	-	24 hours 50 mg	-	
	Skin - Moderate irritant	Rabbit	-	24 hours 25 mg	-	
	SureSelect Wash Buffer 2 Sodium dodecyl sulphate	Eyes - Mild irritant Eyes - Moderate irritant	Rabbit Rabbit	- -	250 ug 24 hours 100 mg	- -
		Eyes - Moderate irritant Skin - Mild irritant	Rabbit Guinea pig	- -	10 mg 24 hours 25 mg	- -
Skin - Moderate irritant		Mouse	-	24 hours 25 mg	-	

Section 11. Toxicological information

SureSelect RNase Block Glycerol	Skin - Mild irritant	Rabbit	-	mg 24 hours 50	-
	Skin - Moderate irritant	Rabbit	-	mg 24 hours 25	-
	Eyes - Mild irritant	Rabbit	-	mg 24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500	-
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	Eyes - Mild irritant	Rabbit	-	mg 24 hours 500	-
	Skin - Mild irritant	Rabbit	-	mg 24 hours 500	-

Sensitization

Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
5X Herculase II Reaction Buffer Trometamol	Category 3	-	Respiratory tract irritation
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	Category 3	-	Respiratory tract irritation
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	Category 3	-	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on the likely routes of exposure	: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 2 A01-H12 SSEL XT HS and XT Low Input Custom Capture Library SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Not available. Routes of entry anticipated: Oral, Dermal, Inhalation. Routes of entry anticipated: Oral, Dermal, Inhalation. Not available. Not available. Not available.
---	---	--

Potential acute health effects

Eye contact

: End Repair-A Tailing Enzyme Mix End Repair-A Tailing Buffer T4 DNA Ligase Ligation Buffer Adaptor Oligo Mix Forward Primer 100 mM dNTP Mix (25 mM each dNTP) Herculase II Fusion DNA Polymerase 5X Herculase II Reaction Buffer SureSelect Binding Buffer SureSelect Wash Buffer 1 SureSelect Wash Buffer 2 SureSelect XT HS and XT Low Input Blocker Mix SureSelect Fast Hybridization Buffer SureSelect RNase Block SureSelect Post-Capture Primer Mix SureSelect XT Low Input Index Bulk Set 2 A01-H12 SSEL XT HS and XT Low Input Custom Capture Library SSEL XT HS and XT Low	Causes eye irritation. No known significant effects or critical hazards. Causes eye irritation. Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
--	--

Section 11. Toxicological information

Inhalation	:	Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
	:	End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	:	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	:	T4 DNA Ligase	No known significant effects or critical hazards.
	:	Ligation Buffer	No known significant effects or critical hazards.
	:	Adaptor Oligo Mix	No known significant effects or critical hazards.
	:	Forward Primer	No known significant effects or critical hazards.
	:	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	:	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	:	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	:	SureSelect Binding Buffer	No known significant effects or critical hazards.
	:	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	:	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	:	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	:	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	:	SureSelect RNase Block	No known significant effects or critical hazards.
	:	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	:	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	:	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	Skin contact	:	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1
:		End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
:		End Repair-A Tailing Buffer	No known significant effects or critical hazards.
:		T4 DNA Ligase	No known significant effects or critical hazards.
:		Ligation Buffer	No known significant effects or critical hazards.
:		Adaptor Oligo Mix	No known significant effects or critical hazards.
:		Forward Primer	No known significant effects or critical hazards.
:		100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
:		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
:		5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
:		SureSelect Binding Buffer	No known significant effects or critical hazards.
:		SureSelect Wash Buffer 1	No known significant effects or critical hazards.
:		SureSelect Wash Buffer 2	No known significant effects or critical hazards.
:		SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
:		SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
:		SureSelect RNase Block	No known significant effects or critical hazards.
:		SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
:		SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
:		SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
:		SSEL XT HS and XT Low	No known significant effects or critical hazards.

Section 11. Toxicological information

	Input Human All Exon V7 Plus 1	
Ingestion	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: End Repair-A Tailing Enzyme Mix	Adverse symptoms may include the following: irritation watering redness
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	Adverse symptoms may include the following: irritation watering redness
	Ligation Buffer	Adverse symptoms may include the following: irritation watering redness
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	Adverse symptoms may include the following: irritation watering redness
	5X Herculase II Reaction Buffer	No specific data.

Section 11. Toxicological information

	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	Adverse symptoms may include the following: irritation watering redness
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
Inhalation	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
Skin contact	: End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.

Section 11. Toxicological information

	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.
Ingestion	End Repair-A Tailing Enzyme Mix	No specific data.
	End Repair-A Tailing Buffer	No specific data.
	T4 DNA Ligase	No specific data.
	Ligation Buffer	No specific data.
	Adaptor Oligo Mix	No specific data.
	Forward Primer	No specific data.
	100 mM dNTP Mix (25 mM each dNTP)	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	5X Herculase II Reaction Buffer	No specific data.
	SureSelect Binding Buffer	No specific data.
	SureSelect Wash Buffer 1	No specific data.
	SureSelect Wash Buffer 2	No specific data.
	SureSelect XT HS and XT Low Input Blocker Mix	No specific data.
	SureSelect Fast Hybridization Buffer	No specific data.
	SureSelect RNase Block	No specific data.
	SureSelect Post-Capture Primer Mix	No specific data.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No specific data.
	SSEL XT HS and XT Low Input Custom Capture Library	No specific data.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
Carcinogenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.

Section 11. Toxicological information

	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
Mutagenicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	No known significant effects or critical hazards.
	SSEL XT HS and XT Low Input Custom Capture Library	No known significant effects or critical hazards.
	SSel XT HS and XT Low Input Human All Exon V7 Plus 1	No known significant effects or critical hazards.
Reproductive toxicity	: End Repair-A Tailing Enzyme Mix	No known significant effects or critical hazards.
	End Repair-A Tailing Buffer	No known significant effects or critical hazards.
	T4 DNA Ligase	No known significant effects or critical hazards.
	Ligation Buffer	No known significant effects or critical hazards.
	Adaptor Oligo Mix	No known significant effects or critical hazards.
	Forward Primer	No known significant effects or critical hazards.
	100 mM dNTP Mix (25 mM each dNTP)	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	5X Herculase II Reaction Buffer	No known significant effects or critical hazards.
	SureSelect Binding Buffer	No known significant effects or critical hazards.
	SureSelect Wash Buffer 1	No known significant effects or critical hazards.
	SureSelect Wash Buffer 2	No known significant effects or critical hazards.
	SureSelect XT HS and XT Low Input Blocker Mix	No known significant effects or critical hazards.
	SureSelect Fast Hybridization Buffer	No known significant effects or critical hazards.
	SureSelect RNase Block	No known significant effects or critical hazards.
	SureSelect Post-Capture Primer Mix	No known significant effects or critical hazards.
	SureSelect XT Low Input	No known significant effects or critical hazards.

Section 11. Toxicological information

Index Bulk Set 2 A01-H12
SSEL XT HS and XT Low Input Custom Capture Library
No known significant effects or critical hazards.

SSEL XT HS and XT Low Input Human All Exon V7 Plus 1
No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
End Repair-A Tailing Enzyme Mix Glycerol	12600	N/A	N/A	N/A	N/A
End Repair-A Tailing Buffer End Repair-A Tailing Buffer	159509.2	N/A	N/A	N/A	N/A
Potassium chloride	2600	N/A	N/A	N/A	N/A
T4 DNA Ligase Glycerol	12600	N/A	N/A	N/A	N/A
Ligation Buffer Polyethylene glycol	28000	N/A	N/A	N/A	N/A
Glycerol	12600	N/A	N/A	N/A	N/A
Herculase II Fusion DNA Polymerase Glycerol	12600	N/A	N/A	N/A	N/A
5X Herculase II Reaction Buffer 5X Herculase II Reaction Buffer	112802.7	N/A	N/A	N/A	N/A
Ammonium sulphate	2840	N/A	N/A	N/A	N/A
Hexadecan-1-ol, ethoxylated	2500	N/A	N/A	N/A	N/A
SureSelect Binding Buffer SureSelect Binding Buffer	51369.9	N/A	N/A	N/A	N/A
Sodium chloride	3000	N/A	N/A	N/A	N/A
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	1288	N/A	N/A	N/A	1.5
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	1288	N/A	N/A	N/A	1.5
SureSelect RNase Block Glycerol	12600	N/A	N/A	N/A	N/A
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	12600	N/A	N/A	N/A	N/A

Section 11. Toxicological information

Other information	: End Repair-A Tailing Enzyme Mix	Not available.
	End Repair-A Tailing Buffer	Adverse symptoms may include the following: May cause skin sensitization.
	T4 DNA Ligase	Not available.
	Ligation Buffer	Not available.
	Adaptor Oligo Mix	Not available.
	Forward Primer	Not available.
	100 mM dNTP Mix (25 mM each dNTP)	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	5X Herculase II Reaction Buffer	Not available.
	SureSelect Binding Buffer	Not available.
	SureSelect Wash Buffer 1	Not available.
	SureSelect Wash Buffer 2	Not available.
	SureSelect XT HS and XT Low Input Blocker Mix	Not available.
	SureSelect Fast Hybridization Buffer	Not available.
	SureSelect RNase Block	Adverse symptoms may include the following: May cause skin sensitization.
	SureSelect Post-Capture Primer Mix	Not available.
	SureSelect XT Low Input Index Bulk Set 2 A01-H12	Not available.
	SSEL XT HS and XT Low Input Custom Capture Library	Not available.
	SSEL XT HS and XT Low Input Human All Exon V7 Plus 1	Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
End Repair-A Tailing Enzyme Mix Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
End Repair-A Tailing Buffer Potassium chloride	Acute EC50 1337000 µg/l Fresh water Acute EC50 9.24 g/L Fresh water	Algae - Navicula seminulum Algae - Desmodesmus subspicatus	96 hours 72 hours
	Acute EC50 83000 µg/l Fresh water Acute LC50 9.68 mg/l Fresh water	Daphnia - Daphnia magna Crustaceans - Pseudosida ramosa - Neonate	48 hours 48 hours
	Acute LC50 509.65 mg/l Fresh water	Fish - Danio rerio	96 hours
T4 DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Ligation Buffer Polyethylene glycol Glycerol	Acute LC50 >1000000 µg/l Fresh water Acute LC50 54000 mg/l Fresh water	Fish - Salmo salar - Parr Fish - Oncorhynchus mykiss	96 hours 96 hours
Herculase II Fusion DNA Polymerase			

Section 12. Ecological information

Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
5X Herculanase II Reaction Buffer			
Trometamol	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
Ammonium sulphate	Acute NOEC 520 mg/l Fresh water Chronic NOEC 7.5 mg/l Marine water	Daphnia Algae - Phaeodactylum tricornutum - Exponential growth phase	48 hours 96 hours
Hexadecan-1-ol, ethoxylated	Acute LC50 330000 to 1000000 µg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
SureSelect Binding Buffer			
Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 519.6 mg/l Fresh water	Algae - Navicula seminulum Crustaceans - Cypris subglobosa	96 hours 48 hours
	Acute EC50 402.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 96 hours 3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
SureSelect Wash Buffer 1			
Sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water Acute LC50 900 µg/l Marine water	Algae - Skeletonema costatum Crustaceans - Artemia salina - Adult	96 hours 48 hours
	Acute LC50 1400 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 590 µg/l Fresh water Chronic NOEC 1.25 mg/l Marine water Chronic NOEC 1 mg/l Fresh water	Fish - Cirrhinus mrigala - Larvae Algae - Ulva fasciata - Zoea Crustaceans - Pseudosida ramosa - Neonate	96 hours 96 hours 21 days
	Chronic NOEC 3.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC >1357 µg/l Fresh water	Fish - Pimephales promelas	42 days
SureSelect Wash Buffer 2			
Sodium dodecyl sulphate	Acute EC50 1200 µg/l Marine water Acute LC50 900 µg/l Marine water	Algae - Skeletonema costatum Crustaceans - Artemia salina - Adult	96 hours 48 hours
	Acute LC50 1400 µg/l Fresh water	Daphnia - Daphnia pulex - Neonate	48 hours
	Acute LC50 590 µg/l Fresh water Chronic NOEC 1.25 mg/l Marine water Chronic NOEC 1 mg/l Fresh water	Fish - Cirrhinus mrigala - Larvae Algae - Ulva fasciata - Zoea Crustaceans - Pseudosida ramosa - Neonate	96 hours 96 hours 21 days
	Chronic NOEC 3.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC >1357 µg/l Fresh water	Fish - Pimephales promelas	42 days
SureSelect RNase Block			
Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
SSEL XT HS and XT Low Input Custom Capture			

Section 12. Ecological information

Library Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
----------------------------	-----------------------------------	----------------------------	----------

Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
End Repair-A Tailing Enzyme Mix Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
T4 DNA Ligase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Ligation Buffer Polyethylene glycol	OECD 301D Ready Biodegradability - Closed Bottle Test	74.85 % - Readily - 28 days	4 mg/l	-
Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
Herculase II Fusion DNA Polymerase Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
5X Herculase II Reaction Buffer Trometamol	OECD 301F Ready Biodegradability - Manometric Respirometry Test	97.1 % - Readily - 28 days	30 mg/l	-
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	95 % - Readily - 28 days	20 mg/l	Activated sludge
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	OECD 301B Ready Biodegradability - CO ₂ Evolution Test	95 % - Readily - 28 days	20 mg/l	Activated sludge

Section 12. Ecological information

SureSelect RNase Block Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
End Repair-A Tailing Buffer Potassium chloride	-	-	Readily
Ligation Buffer Polyethylene glycol	-	-	Readily
5X Herculase II Reaction Buffer Trometamol	-	-	Readily
Ammonium sulphate	-	-	Readily
Hexadecan-1-ol, ethoxylated	-	-	Readily
SureSelect Wash Buffer 1 Sodium dodecyl sulphate	-	-	Readily
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	-	-	Readily

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
End Repair-A Tailing Enzyme Mix Glycerol	-1.76	-	low
End Repair-A Tailing Buffer Potassium chloride	-0.46	-	low
T4 DNA Ligase Glycerol	-1.76	-	low
Ligation Buffer Polyethylene glycol	-	3.2	low
Glycerol	-1.76	-	low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
5X Herculase II Reaction Buffer Trometamol	-2.31	-	low
Ammonium sulphate	-5.1	-	low

Section 12. Ecological information

SureSelect Wash Buffer 1 Sodium dodecyl sulphate	-2.03	-	low
SureSelect Wash Buffer 2 Sodium dodecyl sulphate	-2.03	-	low
SureSelect RNase Block Glycerol	-1.76	-	low
SSEL XT HS and XT Low Input Custom Capture Library Glycerol	-1.76	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

TDG / IMDG / IATA : Not regulated.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to IMO instruments : Not available.

Section 15. Regulatory information

Canadian lists

Canadian NPRI : None of the components are listed.

CEPA Toxic substances : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Section 15. Regulatory information

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (CSCL) : Not determined. Japan inventory (ISHL) : Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Other information

History

Date of issue/Date of revision : 03/31/2022

Date of previous issue : 08/11/2020

Version : 4

Key to abbreviations

: ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 HPR = Hazardous Products Regulations
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 N/A = Not available
 UN = United Nations

Procedure used to derive the classification

Section 16. Other information

Classification	Justification
End Repair-A Tailing Enzyme Mix EYE IRRITATION - Category 2B	Calculation method
T4 DNA Ligase EYE IRRITATION - Category 2B	Calculation method
Ligation Buffer EYE IRRITATION - Category 2B	Calculation method
Herculase II Fusion DNA Polymerase EYE IRRITATION - Category 2B	Calculation method
SureSelect RNase Block EYE IRRITATION - Category 2B	Calculation method

References : Not available.

 Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

Note * : *SureSelect XT Low Input Index Bulk Set 2 A01-H12: 5190-3901, 5190-3902, 5190-3903, 5190-3904, 5190-3905, 5190-3906, 5190-3907, 5190-3908, 5190-3909, 5190-3910, 5190-3911, 5190-3912, 5190-3913, 5190-3914, 5190-3915, 5190-3916, 5190-3917, 5190-3918, 5190-3919, 5190-3920, 5190-3921, 5190-3922, 5190-3923, 5190-3924, 5190-3925, 5190-3926, 5190-3927, 5190-3928, 5190-3929, 5190-3930, 5190-3931, 5190-3932, 5190-3933, 5190-3934, 5190-3935, 5190-3936, 5190-3937, 5190-3938, 5190-3939, 5190-3940, 5190-3941, 5190-3942, 5190-3943, 5190-3944, 5190-3945, 5190-3946, 5190-3947, 5190-3948, 5190-3949, 5190-3950, 5190-3951, 5190-3952, 5190-3953, 5190-3954, 5190-3955, 5190-3956, 5190-3957, 5190-3958, 5190-3959, 5190-3960, 5190-3961, 5190-3962, 5190-3963, 5190-3964, 5190-3965, 5190-3966, 5190-3967, 5190-3968, 5190-3969, 5190-3970, 5190-3971, 5190-3972, 5190-3973, 5190-3974, 5190-3975, 5190-3976, 5190-3977, 5190-3978, 5190-3979, 5190-3980, 5190-3981, 5190-3982, 5190-3983, 5190-3984, 5190-3985, 5190-3986, 5190-3987, 5190-3988, 5190-3989, 5190-3990, 5190-3991, 5190-3992, 5190-3993, 5190-3994, 5190-3995, 5190-3996