



Agilent Technologies

Kit Name: AdvanceBio Gly-X InstantPC Cleanup Module (96-ct)

Kit PN: GX96-102

This product is a multi-level kit, composed of the following modules and individual chemical components:

Kit Components

Kit Component Part Number	Kit Component Name	Kit Component Part Number	Kit Component Name	Qty
GX96-102	AdvanceBio Gly-X InstantPC Cleanup Module (96-ct)	WS0333	InstantPC Eluent (15 ml) 160 mM Ammonium	1 Vials

SDSs for each component follow this cover sheet.

Transportation Information for the Kit:

Proper Shipping Names:

DOT	IATA/ICAO	China
UN3316, Chemical kit, 3, II	UN3316, Chemical kit, 3, II	UN3316, Chemical kit, 3, II

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

1 Identification

- **Product identifier**
- **Trade name:** InstantPC Eluent (15 ml) 160 mM Ammonium
- **Article number:** WS0333
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
- **Email:** pdl-msds_author@agilent.com
- **Phone number:** 1800 802 402
- **Emergency telephone number:** CHEMTREC®: +(61)-290372994

2 Hazard(s) Identification

- **Classification of the substance or mixture**



GHS07

Eye Irritation 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
Causes serious eye irritation.
- **Precautionary statements**
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read carefully and follow all instructions.
Wash thoroughly after handling.
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 2)

AUS

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

(Contd. of page 1)

· **vPvB:** Not applicable.

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**· **Description:** Mixture of substances listed below with nonhazardous additions.· **Dangerous components:**

75-05-8 | acetonitrile

10.0%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **Description of first aid measures**· **General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Generally the product does not irritate the skin.· **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.· **After swallowing:** If symptoms persist consult doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire Fighting Measures

· **Extinguishing media**· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.· **Special hazards arising from the substance or mixture** No further relevant information available.· **Advice for firefighters**· **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective gloves / eye protection / face protection.

· **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

See Section 13 for disposal information.

(Contd. of page 2)

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

Ingredients with limit values that require monitoring at the workplace:
75-05-8 acetonitrile

WES	Short-term value: 101 mg/m ³ , 60 ppm
	Long-term value: 67 mg/m ³ , 40 ppm
	Sk

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
- **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves** Wear suitable gloves.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

AUS

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

(Contd. of page 3)

· Eye protection:



Tightly sealed goggles

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Liquid
Colour:	Clear
Odour:	Characteristic
Odour threshold:	Not determined.

pH-value:	Not determined.
-----------	-----------------

· Change in condition

Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	81 °C

Flash point:	Not applicable.
--------------	-----------------

Flammability (solid, gas):	Not applicable.
----------------------------	-----------------

Ignition temperature:	525 °C
-----------------------	--------

Decomposition temperature:	Not determined.
----------------------------	-----------------

Auto-ignition temperature:	Product is not selfigniting.
----------------------------	------------------------------

Explosive properties:	Product does not present an explosion hazard.
-----------------------	---

· Explosion limits:

Lower:	4.4 Vol %
Upper:	16 Vol %

Vapour pressure at 20 °C:	97 hPa
---------------------------	--------

Density at 20 °C:	0.97482 g/cm³
-------------------	---------------

Relative density	Not determined.
------------------	-----------------

Vapour density	Not determined.
----------------	-----------------

Evaporation rate	Not determined.
------------------	-----------------

· Solubility in / Miscibility with water:

Fully miscible.

Partition coefficient: n-octanol/water:	Not determined.
---	-----------------

· Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

· Solvent content:

Water:	89.0 %
--------	--------

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

(Contd. of page 4)

Solids content: 0.0 %

Other information: No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

LD/LC50 values relevant for classification:

75-05-8 acetonitrile

Oral	LD50	2,730 mg/kg (rat)
Dermal	LD50	1,250 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** May be harmful in contact with skin.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful
Irritant

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.

(Contd. on page 6)

AUS

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

(Contd. of page 5)

- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

14 Transport information

Not Regulated, De minimis Quantities

- | | |
|---|-----------------|
| · UN-Number | |
| · ADG, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · ADG, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · ADG, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · ADG, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Australian Inventory of Industrial Chemicals	
---	--

All ingredients are listed.

· Standard for the Uniform Scheduling of Medicines and Poisons	
---	--

None of the ingredients is listed.

· Australia: Priority Existing Chemicals	
---	--

None of the ingredients is listed.

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

(Contd. on page 7)

Safety Data Sheet according to WHS Regulations

Revision Date: 30.03.2023

Issue Date: 29.03.2023

Trade name: InstantPC Eluent (15 ml) 160 mM Ammonium

(Contd. of page 6)

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard statements**

Causes serious eye irritation.

· **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Wash thoroughly after handling.

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Contact:**

· **Abbreviations and acronyms:**

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

—AUS—