Printing date 03/28/2019

Version Number 2

Reviewed on 03/28/2019

1 Identification				
		onti	100	tion
	1 1 4		IICa	uui

- · Product identifier
- · Trade name: Dinoseb Standard (1X1 mL)
- · Part number: HB-130-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA
- · Information department:
- Telephone: 800-227-9770 e-mail: pdl-msds author@agilent.com · Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard identification · Classification of the substance or mixture GHS02 Flame Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. GHS06 Skull and crossbones Acute Toxicity (Inhalation) - Category 3 H331 Toxic if inhaled. GHS08 Health hazard Specific Target Organ Toxicity - Single Exposure - H370 Causes damage to organs. Category 1 · Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS06 GHS08 · Signal word Danger · Hazard-determining components of labeling: methanol · Hazard statements Highly flammable liquid and vapour. Toxic if inhaled. Causes damage to organs. (Contd. on page 2) $C\Delta$



Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

	(Contd. of page
	ary statements
	dvice is needed, have product container or label at hand.
-	freach of children.
	before use.
	from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	bond container and receiving equipment.
	on-proof [electrical/ventilating/lighting] equipment.
	arking tools.
	s to prevent static discharges.
	the dust/fume/gas/mist/vapours/spray.
	ughly after handling.
	drink or smoke when using this product.
	atdoors or in a well-ventilated area.
	ctive gloves/protective clothing/eye protection/face protection.
	N (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	ED: Remove person to fresh air and keep comfortable for breathing.
	or concerned: Call a poison center/doctor.
	atment (see on this label).
	re: Use for extinction: CO2, powder or water spray.
	rell-ventilated place. Keep container tightly closed.
	rell-ventilated place. Keep cool.
Store lock	
	contents/container in accordance with local/regional/national/international regulations.
	ion system:
NFPA rat	ngs (scale 0 - 4)
	Health = 1
3	Fire = 3
	Reactivity = 0
HMIS-ra	ngs (scale 0 - 4)
HEALTH	Health = $*1$
FIRE	3 Fire = 3
	$\begin{array}{c} \hline 0 \\ \hline \end{array} Reactivity = 0 \end{array}$

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

```
· Dangerous components:
```

67-56-1 methanol

4 First aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

(Contd. on page 3) CA

99.987% w/w



Printing date 03/28/2019

Version Number 2

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

(Contd. of page 2)

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

· Extinguishing media

· Suitable extinguishing agents:

- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- Keep respiratory protective device available.

(Contd. on page 4)



Printing date 03/28/2019

Version Number 2

CA

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

(Contd. of page 3)

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-56-1 methanol

- EL Short-term value: 250 ppm Long-term value: 200 ppm Skin
- EV Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 5)



Printing date 03/28/2019

Version Number 2

Keviewed on 03/28/2


Version Number 2

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

(Contd. of page 4)

· Eye protection:



Information on basic physical and	chemical properties
General Information Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C
Boiling point/Boiling range:	64 °C
Flash point:	9 °C
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C:	100 hPa
Density at 20 °C:	0.80006 g/cm ³
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	100.0.0/
Organic solvents:	100.0 %



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

· Other information

Printing date 03/28/2019

No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Inhalative LC50/4 h 3 mg/L

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 7)

CA



Version Number 2



(Contd. of page 5)

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

(Contd. of page 6)

· Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number		
DOT, TDG, IMDG, IATA	UN1230	
UN proper shipping name		
DOT	Methanol solution	
TDG	1230 METHANOL solution	
IMDG	METHANOL solution	
IATA	METHANOL mixture	
Transport hazard class(es)		
DOT		
Class	3 Flammable liquids	
Label	3, 6.1	
TDG (Transport dangerous goods):		
Class	3 Flammable liquids	



Printing date 03/28/2019

Version Number 2

Safety Data Sheet

according to HPR, Schedule 1 Version Number 2

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL) (Contd. of page 7) 3+6.1· Label ·IMDG · Class 3 Flammable liquids · Label 3/6.1 ·IATA · Class 3 Flammable liquids · Label 3 (6.1) · Packing group · DOT, TDG, IMDG, IATA Π Not applicable. · Environmental hazards: Warning: Flammable liquids · Special precautions for user · Danger code (Kemler): 336 · EMS Number: F-E,S-D · Stowage Category В · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · DOT · Quantity limitations On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L · TDG · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml ·IMDG · Limited quantities (LQ) 1L Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 1230 METHANOL SOLUTION, 3 (6.1), II · UN "Model Regulation":

(Contd. on page 9)



Printing date 03/28/2019

Version Number 2

Reviewed on 03/28/2019

Trade name: Dinoseb Standard (1X1 mL)

(Contd. of page 8)

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

88-85-7 dinoseb

Printing date 03/28/2019

· Section 313 (Specific toxic chemical listings):

All ingredients are listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Department issuing SDS: Document Control / Regulatory

· Contact: regulatory@ultrasci.com

· Date of the latest revision of the safety data sheet 03/28/2019 / 1

Abbreviations and acronyms:
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative



