

Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

### 1 Identification

· Product identifier

· Trade name: Chlorinated Herbicides Standard (1X1 mL)

· Part number: HBM-5155A-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc.

5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

2 GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

tert-butyl methyl ether

2,4-DB

Hazard statements

Highly flammable liquid and vapor.

Harmful in contact with skin.

(Contd. on page 2)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

#### Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 1)

Causes skin irritation.

Suspected of causing cancer.

#### · Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF exposed or concerned: Get medical advice/attention.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 3 Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



Health = 1

 $3 \quad \text{Fire} = 3$ 

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerou	components:	
1634-04-4	tert-butyl methyl ether	99.46%
94-82-6	2,4-DB	0.108%

---- 2)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 2)

### 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- **Information for doctor:**
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	Action Criteria for Chemicais	
	tert-butyl methyl ether	50 ppm
94-75-7	2,4-D (ISO)	30 mg/m <sup>3</sup>
88-85-7	dinoseb	0.41 mg/m
87-86-5	pentachlorophenol	1 mg/m³
133-90-4	chloramben	11 mg/m <sup>3</sup>
100-02-7	4-nitrophenol	0.69 mg/m
		(Contd. on page



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

02.72.1	-:1 (2.4.5 TD)	(Contd. of pag
	silvex (2,4,5-TP)	0.82 mg/n
93-76-5	2,4,5-T (ISO)	$30 \text{ mg/m}^3$
PAC-2:		
1634-04-4	tert-butyl methyl ether	570 ppm
94-75-7	2,4-D (ISO)	94 mg/m <sup>2</sup>
88-85-7	dinoseb	4.5 mg/m
87-86-5	pentachlorophenol	15 mg/m <sup>2</sup>
133-90-4	chloramben	120 mg/r
100-02-7	4-nitrophenol	7.6 mg/m
93-72-1	silvex (2,4,5-TP)	9 mg/m <sup>3</sup>
93-76-5	2,4,5-T (ISO)	42 mg/m
PAC-3:		
1634-04-4	tert-butyl methyl ether	5300* pp
94-75-7	2,4-D (ISO)	500 mg/n
88-85-7	dinoseb	5.4 mg/m
87-86-5	pentachlorophenol	150 mg/n
133-90-4	chloramben	690 mg/n
100-02-7	4-nitrophenol	46 mg/m <sup>3</sup>
93-72-1	silvex (2,4,5-TP)	130 mg/n
93-76-5	2,4,5-T (ISO)	250 mg/n

# 7 Handling and storage

- · Handling:
- Precautions for safe handling Open and handle receptacle with care.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 4)

#### · Control parameters

### · Components with limit values that require monitoring at the workplace:

#### 1634-04-4 tert-butyl methyl ether

TLV Long-term value: 180 mg/m³, 50 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

#### Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

#### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Characteristic
Odor threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 6)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

	(Contd. of page
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 55 °C (131 °F)
· Flash point:	0 °C (32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	374 °C (705.2 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower: Upper:	1.6 Vol % 8.4 Vol %
· Vapor pressure at 20 °C (68 °F):	279 hPa (209.3 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.74 g/cm³ (6.1753 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water at 25 °C (77 °F):	51 g/l
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
· Solvent content: Organic solvents: VOC content:	99.5 % 99.46 % 994.6 g/l / 8.30 lb/gal
Solids content: Other information	0.3 % No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

TIC



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 6)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
ATE (Acute Toxicity Estimate)			
Oral	LD50	4,022 mg/kg (rat)	
Dermal	LD50	1,004 mg/kg	
1634-04-4 tert-butyl methyl ether			
Oral	LD50	4,000 mg/kg (rat)	
Dermal	LD50	1,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	23,576 mg/L (rat)	
94-82-6 2,4-DB			
Oral	LD50	700 mg/kg (rat)	
	Oral Dermal  1634-04-4 Oral Dermal Inhalative 94-82-6 2,	ATE (Acute Toxicit           Oral         LD50           Dermal         LD50           1634-04-4 tert-buty           Oral         LD50           Dermal         LD50           Inhalative         LC50/4 h           94-82-6 2,4-DB	Oral         LD50         4,022 mg/kg (rat)           Dermal         LD50         1,004 mg/kg           1634-04-4 tert-butyl methyl ether           Oral         LD50         4,000 mg/kg (rat)           Dermal         LD50         1,000 mg/kg (rabbit)           Inhalative         LC50/4 h         23,576 mg/L (rat)           94-82-6 2,4-DB

· Primary irritant effect:

LD50

· on the skin: Irritant to skin and mucous membranes.

800 mg/kg (rat)

>10,000 mg/kg (rabbit)

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Dermal

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
1634-04-4	tert-butyl methyl ether	3
94-75-7	2,4-D (ISO)	2B
87-86-5	pentachlorophenol	2B
1918-02-1	4-amino-3,5,6-trichloropyridine-2-carboxylicacid	3
93-76-5	2,4,5-T (ISO)	2B
· NTP (Nat	tional Toxicology Program)	
87-86-5 p	pentachlorophenol	R
· OSHA-C	a (Occupational Safety & Health Administration)	
None of th	ne ingredients is listed.	

# 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 8)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 7)

- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

· Not Regulated, De minimus Quantities	-

 $\cdot \, UN\text{-}Number$ 

· DOT, IMDG, IATA UN2350

· UN proper shipping name

• **DOT** Butyl methyl ether solution

• IMDG, IATA BUTYL METHYL ETHER solution

- · Transport hazard class(es)
- · DOT, IMDG, IATA



·Class	3 Flammable liquids
	•

· Label 3

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:	Not applicable.
--------------------------	-----------------

Special precautions for user
 Danger code (Kemler):
 33

• EMS Number: F-E,S-D• Stowage Category B

 $\cdot \ Transport \ in \ bulk \ according \ to \ Annex \ II \ of$ 

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 9)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 8)

· Transport/Additional information:

· DOT

• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 2350 BUTYL METHYL ETHER SOLUTION, 3, II

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

88-85-7 dinoseb

### · Section 313 (Specific toxic chemical listings):

1634-04-4	tert-butyl methyl ether
-----------	-------------------------

94-82-6 2,4-DB

120-36-5 dichlorprop (ISO)

94-75-7 2,4-D (ISO)

88-85-7 dinoseb

87-86-5 pentachlorophenol

133-90-4 chloramben

1918-00-9 dicamba(ISO)

100-02-7 4-nitrophenol

1918-02-1 4-amino-3,5,6-trichloropyridine-2-carboxylicacid

### · TSCA (Toxic Substances Control Act):

1634-04-4	tert-hutyl	methyl	ether

75-99-0 2,2-dichloropropionic acid

120-36-5 dichlorprop (ISO)

25057-89-0 bentazone (ISO)

94-75-7 2,4-D (ISO)

88-85-7 dinoseb

87-86-5 pentachlorophenol

50594-66-6 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoic acid

133-90-4 chloramben

51-36-5 3,5-dichlorobenzoic acid

100-02-7 4-nitrophenol

1918-02-1 4-amino-3,5,6-trichloropyridine-2-carboxylicacid

(Contd. on page 10)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

Trade name: Chlorinated Herbicides Standard (1X1 mL)

02.76	5 2,4,5-T (ISO)	(Contd. of page
	v (21st Century Act): (Substances not listed)	
94-82-6 2,		
Propositio		
	known to cause cancer:	
87-86-5 pe	entachlorophenol	
	known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
·Chemicals	known to cause reproductive toxicity for males:	
94-82-6 2,		
88-85-7 di	noseb	
·Chemicals	known to cause developmental toxicity:	
88-85-7 di	noseb	
· Carcinoge	nic categories	
_	ironmental Protection Agency)	
*	bentazone (ISO)	E, N
88-85-7	7 dinoseb	D
87-86-5	5 pentachlorophenol	L
93-72-1	1 silvex (2,4,5-TP)	D
· TLV (Thr	eshold Limit Value established by ACGIH)	
1634-04-4	tert-butyl methyl ether	A
75-99-0	2,2-dichloropropionic acid	A
94-75-7	2,4-D (ISO)	A
	pentachlorophenol	A
1918-02-1	4-amino-3,5,6-trichloropyridine-2-carboxylicacid	A
93-76-5	2,4,5-T (ISO)	Α
75 10 5		-
	a (National Institute for Occupational Safety and Health)	

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Department issuing SDS: Document Control / Regulatory
- $\cdot \textbf{Contact:} \ regulatory @ultrasci.com$
- · Date of preparation / last revision 03/28/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 11)



Printing date 03/28/2019 Version Number 3 Reviewed on 03/28/2019

### Trade name: Chlorinated Herbicides Standard (1X1 mL)

(Contd. of page 10)

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2

Carc. 2: Carcinogenicity – Category 2

·\* Data compared to the previous version altered.

US ·