

# SAFETY DATA SHEET

HaloPlex Exome ILM Box 1-96 reactions

## Section 1. Identification

### 1.1 Product identifier

<b>Product name</b>	: HaloPlex Exome ILM Box 1-96 reactions
<b>Part no. (chemical kit)</b>	: 5190-8063, 5190-8064
<b>Part no.</b>	: <input checked="" type="checkbox"/> E Buffer 5190-4997
	SSC Buffer 5190-5356
	BSA Solution 5190-5409
	DNA Ligase 5190-4996
	Ligation Solution 5190-4993
	Wash Solution 5190-4994
	Capture Solution 5190-4995
	Primer 1 5190-6282
	Primer 2 5190-6283
	HaloPlex Indexing Primer A01 - H12 5190-8043
	Hybridization Solution 5190-5352
	Enrichment Control DNA 5190-5353
	HaloPlex Probe 5190-6285 / 5190-6294
	Enzyme Strip 1 5190-5357
	Enzyme Strip 2 5190-5358
<b>Validation date</b>	: 8/17/2018

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Material uses</b>	: Analytical reagent.
	<input checked="" type="checkbox"/> E Buffer 4.8 ml (96 reactions)
	SSC Buffer 16.3 ml (96 reactions)
	BSA Solution 0.115 ml (96 reactions)
	DNA Ligase 0.34 ml (96 reactions)
	Ligation Solution 6.5 ml (96 reactions)
	Wash Solution 14 ml (96 reactions)
	Capture Solution 4.8 ml (96 reactions)
	Primer 1 0.27 ml (96 reactions)
	Primer 2 0.27 ml (96 reactions)
	HaloPlex Indexing Primer A01 - H12 2.88 ml (96 reactions)
	Hybridization Solution 7 ml (96 reactions)
	Enrichment Control DNA 0.48 ml (96 reactions)
	HaloPlex Probe 8 x 0.12 ml (96 reactions)
	Enzyme Strip 1 8 x 0.075 ml (96 reactions)
	Enzyme Strip 2 8 x 0.075 ml (96 reactions)

### 1.3 Details of the supplier of the safety data sheet

<b>Supplier/Manufacturer</b>	: Agilent Technologies, Inc. 5301 Stevens Creek Blvd Santa Clara, CA 95051, USA 800-227-9770
------------------------------	---

### 1.4 Emergency telephone number

<b>In case of emergency</b>	: CHEMTREC®: 1-800-424-9300
-----------------------------	-----------------------------

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	: RE Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	SSC Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	BSA Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	DNA Ligase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Ligation Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Wash Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Capture Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	HaloPlex Indexing Primer A01 - H12	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Hybridization Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Enrichment Control DNA	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to

## Section 2. Hazards identification

HaloPlex Probe	the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product. While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Enzyme Strip 1	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enzyme Strip 2	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### **DNA Ligase**

H320 EYE IRRITATION - Category 2B

#### **Wash Solution**

H319 EYE IRRITATION - Category 2A  
H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### **Hybridization Solution**

H319 EYE IRRITATION - Category 2A  
H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### **Enzyme Strip 1**

H320 EYE IRRITATION - Category 2B

#### **Enzyme Strip 2**

H320 EYE IRRITATION - Category 2B

#### **Ingredients of unknown toxicity**

BSA Solution	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%
DNA Ligase	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%
Ligation Solution	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%
Wash Solution	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%
Capture Solution	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 1 - 10%
Hybridization Solution	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 10 - 30%
Enzyme Strip 1	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%
Enzyme Strip 2	Percentage of the mixture consisting of ingredient (s) of unknown inhalation toxicity: 30 - 60%
Wash Solution	Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 20%
Hybridization Solution	Percentage of the mixture consisting of ingredient (s) of unknown hazards to the aquatic environment: 32%

### 2.2 GHS label elements

## Section 2. Hazards identification

### Hazard pictograms

: Wash Solution



Hybridization Solution



### Signal word

: RE Buffer  
SSC Buffer  
BSA Solution  
DNA Ligase  
Ligation Solution  
Wash Solution  
Capture Solution  
Primer 1  
Primer 2  
HaloPlex Indexing Primer A01 - H12  
Hybridization Solution  
Enrichment Control DNA  
HaloPlex Probe  
Enzyme Strip 1  
Enzyme Strip 2

No signal word.  
No signal word.  
No signal word.  
Warning  
No signal word.  
Danger  
No signal word.  
No signal word.  
No signal word.  
No signal word.  
Danger  
No signal word.  
No signal word.  
Warning  
Warning

### Hazard statements

: RE Buffer  
SSC Buffer  
BSA Solution  
DNA Ligase  
Ligation Solution  
Wash Solution  
  
Capture Solution  
Primer 1  
Primer 2  
HaloPlex Indexing Primer A01 - H12  
Hybridization Solution  
  
Enrichment Control DNA  
HaloPlex Probe  
Enzyme Strip 1  
Enzyme Strip 2

No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
H320 - Causes eye irritation.  
No known significant effects or critical hazards.  
H319 - Causes serious eye irritation.  
H360 - May damage the unborn child.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
H319 - Causes serious eye irritation.  
H360 - May damage the unborn child.  
No known significant effects or critical hazards.  
No known significant effects or critical hazards.  
H320 - Causes eye irritation.  
H320 - Causes eye irritation.

### Precautionary statements

#### Prevention

: RE Buffer  
SSC Buffer  
BSA Solution  
DNA Ligase  
Ligation Solution  
Wash Solution

Not applicable.  
Not applicable.  
Not applicable.  
P264 - Wash hands thoroughly after handling.  
Not applicable.  
P201 - Obtain special instructions before use.  
P202 - Do not handle until all safety precautions have been read and understood.  
P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.  
P264 - Wash hands thoroughly after handling.  
Not applicable.  
Not applicable.

Capture Solution  
Primer 1

## Section 2. Hazards identification

	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H12	Not applicable.
	Hybridization Solution	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing. P264 - Wash hands thoroughly after handling.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	P264 - Wash hands thoroughly after handling.
	Enzyme Strip 2	P264 - Wash hands thoroughly after handling.
<b>Response</b>	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Ligation Solution	Not applicable.
	Wash Solution	P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H12	Not applicable.
	Hybridization Solution	P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Enzyme Strip 2	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.

## Section 2. Hazards identification

### Storage

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	Not applicable.
Ligation Solution	Not applicable.
Wash Solution	P405 - Store locked up.
Capture Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HaloPlex Indexing Primer A01 - H12	Not applicable.
Hybridization Solution	P405 - Store locked up.
Enrichment Control DNA	Not applicable.
HaloPlex Probe	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.

### Disposal

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	Not applicable.
Ligation Solution	Not applicable.
Wash Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Capture Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HaloPlex Indexing Primer A01 - H12	Not applicable.
Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Enrichment Control DNA	Not applicable.
HaloPlex Probe	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.

### Supplemental label elements

RE Buffer	None known.
SSC Buffer	None known.
BSA Solution	None known.
DNA Ligase	None known.
Ligation Solution	None known.
Wash Solution	None known.
Capture Solution	None known.
Primer 1	None known.
Primer 2	None known.
HaloPlex Indexing Primer A01 - H12	None known.
Hybridization Solution	None known.
Enrichment Control DNA	None known.
HaloPlex Probe	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.

### 2.3 Other hazards

## Section 2. Hazards identification

<b>Hazards not otherwise classified</b>	:	<input checked="" type="checkbox"/> E Buffer	None known.
		SSC Buffer	None known.
		BSA Solution	None known.
		DNA Ligase	None known.
		Ligation Solution	None known.
		Wash Solution	None known.
		Capture Solution	None known.
		Primer 1	None known.
		Primer 2	None known.
		HaloPlex Indexing Primer A01 - H12	None known.
		Hybridization Solution	None known.
		Enrichment Control DNA	None known.
		HaloPlex Probe	None known.
		Enzyme Strip 1	None known.
Enzyme Strip 2	None known.		

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	:	<input checked="" type="checkbox"/> E Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HaloPlex Indexing Primer A01 - H12	Mixture
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Probe	Mixture
		Enzyme Strip 1	Mixture
Enzyme Strip 2	Mixture		

Ingredient name	%	CAS number
<b>BSA Solution</b> Glycerol	<10	56-81-5
<b>DNA Ligase</b> Glycerol	≥50 - ≤75	56-81-5
<b>Ligation Solution</b> Glycerol	<10	56-81-5
<b>Wash Solution</b> Formamide Sodium chloride	≥10 - ≤25 ≤10	75-12-7 7647-14-5
<b>Capture Solution</b> Sodium chloride	<10	7647-14-5
<b>Hybridization Solution</b> Formamide Sodium chloride	≥25 - ≤50 ≥10 - ≤25	75-12-7 7647-14-5
<b>Enzyme Strip 1</b> Glycerol	≥50 - ≤75	56-81-5



## Section 3. Composition/information on ingredients

Enzyme Strip 2 Glycerol	≥50 - ≤75	56-81-5
----------------------------	-----------	---------

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

Eye contact	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSC Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Wash Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Primer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Primer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	HaloPlex Indexing Primer A01 - H12	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get



## Section 4. First aid measures

	Enrichment Control DNA	medical attention. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	HaloPlex Probe	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
<b>Inhalation</b>	: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	SSC Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Wash Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire,

## Section 4. First aid measures

	symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Indexing Primer A01 - H12	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Probe	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

## Section 4. First aid measures

### Skin contact

: RE Buffer

collar, tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SSC Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

BSA Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

DNA Ligase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ligation Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Wash Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Capture Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Primer 1

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Primer 2

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

HaloPlex Indexing Primer A01 - H12

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Hybridization Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Enrichment Control DNA

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

HaloPlex Probe

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Enzyme Strip 1

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Enzyme Strip 2

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly

## Section 4. First aid measures

### Ingestion

: RE Buffer

before reuse.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SSC Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

BSA Solution

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

DNA Ligase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ligation Solution

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash Solution

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,

## Section 4. First aid measures

Capture Solution	<p>tie, belt or waistband.</p> <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 1	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 2	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Indexing Primer A01 - H12	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Hybridization Solution	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
Enrichment Control DNA	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Probe	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Enzyme Strip 1	<p>Wash out mouth with water. Remove dentures if</p>

## Section 4. First aid measures

Enzyme Strip 2

any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

##### Eye contact

: RE Buffer  
 SSC Buffer  
 BSA Solution  
 DNA Ligase  
 Ligation Solution  
 Wash Solution  
 Capture Solution  
 Primer 1  
 Primer 2  
 HaloPlex Indexing Primer A01 - H12  
 Hybridization Solution  
 Enrichment Control DNA  
 HaloPlex Probe  
 Enzyme Strip 1  
 Enzyme Strip 2

No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 Causes eye irritation.  
 No known significant effects or critical hazards.  
 Causes serious eye irritation.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 Causes serious eye irritation.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 Causes eye irritation.  
 Causes eye irritation.

##### Inhalation

: RE Buffer  
 SSC Buffer  
 BSA Solution  
 DNA Ligase  
 Ligation Solution  
 Wash Solution  
 Capture Solution  
 Primer 1

No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.  
 No known significant effects or critical hazards.



## Section 4. First aid measures

	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
<b>Skin contact</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
<b>Ingestion</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
<b><u>Over-exposure signs/symptoms</u></b>		
<b>Eye contact</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	Adverse symptoms may include the following: irritation watering redness
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: pain or irritation watering redness
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H12	No specific data.



## Section 4. First aid measures

	Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
	Enrichment Control DNA HaloPlex Probe Enzyme Strip 1	No specific data. No specific data. Adverse symptoms may include the following: irritation watering redness
	Enzyme Strip 2	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H12 Hybridization Solution	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No specific data. No specific data. No specific data. No specific data.
<b>Skin contact</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution	No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H12 Hybridization Solution	No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No specific data. No specific data. No specific data. No specific data.

## Section 4. First aid measures

<b>Ingestion</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution  Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H12 Hybridization Solution  Enrichment Control DNA HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No specific data. No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations No specific data. No specific data. No specific data. No specific data. Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations No specific data. No specific data. No specific data. No specific data.
------------------	---	---

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: RE Buffer  SSC Buffer  BSA Solution  DNA Ligase  Ligation Solution  Wash Solution  Capture Solution  Primer 1  Primer 2  HaloPlex Indexing Primer A01 - H12  Hybridization Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed
---------------------------	---	---

## Section 4. First aid measures

person may need to be kept under medical surveillance for 48 hours.  
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  
 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

### Specific treatments

:  RE Buffer No specific treatment.  
 SSC Buffer No specific treatment.  
 BSA Solution No specific treatment.  
 DNA Ligase No specific treatment.  
 Ligation Solution No specific treatment.  
 Wash Solution No specific treatment.  
 Capture Solution No specific treatment.  
 Primer 1 No specific treatment.  
 Primer 2 No specific treatment.  
 HaloPlex Indexing Primer A01 - H12 No specific treatment.  
 Hybridization Solution No specific treatment.  
 Enrichment Control DNA No specific treatment.  
 HaloPlex Probe No specific treatment.  
 Enzyme Strip 1 No specific treatment.  
 Enzyme Strip 2 No specific treatment.

### Protection of first-aiders

:  RE Buffer No action shall be taken involving any personal risk or without suitable training.  
 SSC Buffer No action shall be taken involving any personal risk or without suitable training.  
 BSA Solution No action shall be taken involving any personal risk or without suitable training.  
 DNA Ligase No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.  
 Ligation Solution No action shall be taken involving any personal risk or without suitable training.  
 Wash Solution No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.  
 Capture Solution No action shall be taken involving any personal risk or without suitable training.  
 Primer 1 No action shall be taken involving any personal risk or without suitable training.  
 Primer 2 No action shall be taken involving any personal risk or without suitable training.  
 HaloPlex Indexing Primer A01 - H12 No action shall be taken involving any personal risk or without suitable training.  
 Hybridization Solution No action shall be taken involving any personal risk

## Section 4. First aid measures


Enrichment Control DNA	or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
HaloPlex Probe	No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

:  E Buffer	Use an extinguishing agent suitable for the surrounding fire.
SSC Buffer	Use an extinguishing agent suitable for the surrounding fire.
BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
Wash Solution	Use an extinguishing agent suitable for the surrounding fire.
Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
Primer 1	Use an extinguishing agent suitable for the surrounding fire.
Primer 2	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex Indexing Primer A01 - H12	Use an extinguishing agent suitable for the surrounding fire.
Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex Probe	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.

## Section 5. Fire-fighting measures

<b>Unsuitable extinguishing media</b>	<b>:</b> RE Buffer	None known.
	SSC Buffer	None known.
	BSA Solution	None known.
	DNA Ligase	None known.
	Ligation Solution	None known.
	Wash Solution	None known.
	Capture Solution	None known.
	Primer 1	None known.
	Primer 2	None known.
	HaloPlex Indexing Primer A01 - H12	None known.
	Hybridization Solution	None known.
	Enrichment Control DNA	None known.
	HaloPlex Probe	None known.
Enzyme Strip 1	None known.	
Enzyme Strip 2	None known.	

### 5.2 Special hazards arising from the substance or mixture

<b>Specific hazards arising from the chemical</b>	<b>:</b> RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SSC Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Wash Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Indexing Primer A01 - H12	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Probe	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.	
Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous thermal decomposition products</b>	<b>:</b> RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	DNA Ligase	Decomposition products may include the following materials: carbon dioxide

## Section 5. Fire-fighting measures

Ligation Solution	carbon monoxide nitrogen oxides phosphorus oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide
Wash Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Capture Solution	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
Primer 1	No specific data.
Primer 2	No specific data.
HaloPlex Indexing Primer A01 - H12	No specific data.
Hybridization Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Enrichment Control DNA	No specific data.
HaloPlex Probe	No specific data.
Enzyme Strip 1	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

: RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SSC Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Ligation Solution	Promptly isolate the scene by removing all persons

## Section 5. Fire-fighting measures

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Wash Solution

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Capture Solution

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Primer 1

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Primer 2

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

HaloPlex Indexing Primer A01 - H12

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hybridization Solution

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enrichment Control DNA

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

HaloPlex Probe

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 1

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 2

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

**Special protective equipment for fire-fighters**

: RE Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SSC Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

BSA Solution

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

DNA Ligase

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.



## Section 5. Fire-fighting measures

Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Wash Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Indexing Primer A01 - H12	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Probe	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel**

: RE Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

SSC Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on

## Section 6. Accidental release measures

BSA Solution	appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Wash Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Primer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Primer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
HaloPlex Indexing Primer A01 - H12	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not

## Section 6. Accidental release measures

touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Enrichment Control DNA

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

HaloPlex Probe

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Enzyme Strip 1

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Enzyme Strip 2

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

**For emergency responders :**  Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

SSC Buffer

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

BSA Solution

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

DNA Ligase

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Ligation Solution

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Wash Solution

If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

Capture Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Indexing Primer A01 - H12	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enrichment Control DNA	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Probe	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: RE Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSC Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNA Ligase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Solution	Avoid dispersal of spilled material and runoff and

## Section 6. Accidental release measures

	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wash Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Capture Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Indexing Primer A01 - H12	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Probe	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

## Section 6. Accidental release measures

**Methods for cleaning up** : RE Buffer

	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSC Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Wash Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Indexing Primer A01 - H12	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.



## Section 6. Accidental release measures

Hybridization Solution	disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Probe	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage


### 7.1 Precautions for safe handling

<b>Protective measures</b>	:	☑E Buffer	Put on appropriate personal protective equipment (see Section 8).
		SSC Buffer	Put on appropriate personal protective equipment (see Section 8).
		BSA Solution	Put on appropriate personal protective equipment (see Section 8).
		DNA Ligase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
		Wash Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only



## Section 7. Handling and storage

with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Capture Solution	Put on appropriate personal protective equipment (see Section 8).
Primer 1	Put on appropriate personal protective equipment (see Section 8).
Primer 2	Put on appropriate personal protective equipment (see Section 8).
HaloPlex Indexing Primer A01 - H12	Put on appropriate personal protective equipment (see Section 8).
Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
HaloPlex Probe	Put on appropriate personal protective equipment (see Section 8).
Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	:  RE Buffer Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SSC Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove

## Section 7. Handling and storage

BSA Solution

contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

DNA Ligase

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Ligation Solution

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Wash Solution

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Capture Solution

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Primer 1

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Primer 2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

HaloPlex Indexing Primer A01 - H12

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enrichment Control DNA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Probe	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

: RE Buffer

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSC Buffer

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in

## Section 7. Handling and storage

BSA Solution	<p>unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
DNA Ligase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Ligation Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Wash Solution	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Capture Solution	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that</p>

## Section 7. Handling and storage

	have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Primer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Primer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex Indexing Primer A01 - H12	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Hybridization Solution	Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Enrichment Control DNA	Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that

## Section 7. Handling and storage

HaloPlex Probe	<p>have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Enzyme Strip 1	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>
Enzyme Strip 2	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Shelf life: 2 years. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.</p>

### 7.3 Specific end use(s)

#### Recommendations

<ul style="list-style-type: none"> <li>☑ RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H12</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> </ul>	<ul style="list-style-type: none"> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> <li>Industrial applications, Professional applications.</li> </ul>
---	--



## Section 7. Handling and storage

	HaloPlex Probe	Industrial applications, Professional applications.
	Enzyme Strip 1	Industrial applications, Professional applications.
	Enzyme Strip 2	Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H12	Not applicable.
	Hybridization Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.	

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>BSA Solution</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 6/2016).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>DNA Ligase</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 6/2016).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>Ligation Solution</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 6/2016).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>Wash Solution</b> Formamide	<b>ACGIH TLV (United States, 3/2017).</b>



## Section 8. Exposure controls/personal protection

	<p><b>Absorbed through skin.</b>  TWA: 10 ppm 8 hours.  TWA: 18 mg/m<sup>3</sup> 8 hours.  <b>OSHA PEL 1989 (United States, 3/1989).</b>  TWA: 20 ppm 8 hours.  TWA: 30 mg/m<sup>3</sup> 8 hours.  STEL: 30 ppm 15 minutes.  STEL: 45 mg/m<sup>3</sup> 15 minutes.  <b>NIOSH REL (United States, 10/2016).</b>  <b>Absorbed through skin.</b>  TWA: 10 ppm 10 hours.  TWA: 15 mg/m<sup>3</sup> 10 hours.</p>
<p>Sodium chloride</p> <p><b>Capture Solution</b>  Sodium chloride</p>	<p>None.</p> <p>None.</p>
<p><b>Hybridization Solution</b>  Formamide</p> <p>Sodium chloride</p>	<p><b>ACGIH TLV (United States, 3/2017).</b>  <b>Absorbed through skin.</b>  TWA: 10 ppm 8 hours.  TWA: 18 mg/m<sup>3</sup> 8 hours.  <b>OSHA PEL 1989 (United States, 3/1989).</b>  TWA: 20 ppm 8 hours.  TWA: 30 mg/m<sup>3</sup> 8 hours.  STEL: 30 ppm 15 minutes.  STEL: 45 mg/m<sup>3</sup> 15 minutes.  <b>NIOSH REL (United States, 10/2016).</b>  <b>Absorbed through skin.</b>  TWA: 10 ppm 10 hours.  TWA: 15 mg/m<sup>3</sup> 10 hours.</p>
<p><b>Enzyme Strip 1</b>  Glycerol</p>	<p>None.</p> <p><b>OSHA PEL 1989 (United States, 3/1989).</b>  TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction  TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust  <b>OSHA PEL (United States, 6/2016).</b>  TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction  TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust</p>
<p><b>Enzyme Strip 2</b>  Glycerol</p>	<p><b>OSHA PEL 1989 (United States, 3/1989).</b>  TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction  TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust  <b>OSHA PEL (United States, 6/2016).</b>  TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction  TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust</p>

### [8.2 Exposure controls](#)

## Section 8. Exposure controls/personal protection

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	:	<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H12</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> </ul>	<ul style="list-style-type: none"> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid. [Clear.]</li> <li>Liquid. [Viscous liquid.]</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> <li>Liquid.</li> </ul>
-----------------------	---	---	---

## Section 9. Physical and chemical properties

	Enzyme Strip 2	Liquid.
<b>Color</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Colorless.
	DNA Ligase	Colorless.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Odor</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Odorless.
	DNA Ligase	Odorless.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Odor threshold</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>pH</b>	: RE Buffer	7.9
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	7.4
	Ligation Solution	Not available.
	Wash Solution	7.5
	Capture Solution	Not available.
	Primer 1	Not available.

## Section 9. Physical and chemical properties

	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	7.5
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	7.4
	Enzyme Strip 2	7.4
<b>Melting point</b>	: RE Buffer	0°C (32°F)
	SSC Buffer	0°C (32°F)
	BSA Solution	20°C (68°F)
	DNA Ligase	-23°C (-9.4°F)
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	0°C (32°F)
	Primer 2	0°C (32°F)
	HaloPlex Indexing Primer A01 - H12	0°C (32°F)
	Hybridization Solution	Not available.
	Enrichment Control DNA	0°C (32°F)
	HaloPlex Probe	0°C (32°F)
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Boiling point</b>	: RE Buffer	100°C (212°F)
	SSC Buffer	100°C (212°F)
	BSA Solution	182°C (359.6°F)
	DNA Ligase	182°C (359.6°F)
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	100°C (212°F)
	Primer 2	100°C (212°F)
	HaloPlex Indexing Primer A01 - H12	100°C (212°F)
	Hybridization Solution	Not available.
	Enrichment Control DNA	100°C (212°F)
	HaloPlex Probe	100°C (212°F)
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Flash point</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Closed cup: 160°C (320°F)
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.

## Section 9. Physical and chemical properties

<b>Evaporation rate</b>	<b>:</b>	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H12	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.	
<b>Flammability (solid, gas)</b>	<b>:</b>	RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	Not applicable.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H12	Not applicable.
		Hybridization Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		HaloPlex Probe	Not applicable.
		Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.	
<b>Lower and upper explosive (flammable) limits</b>	<b>:</b>	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H12	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.	
<b>Vapor pressure</b>	<b>:</b>	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	<0.13 kPa (<1 mm Hg) [room temperature]
		DNA Ligase	0.4 kPa (3 mm Hg) [room temperature]
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.

## Section 9. Physical and chemical properties

	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	<0.13 kPa (<1 mm Hg) [room temperature]
	Enzyme Strip 2	<0.13 kPa (<1 mm Hg) [room temperature]
<b>Vapor density</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	3.1 [Air = 1]
	DNA Ligase	3.1 [Air = 1]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Relative density</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	1.262
	DNA Ligase	1.261
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Solubility</b>	: RE Buffer	Easily soluble in the following materials: cold water and hot water.
	SSC Buffer	Easily soluble in the following materials: cold water and hot water.
	BSA Solution	Soluble in the following materials: cold water and hot water.
	DNA Ligase	Easily soluble in the following materials: cold water and hot water.
	Ligation Solution	Easily soluble in the following materials: cold water and hot water.
	Wash Solution	Soluble in the following materials: cold water and hot water.
	Capture Solution	Easily soluble in the following materials: cold water and hot water.
	Primer 1	Easily soluble in the following materials: cold water and hot water.
	Primer 2	Easily soluble in the following materials: cold water and hot water.
	HaloPlex Indexing Primer A01 -	Easily soluble in the following materials: cold water

## Section 9. Physical and chemical properties

	H12	and hot water.
	Hybridization Solution	Soluble in the following materials: cold water and hot water.
	Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.
	HaloPlex Probe	Easily soluble in the following materials: cold water and hot water.
	Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
	Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Auto-ignition temperature</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	370°C (698°F)
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	370°C (698°F)
	Enzyme Strip 2	370°C (698°F)
<b>Decomposition temperature</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.



## Section 9. Physical and chemical properties

<b>Viscosity</b>	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
Enzyme Strip 1	Not available.	
Enzyme Strip 2	Not available.	

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SSC Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
	Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
	Wash Solution	No specific test data related to reactivity available for this product or its ingredients.
	Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
	Primer 1	No specific test data related to reactivity available for this product or its ingredients.
	Primer 2	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Indexing Primer A01 - H12	No specific test data related to reactivity available for this product or its ingredients.
	Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
	Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Probe	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.

## Section 10. Stability and reactivity

<b>10.2 Chemical stability</b>	:  RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H12 Hybridization Solution Enrichment Control DNA HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	:  RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H12 Hybridization Solution Enrichment Control DNA HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	:  RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

## Section 10. Stability and reactivity

HaloPlex Indexing Primer A01 - H12	No specific data.
Hybridization Solution	No specific data.
Enrichment Control DNA	No specific data.
HaloPlex Probe	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.

<b>10.5 Incompatible materials</b> :	<input checked="" type="checkbox"/> RE Buffer	May react or be incompatible with oxidizing materials.
	SSC Buffer	May react or be incompatible with oxidizing materials.
	BSA Solution	May react or be incompatible with oxidizing materials.
	DNA Ligase	May react or be incompatible with oxidizing materials.
	Ligation Solution	May react or be incompatible with oxidizing materials.
	Wash Solution	May react or be incompatible with oxidizing materials.
	Capture Solution	May react or be incompatible with oxidizing materials.
	Primer 1	May react or be incompatible with oxidizing materials.
	Primer 2	May react or be incompatible with oxidizing materials.
	HaloPlex Indexing Primer A01 - H12	May react or be incompatible with oxidizing materials.
	Hybridization Solution	May react or be incompatible with oxidizing materials.
	Enrichment Control DNA	May react or be incompatible with oxidizing materials.
	HaloPlex Probe	May react or be incompatible with oxidizing materials.
	Enzyme Strip 1	May react or be incompatible with oxidizing materials.
	Enzyme Strip 2	May react or be incompatible with oxidizing materials.

<b>10.6 Hazardous decomposition products</b> :	<input checked="" type="checkbox"/> RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	SSC Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Wash Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Capture Solution	Under normal conditions of storage and use,

## Section 10. Stability and reactivity

Primer 1	hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Indexing Primer A01 - H12	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hybridization Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Probe	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>BSA Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>DNA Ligase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Ligation Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Wash Solution</b> Formamide	LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rabbit	>21 mg/l 17 g/kg	4 hours -
Sodium chloride	LD50 Oral	Rat	4000 mg/kg	-
	LD50 Oral	Rat	3000 mg/kg	-
<b>Capture Solution</b> Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>Hybridization Solution</b> Formamide	LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rabbit	>21 mg/l 17 g/kg	4 hours -
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>Enzyme Strip 1</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-

## Section 11. Toxicological information

<b>Enzyme Strip 2</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
-----------------------------------	-----------	-----	-------------	---

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>BSA Solution</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>DNA Ligase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Ligation Solution</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Wash Solution</b> Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Sodium chloride	Eyes - Moderate irritant	Rabbit	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Capture Solution</b> Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Hybridization Solution</b> Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Sodium chloride	Eyes - Moderate irritant	Rabbit	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	<b>Enzyme Strip 1</b> Glycerol	Eyes - Mild irritant	Rabbit	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Enzyme Strip 2</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

## Section 11. Toxicological information

	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
--	----------------------	--------	---	-------------------------	---

### Sensitization

Not available.

### Mutagenicity

**Conclusion/Summary** : Not available.

### Carcinogenicity

**Conclusion/Summary** : Not available.

### Reproductive toxicity

**Conclusion/Summary** : Not available.

### Teratogenicity

**Conclusion/Summary** : Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

<b>Information on the likely routes of exposure</b>	<input checked="" type="checkbox"/> RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Ligation Solution	Not available.
	Wash Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H12	Not available.
	Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Enrichment Control DNA	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.	

### Potential acute health effects

<b>Eye contact</b>	<input checked="" type="checkbox"/> RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	Causes eye irritation.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Causes serious eye irritation.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 -	No known significant effects or critical hazards.

## Section 11. Toxicological information

	H12		
	Hybridization Solution		Causes serious eye irritation.
	Enrichment Control DNA		No known significant effects or critical hazards.
	HaloPlex Probe		No known significant effects or critical hazards.
	Enzyme Strip 1		Causes eye irritation.
	Enzyme Strip 2		Causes eye irritation.
<b>Inhalation</b>	: RE Buffer		No known significant effects or critical hazards.
	SSC Buffer		No known significant effects or critical hazards.
	BSA Solution		No known significant effects or critical hazards.
	DNA Ligase		No known significant effects or critical hazards.
	Ligation Solution		No known significant effects or critical hazards.
	Wash Solution		No known significant effects or critical hazards.
	Capture Solution		No known significant effects or critical hazards.
	Primer 1		No known significant effects or critical hazards.
	Primer 2		No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12		No known significant effects or critical hazards.
	Hybridization Solution		No known significant effects or critical hazards.
	Enrichment Control DNA		No known significant effects or critical hazards.
	HaloPlex Probe		No known significant effects or critical hazards.
	Enzyme Strip 1		No known significant effects or critical hazards.
	Enzyme Strip 2		No known significant effects or critical hazards.
<b>Skin contact</b>	: RE Buffer		No known significant effects or critical hazards.
	SSC Buffer		No known significant effects or critical hazards.
	BSA Solution		No known significant effects or critical hazards.
	DNA Ligase		No known significant effects or critical hazards.
	Ligation Solution		No known significant effects or critical hazards.
	Wash Solution		No known significant effects or critical hazards.
	Capture Solution		No known significant effects or critical hazards.
	Primer 1		No known significant effects or critical hazards.
	Primer 2		No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12		No known significant effects or critical hazards.
	Hybridization Solution		No known significant effects or critical hazards.
	Enrichment Control DNA		No known significant effects or critical hazards.
	HaloPlex Probe		No known significant effects or critical hazards.
	Enzyme Strip 1		No known significant effects or critical hazards.
	Enzyme Strip 2		No known significant effects or critical hazards.
<b>Ingestion</b>	: RE Buffer		No known significant effects or critical hazards.
	SSC Buffer		No known significant effects or critical hazards.
	BSA Solution		No known significant effects or critical hazards.
	DNA Ligase		No known significant effects or critical hazards.
	Ligation Solution		No known significant effects or critical hazards.
	Wash Solution		No known significant effects or critical hazards.
	Capture Solution		No known significant effects or critical hazards.
	Primer 1		No known significant effects or critical hazards.
	Primer 2		No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12		No known significant effects or critical hazards.
	Hybridization Solution		No known significant effects or critical hazards.
	Enrichment Control DNA		No known significant effects or critical hazards.
	HaloPlex Probe		No known significant effects or critical hazards.
	Enzyme Strip 1		No known significant effects or critical hazards.
	Enzyme Strip 2		No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics



## Section 11. Toxicological information

### Eye contact

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: irritation watering redness</p>
<ul style="list-style-type: none"> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<p>No specific data.</p> <p>Adverse symptoms may include the following: pain or irritation watering redness</p>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H12</li> <li>Hybridization Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: pain or irritation watering redness</p>
<ul style="list-style-type: none"> <li>Enrichment Control DNA</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: irritation watering redness</p>
<ul style="list-style-type: none"> <li>Enzyme Strip 2</li> </ul>	<p>Adverse symptoms may include the following: irritation watering redness</p>

### Inhalation

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations</p>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H12</li> <li>Hybridization Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations</p>
<ul style="list-style-type: none"> <li>Enrichment Control DNA</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p>

## Section 11. Toxicological information

<b>Skin contact</b>	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H12	No specific data.
<b>Ingestion</b>	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H12	No specific data.
	:	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Probe	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
	:	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H12	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Probe	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects



## Section 11. Toxicological information

	Hybridization Solution	May damage the unborn child.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
<b>Developmental effects</b>	: <input checked="" type="checkbox"/> RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
<b>Fertility effects</b>	: <input checked="" type="checkbox"/> RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H12	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
<b>Wash Solution</b> Oral	14453.4 mg/kg
<b>Capture Solution</b> Oral	51832.8 mg/kg
<b>Hybridization Solution</b> Oral	8119.1 mg/kg

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>BSA Solution</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>DNA Ligase</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Ligation Solution</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Wash Solution</b> Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Capture Solution</b> Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Hybridization Solution</b> Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Enzyme Strip 1</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Enzyme Strip 2</b>			

## Section 12. Ecological information

Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
----------	-----------------------------------	----------------------------	----------

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
<b>BSA Solution</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>DNA Ligase</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Ligation Solution</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Wash Solution</b> Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
<b>Hybridization Solution</b> Formamide	OECD 301A Ready Biodegradability - DOC Die-Away Test	99 % - Readily - 28 days	-	-
<b>Enzyme Strip 1</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-
<b>Enzyme Strip 2</b> Glycerol	301D Ready Biodegradability - Closed Bottle Test	93 % - 30 days	-	-

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>Wash Solution</b> Formamide	-	-	Readily
<b>Hybridization Solution</b> Formamide	-	-	Readily

### 12.3 Bioaccumulative potential



## Section 12. Ecological information

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>BSA Solution</b> Glycerol	-1.76	-	low
<b>DNA Ligase</b> Glycerol	-1.76	-	low
<b>Ligation Solution</b> Glycerol	-1.76	-	low
<b>Wash Solution</b> Formamide	-0.82	-	low
<b>Hybridization Solution</b> Formamide	-0.82	-	low
<b>Enzyme Strip 1</b> Glycerol	-1.76	-	low
<b>Enzyme Strip 2</b> Glycerol	-1.76	-	low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.**

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

**DOT / TDG / Mexico / IMDG / IATA** : Not regulated.

**Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Transport in bulk according to Annex II of MARPOL and the IBC Code** : Not available.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : **TSCA 8(a) PAIR:** Formamide  
**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined  
**Clean Water Act (CWA) 311:** Edetic acid

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

#### SARA 302/304

##### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

#### SARA 311/312

##### **Classification**

☑E Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	EYE IRRITATION - Category 2B
Ligation Solution	Not applicable.
Wash Solution	EYE IRRITATION - Category 2A
Capture Solution	TOXIC TO REPRODUCTION (Unborn child) - Category 1B
Primer 1	Not applicable.
Primer 2	Not applicable.
HaloPlex Indexing Primer A01 - H12	Not applicable.
Hybridization Solution	EYE IRRITATION - Category 2A
Enrichment Control DNA	TOXIC TO REPRODUCTION (Unborn child) - Category 1B
HaloPlex Probe	Not applicable.
Enzyme Strip 1	EYE IRRITATION - Category 2B
Enzyme Strip 2	EYE IRRITATION - Category 2B

## Section 15. Regulatory information

### Composition/information on ingredients

Name	%	Classification
<b>BSA Solution</b> Glycerol	<10	EYE IRRITATION - Category 2A
<b>DNA Ligase</b> Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A
<b>Ligation Solution</b> Glycerol	<10	EYE IRRITATION - Category 2A
<b>Wash Solution</b> Formamide	≥10 - ≤25	EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION (Unborn child) (oral) - Category 1B
Sodium chloride	≤10	EYE IRRITATION - Category 2A
<b>Capture Solution</b> Sodium chloride	<10	EYE IRRITATION - Category 2A
<b>Hybridization Solution</b> Formamide	≥25 - ≤50	EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION (Unborn child) (oral) - Category 1B
Sodium chloride	≥10 - ≤25	EYE IRRITATION - Category 2A
<b>Enzyme Strip 1</b> Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A
<b>Enzyme Strip 2</b> Glycerol	≥50 - ≤75	EYE IRRITATION - Category 2A

### State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST; FORMAMIDE
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; FORMAMIDE
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL; FORMAMIDE

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

#### Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

#### UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

### Inventory list

- Australia** : Not determined.
- Canada** : Not determined.
- China** : Not determined.

## Section 15. Regulatory information

<b>Europe</b>	: <input checked="" type="checkbox"/> All components are listed or exempted.
<b>Japan</b>	: <input checked="" type="checkbox"/> <b>Japan inventory (ENCS)</b> : Not determined. <b>Japan inventory (ISHL)</b> : Not determined.
<b>Malaysia</b>	: Not determined.
<b>New Zealand</b>	: Not determined.
<b>Philippines</b>	: Not determined.
<b>Republic of Korea</b>	: Not determined.
<b>Taiwan</b>	: <input checked="" type="checkbox"/> All components are listed or exempted.
<b>Thailand</b>	: <input checked="" type="checkbox"/> Not determined.
<b>Turkey</b>	: <input checked="" type="checkbox"/> Not determined.
<b>United States</b>	: <input checked="" type="checkbox"/> All components are listed or exempted.
<b>Viet Nam</b>	: <input checked="" type="checkbox"/> Not determined.

## Section 16. Other information

### History

<b>Date of issue</b>	: 08/17/2018
<b>Date of previous issue</b>	: 12/09/2014
<b>Version</b>	: 2

### Procedure used to derive the classification

Classification	Justification
<input checked="" type="checkbox"/> <b>DNA Ligase</b> EYE IRRITATION - Category 2B	Calculation method
<b>Wash Solution</b> EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION (Unborn child) - Category 1B	Calculation method Calculation method
<b>Hybridization Solution</b> EYE IRRITATION - Category 2A TOXIC TO REPRODUCTION (Unborn child) - Category 1B	Calculation method Calculation method
<b>Enzyme Strip 1</b> EYE IRRITATION - Category 2B	Calculation method
<b>Enzyme Strip 2</b> EYE IRRITATION - Category 2B	Calculation method

Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.