

# SAFETY DATA SHEET



HaloPlex Exome ILM Box 1-96 reactions

## Section 1. Identification

### 1.1 Product identifier

<b>Product name</b>	: HaloPlex Exome ILM Box 1-96 reactions	
<b>Part No. (Chemical Kit)</b>	: 5190-8063, 5190-8064	
<b>Part No.</b>	: RE Buffer	5190-4997
	SSC Buffer	5190-5356
	BSA Solution	5190-5409
	DNA Ligase	5190-4996
	Ligation Solution	5190-4993
	Wash Solution	5190-4994
	Capture Solution	5190-4995
	Primer 1	5190-6282
	Primer 2	5190-6283
	HaloPlex Indexing Primer A01 - H12	5190-8043
	Hybridization Solution	5190-5352
	Enrichment Control DNA	5190-5353
	HaloPlex Probe 8-Strip	5190-6285 / 5190-6294
	Enzyme Strip 1 - well A, B, C, D, E, G, H	5190-5357
	Enzyme Strip 1 - well F	5190-5357
	Enzyme Strip 2 - well A, B, C, D, E, F, H	5190-5358
	Enzyme Strip 2 - well G	5190-5358
<b>Validation date</b>	: 09/12/2014.	

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Material uses</b>	: Analytical reagent.	
	RE Buffer	4.8 ml
	SSC Buffer	16.3 ml (8.15 ml x 2 vials)
	BSA Solution	0.115 ml
	DNA Ligase	0.34 ml
	Ligation Solution	6.5 ml
	Wash Solution	14 ml
	Capture Solution	4.8 ml
	Primer 1	0.27 ml
	Primer 2	0.27 ml
	HaloPlex Indexing Primer A01 - H12	2.88 ml (0.03 ml / well)
	Hybridization Solution	7 ml
	Enrichment Control DNA	0.48 ml
	HaloPlex Probe 8-Strip	0.12 ml / well
	Enzyme Strip 1 - well A, B, C, D, E, G, H	0.075 ml / well
	Enzyme Strip 1 - well F	0.075 ml / well
	Enzyme Strip 2 - well A, B, C, D, E, F, H	0.075 ml / well
	Enzyme Strip 2 - well G	0.075 ml / well

### 1.3 Details of the supplier of the safety data sheet

<b>Supplier/Manufacturer</b>	: Agilent Technologies, Inc. Logistics Center - Americas 500 Ships Landing Way New Castle, Delaware 19720 800-227-9770
------------------------------	--

### 1.4 Emergency telephone number

## Section 1. Identification

**In case of emergency** : CHEMTREC®: 1-800-424-9300

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	: RE Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	SSC Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	BSA Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	DNA Ligase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Ligation Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Wash Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Capture Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	HaloPlex Indexing Primer A01 - H02	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Section 2. Hazards identification

Hybridization Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enrichment Control DNA	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
HaloPlex Probe 8-Strip	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Enzyme Strip 1 - well A, B, C, D, E, G, H	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enzyme Strip 1 - well F	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enzyme Strip 2 - well A, B, C, D, E, F, H	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enzyme Strip 2 - well G	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### DNA Ligase

H320 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

#### Wash Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A  
H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### Hybridization Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A  
H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### Enzyme Strip 1 - well A, B, C, D, E, G, H

H320 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

#### Enzyme Strip 1 - well F

H320 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B  
H317 SKIN SENSITIZATION - Category 1

#### Enzyme Strip 2 - well A, B, C, D, E, F, H

H320 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

#### Enzyme Strip 2 - well G

H320 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B

#### Ingredients of unknown toxicity

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	Not applicable.
Ligation Solution	Not applicable.
Wash Solution	Not applicable.
Capture Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HaloPlex Indexing Primer A01 -	Not applicable.

## Section 2. Hazards identification

H02	
Hybridization Solution	Not applicable.
Enrichment Control DNA	Not applicable.
HaloPlex Probe 8-Strip	Not applicable.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Not applicable.
Enzyme Strip 1 - well F	Not applicable.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Not applicable.
Enzyme Strip 2 - well G	Not applicable.

### 2.2 GHS label elements

#### Hazard pictograms



#### Signal word

RE Buffer	No signal word.
SSC Buffer	No signal word.
BSA Solution	No signal word.
DNA Ligase	Warning
Ligation Solution	No signal word.
Wash Solution	Danger
Capture Solution	No signal word.
Primer 1	No signal word.
Primer 2	No signal word.
HaloPlex Indexing Primer A01 - H02	No signal word.
Hybridization Solution	Danger
Enrichment Control DNA	No signal word.
HaloPlex Probe 8-Strip	No signal word.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Warning
Enzyme Strip 1 - well F	Warning
Enzyme Strip 2 - well A, B, C, D, E, F, H	Warning
Enzyme Strip 2 - well G	Warning

#### Hazard statements

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	H320 - Causes eye irritation.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	H319 - Causes serious eye irritation. H360 - May damage the unborn child.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	H319 - Causes serious eye irritation. H360 - May damage the unborn child.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
Enzyme Strip 1 - well A, B, C, D, E, G, H	H320 - Causes eye irritation.
Enzyme Strip 1 - well F	H320 - Causes eye irritation. H317 - May cause an allergic skin reaction.
Enzyme Strip 2 - well A, B, C, D, E, F, H	H320 - Causes eye irritation.

## Section 2. Hazards identification

F, H  
Enzyme Strip 2 - well G H320 - Causes eye irritation.

### Precautionary statements

#### General

: RE Buffer Not applicable.  
 SSC Buffer Not applicable.  
 BSA Solution Not applicable.  
 DNA Ligase Not applicable.  
 Ligation Solution Not applicable.  
 Wash Solution Not applicable.  
 Capture Solution Not applicable.  
 Primer 1 Not applicable.  
 Primer 2 Not applicable.  
 HaloPlex Indexing Primer A01 - H02 Not applicable.  
 Hybridization Solution Not applicable.  
 Enrichment Control DNA Not applicable.  
 HaloPlex Probe 8-Strip Not applicable.  
 Enzyme Strip 1 - well A, B, C, D, E, G, H Not applicable.  
 Enzyme Strip 1 - well F Not applicable.  
 Enzyme Strip 2 - well A, B, C, D, E, F, H Not applicable.  
 Enzyme Strip 2 - well G Not applicable.

#### Prevention

: RE Buffer Not applicable.  
 SSC Buffer Not applicable.  
 BSA Solution Not applicable.  
 DNA Ligase P280 - Wear eye or face protection.  
 Ligation Solution P264 - Wash hands thoroughly after handling.  
 Wash Solution Not applicable.  
 P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P281 - Use personal protective equipment as required.  
 P280 - Wear eye or face protection.  
 P264 - Wash hands thoroughly after handling.  
 Capture Solution Not applicable.  
 Primer 1 Not applicable.  
 Primer 2 Not applicable.  
 HaloPlex Indexing Primer A01 - H02 Not applicable.  
 Hybridization Solution P201 - Obtain special instructions before use.  
 P202 - Do not handle until all safety precautions have been read and understood.  
 P281 - Use personal protective equipment as required.  
 P280 - Wear eye or face protection.  
 P264 - Wash hands thoroughly after handling.  
 Enrichment Control DNA Not applicable.  
 HaloPlex Probe 8-Strip Not applicable.  
 Enzyme Strip 1 - well A, B, C, D, E, G, H P280 - Wear eye or face protection.  
 P264 - Wash hands thoroughly after handling.  
 Enzyme Strip 1 - well F P280 - Wear protective gloves. Wear eye or face protection.  
 P261 - Avoid breathing vapor.  
 P264 - Wash hands thoroughly after handling.  
 P272 - Contaminated work clothing should not be allowed out of the workplace.  
 Enzyme Strip 2 - well A, B, C, D, E, P280 - Wear eye or face protection.

## Section 2. Hazards identification

	F, H Enzyme Strip 2 - well G	P264 - Wash hands thoroughly after handling. P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling.
<b>Response</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase	Not applicable. Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Ligation Solution Wash Solution	Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution	Not applicable. Not applicable. Not applicable. Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 - well A, B, C, D, E, G, H	Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Enzyme Strip 1 - well F	P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. P333 + P313 - If skin irritation or rash occurs: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.

## Section 2. Hazards identification

	Enzyme Strip 2 - well G	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
<b>Storage</b>	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	P405 - Store locked up.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	P405 - Store locked up.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe 8-Strip	Not applicable.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not applicable.
	Enzyme Strip 1 - well F	Not applicable.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not applicable.
	Enzyme Strip 2 - well G	Not applicable.
<b>Disposal</b>	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe 8-Strip	Not applicable.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not applicable.
	Enzyme Strip 1 - well F	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not applicable.
	Enzyme Strip 2 - well G	Not applicable.

### 2.3 Other hazards



## Section 2. Hazards identification

<b>Hazards not otherwise classified</b>	:	RE Buffer	None known.
		SSC Buffer	None known.
		BSA Solution	None known.
		DNA Ligase	None known.
		Ligation Solution	None known.
		Wash Solution	None known.
		Capture Solution	None known.
		Primer 1	None known.
		Primer 2	None known.
		HaloPlex Indexing Primer A01 - H02	None known.
		Hybridization Solution	None known.
		Enrichment Control DNA	None known.
		HaloPlex Probe 8-Strip	None known.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	None known.
		Enzyme Strip 1 - well F	None known.
		Enzyme Strip 2 - well A, B, C, D, E, F, H	None known.
	Enzyme Strip 2 - well G	None known.	

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	:	RE Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HaloPlex Indexing Primer A01 - H02	Mixture
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Probe 8-Strip	Mixture
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Mixture
		Enzyme Strip 1 - well F	Mixture
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Mixture
	Enzyme Strip 2 - well G	Mixture	

<b>Ingredient name</b>	<b>%</b>	<b>CAS number</b>
<b>BSA Solution</b> Glycerol	1 - 5	56-81-5
<b>DNA Ligase</b> Glycerol	30 - 60	56-81-5
<b>Ligation Solution</b> Glycerol	1 - 5	56-81-5
<b>Wash Solution</b> Formamide	10 - 30	75-12-7
Sodium chloride	5 - 10	7647-14-5



## Section 3. Composition/information on ingredients

<b>Capture Solution</b> Sodium chloride	5 - 10	7647-14-5
<b>Hybridization Solution</b> Formamide Sodium chloride	30 - 60 10 - 30	75-12-7 7647-14-5
<b>Enzyme Strip 1 - well A, B, C, D, E, G, H</b> Glycerol	30 - 60	56-81-5
<b>Enzyme Strip 1 - well F</b> Glycerol 2-Mercaptoethanol	30 - 60 0.1 - 1	56-81-5 60-24-2
<b>Enzyme Strip 2 - well A, B, C, D, E, F, H</b> Glycerol	30 - 60	56-81-5
<b>Enzyme Strip 2 - well G</b> Glycerol Sodium chloride	30 - 60 1 - 5	56-81-5 7647-14-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### 4.1 Description of necessary first aid measures

<b>Eye contact</b>	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSC Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Wash Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get

## Section 4. First aid measures

Primer 1	medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Indexing Primer A01 - H02	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Probe 8-Strip	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Enzyme Strip 1 - well F	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Enzyme Strip 2 - well G	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
<b>Inhalation</b>	
: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSC Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or

## Section 4. First aid measures

	oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Wash Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Indexing Primer A01 - H02	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Probe 8-Strip	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

## Section 4. First aid measures

Enzyme Strip 1 - well A, B, C, D, E, G, H  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 1 - well F  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 2 - well A, B, C, D, E, F, H  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 2 - well G  
Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Skin contact

: RE Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

SSC Buffer

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

BSA Solution

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

DNA Ligase

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

## Section 4. First aid measures

	medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Wash Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Primer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Primer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex Indexing Primer A01 - H02	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Hybridization Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Enrichment Control DNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex Probe 8-Strip	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Enzyme Strip 1 - well F	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Enzyme Strip 2 - well G	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash

## Section 4. First aid measures

### Ingestion

: RE Buffer

clothing before reuse. Clean shoes thoroughly before reuse.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

SSC Buffer

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

BSA Solution

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

DNA Ligase

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Ligation Solution

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Wash Solution

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an



## Section 4. First aid measures

Capture Solution	<p>open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p> <p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 1	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 2	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Indexing Primer A01 - H02	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Hybridization Solution	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
Enrichment Control DNA	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Probe 8-Strip	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>



## Section 4. First aid measures

Enzyme Strip 1 - well A, B, C, D, E, G, H

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 1 - well F

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 2 - well A, B, C, D, E, F, H

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Enzyme Strip 2 - well G

Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never

## Section 4. First aid measures

give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects

<b>Eye contact</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 - well A, B, C, D, E, G, H Enzyme Strip 1 - well F Enzyme Strip 2 - well A, B, C, D, E, F, H Enzyme Strip 2 - well G	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. No known significant effects or critical hazards. Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes serious eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. Causes eye irritation. Causes eye irritation. Causes eye irritation. Causes eye irritation.
<b>Inhalation</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution  Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution  Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 - well A, B, C, D, E, G, H Enzyme Strip 1 - well F Enzyme Strip 2 - well A, B, C, D, E, F, H Enzyme Strip 2 - well G	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

## Section 4. First aid measures

<b>Skin contact</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	May cause an allergic skin reaction.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.
<b>Ingestion</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	May be irritating to mouth, throat and stomach.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Irritating to mouth, throat and stomach.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	Irritating to mouth, throat and stomach.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	May be irritating to mouth, throat and stomach.
	Enzyme Strip 1 - well F	May be irritating to mouth, throat and stomach.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	May be irritating to mouth, throat and stomach.
	Enzyme Strip 2 - well G	May be irritating to mouth, throat and stomach.

### Over-exposure signs/symptoms

<b>Eye contact</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	Adverse symptoms may include the following: irritation watering redness
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: pain or irritation watering redness
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following:

## Section 4. First aid measures

		pain or irritation watering redness
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Adverse symptoms may include the following: irritation watering redness
	Enzyme Strip 1 - well F	Adverse symptoms may include the following: irritation watering redness
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Adverse symptoms may include the following: irritation watering redness
	Enzyme Strip 2 - well G	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	No specific data.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.
	Enzyme Strip 2 - well G	No specific data.
<b>Skin contact</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.

## Section 4. First aid measures

	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	Adverse symptoms may include the following: irritation redness
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.
	Enzyme Strip 2 - well G	No specific data.
<b>Ingestion</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	No specific data.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.
	Enzyme Strip 2 - well G	No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

<b>Notes to physician</b>	: RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSC Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	BSA Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been

## Section 4. First aid measures

Wash Solution	ingested or inhaled. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Primer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Primer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HaloPlex Indexing Primer A01 - H02	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HaloPlex Probe 8-Strip	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 1 - well F	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 2 - well G	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	
: RE Buffer	No specific treatment.
SSC Buffer	No specific treatment.
BSA Solution	No specific treatment.
DNA Ligase	No specific treatment.
Ligation Solution	No specific treatment.
Wash Solution	No specific treatment.
Capture Solution	No specific treatment.
Primer 1	No specific treatment.
Primer 2	No specific treatment.
HaloPlex Indexing Primer A01 - H02	No specific treatment.
Hybridization Solution	No specific treatment.
Enrichment Control DNA	No specific treatment.
HaloPlex Probe 8-Strip	No specific treatment.
Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific treatment.
Enzyme Strip 1 - well F	No specific treatment.
Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific treatment.
Enzyme Strip 2 - well G	No specific treatment.

## Section 4. First aid measures

<b>Protection of first-aiders</b>	: RE Buffer	No action shall be taken involving any personal risk or without suitable training.
	SSC Buffer	No action shall be taken involving any personal risk or without suitable training.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training.
	DNA Ligase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
	Wash Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Capture Solution	No action shall be taken involving any personal risk or without suitable training.
	Primer 1	No action shall be taken involving any personal risk or without suitable training.
	Primer 2	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Indexing Primer A01 - H02	No action shall be taken involving any personal risk or without suitable training.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Probe 8-Strip	No action shall be taken involving any personal risk or without suitable training.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Enzyme Strip 1 - well F	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Enzyme Strip 2 - well G	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.



## Section 4. First aid measures

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	: RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
	SSC Buffer	Use an extinguishing agent suitable for the surrounding fire.
	BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
	DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
	Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
	Wash Solution	Use an extinguishing agent suitable for the surrounding fire.
	Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
	Primer 1	Use an extinguishing agent suitable for the surrounding fire.
	Primer 2	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Indexing Primer A01 - H02	Use an extinguishing agent suitable for the surrounding fire.
	Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
	Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Probe 8-Strip	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 1 - well F	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 2 - well G	Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: RE Buffer	None known.
	SSC Buffer	None known.
	BSA Solution	None known.
	DNA Ligase	None known.
	Ligation Solution	None known.
	Wash Solution	None known.
	Capture Solution	None known.
	Primer 1	None known.
	Primer 2	None known.
	HaloPlex Indexing Primer A01 - H02	None known.
	Hybridization Solution	None known.
	Enrichment Control DNA	None known.
	HaloPlex Probe 8-Strip	None known.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	None known.
	Enzyme Strip 1 - well F	None known.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	None known.

## Section 5. Fire-fighting measures

Enzyme Strip 2 - well G

None known.

### 5.2 Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SSC Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Wash Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex Indexing Primer A01 - H02	In a fire or if heated, a pressure increase will occur and the container may burst.
Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex Probe 8-Strip	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 1 - well A, B, C, D, E, G, H	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 1 - well F	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 2 - well A, B, C, D, E, F, H	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 2 - well G	In a fire or if heated, a pressure increase will occur and the container may burst.

#### Hazardous thermal decomposition products

RE Buffer	No specific data.
SSC Buffer	No specific data.
BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Ligation Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Wash Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides

## Section 5. Fire-fighting measures

Capture Solution	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
Primer 1	No specific data.
Primer 2	No specific data.
HaloPlex Indexing Primer A01 - H02	No specific data.
Hybridization Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Enrichment Control DNA	No specific data.
HaloPlex Probe 8-Strip	No specific data.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enzyme Strip 1 - well F	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enzyme Strip 2 - well A, B, C, D, E, F, H	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enzyme Strip 2 - well G	Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds metal oxide/oxides

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

: RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
SSC Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Ligation Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Wash Solution	Promptly isolate the scene by removing all persons

## Section 5. Fire-fighting measures

from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Capture Solution

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Primer 1

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Primer 2

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

HaloPlex Indexing Primer A01 - H02

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hybridization Solution

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enrichment Control DNA

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

HaloPlex Probe 8-Strip

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 1 - well A, B, C, D, E, G, H

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 1 - well F

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 2 - well A, B, C, D, E, F, H

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Enzyme Strip 2 - well G

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

### Special protective equipment for fire-fighters

: RE Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

SSC Buffer

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

BSA Solution

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 5. Fire-fighting measures

DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Wash Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Indexing Primer A01 - H02	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Probe 8-Strip	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1 - well F	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2 - well G	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: RE Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SSC Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Wash Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Primer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Primer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and

## Section 6. Accidental release measures

HaloPlex Indexing Primer A01 - H02	unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
HaloPlex Probe 8-Strip	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Enzyme Strip 1 - well A, B, C, D, E, G, H	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enzyme Strip 1 - well F	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enzyme Strip 2 - well A, B, C, D, E, F, H	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enzyme Strip 2 - well G	No action shall be taken involving any personal risk or without suitable training. Evacuate





## Section 6. Accidental release measures

Enzyme Strip 1 - well A, B, C, D, E, G, H	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1 - well F	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2 - well A, B, C, D, E, F, H	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2 - well G	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: RE Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSC Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNA Ligase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wash Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Capture Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2	Avoid dispersal of spilled material and runoff and

## Section 6. Accidental release measures

	contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Indexing Primer A01 - H02	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Probe 8-Strip	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1 - well A, B, C, D, E, G, H	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1 - well F	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2 - well A, B, C, D, E, F, H	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2 - well G	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

RE Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
SSC Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with

## Section 6. Accidental release measures

Ligation Solution	water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Wash Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Indexing Primer A01 - H02	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Probe 8-Strip	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1 - well F	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2 - well G	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	: RE Buffer	Put on appropriate personal protective equipment (see Section 8).
	SSC Buffer	Put on appropriate personal protective equipment (see Section 8).
	BSA Solution	Put on appropriate personal protective equipment (see Section 8).
	DNA Ligase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
	Wash Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Capture Solution	Put on appropriate personal protective equipment (see Section 8).
	Primer 1	Put on appropriate personal protective equipment (see Section 8).
	Primer 2	Put on appropriate personal protective equipment (see Section 8).
	HaloPlex Indexing Primer A01 - H02	Put on appropriate personal protective equipment (see Section 8).
	Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
	HaloPlex Probe 8-Strip	Put on appropriate personal protective equipment (see Section 8).
	Enzyme Strip 1 - well A, B, C, D, E,	Put on appropriate personal protective equipment

## Section 7. Handling and storage

	G, H	(see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Enzyme Strip 1 - well F	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	Enzyme Strip 2 - well G	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<p><b>Advice on general occupational hygiene</b></p>	<p>: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>	
<p><b>7.2 Conditions for safe storage, including any incompatibilities</b></p>	<p>: RE Buffer</p> <p>SSC Buffer</p>	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept</p>



## Section 7. Handling and storage

BSA Solution	<p>upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p> <p>Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
DNA Ligase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Ligation Solution	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Wash Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Capture Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate</p>



## Section 7. Handling and storage

Primer 1	<p>containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Primer 2	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
HaloPlex Indexing Primer A01 - H02	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Hybridization Solution	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Enrichment Control DNA	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
HaloPlex Probe 8-Strip	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight</p>

## Section 7. Handling and storage

Enzyme Strip 1 - well A, B, C, D, E, G, H	<p>in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p> <p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Enzyme Strip 1 - well F	<p>Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Enzyme Strip 2 - well A, B, C, D, E, F, H	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>
Enzyme Strip 2 - well G	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</p>



## Section 8. Exposure controls/personal protection

### Wash Solution

Formamide

**ACGIH TLV (United States, 4/2014).**

**Absorbed through skin.**

TWA: 10 ppm 8 hours.

TWA: 18 mg/m<sup>3</sup> 8 hours.

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 20 ppm 8 hours.

TWA: 30 mg/m<sup>3</sup> 8 hours.

STEL: 30 ppm 15 minutes.

STEL: 45 mg/m<sup>3</sup> 15 minutes.

**NIOSH REL (United States, 10/2013).**

**Absorbed through skin.**

TWA: 10 ppm 10 hours.

TWA: 15 mg/m<sup>3</sup> 10 hours.

### Hybridization Solution

Formamide

**ACGIH TLV (United States, 4/2014).**

**Absorbed through skin.**

TWA: 10 ppm 8 hours.

TWA: 18 mg/m<sup>3</sup> 8 hours.

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 20 ppm 8 hours.

TWA: 30 mg/m<sup>3</sup> 8 hours.

STEL: 30 ppm 15 minutes.

STEL: 45 mg/m<sup>3</sup> 15 minutes.

**NIOSH REL (United States, 10/2013).**

**Absorbed through skin.**

TWA: 10 ppm 10 hours.

TWA: 15 mg/m<sup>3</sup> 10 hours.

### Enzyme Strip 1 - well A, B, C, D, E, G, H

Glycerol

**OSHA PEL (United States, 2/2013).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust

### Enzyme Strip 1 - well F

Glycerol

**OSHA PEL (United States, 2/2013).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust

**AIHA WEEL (United States, 10/2011).**

**Absorbed through skin.**

TWA: 0.2 ppm 8 hours.

2-Mercaptoethanol

### Enzyme Strip 2 - well A, B, C, D, E, F, H

Glycerol

**OSHA PEL (United States, 2/2013).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust

## Section 8. Exposure controls/personal protection

### Enzyme Strip 2 - well G

Glycerol

#### OSHA PEL (United States, 2/2013).

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fractionTWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

#### OSHA PEL 1989 (United States, 3/1989).

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fractionTWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust

### 8.2 Exposure controls

#### Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

#### Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

## Section 9. Physical and chemical properties

### [9.1 Information on basic physical and chemical properties](#)

#### Appearance

<b>Physical state</b>	:	RE Buffer	Liquid.	
		SSC Buffer	Liquid.	
		BSA Solution	Liquid. [Clear.]	
		DNA Ligase	Liquid. [Viscous liquid.]	
		Ligation Solution	Liquid.	
		Wash Solution	Liquid.	
		Capture Solution	Liquid.	
		Primer 1	Liquid.	
		Primer 2	Liquid.	
		HaloPlex Indexing Primer A01 - H02	Liquid.	
		Hybridization Solution	Liquid.	
		Enrichment Control DNA	Liquid.	
		HaloPlex Probe 8-Strip	Liquid.	
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Liquid. [Clear.]	
		Enzyme Strip 1 - well F	Liquid. [Clear.]	
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Liquid. [Clear.]	
		Enzyme Strip 2 - well G	Liquid. [Clear.]	
	<b>Color</b>	:	RE Buffer	Not available.
			SSC Buffer	Not available.
			BSA Solution	Colorless.
		DNA Ligase	Colorless.	
		Ligation Solution	Not available.	
		Wash Solution	Not available.	
		Capture Solution	Not available.	
		Primer 1	Not available.	
		Primer 2	Not available.	
		HaloPlex Indexing Primer A01 - H02	Not available.	
		Hybridization Solution	Not available.	
		Enrichment Control DNA	Not available.	
		HaloPlex Probe 8-Strip	Not available.	
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Colorless.	
		Enzyme Strip 1 - well F	Colorless.	
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Colorless.	
		Enzyme Strip 2 - well G	Colorless.	
<b>Odor</b>		:	RE Buffer	Not available.
			SSC Buffer	Not available.
			BSA Solution	Odorless.
		DNA Ligase	Odorless.	
		Ligation Solution	Not available.	
		Wash Solution	Not available.	
		Capture Solution	Not available.	
		Primer 1	Not available.	
		Primer 2	Not available.	
		HaloPlex Indexing Primer A01 - H02	Not available.	
		Hybridization Solution	Not available.	
		Enrichment Control DNA	Not available.	
		HaloPlex Probe 8-Strip	Not available.	
		Enzyme Strip 1 - well A, B, C, D, E,	Odorless.	



## Section 9. Physical and chemical properties

		G, H	
		Enzyme Strip 1 - well F	Odorless.
		Enzyme Strip 2 - well A, B, C, D, E,	Odorless.
		F, H	
		Enzyme Strip 2 - well G	Odorless.
<b>Odor threshold</b>	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 -	Not available.
		H02	
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1 - well A, B, C, D, E,	Not available.
		G, H	
		Enzyme Strip 1 - well F	Not available.
		Enzyme Strip 2 - well A, B, C, D, E,	Not available.
		F, H	
		Enzyme Strip 2 - well G	Not available.
<b>pH</b>	:	RE Buffer	7.9
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	7.4
		Ligation Solution	Not available.
		Wash Solution	7.5
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 -	Not available.
		H02	
		Hybridization Solution	7.5
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1 - well A, B, C, D, E,	Not available.
		G, H	
		Enzyme Strip 1 - well F	5.5 to 8
		Enzyme Strip 2 - well A, B, C, D, E,	Not available.
		F, H	
		Enzyme Strip 2 - well G	Not available.
<b>Melting point</b>	:	RE Buffer	0°C (32°F)
		SSC Buffer	0°C (32°F)
		BSA Solution	20°C (68°F)
		DNA Ligase	-23°C (-9.4°F)
		Ligation Solution	0°C (32°F)
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	0°C (32°F)
		Primer 2	0°C (32°F)
		HaloPlex Indexing Primer A01 -	0°C (32°F)
		H02	
		Hybridization Solution	Not available.
		Enrichment Control DNA	0°C (32°F)

## Section 9. Physical and chemical properties

	HaloPlex Probe 8-Strip	0°C (32°F)
	Enzyme Strip 1 - well A, B, C, D, E, G, H	20°C (68°F)
	Enzyme Strip 1 - well F	20°C (68°F)
	Enzyme Strip 2 - well A, B, C, D, E, F, H	20°C (68°F)
	Enzyme Strip 2 - well G	20°C (68°F)
<b>Boiling point</b>	: RE Buffer	100°C (212°F)
	SSC Buffer	100°C (212°F)
	BSA Solution	182°C (359.6°F)
	DNA Ligase	182°C (359.6°F)
	Ligation Solution	100°C (212°F)
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	100°C (212°F)
	Primer 2	100°C (212°F)
	HaloPlex Indexing Primer A01 - H02	100°C (212°F)
	Hybridization Solution	Not available.
	Enrichment Control DNA	100°C (212°F)
	HaloPlex Probe 8-Strip	100°C (212°F)
	Enzyme Strip 1 - well A, B, C, D, E, G, H	182°C (359.6°F)
	Enzyme Strip 1 - well F	182°C (359.6°F)
	Enzyme Strip 2 - well A, B, C, D, E, F, H	182°C (359.6°F)
	Enzyme Strip 2 - well G	182°C (359.6°F)
<b>Flash point</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Closed cup: 160°C (320°F)
	DNA Ligase	Open cup: 176°C (348.8°F)
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Closed cup: 160°C (320°F)
	Enzyme Strip 1 - well F	Closed cup: >200°C (>392°F)
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Closed cup: 160°C (320°F)
	Enzyme Strip 2 - well G	Closed cup: 160°C (320°F)
<b>Evaporation rate</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.

## Section 9. Physical and chemical properties

	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
	Enzyme Strip 1 - well F	Not available.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.
	Enzyme Strip 2 - well G	Not available.
<b>Flammability (solid, gas)</b>	: RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	HaloPlex Probe 8-Strip	Not applicable.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not applicable.
	Enzyme Strip 1 - well F	Not applicable.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not applicable.
	Enzyme Strip 2 - well G	Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
	Enzyme Strip 1 - well F	Lower: 0.9%
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.
	Enzyme Strip 2 - well G	Not available.
<b>Vapor pressure</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	<0.13 kPa (<1 mm Hg) [room temperature]
	DNA Ligase	0.4 kPa (3 mm Hg) [room temperature]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.

## Section 9. Physical and chemical properties

	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	<0.13 kPa (<1 mm Hg) [room temperature]
	Enzyme Strip 1 - well F	<0.13 kPa (<1 mm Hg) [room temperature]
	Enzyme Strip 2 - well A, B, C, D, E, F, H	<0.13 kPa (<1 mm Hg) [room temperature]
	Enzyme Strip 2 - well G	<0.13 kPa (<1 mm Hg) [room temperature]
<b>Vapor density</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	3.1 [Air = 1]
	DNA Ligase	3.1 [Air = 1]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	3.1 [Air = 1]
	Enzyme Strip 1 - well F	3.1 [Air = 1]
	Enzyme Strip 2 - well A, B, C, D, E, F, H	3.1 [Air = 1]
	Enzyme Strip 2 - well G	3.1 [Air = 1]
<b>Relative density</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	1.262
	DNA Ligase	1.261
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	1.262
	Enzyme Strip 1 - well F	1.262
	Enzyme Strip 2 - well A, B, C, D, E, F, H	1.262
	Enzyme Strip 2 - well G	1.262

## Section 9. Physical and chemical properties

<b>Solubility</b>	:	RE Buffer	Easily soluble in the following materials: cold water and hot water.
		SSC Buffer	Easily soluble in the following materials: cold water and hot water.
		BSA Solution	Soluble in the following materials: cold water and hot water.
		DNA Ligase	Easily soluble in the following materials: cold water and hot water.
		Ligation Solution	Easily soluble in the following materials: cold water and hot water.
		Wash Solution	Soluble in the following materials: cold water and hot water.
		Capture Solution	Easily soluble in the following materials: cold water and hot water.
		Primer 1	Easily soluble in the following materials: cold water and hot water.
		Primer 2	Easily soluble in the following materials: cold water and hot water.
		HaloPlex Indexing Primer A01 - H02	Easily soluble in the following materials: cold water and hot water.
		Hybridization Solution	Soluble in the following materials: cold water and hot water.
		Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.
		HaloPlex Probe 8-Strip	Easily soluble in the following materials: cold water and hot water.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Soluble in the following materials: cold water and hot water.
		Enzyme Strip 1 - well F	Soluble in the following materials: cold water and hot water.
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Soluble in the following materials: cold water and hot water.
		Enzyme Strip 2 - well G	Soluble in the following materials: cold water and hot water.
<b>Solubility in water</b>	:	Not available.	
<b>Partition coefficient: n-octanol/water</b>	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Probe 8-Strip	Not available.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
		Enzyme Strip 1 - well F	Not available.
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.
		Enzyme Strip 2 - well G	Not available.

## Section 9. Physical and chemical properties

<b>Auto-ignition temperature</b>	:	RE Buffer	Not available.	
		SSC Buffer	Not available.	
		BSA Solution	370°C (698°F)	
		DNA Ligase	Not available.	
		Ligation Solution	Not available.	
		Wash Solution	Not available.	
		Capture Solution	Not available.	
		Primer 1	Not available.	
		Primer 2	Not available.	
		HaloPlex Indexing Primer A01 - H02	Not available.	
		Hybridization Solution	Not available.	
		Enrichment Control DNA	Not available.	
		HaloPlex Probe 8-Strip	Not available.	
		Enzyme Strip 1 - well A, B, C, D, E, G, H	370°C (698°F)	
		Enzyme Strip 1 - well F	370°C (698°F)	
		Enzyme Strip 2 - well A, B, C, D, E, F, H	370°C (698°F)	
		Enzyme Strip 2 - well G	370°C (698°F)	
	<b>Decomposition temperature</b>	:	RE Buffer	Not available.
			SSC Buffer	Not available.
			BSA Solution	Not available.
		DNA Ligase	Not available.	
		Ligation Solution	Not available.	
		Wash Solution	Not available.	
		Capture Solution	Not available.	
		Primer 1	Not available.	
		Primer 2	Not available.	
		HaloPlex Indexing Primer A01 - H02	Not available.	
		Hybridization Solution	Not available.	
		Enrichment Control DNA	Not available.	
		HaloPlex Probe 8-Strip	Not available.	
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.	
		Enzyme Strip 1 - well F	Not available.	
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.	
		Enzyme Strip 2 - well G	Not available.	
<b>Viscosity</b>		:	RE Buffer	Not available.
			SSC Buffer	Not available.
			BSA Solution	Not available.
		DNA Ligase	Not available.	
		Ligation Solution	Not available.	
		Wash Solution	Not available.	
		Capture Solution	Not available.	
		Primer 1	Not available.	
		Primer 2	Not available.	
		HaloPlex Indexing Primer A01 - H02	Not available.	
		Hybridization Solution	Not available.	
		Enrichment Control DNA	Not available.	
		HaloPlex Probe 8-Strip	Not available.	
		Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.	
		Enzyme Strip 1 - well F	Not available.	
		Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.	
		Enzyme Strip 2 - well G	Not available.	



## Section 9. Physical and chemical properties

F, H  
Enzyme Strip 2 - well G                      Not available.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	:	RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SSC Buffer	No specific test data related to reactivity available for this product or its ingredients.
		BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
		DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
		Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
		Wash Solution	No specific test data related to reactivity available for this product or its ingredients.
		Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
		Primer 1	No specific test data related to reactivity available for this product or its ingredients.
		Primer 2	No specific test data related to reactivity available for this product or its ingredients.
		HaloPlex Indexing Primer A01 - H02	No specific test data related to reactivity available for this product or its ingredients.
		Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
		Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
		HaloPlex Probe 8-Strip	No specific test data related to reactivity available for this product or its ingredients.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific test data related to reactivity available for this product or its ingredients.
		Enzyme Strip 1 - well F	No specific test data related to reactivity available for this product or its ingredients.
		Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific test data related to reactivity available for this product or its ingredients.
		Enzyme Strip 2 - well G	No specific test data related to reactivity available for this product or its ingredients.

<b>10.2 Chemical stability</b>	:	RE Buffer	The product is stable.
		SSC Buffer	The product is stable.
		BSA Solution	The product is stable.
		DNA Ligase	The product is stable.
		Ligation Solution	The product is stable.
		Wash Solution	The product is stable.
		Capture Solution	The product is stable.
		Primer 1	The product is stable.
		Primer 2	The product is stable.
		HaloPlex Indexing Primer A01 - H02	The product is stable.
		Hybridization Solution	The product is stable.
		Enrichment Control DNA	The product is stable.
		HaloPlex Probe 8-Strip	The product is stable.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	The product is stable.
		Enzyme Strip 1 - well F	The product is stable.
		Enzyme Strip 2 - well A, B, C, D, E, F, H	The product is stable.

## Section 10. Stability and reactivity

	Enzyme Strip 2 - well G	The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: RE Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	SSC Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
	BSA Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
	Ligation Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	Wash Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	Capture Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	Primer 1	Under normal conditions of storage and use, hazardous reactions will not occur.
	Primer 2	Under normal conditions of storage and use, hazardous reactions will not occur.
	HaloPlex Indexing Primer A01 - H02	Under normal conditions of storage and use, hazardous reactions will not occur.
	Hybridization Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
	Enrichment Control DNA	Under normal conditions of storage and use, hazardous reactions will not occur.
	HaloPlex Probe 8-Strip	Under normal conditions of storage and use, hazardous reactions will not occur.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Under normal conditions of storage and use, hazardous reactions will not occur.
	Enzyme Strip 1 - well F	Under normal conditions of storage and use, hazardous reactions will not occur.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Under normal conditions of storage and use, hazardous reactions will not occur.
	Enzyme Strip 2 - well G	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	No specific data.
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	No specific data.
	Enrichment Control DNA	No specific data.
	HaloPlex Probe 8-Strip	No specific data.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	No specific data.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.
	Enzyme Strip 2 - well G	No specific data.

## Section 10. Stability and reactivity

<b>10.5 Incompatible materials</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Probe 8-Strip Enzyme Strip 1 - well A, B, C, D, E, G, H Enzyme Strip 1 - well F Enzyme Strip 2 - well A, B, C, D, E, F, H Enzyme Strip 2 - well G	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.
<b>10.6 Hazardous decomposition products</b>	: RE Buffer  SSC Buffer  BSA Solution  DNA Ligase  Ligation Solution  Wash Solution  Capture Solution  Primer 1  Primer 2  HaloPlex Indexing Primer A01 - H02  Hybridization Solution  Enrichment Control DNA  HaloPlex Probe 8-Strip	Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.  Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 10. Stability and reactivity

Enzyme Strip 1 - well A, B, C, D, E, G, H	hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1 - well F	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2 - well G	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>BSA Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>DNA Ligase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Ligation Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Wash Solution</b> Formamide	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LC50 Inhalation Dusts and mists	Rat	>42 g/m <sup>3</sup>	1 hours
	LD50 Oral	Rat	3000 mg/kg	-
<b>Capture Solution</b> Sodium chloride	LC50 Inhalation Dusts and mists	Rat	>42 g/m <sup>3</sup>	1 hours
	LD50 Oral	Rat	3000 mg/kg	-
<b>Hybridization Solution</b> Formamide	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LC50 Inhalation Dusts and mists	Rat	>42 g/m <sup>3</sup>	1 hours
	LD50 Oral	Rat	3000 mg/kg	-
<b>Enzyme Strip 1 - well A, B, C, D, E, G, H</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Enzyme Strip 1 - well F</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
2-Mercaptoethanol	LD50 Dermal	Rabbit	200 mg/kg	-
	LD50 Oral	Rat	244 mg/kg	-
<b>Enzyme Strip 2 - well A, B, C, D, E, F, H</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-

## Section 11. Toxicological information

<b>Enzyme Strip 2 - well G</b>				
Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Sodium chloride	LC50 Inhalation Dusts and mists	Rat	>42 g/m <sup>3</sup>	1 hours
	LD50 Oral	Rat	3000 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>BSA Solution</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>DNA Ligase</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Ligation Solution</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Wash Solution</b>					
Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Capture Solution</b>					
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Hybridization Solution</b>					
Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Enzyme Strip 1 - well A, B, C, D, E, G, H</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Enzyme Strip 1 - well F</b>					

## Section 11. Toxicological information

Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
2-Mercaptoethanol	Eyes - Severe irritant	Rabbit	-	2 milligrams	-
<b>Enzyme Strip 2 - well A, B, C, D, E, F, H</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Enzyme Strip 2 - well G</b>					
Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

### Sensitization

Not available.

### Mutagenicity

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
<b>Enzyme Strip 1 - well F</b> 2-Mercaptoethanol	Category 3	Not applicable.	Respiratory tract irritation

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.



## Section 11. Toxicological information

<b>Information on the likely routes of exposure</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
	Enzyme Strip 1 - well F	Not available.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.
	Enzyme Strip 2 - well G	Not available.
<b>Potential acute health effects</b>		
<b>Eye contact</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	Causes eye irritation.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Causes serious eye irritation.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	Causes serious eye irritation.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Causes eye irritation.
	Enzyme Strip 1 - well F	Causes eye irritation.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Causes eye irritation.
	Enzyme Strip 2 - well G	Causes eye irritation.
<b>Inhalation</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

## Section 11. Toxicological information

	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	No known significant effects or critical hazards.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.
<b>Skin contact</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	May cause an allergic skin reaction.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.
<b>Ingestion</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	May be irritating to mouth, throat and stomach.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	Irritating to mouth, throat and stomach.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	Irritating to mouth, throat and stomach.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	May be irritating to mouth, throat and stomach.
	Enzyme Strip 1 - well F	May be irritating to mouth, throat and stomach.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	May be irritating to mouth, throat and stomach.
	Enzyme Strip 2 - well G	May be irritating to mouth, throat and stomach.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Eye contact</b>	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	Adverse symptoms may include the following: irritation watering redness
	Ligation Solution	No specific data.

## Section 11. Toxicological information

Wash Solution	Adverse symptoms may include the following: pain or irritation watering redness
Capture Solution	No specific data.
Primer 1	No specific data.
Primer 2	No specific data.
HaloPlex Indexing Primer A01 - H02	No specific data.
Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
Enrichment Control DNA	No specific data.
HaloPlex Probe 8-Strip	No specific data.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Adverse symptoms may include the following: irritation watering redness
Enzyme Strip 1 - well F	Adverse symptoms may include the following: irritation watering redness
Enzyme Strip 2 - well A, B, C, D, E, F, H	Adverse symptoms may include the following: irritation watering redness
Enzyme Strip 2 - well G	Adverse symptoms may include the following: irritation watering redness
<b>Inhalation</b> : RE Buffer	No specific data.
SSC Buffer	No specific data.
BSA Solution	No specific data.
DNA Ligase	No specific data.
Ligation Solution	No specific data.
Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Capture Solution	No specific data.
Primer 1	No specific data.
Primer 2	No specific data.
HaloPlex Indexing Primer A01 - H02	No specific data.
Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Enrichment Control DNA	No specific data.
HaloPlex Probe 8-Strip	No specific data.
Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
Enzyme Strip 1 - well F	No specific data.
Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.
Enzyme Strip 2 - well G	No specific data.

## Section 11. Toxicological information

<b>Skin contact</b>	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H02	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Probe 8-Strip	No specific data.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	Adverse symptoms may include the following: irritation redness	
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.	
	Enzyme Strip 2 - well G	No specific data.	
<b>Ingestion</b>	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Capture Solution	No specific data.
		Primer 1	No specific data.
		Primer 2	No specific data.
		HaloPlex Indexing Primer A01 - H02	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Probe 8-Strip	No specific data.
		Enzyme Strip 1 - well A, B, C, D, E, G, H	No specific data.
	Enzyme Strip 1 - well F	No specific data.	
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No specific data.	
	Enzyme Strip 2 - well G	No specific data.	

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

## Section 11. Toxicological information

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

**General** :

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
Enzyme Strip 1 - well F	Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
Enzyme Strip 2 - well G	No known significant effects or critical hazards.

**Carcinogenicity** :

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
Enzyme Strip 1 - well F	No known significant effects or critical hazards.
Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
Enzyme Strip 2 - well G	No known significant effects or critical hazards.

**Mutagenicity** :

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	No known significant effects or critical hazards.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	No known significant effects or critical hazards.
Capture Solution	No known significant effects or critical hazards.

## Section 11. Toxicological information

	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	No known significant effects or critical hazards.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.
<b>Teratogenicity</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	May damage the unborn child.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	May damage the unborn child.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	No known significant effects or critical hazards.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.
<b>Developmental effects</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	No known significant effects or critical hazards.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.



## Section 11. Toxicological information

<b>Fertility effects</b>	: RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	Primer 1	No known significant effects or critical hazards.
	Primer 2	No known significant effects or critical hazards.
	HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Probe 8-Strip	No known significant effects or critical hazards.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	No known significant effects or critical hazards.
	Enzyme Strip 1 - well F	No known significant effects or critical hazards.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	No known significant effects or critical hazards.
	Enzyme Strip 2 - well G	No known significant effects or critical hazards.

### Numerical measures of toxicity

#### Acute toxicity estimates

Route	ATE value
<b>Wash Solution</b> Oral	14423.1 mg/kg
<b>Capture Solution</b> Oral	51724.1 mg/kg
<b>Hybridization Solution</b> Oral	8119.1 mg/kg
<b>Enzyme Strip 2 - well G</b> Oral	200000 mg/kg

<b>Other information</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Probe 8-Strip	Not available.
	Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
	Enzyme Strip 1 - well F	Not available.
	Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.

## Section 11. Toxicological information

Enzyme Strip 2 - well G

Not available.

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>Wash Solution</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm <sup>3</sup> Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Capture Solution</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm <sup>3</sup> Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Hybridization Solution</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm <sup>3</sup> Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
<b>Enzyme Strip 2 - well G</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm <sup>3</sup> Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours

## Section 12. Ecological information

	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks

### 12.2 Persistence and degradability

Not available.

### 12.3 Bioaccumulative potential

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>BSA Solution</b> Glycerol	-1.76	-	low
<b>DNA Ligase</b> Glycerol	-1.76	-	low
<b>Ligation Solution</b> Glycerol	-1.76	-	low
<b>Wash Solution</b> Formamide	-0.82	-	low
<b>Hybridization Solution</b> Formamide	-0.82	-	low
<b>Enzyme Strip 1 - well A, B, C, D, E, G, H</b> Glycerol	-1.76	-	low
<b>Enzyme Strip 1 - well F</b> Glycerol	-1.76	-	low
	2-Mercaptoethanol	-	low
<b>Enzyme Strip 2 - well A, B, C, D, E, F, H</b> Glycerol	-1.76	-	low
<b>Enzyme Strip 2 - well G</b> Glycerol	-1.76	-	low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA classification** :

RE Buffer	Not available.
SSC Buffer	Not available.
BSA Solution	Not available.
DNA Ligase	Not available.
Ligation Solution	Not available.
Wash Solution	Not available.
Capture Solution	Not available.
Primer 1	Not available.
Primer 2	Not available.
HaloPlex Indexing Primer A01 - H02	Not available.
Hybridization Solution	Not available.
Enrichment Control DNA	Not available.
HaloPlex Probe 8-Strip	Not available.
Enzyme Strip 1 - well A, B, C, D, E, G, H	Not available.
Enzyme Strip 1 - well F	Not available.
Enzyme Strip 2 - well A, B, C, D, E, F, H	Not available.
Enzyme Strip 2 - well G	Not available.

**Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.**

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

### Regulatory information

**DOT / IMDG / IATA** : Not regulated.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**U.S. Federal regulations** : TSCA 8(a) PAIR: Formamide  
 United States inventory (TSCA 8b): Not determined.  
 Clean Water Act (CWA) 311: Edetic acid

**Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)** : Not listed

**Clean Air Act Section 602 Class I Substances** : Not listed

**Clean Air Act Section 602 Class II Substances** : Not listed

**DEA List I Chemicals (Precursor Chemicals)** : Not listed

**DEA List II Chemicals (Essential Chemicals)** : Not listed

#### SARA 302/304

##### Composition/information on ingredients

No products were found.

**SARA 304 RQ** : Not applicable.

#### SARA 311/312

**Classification** : Immediate (acute) health hazard  
 Delayed (chronic) health hazard

##### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
<b>BSA Solution</b> Glycerol	1 - 5	No.	No.	No.	Yes.	No.
<b>DNA Ligase</b> Glycerol	30 - 60	No.	No.	No.	Yes.	No.
<b>Ligation Solution</b> Glycerol	1 - 5	No.	No.	No.	Yes.	No.
<b>Wash Solution</b> Formamide Sodium chloride	10 - 30 5 - 10	No. No.	No. No.	No. No.	Yes. Yes.	Yes. No.
<b>Capture Solution</b> Sodium chloride	5 - 10	No.	No.	No.	Yes.	No.
<b>Hybridization Solution</b> Formamide Sodium chloride	30 - 60 10 - 30	No. No.	No. No.	No. No.	Yes. Yes.	Yes. No.
<b>Enzyme Strip 1 - well A, B, C, D, E, G, H</b> Glycerol	30 - 60	No.	No.	No.	Yes.	No.

## Section 15. Regulatory information

<b>Enzyme Strip 1 - well F</b>						
Glycerol	30 - 60	No.	No.	No.	Yes.	No.
2-Mercaptoethanol	0.1 - 1	Yes.	No.	No.	Yes.	No.
<b>Enzyme Strip 2 - well A, B, C, D, E, F, H</b>						
Glycerol	30 - 60	No.	No.	No.	Yes.	No.
<b>Enzyme Strip 2 - well G</b>						
Glycerol	30 - 60	No.	No.	No.	Yes.	No.
Sodium chloride	1 - 5	No.	No.	No.	Yes.	No.

### State regulations

- Massachusetts** : The following components are listed: GLYCERINE MIST; FORMAMIDE
- New York** : None of the components are listed.
- New Jersey** : The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; FORMAMIDE
- Pennsylvania** : The following components are listed: 1,2,3-PROPANETRIOL; FORMAMIDE
- California Prop. 65**

No products were found.

**Canada inventory** : Not determined.

### International regulations

- International lists** :
- Australia inventory (AICS)**: Not determined.
  - China inventory (IECSC)**: Not determined.
  - Japan inventory**: Not determined.
  - Korea inventory**: Not determined.
  - Malaysia Inventory (EHS Register)**: Not determined.
  - New Zealand Inventory of Chemicals (NZIoC)**: Not determined.
  - Philippines inventory (PICCS)**: Not determined.
  - Taiwan inventory (CSNN)**: Not determined.

**Chemical Weapons Convention List Schedule I Chemicals** : Not listed

**Chemical Weapons Convention List Schedule II Chemicals** : Not listed

**Chemical Weapons Convention List Schedule III Chemicals** : Not listed

## Section 16. Other information

### History

- Date of issue** : 09/12/2014.
- Date of previous issue** : No previous validation.
- Version** : 1

☑ Indicates information that has changed from previously issued version.

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.