

SAFETY DATA SHEET

HaloPlex HS Target Enrichment Kits - ION - 48 reactions

Section 1. Identification

Product identifier	: HaloPlex HS Target Enrichment Kits - ION - 48 reactions
Part No. (Chemical Kit)	: G9932C, G9942C
Part No.	: RE Buffer 5190-7952
	BSA Solution 5190-7953
	Enrichment Control DNA 5190-7956
	Hybridization Solution 5190-7957
	HS Hybridization Stop Solution 5190-7958
	10 mM rATP 5190-7959
	HS Ligation Solution 5190-7960
	HS DNA Ligase 5190-7961
	HS Capture Solution 5190-7962
	HS Wash 1 Solution 5190-7963
	HS Wash 2 Solution 5190-7964
	Primer 1 ION 5190-7811
	Primer 2 ION 5190-7812
	HS Elution Buffer 5190-7967
	Herculase II Fusion DNA Polymerase 5190-7968
	Herculase II Reaction Buffer 5190-7969
	100 mM dNTP Mix 5190-7970
	HaloPlex HS ION Indexing Plate 5190-8834
	Enzyme Strip 1 5190-7954
	Enzyme Strip 2 5190-7955
	HaloPlex HS ION Probe 5190-7863 / 5190-7865 / 5190-7867 / 5190-7869

Relevant identified uses of the substance or mixture and uses advised against

Analytical reagent.

RE Buffer	1.7 ml (48 reactions)
BSA Solution	0.04 ml (48 reactions)
Enrichment Control DNA	0.31 ml (48 reactions)
Hybridization Solution	2.5 ml (48 reactions)
HS Hybridization Stop Solution	1.9 ml (48 reactions)
10 mM rATP	0.02 ml (48 reactions)
HS Ligation Solution	0.72 ml (48 reactions)
HS DNA Ligase	0.18 ml (48 reactions)
HS Capture Solution	2.7 ml (48 reactions)
HS Wash 1 Solution	6.7 ml (48 reactions)
HS Wash 2 Solution	10.8 ml (48 reactions)
Primer 1 ION	0.29 ml (48 reactions)
Primer 2 ION	2 x 0.29 ml (48 reactions)
HS Elution Buffer	15 ml (48 reactions)
Herculase II Fusion DNA Polymerase	0.29 ml (48 reactions)
Herculase II Reaction Buffer	2.2 ml (48 reactions)
100 mM dNTP Mix	0.06 ml (48 reactions)
HaloPlex HS ION Indexing Plate	0.015 ml (96 reactions)
Enzyme Strip 1	0.2 ml (48 reactions)
Enzyme Strip 2	0.2 ml (48 reactions)
HaloPlex HS ION Probe	0.357 ml (48 reactions)

Supplier/Manufacturer : Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
1800 802 402

Section 1. Identification

Emergency telephone number (with hours of operation) : CHEMTREC®: (61)-290372994

Section 2. Hazard(s) identification

Classification of the substance or mixture

Hybridization Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

HS Capture Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A

RE Buffer	Not applicable.
BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1%
Enrichment Control DNA	Not applicable.
Hybridization Solution	Not applicable.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 5.4%
HaloPlex HS ION Indexing Plate	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.
RE Buffer	Not applicable.
BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%
Enrichment Control DNA	Not applicable.
Hybridization Solution	Not applicable.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1.1%
HS DNA Ligase	Not applicable.
HS Capture Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 9.4%
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%
HaloPlex HS ION Indexing	Not applicable.

Section 2. Hazard(s) identification

Plate	
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.

GHS label elements

Hazard pictograms



Signal word

: RE Buffer	No signal word.
BSA Solution	No signal word.
Enrichment Control DNA Hybridization Solution	No signal word.
HS Hybridization Stop Solution	DANGER
10 mM rATP	No signal word.
HS Ligation Solution	No signal word.
HS DNA Ligase	No signal word.
HS Capture Solution	WARNING
HS Wash 1 Solution	No signal word.
HS Wash 2 Solution	No signal word.
Primer 1 ION	No signal word.
Primer 2 ION	No signal word.
HS Elution Buffer	No signal word.
Herculase II Fusion DNA Polymerase	No signal word.
Herculase II Reaction Buffer	No signal word.
100 mM dNTP Mix	No signal word.
HaloPlex HS ION Indexing Plate	No signal word.
Enzyme Strip 1	No signal word.
Enzyme Strip 2	No signal word.
HaloPlex HS ION Probe	No signal word.

Hazard statements

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	H319 - Causes serious eye irritation. H360 - May damage the unborn child.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	H319 - Causes serious eye irritation.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Precautionary statements

Section 2. Hazard(s) identification

Prevention	:	RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P281 - Use personal protective equipment as required. P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling. Not applicable.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1 ION	Not applicable.
		Primer 2 ION	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS ION Indexing Plate	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.		
Response	:	RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		Hybridization Solution	P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1 ION	Not applicable.
		Primer 2 ION	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion DNA Polymerase	Not applicable.
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS ION Indexing Plate	Not applicable.
		Enzyme Strip 1	Not applicable.

Section 2. Hazard(s) identification

Storage

Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.
: RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA	Not applicable.
Hybridization Solution	P405 - Store locked up.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Not applicable.
HaloPlex HS ION Indexing Plate	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.

Disposal

: RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA	Not applicable.
Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Not applicable.
HaloPlex HS ION Indexing Plate	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.
: RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA	Not applicable.
Hybridization Solution	Not applicable.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.

Supplemental label elements

Section 2. Hazard(s) identification

HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Not applicable.
HaloPlex HS ION Indexing Plate	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS ION Probe	Not applicable.

Other hazards which do not result in classification

RE Buffer	None known.
BSA Solution	None known.
Enrichment Control DNA	None known.
Hybridization Solution	None known.
HS Hybridization Stop Solution	None known.
10 mM rATP	None known.
HS Ligation Solution	None known.
HS DNA Ligase	None known.
HS Capture Solution	None known.
HS Wash 1 Solution	None known.
HS Wash 2 Solution	None known.
Primer 1 ION	None known.
Primer 2 ION	None known.
HS Elution Buffer	None known.
Herculase II Fusion DNA Polymerase	None known.
Herculase II Reaction Buffer	None known.
100 mM dNTP Mix	None known.
HaloPlex HS ION Indexing Plate	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.
HaloPlex HS ION Probe	None known.

Section 3. Composition and ingredient information

Substance/mixture	:	RE Buffer	Mixture
		BSA Solution	Mixture
		Enrichment Control DNA	Mixture
		Hybridization Solution	Mixture
		HS Hybridization Stop Solution	Mixture
		10 mM rATP	Mixture
		HS Ligation Solution	Mixture
		HS DNA Ligase	Mixture
		HS Capture Solution	Mixture
		HS Wash 1 Solution	Mixture
		HS Wash 2 Solution	Mixture
		Primer 1 ION	Mixture
		Primer 2 ION	Mixture
		HS Elution Buffer	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		Herculase II Reaction Buffer	Mixture
		100 mM dNTP Mix	Mixture
		HaloPlex HS ION Indexing Plate	Mixture
		Enzyme Strip 1	Mixture

Section 3. Composition and ingredient information

Enzyme Strip 2
HaloPlex HS ION Probe

Mixture
Mixture

CAS number/other identifiers

Ingredient name	% (w/w)	CAS number
BSA Solution Glycerol	≤10	56-81-5
Hybridization Solution Formamide Sodium chloride	≥30 - ≤60 ≥10 - <25	75-12-7 7647-14-5
HS Hybridization Stop Solution Polyethylene glycol	≥30 - ≤60	25322-68-3
HS DNA Ligase Glycerol	≥30 - ≤60	56-81-5
HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate Sodium chloride	<10 ≤3	6381-92-6 7647-14-5
Herculase II Fusion DNA Polymerase Glycerol	≥30 - ≤60	56-81-5
Enzyme Strip 1 Glycerol	≥30 - ≤60	56-81-5
Enzyme Strip 2 Glycerol	≥30 - ≤60	56-81-5

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	HS Hybridization Stop Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	10 mM rATP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.

Section 4. First aid measures

HS Ligation Solution	Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
HS Wash 1 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Wash 2 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 1 ION	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 2 ION	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
100 mM dNTP Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex HS ION Indexing Plate	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex HS ION Probe	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Section 4. First aid measures

Inhalation	: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	HS Hybridization Stop Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	10 mM rATP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HS Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HS DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HS Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	HS Wash 1 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HS Wash 2 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Primer 1 ION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	Primer 2 ION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	HS Elution Buffer	Remove victim to fresh air and keep at rest in a

Section 4. First aid measures

Skin contact

	position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM dNTP Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HaloPlex HS ION Indexing Plate	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex HS ION Probe	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
: RE Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
BSA Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enrichment Control DNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Hybridization Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
HS Hybridization Stop Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
10 mM rATP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HS Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HS DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HS Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
HS Wash 1 Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Section 4. First aid measures

HS Wash 2 Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Primer 1 ION	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Primer 2 ION	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HS Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
100 mM dNTP Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex HS ION Indexing Plate	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enzyme Strip 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enzyme Strip 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex HS ION Probe	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion

: RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enrichment Control DNA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Hybridization Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit

Section 4. First aid measures

	does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
HS Hybridization Stop Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
10 mM rATP	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Ligation Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS DNA Ligase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Capture Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
HS Wash 1 Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Wash 2 Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

Section 4. First aid measures

Primer 1 ION	attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 2 ION	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Elution Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
100 mM dNTP Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex HS ION Indexing Plate	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enzyme Strip 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enzyme Strip 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

Section 4. First aid measures

HaloPlex HS ION Probe

attention if symptoms occur.

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	Causes serious eye irritation.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	Causes serious eye irritation.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Inhalation

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Section 4. First aid measures

Skin contact

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Ingestion

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact

: RE Buffer	No specific data.
BSA Solution	No specific data.
Enrichment Control DNA	No specific data.
Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
HS Hybridization Stop Solution	No specific data.
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.
HS DNA Ligase	No specific data.
HS Capture Solution	Adverse symptoms may include the following: pain or irritation

Section 4. First aid measures

watering

redness

HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1 ION	No specific data.
Primer 2 ION	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
Herculase II Reaction Buffer	No specific data.
100 mM dNTP Mix	No specific data.
HaloPlex HS ION Indexing Plate	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.
RE Buffer	No specific data.
BSA Solution	No specific data.
Enrichment Control DNA	No specific data.
Hybridization Solution	Adverse symptoms may include the following:

reduced foetal weight
increase in foetal deaths
skeletal malformations

No specific data.

HS Hybridization Stop Solution	No specific data.
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.
HS DNA Ligase	No specific data.
HS Capture Solution	No specific data.
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1 ION	No specific data.
Primer 2 ION	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
Herculase II Reaction Buffer	No specific data.
100 mM dNTP Mix	No specific data.
HaloPlex HS ION Indexing Plate	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.

No specific data.

No specific data.

No specific data.

Adverse symptoms may include the following:

reduced foetal weight
increase in foetal deaths
skeletal malformations

No specific data.

HS Hybridization Stop Solution	No specific data.
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.
HS DNA Ligase	No specific data.
HS Capture Solution	No specific data.
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1 ION	No specific data.
Primer 2 ION	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.

No specific data.

Inhalation

Skin contact

Section 4. First aid measures

Ingestion	:	Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		HaloPlex HS ION Probe	No specific data.
		RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.		
Herculase II Reaction Buffer	No specific data.		
100 mM dNTP Mix	No specific data.		
HaloPlex HS ION Indexing Plate	No specific data.		
Enzyme Strip 1	No specific data.		
Enzyme Strip 2	No specific data.		
HaloPlex HS ION Probe	No specific data.		

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	:	RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		BSA Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		HS Hybridization Stop Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		10 mM rATP	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS Capture Solution	In case of inhalation of decomposition products in a

Section 4. First aid measures

	fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HS Wash 1 Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HS Wash 2 Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Primer 1 ION	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Primer 2 ION	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HS Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM dNTP Mix	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HaloPlex HS ION Indexing Plate	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HaloPlex HS ION Probe	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

: RE Buffer	No specific treatment.
BSA Solution	No specific treatment.
Enrichment Control DNA	No specific treatment.
Hybridization Solution	No specific treatment.
HS Hybridization Stop Solution	No specific treatment.
10 mM rATP	No specific treatment.
HS Ligation Solution	No specific treatment.
HS DNA Ligase	No specific treatment.
HS Capture Solution	No specific treatment.
HS Wash 1 Solution	No specific treatment.
HS Wash 2 Solution	No specific treatment.
Primer 1 ION	No specific treatment.
Primer 2 ION	No specific treatment.
HS Elution Buffer	No specific treatment.
Herculase II Fusion DNA Polymerase	No specific treatment.
Herculase II Reaction Buffer	No specific treatment.
100 mM dNTP Mix	No specific treatment.
HaloPlex HS ION Indexing Plate	No specific treatment.
Enzyme Strip 1	No specific treatment.

Section 4. First aid measures

Protection of first-aiders	Enzyme Strip 2	No specific treatment.
	HaloPlex HS ION Probe	No specific treatment.
	RE Buffer	No action shall be taken involving any personal risk or without suitable training.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	HS Hybridization Stop Solution	No action shall be taken involving any personal risk or without suitable training.
	10 mM rATP	No action shall be taken involving any personal risk or without suitable training.
	HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
	HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training.
	HS Capture Solution	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training.
	HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training.
	Primer 1 ION	No action shall be taken involving any personal risk or without suitable training.
	Primer 2 ION	No action shall be taken involving any personal risk or without suitable training.
	HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
	Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training.
	Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training.
	100 mM dNTP Mix	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex HS ION Indexing Plate	No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training.	
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training.	
HaloPlex HS ION Probe	No action shall be taken involving any personal risk or without suitable training.	

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media

: RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Hybridization Stop Solution	Use an extinguishing agent suitable for the surrounding fire.
10 mM rATP	Use an extinguishing agent suitable for the surrounding fire.
HS Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
HS DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
HS Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Wash 1 Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Wash 2 Solution	Use an extinguishing agent suitable for the surrounding fire.
Primer 1 ION	Use an extinguishing agent suitable for the surrounding fire.
Primer 2 ION	Use an extinguishing agent suitable for the surrounding fire.
HS Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
100 mM dNTP Mix	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex HS ION Indexing Plate	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex HS ION Probe	Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media

: RE Buffer	None known.
BSA Solution	None known.
Enrichment Control DNA	None known.
Hybridization Solution	None known.
HS Hybridization Stop Solution	None known.
10 mM rATP	None known.
HS Ligation Solution	None known.
HS DNA Ligase	None known.
HS Capture Solution	None known.
HS Wash 1 Solution	None known.
HS Wash 2 Solution	None known.
Primer 1 ION	None known.
Primer 2 ION	None known.
HS Elution Buffer	None known.
Herculase II Fusion DNA Polymerase	None known.
Herculase II Reaction Buffer	None known.
100 mM dNTP Mix	None known.
HaloPlex HS ION Indexing	None known.

Section 5. Firefighting measures

	Plate	
	Enzyme Strip 1	None known.
	Enzyme Strip 2	None known.
	HaloPlex HS ION Probe	None known.
Specific hazards arising from the chemical	: RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Hybridization Stop Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	10 mM rATP	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Wash 1 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Wash 2 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 1 ION	In a fire or if heated, a pressure increase will occur and the container may burst.
	Primer 2 ION	In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	100 mM dNTP Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex HS ION Indexing Plate	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex HS ION Probe	In a fire or if heated, a pressure increase will occur and the container may burst.	
Hazardous thermal decomposition products	: RE Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
	BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Enrichment Control DNA Hybridization Solution	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

Section 5. Firefighting measures

HS Hybridization Stop Solution	metal oxide/oxides Decomposition products may include the following materials: carbon dioxide carbon monoxide
10 mM rATP HS Ligation Solution	No specific data. Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
HS DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
HS Capture Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
HS Wash 1 Solution HS Wash 2 Solution Primer 1 ION Primer 2 ION HS Elution Buffer	No specific data. No specific data. No specific data. No specific data. No specific data.
Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides sulfur oxides metal oxide/oxides
100 mM dNTP Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
HaloPlex HS ION Indexing Plate	No specific data.
Enzyme Strip 1	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide
HaloPlex HS ION Probe	No specific data.

Special protective actions for fire-fighters

RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Section 5. Firefighting measures

Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Hybridization Stop Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
10 mM rATP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Ligation Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Capture Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Wash 1 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Wash 2 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 1 ION	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 2 ION	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Herculase II Reaction Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS ION Indexing Plate	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or

Section 5. Firefighting measures

Special protective equipment for fire-fighters

Enzyme Strip 1	without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS ION Probe	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS Hybridization Stop Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
10 mM rATP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS Wash 1 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HS Wash 2 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 1 ION	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 2 ION	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

Section 5. Firefighting measures

HS Elution Buffer	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
100 mM dNTP Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex HS ION Indexing Plate	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex HS ION Probe	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: RE Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	HS Hybridization Stop	No action shall be taken involving any personal risk

Section 6. Accidental release measures

Solution	or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
10 mM rATP	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 1 ION	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 2 ION	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding

Section 6. Accidental release measures

	areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
100 mM dNTP Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex HS ION Indexing Plate	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex HS ION Probe	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders : RE Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
BSA Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enrichment Control DNA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Hybridization Stop Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
10 mM rATP	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the

Section 6. Accidental release measures

HS Ligation Solution	information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Capture Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 1 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 2 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 1 ION	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2 ION	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Elution Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Reaction Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
100 mM dNTP Mix	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex HS ION Indexing Plate	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex HS ION Probe	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

Environmental precautions :	RE Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	BSA Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Enrichment Control DNA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Hybridization Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS Hybridization Stop Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	10 mM rATP	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS Ligation Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS Capture Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS Wash 1 Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	HS Wash 2 Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Primer 1 ION	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
	Primer 2 ION	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has

Section 6. Accidental release measures

HS Elution Buffer	caused environmental pollution (sewers, waterways, soil or air). Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Fusion DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Reaction Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM dNTP Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex HS ION Indexing Plate	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex HS ION Probe	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Methods for cleaning up : RE Buffer

BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble.

Section 6. Accidental release measures

	Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Hybridization Stop Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
10 mM rATP	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 1 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 2 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1 ION	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2 ION	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 6. Accidental release measures

Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
100 mM dNTP Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex HS ION Indexing Plate	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex HS ION Probe	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Section 7. Handling and storage

Precautions for safe handling

Protective measures

RE Buffer	Put on appropriate personal protective equipment (see Section 8).
BSA Solution	Put on appropriate personal protective equipment (see Section 8).
Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when

Section 7. Handling and storage

<p>HS Hybridization Stop Solution 10 mM rATP</p> <p>HS Ligation Solution</p> <p>HS DNA Ligase</p> <p>HS Capture Solution</p> <p>HS Wash 1 Solution</p> <p>HS Wash 2 Solution</p> <p>Primer 1 ION</p> <p>Primer 2 ION</p> <p>HS Elution Buffer</p> <p>Herculase II Fusion DNA Polymerase Herculase II Reaction Buffer</p> <p>100 mM dNTP Mix</p> <p>HaloPlex HS ION Indexing Plate Enzyme Strip 1</p> <p>Enzyme Strip 2</p> <p>HaloPlex HS ION Probe</p>	<p>not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p> <p>Put on appropriate personal protective equipment (see Section 8).</p>
<p>Advice on general occupational hygiene</p>	<p>: RE Buffer</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>BSA Solution</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p> <p>Enrichment Control DNA</p> <p>Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.</p>

Section 7. Handling and storage

Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Hybridization Stop Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
10 mM rATP	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Ligation Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Capture Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 1 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 2 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 1 ION	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Primer 2 ION	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM dNTP Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex HS ION Indexing Plate	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex HS ION Probe	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : RE Buffer

BSA Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Enrichment Control DNA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Hybridization Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Hybridization Stop Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
10 mM rATP	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Ligation Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a

Section 7. Handling and storage

	dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS DNA Ligase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Capture Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Wash 1 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Wash 2 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Primer 1 ION	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Primer 2 ION	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until

Section 7. Handling and storage

	ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Elution Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Herculase II Fusion DNA Polymerase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Herculase II Reaction Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
100 mM dNTP Mix	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HaloPlex HS ION Indexing Plate	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Enzyme Strip 1	Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright

Section 7. Handling and storage

Enzyme Strip 2

to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

HaloPlex HS ION Probe

Section 8. Exposure controls and personal protection

[Control parameters](#)

[Occupational exposure limits](#)

Ingredient name	Exposure limits
BSA Solution Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Hybridization Solution Formamide	Safe Work Australia (Australia, 1/2014). Absorbed through skin. TWA: 18 mg/m ³ 8 hours. TWA: 10 ppm 8 hours.
HS Hybridization Stop Solution Polyethylene glycol	TRGS900 AGW (Germany, 3/2015). PEAK: 8000 mg/m ³ 15 minutes. Form: Inhalable fraction TWA: 1000 mg/m ³ 8 hours. Form: Inhalable fraction
HS DNA Ligase Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Herculase II Fusion DNA Polymerase Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Enzyme Strip 1 Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.
Enzyme Strip 2 Glycerol	Safe Work Australia (Australia, 1/2014). TWA: 10 mg/m ³ 8 hours.

Section 8. Exposure controls and personal protection

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
- Individual protection measures**
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	:	RE Buffer	Liquid.
		BSA Solution	Liquid.
		Enrichment Control DNA	Liquid.
		Hybridization Solution	Liquid.
		HS Hybridization Stop Solution	Liquid.
		10 mM rATP	Liquid.
		HS Ligation Solution	Liquid.
		HS DNA Ligase	Liquid.
		HS Capture Solution	Liquid.
		HS Wash 1 Solution	Liquid.
		HS Wash 2 Solution	Liquid.
		Primer 1 ION	Liquid.
		Primer 2 ION	Liquid.
		HS Elution Buffer	Liquid.
		Herculase II Fusion DNA Polymerase	Liquid.

Section 9. Physical and chemical properties

		Herculase II Reaction Buffer	Liquid.
		100 mM dNTP Mix	Liquid.
		HaloPlex HS ION Indexing Plate	Liquid.
		Enzyme Strip 1	Liquid. [Clear.]
		Enzyme Strip 2	Liquid. [Clear.]
		HaloPlex HS ION Probe	Liquid.
Colour	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION Indexing Plate	Not available.
		Enzyme Strip 1	Colourless.
		Enzyme Strip 2	Colourless.
		HaloPlex HS ION Probe	Not available.
Odour	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION Indexing Plate	Not available.
		Enzyme Strip 1	Odourless.
		Enzyme Strip 2	Odourless.
		HaloPlex HS ION Probe	Not available.
Odour threshold	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.

Section 9. Physical and chemical properties

	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS ION Probe	Not available.
pH	: RE Buffer	7.9
	BSA Solution	7
	Enrichment Control DNA	Not available.
	Hybridization Solution	7.5
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	7
	HS Ligation Solution	8
	HS DNA Ligase	7.5
	HS Capture Solution	7.5
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	8.5
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	8.5
	Herculase II Fusion DNA Polymerase	8.2
	Herculase II Reaction Buffer	10
	100 mM dNTP Mix	7.5
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	5.5 to 8
	Enzyme Strip 2	Not available.
HaloPlex HS ION Probe	Not available.	
Melting point	: RE Buffer	0°C (32°F)
	BSA Solution	Not available.
	Enrichment Control DNA	0°C (32°F)
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	0°C (32°F)
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	0°C (32°F)
	HS Wash 2 Solution	0°C (32°F)
	Primer 1 ION	0°C (32°F)
	Primer 2 ION	0°C (32°F)
	HS Elution Buffer	0°C (32°F)
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	0°C (32°F)
	Enzyme Strip 1	20°C (68°F)
	Enzyme Strip 2	20°C (68°F)

Section 9. Physical and chemical properties

	HaloPlex HS ION Probe	0°C (32°F)
Boiling point	: RE Buffer	100°C (212°F)
	BSA Solution	Not available.
	Enrichment Control DNA	100°C (212°F)
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	100°C (212°F)
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	100°C (212°F)
	HS Wash 2 Solution	100°C (212°F)
	Primer 1 ION	100°C (212°F)
	Primer 2 ION	100°C (212°F)
	HS Elution Buffer	100°C (212°F)
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	100°C (212°F)
	Enzyme Strip 1	182°C (359.6°F)
	Enzyme Strip 2	182°C (359.6°F)
	HaloPlex HS ION Probe	100°C (212°F)
Flash point	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Closed cup: >200°C (>392°F)
	Enzyme Strip 2	Closed cup: 160°C (320°F)
	HaloPlex HS ION Probe	Not available.
Evaporation rate	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.

Section 9. Physical and chemical properties

	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS ION Probe	Not available.
Flammability (solid, gas)	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION Indexing Plate	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS ION Probe	Not applicable.
Lower and upper explosive (flammable) limits	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Lower: 0.9%
	Enzyme Strip 2	Not available.
	HaloPlex HS ION Probe	Not available.

Section 9. Physical and chemical properties

Vapour pressure	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION Indexing Plate	Not available.
		Enzyme Strip 1	<0.13 kPa (<1 mm Hg) [room temperature]
		Enzyme Strip 2	<0.13 kPa (<1 mm Hg) [room temperature]
	HaloPlex HS ION Probe	Not available.	
Vapour density	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion DNA Polymerase	Not available.
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION Indexing Plate	Not available.
		Enzyme Strip 1	3.1 [Air = 1]
		Enzyme Strip 2	3.1 [Air = 1]
	HaloPlex HS ION Probe	Not available.	
Relative density	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control DNA	Not available.
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.

Section 9. Physical and chemical properties

	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	1.262
	Enzyme Strip 2	1.262
	HaloPlex HS ION Probe	Not available.
Solubility	: RE Buffer	Easily soluble in the following materials: cold water and hot water.
	BSA Solution	Soluble in the following materials: cold water and hot water.
	Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.
	Hybridization Solution	Soluble in the following materials: cold water and hot water.
	HS Hybridization Stop Solution	Soluble in the following materials: cold water and hot water.
	10 mM rATP	Easily soluble in the following materials: cold water and hot water.
	HS Ligation Solution	Easily soluble in the following materials: cold water and hot water.
	HS DNA Ligase	Soluble in the following materials: cold water and hot water.
	HS Capture Solution	Easily soluble in the following materials: cold water and hot water.
	HS Wash 1 Solution	Easily soluble in the following materials: cold water and hot water.
	HS Wash 2 Solution	Easily soluble in the following materials: cold water and hot water.
	Primer 1 ION	Easily soluble in the following materials: cold water and hot water.
	Primer 2 ION	Easily soluble in the following materials: cold water and hot water.
	HS Elution Buffer	Easily soluble in the following materials: cold water and hot water.
	Herculase II Fusion DNA Polymerase	Soluble in the following materials: cold water and hot water.
	Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
	100 mM dNTP Mix	Easily soluble in the following materials: cold water and hot water.
	HaloPlex HS ION Indexing Plate	Easily soluble in the following materials: cold water and hot water.
	Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
	Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
	HaloPlex HS ION Probe	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.

Section 9. Physical and chemical properties

	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS ION Probe	Not available.
Auto-ignition temperature	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	370°C (698°F)
	Enzyme Strip 2	370°C (698°F)
	HaloPlex HS ION Probe	Not available.
Decomposition temperature	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA	Not available.
	Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS ION Probe	Not available.

Section 9. Physical and chemical properties

Viscosity	RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
HaloPlex HS ION Probe	Not available.	

Section 10. Stability and reactivity

Reactivity	RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
	Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS Hybridization Stop Solution	No specific test data related to reactivity available for this product or its ingredients.
	10 mM rATP	No specific test data related to reactivity available for this product or its ingredients.
	HS Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
	HS Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS Wash 1 Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS Wash 2 Solution	No specific test data related to reactivity available for this product or its ingredients.
	Primer 1 ION	No specific test data related to reactivity available for this product or its ingredients.
	Primer 2 ION	No specific test data related to reactivity available for this product or its ingredients.
	HS Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
	Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
	Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
	100 mM dNTP Mix	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex HS ION Indexing Plate	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 1	No specific test data related to reactivity available for

Section 10. Stability and reactivity

Enzyme Strip 2	this product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
HaloPlex HS ION Probe	No specific test data related to reactivity available for this product or its ingredients.

Chemical stability

: RE Buffer	The product is stable.
BSA Solution	The product is stable.
Enrichment Control DNA	The product is stable.
Hybridization Solution	The product is stable.
HS Hybridization Stop Solution	The product is stable.
10 mM rATP	The product is stable.
HS Ligation Solution	The product is stable.
HS DNA Ligase	The product is stable.
HS Capture Solution	The product is stable.
HS Wash 1 Solution	The product is stable.
HS Wash 2 Solution	The product is stable.
Primer 1 ION	The product is stable.
Primer 2 ION	The product is stable.
HS Elution Buffer	The product is stable.
Herculase II Fusion DNA Polymerase	The product is stable.
Herculase II Reaction Buffer	The product is stable.
100 mM dNTP Mix	The product is stable.
HaloPlex HS ION Indexing Plate	The product is stable.
Enzyme Strip 1	The product is stable.
Enzyme Strip 2	The product is stable.
HaloPlex HS ION Probe	The product is stable.

Possibility of hazardous reactions

: RE Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
BSA Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous reactions will not occur.
Hybridization Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Hybridization Stop Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
10 mM rATP	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Ligation Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Capture Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Wash 1 Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Wash 2 Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 1 ION	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 2 ION	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
Herculase II Reaction Buffer	Under normal conditions of storage and use,

Section 10. Stability and reactivity

100 mM dNTP Mix	hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex HS ION Indexing Plate	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex HS ION Probe	Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: RE Buffer	No specific data.
BSA Solution	No specific data.
Enrichment Control DNA	No specific data.
Hybridization Solution	No specific data.
HS Hybridization Stop Solution	No specific data.
10 mM rATP	No specific data.
HS Ligation Solution	No specific data.
HS DNA Ligase	No specific data.
HS Capture Solution	No specific data.
HS Wash 1 Solution	No specific data.
HS Wash 2 Solution	No specific data.
Primer 1 ION	No specific data.
Primer 2 ION	No specific data.
HS Elution Buffer	No specific data.
Herculase II Fusion DNA Polymerase	No specific data.
Herculase II Reaction Buffer	No specific data.
100 mM dNTP Mix	No specific data.
HaloPlex HS ION Indexing Plate	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.

Incompatible materials

: RE Buffer	May react or be incompatible with oxidising materials.
BSA Solution	May react or be incompatible with oxidising materials.
Enrichment Control DNA	May react or be incompatible with oxidising materials.
Hybridization Solution	May react or be incompatible with oxidising materials.
HS Hybridization Stop Solution	May react or be incompatible with oxidising materials.
10 mM rATP	May react or be incompatible with oxidising materials.
HS Ligation Solution	May react or be incompatible with oxidising materials.
HS DNA Ligase	May react or be incompatible with oxidising materials.
HS Capture Solution	May react or be incompatible with oxidising materials.
HS Wash 1 Solution	May react or be incompatible with oxidising materials.
HS Wash 2 Solution	May react or be incompatible with oxidising materials.
Primer 1 ION	May react or be incompatible with oxidising materials.
Primer 2 ION	May react or be incompatible with oxidising materials.
HS Elution Buffer	May react or be incompatible with oxidising materials.
Herculase II Fusion DNA Polymerase	May react or be incompatible with oxidising materials.
Herculase II Reaction Buffer	May react or be incompatible with oxidising materials.
100 mM dNTP Mix	May react or be incompatible with oxidising materials.
HaloPlex HS ION Indexing Plate	May react or be incompatible with oxidising materials.
Enzyme Strip 1	May react or be incompatible with oxidising materials.
Enzyme Strip 2	May react or be incompatible with oxidising materials.
HaloPlex HS ION Probe	May react or be incompatible with oxidising materials.

Section 10. Stability and reactivity

Hazardous decomposition products	: RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Hybridization Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Hybridization Stop Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	10 mM rATP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Capture Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Wash 1 Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Wash 2 Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Primer 1 ION	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Primer 2 ION	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HS Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	100 mM dNTP Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HaloPlex HS ION Indexing Plate	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	HaloPlex HS ION Probe	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
BSA Solution Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Hybridization Solution Formamide	LD50 Dermal	Rabbit	17 g/kg	-
Sodium chloride	LD50 Oral	Rat	4000 mg/kg	-
	LD50 Oral	Rat	3000 mg/kg	-
HS DNA Ligase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	LD50 Oral	Rat	2214.37 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Herculase II Fusion DNA Polymerase Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Enzyme Strip 1 Glycerol	LD50 Oral	Rat	12600 mg/kg	-
Enzyme Strip 2 Glycerol	LD50 Oral	Rat	12600 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
BSA Solution Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Hybridization Solution Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
HS Hybridization Stop Solution Polyethylene glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
HS DNA Ligase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Section 11. Toxicological information

HS Capture Solution Sodium chloride	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit	- -	10 milligrams 24 hours 500 milligrams	- -
Herculase II Fusion DNA Polymerase Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Enzyme Strip 1 Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Enzyme Strip 2 Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

Sensitisation

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Section 11. Toxicological information

Information on likely routes of exposure	RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	HS Hybridization Stop Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	HS Capture Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
	Herculase II Reaction Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION Indexing Plate	Not available.
Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.	
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.	
HaloPlex HS ION Probe	Not available.	

Potential acute health effects

Eye contact

RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	Causes serious eye irritation.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	Causes serious eye irritation.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Inhalation

RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.

Section 11. Toxicological information

	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS ION Probe	No known significant effects or critical hazards.
Skin contact	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS ION Probe	No known significant effects or critical hazards.
Ingestion	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS ION Probe	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Section 11. Toxicological information

Eye contact	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	Adverse symptoms may include the following: pain or irritation watering redness
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.		
Inhalation	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.		

Section 11. Toxicological information

Skin contact	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.		
Ingestion	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
HaloPlex HS ION Probe	No specific data.		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Section 11. Toxicological information

HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Teratogenicity

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	May damage the unborn child.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Developmental effects

: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

Section 11. Toxicological information

Fertility effects

HaloPlex HS ION Probe	No known significant effects or critical hazards.
: RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	No known significant effects or critical hazards.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS ION Probe	No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
BSA Solution Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Hybridization Solution Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 28.85 mg/dm3 Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Algae - Navicula seminulum Algae - Pseudokirchneriella subcapitata Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 72 hours 48 hours 96 hours 48 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
HS Hybridization Stop Solution Polyethylene glycol	Acute LC50 >1000000 µg/l Fresh water	Fish - Salmo salar - Parr	96 hours

Section 12. Ecological information

HS DNA Ligase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
HS Capture Solution Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 28.85 mg/dm3 Fresh water Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Algae - Navicula seminulum Algae - Pseudokirchneriella subcapitata Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling) Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 72 hours 48 hours 96 hours 48 hours 96 hours 3 weeks 96 hours 21 days 8 weeks
Herculase II Fusion DNA Polymerase Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Enzyme Strip 1 Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
Enzyme Strip 2 Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
BSA Solution Glycerol	-1.76	-	low
Hybridization Solution Formamide	-0.82	-	low
HS Hybridization Stop Solution Polyethylene glycol	-	3.2	low
HS DNA Ligase Glycerol	-1.76	-	low
Herculase II Fusion DNA Polymerase Glycerol	-1.76	-	low
Enzyme Strip 1 Glycerol	-1.76	-	low
Enzyme Strip 2 Glycerol	-1.76	-	low

Mobility in soil

Section 12. Ecological information

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spill material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Regulatory information

ADG / IMDG / IATA : Not regulated as Dangerous Goods according to the ADG Code .

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Section 15. Regulatory information

Standard Uniform Schedule of Medicine and Poisons

Not regulated.

Model Work Health and Safety Regulations - Scheduled Substances

No listed substance

Australia inventory (AICS) : Not determined.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Section 15. Regulatory information

Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.
United States	: Not determined.

Section 16. Any other relevant information

History

Date of issue/Date of revision	: 29/04/2016
Date of previous issue	: 26/03/2015.
Version	: 2

Key to abbreviations

: ADG = Australian Dangerous Goods
: ATE = Acute Toxicity Estimate
: BCF = Bioconcentration Factor
: GHS = Globally Harmonized System of Classification and Labelling of Chemicals
: IATA = International Air Transport Association
: IBC = Intermediate Bulk Container
: IMDG = International Maritime Dangerous Goods
: LogPow = logarithm of the octanol/water partition coefficient
: MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
: NOHSC = National Occupational Health and Safety Commission
: SUSMP = Standard Uniform Schedule of Medicine and Poisons
: UN = United Nations

Procedure used to derive the classification

Classification	Justification
Hybridization Solution Eye Irrit. 2A, H319 Repr. 1B, H360 (Unborn child)	Calculation method Calculation method
HS Capture Solution Eye Irrit. 2A, H319	Calculation method

References : Not available.

Indicates information that has changed from previously issued version.

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.