

SAFETY DATA SHEET



HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: HaloPlex HS Target Enrichment Kits - ION - 96 reactions	
Part No. (Kit)	: G9932B, G9942B	
Part No.	: RE Buffer	5190-7972
	: BSA Solution	5190-7973
	: Enrichment Control DNA	5190-7976
	: Hybridization Solution	5190-7977
	: HS Hybridization Stop Solution	5190-7978
	: 10 mM rATP	5190-7979
	: HS Ligation Solution	5190-7980
	: HS DNA Ligase	5190-7981
	: HS Capture Solution	5190-7982
	: HS Wash 1 Solution	5190-7983
	: HS Wash 2 Solution	5190-7986
	: Primer 1 ION	5190-7813
	: Primer 2 ION	5190-7814
	: HS Elution Buffer	5190-7989
	: Herculase II Fusion DNA Polymerase	5190-7990
	: Herculase II Reaction Buffer	5190-7991
	: 100 mM dNTP Mix	5190-7992
	: HaloPlex HS ION	5190-8834
	: Indexing Plate	
	: Enzyme Strip 1	5190-7974
	: Enzyme Strip 2	5190-7975
	: HaloPlex HS Probe ION	5190-7871 / 5190-7873 / 5190-7875 / 5190-7877

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Analytical reagent.	
RE Buffer	3.3 ml (96 reactions)
BSA Solution	0.07 ml (96 reactions)
Enrichment Control DNA	0.615 ml (96 reactions)
Hybridization Solution	4.9 ml (96 reactions)
HS Hybridization Stop Solution	4 ml (96 reactions)
10 mM rATP	0.04 ml (96 reactions)
HS Ligation Solution	1.5 ml (96 reactions)
HS DNA Ligase	0.36 ml (96 reactions)
HS Capture Solution	5.4 ml (96 reactions)
HS Wash 1 Solution	13.4 ml (96 reactions)
HS Wash 2 Solution	2 x 11 ml (96 reactions)
Primer 1 ION	0.575 ml (96 reactions)
Primer 2 ION	1.15 ml (96 reactions)
HS Elution Buffer	30 ml (96 reactions)
Herculase II Fusion DNA Polymerase	0.575 ml (96 reactions)
Herculase II Reaction Buffer	4.3 ml (96 reactions)
100 mM dNTP Mix	0.115 ml (96 reactions)
HaloPlex HS ION Indexing Plate	0.015 ml (96 reactions)
Enzyme Strip 1	0.4 ml (96 reactions)
Enzyme Strip 2	0.4 ml (96 reactions)
HaloPlex HS Probe ION	0.714 ml (96 reactions)

1.3 Details of the supplier of the safety data sheet

Date of issue/Date of revision : 29/04/2016

HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Agilent Technologies Manufacturing GmbH & Co. KG
 Hewlett-Packard-Str. 8
 76337 Waldbronn
 Germany
 0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	:	RE Buffer	Mixture
		BSA Solution	Mixture
		Enrichment Control DNA	Mixture
		Hybridization Solution	Mixture
		HS Hybridization Stop Solution	Mixture
		10 mM rATP	Mixture
		HS Ligation Solution	Mixture
		HS DNA Ligase	Mixture
		HS Capture Solution	Mixture
		HS Wash 1 Solution	Mixture
		HS Wash 2 Solution	Mixture
		Primer 1 ION	Mixture
		Primer 2 ION	Mixture
		HS Elution Buffer	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		Herculase II Reaction Buffer	Mixture
		100 mM dNTP Mix	Mixture
		HaloPlex HS ION	Mixture
		Indexing Plate	
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture
		HaloPlex HS Probe ION	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Hybridization Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
 H360D TOXIC TO REPRODUCTION (Unborn child) - Category 1B

HS Capture Solution

H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

Ingredients of unknown toxicity

:	RE Buffer	Not applicable.
	BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 1%
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.

SECTION 2: Hazards identification

	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 5.4%
	HaloPlex HS ION Indexing Plate	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.
Ingredients of unknown ecotoxicity	: RE Buffer	Not applicable.
	BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1%
	Enrichment Control DNA Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1.1%
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 9.4%
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 5.4%
	HaloPlex HS ION Indexing Plate	Not applicable.
Enzyme Strip 1	Not applicable.	
Enzyme Strip 2	Not applicable.	
HaloPlex HS Probe ION	Not applicable.	

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms



Signal word

:	RE Buffer	No signal word.
	BSA Solution	No signal word.
	Enrichment Control DNA Hybridization Solution	No signal word.
	HS Hybridization Stop Solution	Danger
	10 mM rATP	No signal word.

SECTION 2: Hazards identification

HS Ligation Solution	No signal word.
HS DNA Ligase	No signal word.
HS Capture Solution	Warning
HS Wash 1 Solution	No signal word.
HS Wash 2 Solution	No signal word.
Primer 1 ION	No signal word.
Primer 2 ION	No signal word.
HS Elution Buffer	No signal word.
Herculase II Fusion DNA Polymerase	No signal word.
Herculase II Reaction Buffer	No signal word.
100 mM dNTP Mix	No signal word.
HaloPlex HS ION Indexing Plate	No signal word.
Enzyme Strip 1	No signal word.
Enzyme Strip 2	No signal word.
HaloPlex HS Probe ION	No signal word.
RE Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards. GHS07 - Causes serious eye irritation. GHS08 - May damage the unborn child.
HS Hybridization Stop Solution	No known significant effects or critical hazards.
10 mM rATP	No known significant effects or critical hazards.
HS Ligation Solution	No known significant effects or critical hazards.
HS DNA Ligase	No known significant effects or critical hazards.
HS Capture Solution	GHS07 - Causes serious eye irritation.
HS Wash 1 Solution	No known significant effects or critical hazards.
HS Wash 2 Solution	No known significant effects or critical hazards.
Primer 1 ION	No known significant effects or critical hazards.
Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS Probe ION	No known significant effects or critical hazards.

Hazard statements

Precautionary statements

Prevention

RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA Hybridization Solution	Not applicable. P201 - Obtain special instructions before use. P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	P280 - Wear eye or face protection. P264 - Wash hands thoroughly after handling.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.

SECTION 2: Hazards identification

	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION	Not applicable.
	Indexing Plate	
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.
Response	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION	Not applicable.
	Indexing Plate	
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.
Storage	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	P405 - Store locked up.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.

SECTION 2: Hazards identification

	HaloPlex HS ION Indexing Plate	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.
Disposal	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION Indexing Plate	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.
Hazardous ingredients	: Hybridization Solution	
	Formamide	
Supplemental label elements	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Safety data sheet available on request.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Safety data sheet available on request.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION Indexing Plate	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
	HaloPlex HS Probe ION	Not applicable.

SECTION 2: Hazards identification

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Restricted to professional users.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION	Not applicable.
	Indexing Plate	
	Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.	
HaloPlex HS Probe ION	Not applicable.	

Special packaging requirements

Tactile warning of danger	: RE Buffer	Not applicable.
	BSA Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	Hybridization Solution	Not applicable.
	HS Hybridization Stop Solution	Not applicable.
	10 mM rATP	Not applicable.
	HS Ligation Solution	Not applicable.
	HS DNA Ligase	Not applicable.
	HS Capture Solution	Not applicable.
	HS Wash 1 Solution	Not applicable.
	HS Wash 2 Solution	Not applicable.
	Primer 1 ION	Not applicable.
	Primer 2 ION	Not applicable.
	HS Elution Buffer	Not applicable.
	Herculase II Fusion DNA Polymerase	Not applicable.
	Herculase II Reaction Buffer	Not applicable.
	100 mM dNTP Mix	Not applicable.
	HaloPlex HS ION	Not applicable.
	Indexing Plate	
	Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.	
HaloPlex HS Probe ION	Not applicable.	

2.3 Other hazards

Other hazards which do not result in classification	: RE Buffer	None known.
	BSA Solution	None known.
	Enrichment Control DNA	None known.
	Hybridization Solution	None known.
	HS Hybridization Stop Solution	None known.
	10 mM rATP	None known.
	HS Ligation Solution	None known.
	HS DNA Ligase	None known.

SECTION 2: Hazards identification

HS Capture Solution	None known.
HS Wash 1 Solution	None known.
HS Wash 2 Solution	None known.
Primer 1 ION	None known.
Primer 2 ION	None known.
HS Elution Buffer	None known.
Herculase II Fusion DNA Polymerase	None known.
Herculase II Reaction Buffer	None known.
100 mM dNTP Mix	None known.
HaloPlex HS ION	None known.
Indexing Plate	
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.
HaloPlex HS Probe ION	None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures	:	RE Buffer	Mixture
		BSA Solution	Mixture
		Enrichment Control DNA	Mixture
		Hybridization Solution	Mixture
		HS Hybridization Stop Solution	Mixture
		10 mM rATP	Mixture
		HS Ligation Solution	Mixture
		HS DNA Ligase	Mixture
		HS Capture Solution	Mixture
		HS Wash 1 Solution	Mixture
		HS Wash 2 Solution	Mixture
		Primer 1 ION	Mixture
		Primer 2 ION	Mixture
		HS Elution Buffer	Mixture
		Herculase II Fusion DNA Polymerase	Mixture
		Herculase II Reaction Buffer	Mixture
		100 mM dNTP Mix	Mixture
		HaloPlex HS ION Indexing Plate	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture
		HaloPlex HS Probe ION	Mixture

Product/ingredient name	Identifiers	%	Classification	Type
BSA Solution Glycerol	EC: 200-289-5 CAS: 56-81-5	≤10	Not classified.	[2]
Hybridization Solution Formamide	EC: 200-842-0 CAS: 75-12-7 Index: 616-052-00-8	≥25 - ≤50	Repr. 1B, H360D (Unborn child)	[1] [2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≥10 - ≤25	Eye Irrit. 2, H319	[1]
HS Ligation Solution Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
HS DNA Ligase Glycerol	EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	CAS: 9036-19-5	≤0.3	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	[1] [5]

HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 3: Composition/information on ingredients

HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	EC: 205-358-3 CAS: 6381-92-6	<10	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≤3	Eye Irrit. 2, H319	[1]
Herculase II Fusion DNA Polymerase Glycerol	EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Herculase II Reaction Buffer Trometamol	EC: 201-064-4 CAS: 77-86-1	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335	[1]
Enzyme Strip 1 Glycerol	EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Enzyme Strip 2 Glycerol	EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified. See Section 16 for the full text of the H statements declared above.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	HS Hybridization Stop Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	10 mM rATP	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	HS Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

SECTION 4: First aid measures

HS DNA Ligase	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
HS Wash 1 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Wash 2 Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 1 ION	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Primer 2 ION	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HS Elution Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Fusion DNA Polymerase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Herculase II Reaction Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
100 mM dNTP Mix	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex HS ION Indexing Plate	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex HS Probe ION	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation : RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept

SECTION 4: First aid measures

HS Hybridization Stop Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
10 mM rATP	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HS Wash 1 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Wash 2 Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 1 ION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 2 ION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HS Elution Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM dNTP Mix	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HaloPlex HS ION Indexing Plate	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

SECTION 4: First aid measures

		symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	HaloPlex HS Probe ION	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
	: RE Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BSA Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enrichment Control DNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Hybridization Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	HS Hybridization Stop Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	10 mM rATP	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	HS Wash 1 Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Wash 2 Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Primer 1 ION	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Primer 2 ION	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HS Elution Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Herculase II Fusion DNA Polymerase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Herculase II Reaction Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	100 mM dNTP Mix	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HaloPlex HS ION Indexing Plate	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enzyme Strip 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if

SECTION 4: First aid measures

	Enzyme Strip 2	symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HaloPlex HS Probe ION	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Enrichment Control DNA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Hybridization Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	HS Hybridization Stop Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	10 mM rATP	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	HS Ligation Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	HS DNA Ligase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	HS Capture Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position

SECTION 4: First aid measures

	comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
HS Wash 1 Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Wash 2 Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 1 ION	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Primer 2 ION	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HS Elution Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Fusion DNA Polymerase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Herculase II Reaction Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
100 mM dNTP Mix	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex HS ION Indexing Plate	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not

SECTION 4: First aid measures

Enzyme Strip 1	induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enzyme Strip 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex HS Probe ION	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders : RE Buffer	No action shall be taken involving any personal risk or without suitable training.
BSA Solution	No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
HS Hybridization Stop Solution	No action shall be taken involving any personal risk or without suitable training.
10 mM rATP	No action shall be taken involving any personal risk or without suitable training.
HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training.
HS Capture Solution	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training.
HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training.
Primer 1 ION	No action shall be taken involving any personal risk or without suitable training.
Primer 2 ION	No action shall be taken involving any personal risk or without suitable training.
HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training.
Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix	No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS ION Indexing Plate	No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training.

SECTION 4: First aid measures

Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS Probe ION	No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed**Potential acute health effects**

Eye contact	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	Causes serious eye irritation.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	Causes serious eye irritation.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.
Inhalation	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.

SECTION 4: First aid measures

Skin contact	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION	No known significant effects or critical hazards.
		Indexing Plate	
		Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.		
HaloPlex HS Probe ION	No known significant effects or critical hazards.		
Ingestion	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION	No known significant effects or critical hazards.
		Indexing Plate	
		Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.		
HaloPlex HS Probe ION	No known significant effects or critical hazards.		

Over-exposure signs/symptoms

Eye contact	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	Adverse symptoms may include the following:

SECTION 4: First aid measures

Inhalation

		pain or irritation watering redness
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS ION	No specific data.
	Indexing Plate	
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	HaloPlex HS Probe ION	No specific data.
	: RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enrichment Control DNA	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS ION	No specific data.
	Indexing Plate	
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	HaloPlex HS Probe ION	No specific data.

Skin contact

	: RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enrichment Control DNA	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.

SECTION 4: First aid measures

Ingestion		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		HaloPlex HS Probe ION	No specific data.
		RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		HaloPlex HS Probe ION	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	:	RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		BSA Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		HS Hybridization Stop Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		10 mM rATP	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS Capture Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
		HS Wash 1 Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
		HS Wash 2 Solution	Treat symptomatically. Contact poison treatment specialist

SECTION 4: First aid measures

Primer 1 ION	immediately if large quantities have been ingested or inhaled. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Primer 2 ION	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HS Elution Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Herculase II Fusion DNA Polymerase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Herculase II Reaction Buffer	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
100 mM dNTP Mix	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
HaloPlex HS ION Indexing Plate	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Enzyme Strip 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
HaloPlex HS Probe ION	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

: RE Buffer	No specific treatment.
BSA Solution	No specific treatment.
Enrichment Control DNA Hybridization Solution	No specific treatment.
HS Hybridization Stop Solution	No specific treatment.
10 mM rATP	No specific treatment.
HS Ligation Solution	No specific treatment.
HS DNA Ligase	No specific treatment.
HS Capture Solution	No specific treatment.
HS Wash 1 Solution	No specific treatment.
HS Wash 2 Solution	No specific treatment.
Primer 1 ION	No specific treatment.
Primer 2 ION	No specific treatment.
HS Elution Buffer	No specific treatment.
Herculase II Fusion DNA Polymerase	No specific treatment.
Herculase II Reaction Buffer	No specific treatment.
100 mM dNTP Mix	No specific treatment.
HaloPlex HS ION Indexing Plate	No specific treatment.
Enzyme Strip 1	No specific treatment.
Enzyme Strip 2	No specific treatment.
HaloPlex HS Probe ION	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

: RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
Enrichment Control DNA Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Hybridization Stop Solution	Use an extinguishing agent suitable for the surrounding fire.
10 mM rATP	Use an extinguishing agent suitable for the surrounding fire.
HS Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
HS DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
HS Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Wash 1 Solution	Use an extinguishing agent suitable for the surrounding fire.
HS Wash 2 Solution	Use an extinguishing agent suitable for the surrounding fire.

SECTION 5: Firefighting measures

Primer 1 ION	Use an extinguishing agent suitable for the surrounding fire.
Primer 2 ION	Use an extinguishing agent suitable for the surrounding fire.
HS Elution Buffer	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Fusion DNA Polymerase	Use an extinguishing agent suitable for the surrounding fire.
Herculase II Reaction Buffer	Use an extinguishing agent suitable for the surrounding fire.
100 mM dNTP Mix	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex HS ION Indexing Plate	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex HS Probe ION	Use an extinguishing agent suitable for the surrounding fire.
RE Buffer	None known.
BSA Solution	None known.
Enrichment Control DNA	None known.
Hybridization Solution	None known.
HS Hybridization Stop Solution	None known.
10 mM rATP	None known.
HS Ligation Solution	None known.
HS DNA Ligase	None known.
HS Capture Solution	None known.
HS Wash 1 Solution	None known.
HS Wash 2 Solution	None known.
Primer 1 ION	None known.
Primer 2 ION	None known.
HS Elution Buffer	None known.
Herculase II Fusion DNA Polymerase	None known.
Herculase II Reaction Buffer	None known.
100 mM dNTP Mix	None known.
HaloPlex HS ION Indexing Plate	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.
HaloPlex HS Probe ION	None known.

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Hybridization Stop Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
10 mM rATP	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
HS DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Wash 1 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
HS Wash 2 Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 1 ION	In a fire or if heated, a pressure increase will occur and the

SECTION 5: Firefighting measures

	Primer 2 ION	container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
	HS Elution Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Fusion DNA Polymerase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Herculase II Reaction Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	100 mM dNTP Mix	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex HS ION Indexing Plate	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex HS Probe ION	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: RE Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
	BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Enrichment Control DNA Hybridization Solution	No specific data. Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	HS Hybridization Stop Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	10 mM rATP	No specific data.
	HS Ligation Solution	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	HS DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	HS Capture Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Herculase II Reaction Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide

SECTION 5: Firefighting measures

	nitrogen oxides sulfur oxides metal oxide/oxides
100 mM dNTP Mix	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
HaloPlex HS ION Indexing Plate Enzyme Strip 1	No specific data.
Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide
HaloPlex HS Probe ION	Decomposition products may include the following materials: carbon dioxide carbon monoxide No specific data.

5.3 Advice for firefighters**Special precautions for fire-fighters**

: RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Hybridization Stop Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
10 mM rATP	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Ligation Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Capture Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Wash 1 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Wash 2 Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 1 ION	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Primer 2 ION	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HS Elution Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Herculase II Fusion DNA Polymerase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be

SECTION 5: Firefighting measures**Special protective equipment for fire-fighters**

Herculase II Reaction Buffer	taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
100 mM dNTP Mix	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS ION Indexing Plate	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex HS Probe ION	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
: RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Hybridization Stop Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
10 mM rATP	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for

SECTION 5: Firefighting measures

	fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Wash 1 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Wash 2 Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Primer 1 ION	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Primer 2 ION	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HS Elution Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Herculase II Fusion DNA Polymerase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Herculase II Reaction Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
100 mM dNTP Mix	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex HS ION Indexing Plate	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment

SECTION 5: Firefighting measures

Enzyme Strip 2	and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex HS Probe ION	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel	: RE Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	HS Hybridization Stop Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	10 mM rATP	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	HS Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	HS DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
	HS Capture Solution	No action shall be taken involving any personal risk or

SECTION 6: Accidental release measures

	without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
HS Wash 1 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Wash 2 Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 1 ION	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Primer 2 ION	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HS Elution Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Herculase II Fusion DNA Polymerase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Herculase II Reaction Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
100 mM dNTP Mix	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex HS ION Indexing Plate	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex HS Probe ION	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.

SECTION 6: Accidental release measures**For emergency responders**

: RE Buffer	Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
BSA Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enrichment Control DNA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Hybridization Stop Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
10 mM rATP	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Ligation Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Capture Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 1 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Wash 2 Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 1 ION	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2 ION	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HS Elution Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Fusion DNA Polymerase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Herculase II Reaction Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and

SECTION 6: Accidental release measures

100 mM dNTP Mix	unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex HS ION Indexing Plate	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex HS Probe ION	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: RE Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Hybridization Stop Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
10 mM rATP	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Ligation Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Capture Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Wash 1 Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Wash 2 Solution	Avoid dispersal of spilt material and runoff and contact with

SECTION 6: Accidental release measures

	soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1 ION	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2 ION	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HS Elution Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Fusion DNA Polymerase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Herculase II Reaction Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
100 mM dNTP Mix	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex HS ION Indexing Plate	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex HS Probe ION	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : RE Buffer

	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose

SECTION 6: Accidental release measures

HS Hybridization Stop Solution	of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
10 mM rATP	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 1 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Wash 2 Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 1 ION	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Primer 2 ION	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HS Elution Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Fusion DNA Polymerase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Herculase II Reaction Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
100 mM dNTP Mix	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and

SECTION 6: Accidental release measures

HaloPlex HS ION Indexing Plate	place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex HS Probe ION	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: RE Buffer	Put on appropriate personal protective equipment (see Section 8).
	BSA Solution	Put on appropriate personal protective equipment (see Section 8).
	Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
	Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	HS Hybridization Stop Solution	Put on appropriate personal protective equipment (see Section 8).
	10 mM rATP	Put on appropriate personal protective equipment (see Section 8).
	HS Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
	HS DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
	HS Capture Solution	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
	HS Wash 1 Solution	Put on appropriate personal protective equipment (see

SECTION 7: Handling and storage

HS Wash 2 Solution	Section 8). Put on appropriate personal protective equipment (see Section 8).
Primer 1 ION	Put on appropriate personal protective equipment (see Section 8).
Primer 2 ION	Put on appropriate personal protective equipment (see Section 8).
HS Elution Buffer	Put on appropriate personal protective equipment (see Section 8).
Herculase II Fusion DNA Polymerase	Put on appropriate personal protective equipment (see Section 8).
Herculase II Reaction Buffer	Put on appropriate personal protective equipment (see Section 8).
100 mM dNTP Mix	Put on appropriate personal protective equipment (see Section 8).
HaloPlex HS ION Indexing Plate	Put on appropriate personal protective equipment (see Section 8).
Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8).
Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8).
HaloPlex HS Probe ION	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene : RE Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BSA Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enrichment Control DNA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Hybridization Stop Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
10 mM rATP	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Ligation Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also

SECTION 7: Handling and storage

HS DNA Ligase	Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Capture Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 1 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Wash 2 Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 1 ION	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Primer 2 ION	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HS Elution Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Fusion DNA Polymerase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Herculase II Reaction Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
100 mM dNTP Mix	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex HS ION Indexing Plate	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating,

SECTION 7: Handling and storage

Enzyme Strip 1	drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex HS Probe ION	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

: RE Buffer	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
BSA Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Enrichment Control DNA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Hybridization Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Hybridization Stop Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to

SECTION 7: Handling and storage

	prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
10 mM rATP	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Ligation Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS DNA Ligase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Capture Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Wash 1 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HS Wash 2 Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Primer 1 ION	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use

SECTION 7: Handling and storage

Primer 2 ION	<p>appropriate containment to avoid environmental contamination.</p> <p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
HS Elution Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
Herculase II Fusion DNA Polymerase	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
Herculase II Reaction Buffer	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
100 mM dNTP Mix	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
HaloPlex HS ION Indexing Plate	<p>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.</p>
Enzyme Strip 1	<p>Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate</p>

SECTION 7: Handling and storage

Enzyme Strip 2	containment to avoid environmental contamination. Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
HaloPlex HS Probe ION	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations

RE Buffer	Industrial applications, Professional applications.
BSA Solution	Industrial applications, Professional applications.
Enrichment Control DNA	Industrial applications, Professional applications.
Hybridization Solution	Industrial applications, Professional applications.
HS Hybridization Stop Solution	Industrial applications, Professional applications.
10 mM rATP	Industrial applications, Professional applications.
HS Ligation Solution	Industrial applications, Professional applications.
HS DNA Ligase	Industrial applications, Professional applications.
HS Capture Solution	Industrial applications, Professional applications.
HS Wash 1 Solution	Industrial applications, Professional applications.
HS Wash 2 Solution	Industrial applications, Professional applications.
Primer 1 ION	Industrial applications, Professional applications.
Primer 2 ION	Industrial applications, Professional applications.
HS Elution Buffer	Industrial applications, Professional applications.
Herculase II Fusion DNA Polymerase	Industrial applications, Professional applications.
Herculase II Reaction Buffer	Industrial applications, Professional applications.
100 mM dNTP Mix	Industrial applications, Professional applications.
HaloPlex HS ION Indexing Plate	Industrial applications, Professional applications.
Enzyme Strip 1	Industrial applications, Professional applications.
Enzyme Strip 2	Industrial applications, Professional applications.
HaloPlex HS Probe ION	Industrial applications, Professional applications.

Industrial sector specific solutions

RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA	Not applicable.
Hybridization Solution	Not applicable.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.
HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion DNA Polymerase	Not applicable.

SECTION 7: Handling and storage

Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Not applicable.
HaloPlex HS ION	Not applicable.
Indexing Plate	
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS Probe ION	Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
BSA Solution Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Hybridization Solution Formamide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 56 mg/m ³ 15 minutes. STEL: 30 ppm 15 minutes. TWA: 37 mg/m ³ 8 hours. TWA: 20 ppm 8 hours.
HS DNA Ligase Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Herculase II Fusion DNA Polymerase Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Enzyme Strip 1 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Enzyme Strip 2 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

SECTION 8: Exposure controls/personal protection

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Body protection : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	RE Buffer	Liquid.
		BSA Solution	Liquid.
		Enrichment Control DNA	Liquid.
		Hybridization Solution	Liquid.
		HS Hybridization Stop Solution	Liquid.
		10 mM rATP	Liquid.
		HS Ligation Solution	Liquid.
		HS DNA Ligase	Liquid.
		HS Capture Solution	Liquid.
		HS Wash 1 Solution	Liquid.
		HS Wash 2 Solution	Liquid.
		Primer 1 ION	Liquid.
		Primer 2 ION	Liquid.
		HS Elution Buffer	Liquid.
		Herculase II Fusion DNA Polymerase	Liquid.
		Herculase II Reaction Buffer	Liquid.
		100 mM dNTP Mix	Liquid.
		HaloPlex HS ION	Liquid.

SECTION 9: Physical and chemical properties

		Indexing Plate	
		Enzyme Strip 1	Liquid.
		Enzyme Strip 2	Liquid.
		HaloPlex HS Probe ION	Liquid.
Colour	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION	Not available.
		Indexing Plate	
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		HaloPlex HS Probe ION	Not available.
Odour	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION	Not available.
		Indexing Plate	
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		HaloPlex HS Probe ION	Not available.
Odour threshold	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.

SECTION 9: Physical and chemical properties

	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
pH	: RE Buffer	7.9
	BSA Solution	7
	Enrichment Control DNA	Not available.
	Hybridization Solution	7.5
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	7
	HS Ligation Solution	8
	HS DNA Ligase	7.5
	HS Capture Solution	7.5
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	8.5
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	8.5
	Herculase II Fusion	8.2
	DNA Polymerase	
	Herculase II Reaction Buffer	10
	100 mM dNTP Mix	7.5
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Melting point/freezing point	: RE Buffer	0°C
	BSA Solution	Not available.
	Enrichment Control DNA	0°C
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	0°C
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	0°C
	HS Wash 2 Solution	0°C
	Primer 1 ION	0°C
	Primer 2 ION	0°C
	HS Elution Buffer	0°C
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.

SECTION 9: Physical and chemical properties

Initial boiling point and boiling range

100 mM dNTP Mix	Not available.
HaloPlex HS ION	0°C
Indexing Plate	
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.
HaloPlex HS Probe ION	0°C
RE Buffer	100°C
BSA Solution	Not available.
Enrichment Control	100°C
DNA	
Hybridization Solution	Not available.
HS Hybridization Stop Solution	Not available.
10 mM rATP	100°C
HS Ligation Solution	Not available.
HS DNA Ligase	Not available.
HS Capture Solution	Not available.
HS Wash 1 Solution	100°C
HS Wash 2 Solution	100°C
Primer 1 ION	100°C
Primer 2 ION	100°C
HS Elution Buffer	100°C
Herculase II Fusion	Not available.
DNA Polymerase	
Herculase II Reaction Buffer	Not available.

Flash point

100 mM dNTP Mix	Not available.
HaloPlex HS ION	100°C
Indexing Plate	
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.
HaloPlex HS Probe ION	100°C
RE Buffer	Not available.
BSA Solution	Not available.
Enrichment Control	Not available.
DNA	
Hybridization Solution	Not available.
HS Hybridization Stop Solution	Not available.
10 mM rATP	Not available.
HS Ligation Solution	Not available.
HS DNA Ligase	Not available.
HS Capture Solution	Not available.
HS Wash 1 Solution	Not available.
HS Wash 2 Solution	Not available.
Primer 1 ION	Not available.
Primer 2 ION	Not available.
HS Elution Buffer	Not available.
Herculase II Fusion	Not available.
DNA Polymerase	
Herculase II Reaction Buffer	Not available.
100 mM dNTP Mix	Not available.
HaloPlex HS ION	Not available.
Indexing Plate	
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.
HaloPlex HS Probe ION	Not available.

SECTION 9: Physical and chemical properties

Evaporation rate	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION Indexing Plate	Not available.
		Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.	
	HaloPlex HS Probe ION	Not available.	
Flammability (solid, gas)	:	RE Buffer	Not applicable.
		BSA Solution	Not applicable.
		Enrichment Control	Not applicable.
		DNA	
		Hybridization Solution	Not applicable.
		HS Hybridization Stop Solution	Not applicable.
		10 mM rATP	Not applicable.
		HS Ligation Solution	Not applicable.
		HS DNA Ligase	Not applicable.
		HS Capture Solution	Not applicable.
		HS Wash 1 Solution	Not applicable.
		HS Wash 2 Solution	Not applicable.
		Primer 1 ION	Not applicable.
		Primer 2 ION	Not applicable.
		HS Elution Buffer	Not applicable.
		Herculase II Fusion	Not applicable.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not applicable.
		100 mM dNTP Mix	Not applicable.
		HaloPlex HS ION Indexing Plate	Not applicable.
		Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.	
	HaloPlex HS Probe ION	Not applicable.	
Upper/lower flammability or explosive limits	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
	HS Capture Solution	Not available.	

SECTION 9: Physical and chemical properties

	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction	Not available.
	Buffer	
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Vapour pressure	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	Hybridization Solution	Not available.
	HS Hybridization Stop	Not available.
	Solution	
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction	Not available.
	Buffer	
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Vapour density	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	Hybridization Solution	Not available.
	HS Hybridization Stop	Not available.
	Solution	
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction	Not available.
	Buffer	
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	

SECTION 9: Physical and chemical properties

	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Relative density	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Solubility(ies)	: RE Buffer	Easily soluble in the following materials: cold water and hot water.
	BSA Solution	Soluble in the following materials: cold water and hot water.
	Enrichment Control	Easily soluble in the following materials: cold water and hot water.
	DNA	
	Hybridization Solution	Soluble in the following materials: cold water and hot water.
	HS Hybridization Stop Solution	Soluble in the following materials: cold water and hot water.
	10 mM rATP	Easily soluble in the following materials: cold water and hot water.
	HS Ligation Solution	Easily soluble in the following materials: cold water and hot water.
	HS DNA Ligase	Soluble in the following materials: cold water and hot water.
	HS Capture Solution	Easily soluble in the following materials: cold water and hot water.
	HS Wash 1 Solution	Easily soluble in the following materials: cold water and hot water.
	HS Wash 2 Solution	Easily soluble in the following materials: cold water and hot water.
	Primer 1 ION	Easily soluble in the following materials: cold water and hot water.
	Primer 2 ION	Easily soluble in the following materials: cold water and hot water.
	HS Elution Buffer	Easily soluble in the following materials: cold water and hot water.
	Herculase II Fusion	Soluble in the following materials: cold water and hot water.
	DNA Polymerase	
	Herculase II Reaction Buffer	Easily soluble in the following materials: cold water and hot water.
	100 mM dNTP Mix	Easily soluble in the following materials: cold water and hot water.
	HaloPlex HS ION	Easily soluble in the following materials: cold water and

SECTION 9: Physical and chemical properties

	Indexing Plate	hot water.
	Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
	Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
	HaloPlex HS Probe ION	Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.	
HaloPlex HS Probe ION	Not available.	
Auto-ignition temperature	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion DNA Polymerase	Not available.
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	Not available.
	Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.	
HaloPlex HS Probe ION	Not available.	

SECTION 9: Physical and chemical properties

Decomposition temperature	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION	Not available.
		Indexing Plate	
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		HaloPlex HS Probe ION	Not available.

Viscosity	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.
		HS Wash 2 Solution	Not available.
		Primer 1 ION	Not available.
		Primer 2 ION	Not available.
		HS Elution Buffer	Not available.
		Herculase II Fusion	Not available.
		DNA Polymerase	
		Herculase II Reaction Buffer	Not available.
		100 mM dNTP Mix	Not available.
		HaloPlex HS ION	Not available.
		Indexing Plate	
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
		HaloPlex HS Probe ION	Not available.

Explosive properties	:	RE Buffer	Not available.
		BSA Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		Hybridization Solution	Not available.
		HS Hybridization Stop Solution	Not available.
		10 mM rATP	Not available.
		HS Ligation Solution	Not available.
		HS DNA Ligase	Not available.
		HS Capture Solution	Not available.
		HS Wash 1 Solution	Not available.

SECTION 9: Physical and chemical properties

	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.
Oxidising properties	: RE Buffer	Not available.
	BSA Solution	Not available.
	Enrichment Control DNA	Not available.
	Hybridization Solution	Not available.
	HS Hybridization Stop Solution	Not available.
	10 mM rATP	Not available.
	HS Ligation Solution	Not available.
	HS DNA Ligase	Not available.
	HS Capture Solution	Not available.
	HS Wash 1 Solution	Not available.
	HS Wash 2 Solution	Not available.
	Primer 1 ION	Not available.
	Primer 2 ION	Not available.
	HS Elution Buffer	Not available.
	Herculase II Fusion	Not available.
	DNA Polymerase	
	Herculase II Reaction Buffer	Not available.
	100 mM dNTP Mix	Not available.
	HaloPlex HS ION	Not available.
	Indexing Plate	
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
	HaloPlex HS Probe ION	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
	Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS Hybridization Stop Solution	No specific test data related to reactivity available for this product or its ingredients.
	10 mM rATP	No specific test data related to reactivity available for this product or its ingredients.
	HS Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
	HS DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
	HS Capture Solution	No specific test data related to reactivity available for this product or its ingredients.

SECTION 10: Stability and reactivity

HS Wash 1 Solution	No specific test data related to reactivity available for this product or its ingredients.
HS Wash 2 Solution	No specific test data related to reactivity available for this product or its ingredients.
Primer 1 ION	No specific test data related to reactivity available for this product or its ingredients.
Primer 2 ION	No specific test data related to reactivity available for this product or its ingredients.
HS Elution Buffer	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Fusion DNA Polymerase	No specific test data related to reactivity available for this product or its ingredients.
Herculase II Reaction Buffer	No specific test data related to reactivity available for this product or its ingredients.
100 mM dNTP Mix	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex HS ION Indexing Plate	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex HS Probe ION	No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

: RE Buffer	The product is stable.
BSA Solution	The product is stable.
Enrichment Control DNA	The product is stable.
Hybridization Solution	The product is stable.
HS Hybridization Stop Solution	The product is stable.
10 mM rATP	The product is stable.
HS Ligation Solution	The product is stable.
HS DNA Ligase	The product is stable.
HS Capture Solution	The product is stable.
HS Wash 1 Solution	The product is stable.
HS Wash 2 Solution	The product is stable.
Primer 1 ION	The product is stable.
Primer 2 ION	The product is stable.
HS Elution Buffer	The product is stable.
Herculase II Fusion DNA Polymerase	The product is stable.
Herculase II Reaction Buffer	The product is stable.
100 mM dNTP Mix	The product is stable.
HaloPlex HS ION Indexing Plate	The product is stable.
Enzyme Strip 1	The product is stable.
Enzyme Strip 2	The product is stable.
HaloPlex HS Probe ION	The product is stable.

10.3 Possibility of hazardous reactions

: RE Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
BSA Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous reactions will not occur.
Hybridization Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Hybridization Stop Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
10 mM rATP	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Ligation Solution	Under normal conditions of storage and use, hazardous

SECTION 10: Stability and reactivity

	reactions will not occur.
HS DNA Ligase	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Capture Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Wash 1 Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Wash 2 Solution	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 1 ION	Under normal conditions of storage and use, hazardous reactions will not occur.
Primer 2 ION	Under normal conditions of storage and use, hazardous reactions will not occur.
HS Elution Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous reactions will not occur.
Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous reactions will not occur.
100 mM dNTP Mix	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex HS ION Indexing Plate	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex HS Probe ION	Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	No specific data.
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	No specific data.
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION Indexing Plate	No specific data.
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		HaloPlex HS Probe ION	No specific data.

10.5 Incompatible materials	:	RE Buffer	May react or be incompatible with oxidising materials.
		BSA Solution	May react or be incompatible with oxidising materials.
		Enrichment Control DNA	May react or be incompatible with oxidising materials.
		Hybridization Solution	May react or be incompatible with oxidising materials.
		HS Hybridization Stop Solution	May react or be incompatible with oxidising materials.
		10 mM rATP	May react or be incompatible with oxidising materials.
		HS Ligation Solution	May react or be incompatible with oxidising materials.

SECTION 10: Stability and reactivity

HS DNA Ligase	May react or be incompatible with oxidising materials.
HS Capture Solution	May react or be incompatible with oxidising materials.
HS Wash 1 Solution	May react or be incompatible with oxidising materials.
HS Wash 2 Solution	May react or be incompatible with oxidising materials.
Primer 1 ION	May react or be incompatible with oxidising materials.
Primer 2 ION	May react or be incompatible with oxidising materials.
HS Elution Buffer	May react or be incompatible with oxidising materials.
Herculase II Fusion DNA Polymerase	May react or be incompatible with oxidising materials.
Herculase II Reaction Buffer	May react or be incompatible with oxidising materials.
100 mM dNTP Mix	May react or be incompatible with oxidising materials.
HaloPlex HS ION Indexing Plate	May react or be incompatible with oxidising materials.
Enzyme Strip 1	May react or be incompatible with oxidising materials.
Enzyme Strip 2	May react or be incompatible with oxidising materials.
HaloPlex HS Probe ION	May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products

: RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hybridization Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Hybridization Stop Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
10 mM rATP	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Capture Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Wash 1 Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Wash 2 Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 1 ION	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 2 ION	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HS Elution Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Herculase II Fusion DNA Polymerase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Herculase II Reaction Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
100 mM dNTP Mix	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex HS ION Indexing Plate	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex HS Probe ION	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Hybridization Solution				
Formamide	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
HS Ligation Solution				
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
HS DNA Ligase				
Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3, 3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	LD50 Oral	Rat	2800 mg/kg	-
HS Capture Solution				
Acetic acid, (ethylenedinitrilo) tetra-, disodium salt, dihydrate	LD50 Oral	Rat	2214.37 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Herculase II Reaction Buffer				
Trometamol	LD50 Dermal	Rat	>5000 mg/kg	-
	LD50 Oral	Rat	5000 mg/kg	-

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Hybridization Solution					
Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
HS Ligation Solution					
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
HS DNA Ligase					
Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3, 3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	Eyes - Severe irritant	Rabbit	-	1 Percent	-
HS Capture Solution					
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 11: Toxicological information

Herculase II Reaction Buffer Trometamol	Skin - Moderate irritant Skin - Severe irritant	Rabbit Rabbit	- -	25 Percent 500 milligrams	- -
---	--	------------------	--------	---------------------------------	--------

Sensitiser

Conclusion/Summary : Not available.

Chronic toxicity / Carcinogenicity / Mutagenicity / Teratogenicity / Reproductive toxicity

Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
HS Capture Solution Acetic acid, (ethylenedinitrilo)tetra-, disodium salt, dihydrate	Category 3	Not applicable.	Respiratory tract irritation
Herculase II Reaction Buffer Trometamol	Category 3	Not applicable.	Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

RE Buffer	Not available.
BSA Solution	Not available.
Enrichment Control DNA	Not available.
Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Hybridization Stop Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
10 mM rATP	Not available.
HS Ligation Solution	Not available.
HS DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Capture Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
HS Wash 1 Solution	Not available.
HS Wash 2 Solution	Not available.
Primer 1 ION	Not available.
Primer 2 ION	Not available.
HS Elution Buffer	Not available.
Herculase II Fusion DNA Polymerase	Routes of entry anticipated: Oral, Dermal, Inhalation.
Herculase II Reaction Buffer	Routes of entry anticipated: Oral, Dermal, Inhalation.
100 mM dNTP Mix	Not available.
HaloPlex HS ION Indexing Plate	Not available.
Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.
HaloPlex HS Probe ION	Not available.

Potential acute health effects

SECTION 11: Toxicological information

Inhalation	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		HaloPlex HS Probe ION	No known significant effects or critical hazards.
Ingestion	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		HaloPlex HS Probe ION	No known significant effects or critical hazards.
Skin contact	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.

SECTION 11: Toxicological information

	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.
Eye contact	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	Causes serious eye irritation.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	Causes serious eye irritation.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enrichment Control DNA Hybridization Solution	No specific data.
	HS Hybridization Stop Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS ION Indexing Plate	No specific data.

SECTION 11: Toxicological information

	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	HaloPlex HS Probe ION	No specific data.
Ingestion	: RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enrichment Control DNA	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS ION	No specific data.
	Indexing Plate	
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	HaloPlex HS Probe ION	No specific data.
Skin contact	: RE Buffer	No specific data.
	BSA Solution	No specific data.
	Enrichment Control DNA	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	HS Hybridization Stop Solution	No specific data.
	10 mM rATP	No specific data.
	HS Ligation Solution	No specific data.
	HS DNA Ligase	No specific data.
	HS Capture Solution	No specific data.
	HS Wash 1 Solution	No specific data.
	HS Wash 2 Solution	No specific data.
	Primer 1 ION	No specific data.
	Primer 2 ION	No specific data.
	HS Elution Buffer	No specific data.
	Herculase II Fusion DNA Polymerase	No specific data.
	Herculase II Reaction Buffer	No specific data.
	100 mM dNTP Mix	No specific data.
	HaloPlex HS ION	No specific data.
	Indexing Plate	
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
	HaloPlex HS Probe ION	No specific data.

SECTION 11: Toxicological information

Eye contact	:	RE Buffer	No specific data.
		BSA Solution	No specific data.
		Enrichment Control DNA	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
		HS Hybridization Stop Solution	No specific data.
		10 mM rATP	No specific data.
		HS Ligation Solution	No specific data.
		HS DNA Ligase	No specific data.
		HS Capture Solution	Adverse symptoms may include the following: pain or irritation watering redness
		HS Wash 1 Solution	No specific data.
		HS Wash 2 Solution	No specific data.
		Primer 1 ION	No specific data.
		Primer 2 ION	No specific data.
		HS Elution Buffer	No specific data.
		Herculase II Fusion DNA Polymerase	No specific data.
		Herculase II Reaction Buffer	No specific data.
		100 mM dNTP Mix	No specific data.
		HaloPlex HS ION	No specific data.
		Indexing Plate	
		Enzyme Strip 1	No specific data.
		Enzyme Strip 2	No specific data.
		HaloPlex HS Probe ION	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Short term exposure**

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction	No known significant effects or critical hazards.

SECTION 11: Toxicological information

	Buffer	
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION	No known significant effects or critical hazards.
	Indexing Plate	
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.
Carcinogenicity	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION	No known significant effects or critical hazards.
	Indexing Plate	
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.
Mutagenicity	: RE Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	HS Hybridization Stop Solution	No known significant effects or critical hazards.
	10 mM rATP	No known significant effects or critical hazards.
	HS Ligation Solution	No known significant effects or critical hazards.
	HS DNA Ligase	No known significant effects or critical hazards.
	HS Capture Solution	No known significant effects or critical hazards.
	HS Wash 1 Solution	No known significant effects or critical hazards.
	HS Wash 2 Solution	No known significant effects or critical hazards.
	Primer 1 ION	No known significant effects or critical hazards.
	Primer 2 ION	No known significant effects or critical hazards.
	HS Elution Buffer	No known significant effects or critical hazards.
	Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
	Herculase II Reaction Buffer	No known significant effects or critical hazards.
	100 mM dNTP Mix	No known significant effects or critical hazards.
	HaloPlex HS ION	No known significant effects or critical hazards.
	Indexing Plate	
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.

SECTION 11: Toxicological information

Teratogenicity	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	May damage the unborn child.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.	
Developmental effects	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.
		Primer 2 ION	No known significant effects or critical hazards.
		HS Elution Buffer	No known significant effects or critical hazards.
		Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
		Herculase II Reaction Buffer	No known significant effects or critical hazards.
		100 mM dNTP Mix	No known significant effects or critical hazards.
		HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
		Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
	HaloPlex HS Probe ION	No known significant effects or critical hazards.	
Fertility effects	:	RE Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		Enrichment Control DNA	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
		HS Hybridization Stop Solution	No known significant effects or critical hazards.
		10 mM rATP	No known significant effects or critical hazards.
		HS Ligation Solution	No known significant effects or critical hazards.
		HS DNA Ligase	No known significant effects or critical hazards.
		HS Capture Solution	No known significant effects or critical hazards.
		HS Wash 1 Solution	No known significant effects or critical hazards.
		HS Wash 2 Solution	No known significant effects or critical hazards.
		Primer 1 ION	No known significant effects or critical hazards.

HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 11: Toxicological information

Primer 2 ION	No known significant effects or critical hazards.
HS Elution Buffer	No known significant effects or critical hazards.
Herculase II Fusion DNA Polymerase	No known significant effects or critical hazards.
Herculase II Reaction Buffer	No known significant effects or critical hazards.
100 mM dNTP Mix	No known significant effects or critical hazards.
HaloPlex HS ION Indexing Plate	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.
HaloPlex HS Probe ION	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
Hybridization Solution Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
HS Ligation Solution Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
HS DNA Ligase Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	Acute EC50 210 µg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute LC50 10800 µg/l Marine water	Crustaceans - Pandalus montagui - Adult	48 hours
	Acute LC50 8600 to 9800 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 7200 µg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
HS Capture Solution Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours

HaloPlex HS Target Enrichment Kits - ION - 96 reactions

SECTION 12: Ecological information

Herculase II Reaction Buffer Trometamol	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours
	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute IC50 6.87 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Acute LC50 1661 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 1000000 µg/l Fresh water	Fish - Morone saxatilis - Larvae	96 hours
	Chronic LC10 781 mg/l Fresh water	Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	3 weeks
	Chronic NOEC 6 g/L Fresh water	Aquatic plants - Lemna minor	96 hours
	Chronic NOEC 0.314 g/L Fresh water	Daphnia - Daphnia pulex	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Gambusia holbrooki - Adult	8 weeks
	Acute EC50 >980 mg/l Fresh water	Daphnia	48 hours
	Acute NOEC 520 mg/l Fresh water	Daphnia	48 hours

12.2 Persistence and degradability

Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
Hybridization Solution Formamide	-0.82	-	low
HS DNA Ligase Poly(oxy-1,2-ethanediyl), . alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-. omega.-hydroxy-	3.77	78.67	low
Herculase II Reaction Buffer Trometamol	-1.56	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Regulatory information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
Hybridization Solution Formamide	Toxic to reproduction	Candidate	ED/87/2012	6/18/2012
HS DNA Ligase 4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]; 4-tert-Octylphenol ethoxylates	Substance of equivalent concern for environment	Recommended	ED/169/2012	11/6/2013

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles :

RE Buffer	Not applicable.
BSA Solution	Not applicable.
Enrichment Control DNA	Not applicable.
Hybridization Solution	Restricted to professional users.
HS Hybridization Stop Solution	Not applicable.
10 mM rATP	Not applicable.

SECTION 15: Regulatory information

HS Ligation Solution	Not applicable.
HS DNA Ligase	Not applicable.
HS Capture Solution	Not applicable.
HS Wash 1 Solution	Not applicable.
HS Wash 2 Solution	Not applicable.
Primer 1 ION	Not applicable.
Primer 2 ION	Not applicable.
HS Elution Buffer	Not applicable.
Herculase II Fusion	Not applicable.
DNA Polymerase	
Herculase II Reaction Buffer	Not applicable.
100 mM dNTP Mix	Not applicable.
HaloPlex HS ION	Not applicable.
Indexing Plate	
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.
HaloPlex HS Probe ION	Not applicable.

Other EU regulations

Europe inventory : Not determined.

Product/ingredient name	Carcinogenic effects	Mutagenic effects	Developmental effects	Fertility effects
Hybridization Solution formamide	-	-	Repr. 1B, H360D (Unborn child)	-

Seveso Directive

This product is not controlled under the Seveso Directive.

National regulations

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

International lists

National inventory

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Japan	: Japan inventory (ENCS) : All components are listed or exempted. Japan inventory (ISHL) : All components are listed or exempted.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Turkey	: Not determined.

SECTION 15: Regulatory information

United States : Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Hybridization Solution Eye Irrit. 2, H319 Repr. 1B, H360D (Unborn child)	Calculation method Calculation method
HS Capture Solution Eye Irrit. 2, H319	Calculation method

Full text of abbreviated H statements : **Hybridization Solution**
 H319 Causes serious eye irritation.
 H360D (Unborn child) May damage the unborn child.

HS Ligation Solution
 H319 Causes serious eye irritation.

HS DNA Ligase
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H411 Toxic to aquatic life with long lasting effects.

HS Capture Solution
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Herculase II Reaction Buffer
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H335 May cause respiratory irritation.

Full text of classifications [CLP/GHS] : **Hybridization Solution**
 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
 Repr. 1B, H360D (Unborn child) TOXIC TO REPRODUCTION (Unborn child) - Category 1B

HS Ligation Solution
 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

HS DNA Ligase
 Aquatic Chronic 2, H411 LONG-TERM AQUATIC HAZARD - Category 2
 Eye Dam. 1, H318 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

HS Capture Solution
 Eye Irrit. 2, H319 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
 Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

SECTION 16: Other information

STOT SE 3, H335

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Herculase II Reaction Buffer

Eye Irrit. 2, H319
 Skin Irrit. 2, H315
 STOT SE 3, H335

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2
 SKIN CORROSION/IRRITATION - Category 2
 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Date of issue/ Date of revision : 29/04/2016

Date of previous issue : No previous validation.

Version : 1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.