

# SAFETY DATA SHEET



HaloPlex Target Enrichment Kits - ILM - 16 Reactions

## Section 1. Identification

### 1.1 Product identifier

<b>Product name</b>	: HaloPlex Target Enrichment Kits - ILM - 16 Reactions																																
<b>Part No. (Chemical Kit)</b>	: G9903A, G9908A, G9913A																																
<b>Part No.</b>	: <table> <tr> <td>RE Buffer</td> <td>5190-4980</td> </tr> <tr> <td>SSC Buffer</td> <td>5190-5342</td> </tr> <tr> <td>BSA Solution</td> <td>5190-5347</td> </tr> <tr> <td>DNA Ligase</td> <td>5190-4979</td> </tr> <tr> <td>Ligation Solution</td> <td>5190-4976</td> </tr> <tr> <td>Wash Solution</td> <td>5190-4977</td> </tr> <tr> <td>Capture Solution</td> <td>5190-4978</td> </tr> <tr> <td>Primer 1</td> <td>5190-5340</td> </tr> <tr> <td>Primer 2</td> <td>5190-5341</td> </tr> <tr> <td>HaloPlex Indexing Primer A01 - H02</td> <td>Various*</td> </tr> <tr> <td>Hybridization Solution</td> <td>5190-5345</td> </tr> <tr> <td>Enrichment Control DNA</td> <td>5190-5339</td> </tr> <tr> <td>HaloPlex Magnetic Beads</td> <td>5190-5351</td> </tr> <tr> <td>HaloPlex Probe</td> <td>5190-6235 / 5190-6524 / 5190-7732</td> </tr> <tr> <td>Enzyme Strip 1</td> <td>5190-5343</td> </tr> <tr> <td>Enzyme Strip 2</td> <td>5190-5344</td> </tr> </table>	RE Buffer	5190-4980	SSC Buffer	5190-5342	BSA Solution	5190-5347	DNA Ligase	5190-4979	Ligation Solution	5190-4976	Wash Solution	5190-4977	Capture Solution	5190-4978	Primer 1	5190-5340	Primer 2	5190-5341	HaloPlex Indexing Primer A01 - H02	Various*	Hybridization Solution	5190-5345	Enrichment Control DNA	5190-5339	HaloPlex Magnetic Beads	5190-5351	HaloPlex Probe	5190-6235 / 5190-6524 / 5190-7732	Enzyme Strip 1	5190-5343	Enzyme Strip 2	5190-5344
RE Buffer	5190-4980																																
SSC Buffer	5190-5342																																
BSA Solution	5190-5347																																
DNA Ligase	5190-4979																																
Ligation Solution	5190-4976																																
Wash Solution	5190-4977																																
Capture Solution	5190-4978																																
Primer 1	5190-5340																																
Primer 2	5190-5341																																
HaloPlex Indexing Primer A01 - H02	Various*																																
Hybridization Solution	5190-5345																																
Enrichment Control DNA	5190-5339																																
HaloPlex Magnetic Beads	5190-5351																																
HaloPlex Probe	5190-6235 / 5190-6524 / 5190-7732																																
Enzyme Strip 1	5190-5343																																
Enzyme Strip 2	5190-5344																																
<b>Validation date</b>	: 4/29/2016																																

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

<b>Material uses</b>	: Analytical reagent.																																
	: <table> <tr> <td>RE Buffer</td> <td>0.8 ml (16 reactions)</td> </tr> <tr> <td>SSC Buffer</td> <td>2 x 1.1 ml (16 reactions)</td> </tr> <tr> <td>BSA Solution</td> <td>0.03 ml (16 reactions)</td> </tr> <tr> <td>DNA Ligase</td> <td>0.05 ml ( 16 reactions )</td> </tr> <tr> <td>Ligation Solution</td> <td>0.96 ml ( 16 reactions )</td> </tr> <tr> <td>Wash Solution</td> <td>2 x 1.1 ml (16 reactions)</td> </tr> <tr> <td>Capture Solution</td> <td>0.8 ml (16 reactions)</td> </tr> <tr> <td>Primer 1</td> <td>0.024 ml (16 reactions)</td> </tr> <tr> <td>Primer 2</td> <td>0.024 ml (16 reactions)</td> </tr> <tr> <td>HaloPlex Indexing Primer A01 - H02</td> <td>0.015 ml (16 reactions)</td> </tr> <tr> <td>Hybridization Solution</td> <td>1.1 ml (16 reactions)</td> </tr> <tr> <td>Enrichment Control DNA</td> <td>0.12 ml (16 reactions)</td> </tr> <tr> <td>HaloPlex Magnetic Beads</td> <td>0.8 ml (16 reactions)</td> </tr> <tr> <td>HaloPlex Probe</td> <td>0.4 ml (16 reactions)</td> </tr> <tr> <td>Enzyme Strip 1</td> <td>0.128 ml (16 reactions)</td> </tr> <tr> <td>Enzyme Strip 2</td> <td>0.128 ml (16 reactions)</td> </tr> </table>	RE Buffer	0.8 ml (16 reactions)	SSC Buffer	2 x 1.1 ml (16 reactions)	BSA Solution	0.03 ml (16 reactions)	DNA Ligase	0.05 ml ( 16 reactions )	Ligation Solution	0.96 ml ( 16 reactions )	Wash Solution	2 x 1.1 ml (16 reactions)	Capture Solution	0.8 ml (16 reactions)	Primer 1	0.024 ml (16 reactions)	Primer 2	0.024 ml (16 reactions)	HaloPlex Indexing Primer A01 - H02	0.015 ml (16 reactions)	Hybridization Solution	1.1 ml (16 reactions)	Enrichment Control DNA	0.12 ml (16 reactions)	HaloPlex Magnetic Beads	0.8 ml (16 reactions)	HaloPlex Probe	0.4 ml (16 reactions)	Enzyme Strip 1	0.128 ml (16 reactions)	Enzyme Strip 2	0.128 ml (16 reactions)
RE Buffer	0.8 ml (16 reactions)																																
SSC Buffer	2 x 1.1 ml (16 reactions)																																
BSA Solution	0.03 ml (16 reactions)																																
DNA Ligase	0.05 ml ( 16 reactions )																																
Ligation Solution	0.96 ml ( 16 reactions )																																
Wash Solution	2 x 1.1 ml (16 reactions)																																
Capture Solution	0.8 ml (16 reactions)																																
Primer 1	0.024 ml (16 reactions)																																
Primer 2	0.024 ml (16 reactions)																																
HaloPlex Indexing Primer A01 - H02	0.015 ml (16 reactions)																																
Hybridization Solution	1.1 ml (16 reactions)																																
Enrichment Control DNA	0.12 ml (16 reactions)																																
HaloPlex Magnetic Beads	0.8 ml (16 reactions)																																
HaloPlex Probe	0.4 ml (16 reactions)																																
Enzyme Strip 1	0.128 ml (16 reactions)																																
Enzyme Strip 2	0.128 ml (16 reactions)																																

### 1.3 Details of the supplier of the safety data sheet

**Supplier/Manufacturer** : Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd  
 Santa Clara, CA 95051, USA  
 800-227-9770

### 1.4 Emergency telephone number


**In case of emergency** : CHEMTREC®: 1-800-424-9300

## Section 1. Identification

**Note \*** : HaloPlex Indexing Primer A01 - H02: 5190-8027, 5190-8028, 5190-8029, 5190-8030, 5190-8031, 5190-8032, 5190-8033, 5190-8034, 5190-8035, 5190-8036, 5190-8037, 5190-8038, 5190-8039, 5190-8040, 5190-8041, 5190-8042

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

<b>OSHA/HCS status</b>	:  Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	SSC Buffer	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	BSA Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	DNA Ligase	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Ligation Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Wash Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
	Capture Solution	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 1	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	Primer 2	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
	HaloPlex Indexing Primer A01 - H02	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

## Section 2. Hazards identification

Hybridization Solution	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enrichment Control DNA	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
HaloPlex Magnetic Beads	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
HaloPlex Probe	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Enzyme Strip 1	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Enzyme Strip 2	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Classification of the substance or mixture

#### DNA Ligase

H320 EYE IRRITATION - Category 2B

#### Wash Solution

H319 EYE IRRITATION - Category 2A  
 H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### Hybridization Solution

H319 EYE IRRITATION - Category 2A  
 H360 TOXIC TO REPRODUCTION (Unborn child) - Category 1B

#### Enzyme Strip 1

H320 EYE IRRITATION - Category 2B

#### Enzyme Strip 2

H320 EYE IRRITATION - Category 2B

#### Ingredients of unknown toxicity

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Percentage of the mixture consisting of ingredient (s) of unknown toxicity: 1%
DNA Ligase	Not applicable.
Ligation Solution	Not applicable.
Wash Solution	Not applicable.
Capture Solution	Not applicable.
Primer 1	Not applicable.
Primer 2	Not applicable.
HaloPlex Indexing Primer A01 - H02	Not applicable.
Hybridization Solution	Not applicable.
Enrichment Control DNA	Not applicable.
HaloPlex Magnetic Beads	Not applicable.
HaloPlex Probe	Not applicable.
Enzyme Strip 1	Not applicable.

## Section 2. Hazards identification

Enzyme Strip 2

Not applicable.

### 2.2 GHS label elements

#### Hazard pictograms



#### Signal word

:

RE Buffer	No signal word.
SSC Buffer	No signal word.
BSA Solution	No signal word.
DNA Ligase	Warning
Ligation Solution	No signal word.
Wash Solution	Danger
Capture Solution	No signal word.
Primer 1	No signal word.
Primer 2	No signal word.
HaloPlex Indexing Primer A01 - H02	No signal word.
Hybridization Solution	Danger
Enrichment Control DNA	No signal word.
HaloPlex Magnetic Beads	No signal word.
HaloPlex Probe	No signal word.
Enzyme Strip 1	Warning
Enzyme Strip 2	Warning

#### Hazard statements

:

RE Buffer	No known significant effects or critical hazards.
SSC Buffer	No known significant effects or critical hazards.
BSA Solution	No known significant effects or critical hazards.
DNA Ligase	H320 - Causes eye irritation.
Ligation Solution	No known significant effects or critical hazards.
Wash Solution	GHS SYMBOL - <b>Exclamation mark - Health hazard</b> - H319 - Causes serious eye irritation. H360 - May damage the unborn child.
Capture Solution	No known significant effects or critical hazards.
Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	GHS SYMBOL - <b>Exclamation mark - Health hazard</b> - H319 - Causes serious eye irritation. H360 - May damage the unborn child.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Magnetic Beads	No known significant effects or critical hazards.
HaloPlex Probe	No known significant effects or critical hazards.
Enzyme Strip 1	H320 - Causes eye irritation.
Enzyme Strip 2	H320 - Causes eye irritation.

### Precautionary statements

#### Prevention

:

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	P264 - Wash hands thoroughly after handling.
Ligation Solution	Not applicable.
Wash Solution	P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood.

## Section 2. Hazards identification

**Response**

<p>Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution</p>	<p>P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing. P264 - Wash hands thoroughly after handling. Not applicable. Not applicable. Not applicable. Not applicable.</p>
<p>Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2</p>	<p>P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing. P264 - Wash hands thoroughly after handling. Not applicable. Not applicable. Not applicable.</p>
<p>RE Buffer SSC Buffer BSA Solution DNA Ligase</p>	<p>P264 - Wash hands thoroughly after handling. P264 - Wash hands thoroughly after handling. Not applicable. Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>Ligation Solution Wash Solution</p>	<p>Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution</p>	<p>Not applicable. Not applicable. Not applicable. Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>
<p>Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1</p>	<p>Not applicable. Not applicable. Not applicable. P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.</p>

## Section 2. Hazards identification

	Enzyme Strip 2	P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 - If eye irritation persists: Get medical attention.
<b>Storage</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P405 - Store locked up. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P405 - Store locked up. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
<b>Disposal</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution  Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution  Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable. Not applicable. Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.
<b>Supplemental label elements</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads	None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known. None known.

## Section 2. Hazards identification

HaloPlex Probe	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.

### 2.3 Other hazards

#### Hazards not otherwise classified

RE Buffer	None known.
SSC Buffer	None known.
BSA Solution	None known.
DNA Ligase	None known.
Ligation Solution	None known.
Wash Solution	None known.
Capture Solution	None known.
Primer 1	None known.
Primer 2	None known.
HaloPlex Indexing Primer A01 - H02	None known.
Hybridization Solution	None known.
Enrichment Control DNA	None known.
HaloPlex Magnetic Beads	None known.
HaloPlex Probe	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.

## Section 3. Composition/information on ingredients

<b>Substance/mixture</b>	:	RE Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		Primer 1	Mixture
		Primer 2	Mixture
		HaloPlex Indexing Primer A01 - H02	Mixture
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Magnetic Beads	Mixture
		HaloPlex Probe	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture

Ingredient name	%	CAS number
<b>RE Buffer</b> potassium acetate	≤3	127-08-2
<b>BSA Solution</b> Glycerol	<10	56-81-5
<b>DNA Ligase</b> Glycerol	≥50 - ≤75	56-81-5
<b>Ligation Solution</b> Glycerol	<10	56-81-5
<b>Wash Solution</b> Formamide Sodium chloride	≥10 - ≤25 ≤10	75-12-7 7647-14-5



### Section 3. Composition/information on ingredients

<b>Capture Solution</b> Sodium chloride	<10	7647-14-5
<b>Hybridization Solution</b> Formamide	≥25 - ≤50	75-12-7
Sodium chloride	≥10 - ≤25	7647-14-5
<b>Enzyme Strip 1</b> Glycerol	≥50 - ≤75	56-81-5
<b>Enzyme Strip 2</b> Glycerol	≥50 - ≤75	56-81-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### 4.1 Description of necessary first aid measures

<b>Eye contact</b>	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSC Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
	Ligation Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Wash Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
	Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Primer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	Primer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids.



## Section 4. First aid measures

HaloPlex Indexing Primer A01 - H02	Check for and remove any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Magnetic Beads	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Probe	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
<b>Inhalation</b>	
: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSC Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Wash Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not

## Section 4. First aid measures

	breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Indexing Primer A01 - H02	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Magnetic Beads	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Probe	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain

## Section 4. First aid measures

an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get

### Skin contact

: RE Buffer

SSC Buffer

BSA Solution

DNA Ligase

Ligation Solution

Wash Solution

Capture Solution

Primer 1

Primer 2

HaloPlex Indexing Primer A01 - H02

Hybridization Solution

Enrichment Control DNA

## Section 4. First aid measures

	HaloPlex Magnetic Beads	medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	HaloPlex Probe	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	Enzyme Strip 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
	Enzyme Strip 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	: RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	SSC Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	DNA Ligase	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
	Ligation Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting

## Section 4. First aid measures

Wash Solution	<p>unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p> <p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
Capture Solution	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 1	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Primer 2	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Indexing Primer A01 - H02	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Hybridization Solution	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar,</p>

## Section 4. First aid measures

Enrichment Control DNA	<p>tie, belt or waistband. Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Magnetic Beads	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
HaloPlex Probe	<p>Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</p>
Enzyme Strip 1	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>
Enzyme Strip 2	<p>Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.</p>

### 4.2 Most important symptoms/effects, acute and delayed

#### Potential acute health effects



## Section 4. First aid measures

<b>Eye contact</b>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>Causes serious eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes serious eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes eye irritation.</li> <li>Causes eye irritation.</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Skin contact</b>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>



## Section 4. First aid measures

Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Magnetic Beads	No known significant effects or critical hazards.
HaloPlex Probe	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

### Over-exposure signs/symptoms

#### Eye contact

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: irritation watering redness</p>
<ul style="list-style-type: none"> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<p>No specific data.</p> <p>Adverse symptoms may include the following: pain or irritation watering redness</p>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: pain or irritation watering redness</p>
<ul style="list-style-type: none"> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: irritation watering redness</p>
<ul style="list-style-type: none"> <li>Enzyme Strip 2</li> </ul>	<p>Adverse symptoms may include the following: irritation watering redness</p>

#### Inhalation

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations</p>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> </ul>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p> <p>Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths</p>

## Section 4. First aid measures

### Skin contact

Enrichment Control DNA  
 HaloPlex Magnetic Beads  
 HaloPlex Probe  
 Enzyme Strip 1  
 Enzyme Strip 2  
 : RE Buffer  
 SSC Buffer  
 BSA Solution  
 DNA Ligase  
 Ligation Solution  
 Wash Solution

skeletal malformations  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 Adverse symptoms may include the following:  
 reduced fetal weight  
 increase in fetal deaths  
 skeletal malformations

Capture Solution  
 Primer 1  
 Primer 2  
 HaloPlex Indexing Primer A01 - H02  
 Hybridization Solution

No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 Adverse symptoms may include the following:  
 reduced fetal weight  
 increase in fetal deaths  
 skeletal malformations

### Ingestion

Enrichment Control DNA  
 HaloPlex Magnetic Beads  
 HaloPlex Probe  
 Enzyme Strip 1  
 Enzyme Strip 2  
 : RE Buffer  
 SSC Buffer  
 BSA Solution  
 DNA Ligase  
 Ligation Solution  
 Wash Solution

No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 Adverse symptoms may include the following:  
 reduced fetal weight  
 increase in fetal deaths  
 skeletal malformations

Capture Solution  
 Primer 1  
 Primer 2  
 HaloPlex Indexing Primer A01 - H02  
 Hybridization Solution

No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 Adverse symptoms may include the following:  
 reduced fetal weight  
 increase in fetal deaths  
 skeletal malformations

Enrichment Control DNA  
 HaloPlex Magnetic Beads  
 HaloPlex Probe  
 Enzyme Strip 1  
 Enzyme Strip 2

No specific data.  
 No specific data.  
 No specific data.  
 No specific data.  
 No specific data.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

## Section 4. First aid measures

<b>Notes to physician</b>	: RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSC Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	BSA Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Wash Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Capture Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Primer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Primer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Indexing Primer A01 - H02	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Magnetic Beads	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Probe	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
<b>Specific treatments</b>	: RE Buffer	No specific treatment.
	SSC Buffer	No specific treatment.
	BSA Solution	No specific treatment.
	DNA Ligase	No specific treatment.
	Ligation Solution	No specific treatment.
	Wash Solution	No specific treatment.
	Capture Solution	No specific treatment.
	Primer 1	No specific treatment.
	Primer 2	No specific treatment.

## Section 4. First aid measures

	HaloPlex Indexing Primer A01 - H02	No specific treatment.
	Hybridization Solution	No specific treatment.
	Enrichment Control DNA	No specific treatment.
	HaloPlex Magnetic Beads	No specific treatment.
	HaloPlex Probe	No specific treatment.
	Enzyme Strip 1	No specific treatment.
	Enzyme Strip 2	No specific treatment.
<b>Protection of first-aiders</b>	<b>RE Buffer</b>	No action shall be taken involving any personal risk or without suitable training.
	SSC Buffer	No action shall be taken involving any personal risk or without suitable training.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training.
	DNA Ligase	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
	Wash Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Capture Solution	No action shall be taken involving any personal risk or without suitable training.
	Primer 1	No action shall be taken involving any personal risk or without suitable training.
	Primer 2	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Indexing Primer A01 - H02	No action shall be taken involving any personal risk or without suitable training.
	Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
	Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Magnetic Beads	No action shall be taken involving any personal risk or without suitable training.
	HaloPlex Probe	No action shall be taken involving any personal risk or without suitable training.
	Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
	Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## Section 4. First aid measures

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

: RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
SSC Buffer	Use an extinguishing agent suitable for the surrounding fire.
BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
Wash Solution	Use an extinguishing agent suitable for the surrounding fire.
Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
Primer 1	Use an extinguishing agent suitable for the surrounding fire.
Primer 2	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex Indexing Primer A01 - H02	Use an extinguishing agent suitable for the surrounding fire.
Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex Magnetic Beads	Use an extinguishing agent suitable for the surrounding fire.
HaloPlex Probe	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.

#### Unsuitable extinguishing media

: RE Buffer	None known.
SSC Buffer	None known.
BSA Solution	None known.
DNA Ligase	None known.
Ligation Solution	None known.
Wash Solution	None known.
Capture Solution	None known.
Primer 1	None known.
Primer 2	None known.
HaloPlex Indexing Primer A01 - H02	None known.
Hybridization Solution	None known.
Enrichment Control DNA	None known.
HaloPlex Magnetic Beads	None known.
HaloPlex Probe	None known.
Enzyme Strip 1	None known.
Enzyme Strip 2	None known.

### 5.2 Special hazards arising from the substance or mixture

## Section 5. Fire-fighting measures

### Specific hazards arising from the chemical

: RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
SSC Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Wash Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex Indexing Primer A01 - H02	In a fire or if heated, a pressure increase will occur and the container may burst.
Hybridization Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
Enrichment Control DNA	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex Magnetic Beads	In a fire or if heated, a pressure increase will occur and the container may burst.
HaloPlex Probe	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.
Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.

### Hazardous thermal decomposition products

: RE Buffer	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
SSC Buffer	No specific data.
BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Ligation Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
Wash Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
Capture Solution	Decomposition products may include the following materials:

## Section 5. Fire-fighting measures

<p>Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution</p>	<p>halogenated compounds metal oxide/oxides No specific data. No specific data. No specific data.</p> <p>Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides</p>
<p>Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1</p>	<p>No specific data. No specific data. No specific data.</p> <p>Decomposition products may include the following materials: carbon dioxide carbon monoxide</p>
<p>Enzyme Strip 2</p>	<p>Decomposition products may include the following materials: carbon dioxide carbon monoxide</p>

### 5.3 Advice for firefighters

#### Special protective actions for fire-fighters

<p>: RE Buffer</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>SSC Buffer</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>BSA Solution</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>DNA Ligase</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>Ligation Solution</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>Wash Solution</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>Capture Solution</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>
<p>Primer 1</p>	<p>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</p>



## Section 5. Fire-fighting measures

Primer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Indexing Primer A01 - H02	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Magnetic Beads	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Probe	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Special protective equipment for fire-fighters</b> : RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
SSC Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Wash Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive

## Section 5. Fire-fighting measures

Primer 1	pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Indexing Primer A01 - H02	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Magnetic Beads	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
HaloPlex Probe	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Enzyme Strip 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures


### 6.1 Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel</b>	: RE Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	SSC Buffer	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	BSA Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

## Section 6. Accidental release measures

DNA Ligase	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Ligation Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Wash Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Capture Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Primer 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Primer 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
HaloPlex Indexing Primer A01 - H02	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate

## Section 6. Accidental release measures

	HaloPlex Magnetic Beads	surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	HaloPlex Probe	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
	Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
	Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<p><b>For emergency responders :</b>  RE Buffer</p>		If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	SSC Buffer	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	BSA Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	DNA Ligase	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Ligation Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Wash Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
	Capture Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

## Section 6. Accidental release measures

Primer 1	spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Primer 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Indexing Primer A01 - H02	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enrichment Control DNA	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Magnetic Beads	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Probe	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

### 6.2 Environmental precautions

: RE Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSC Buffer	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNA Ligase	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

## Section 6. Accidental release measures

Ligation Solution	waterways, soil or air). Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wash Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Capture Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Primer 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Indexing Primer A01 - H02	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Magnetic Beads	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Probe	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has



## Section 6. Accidental release measures

caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up :  E Buffer

SSC Buffer

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

BSA Solution

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

DNA Ligase

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Ligation Solution

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Wash Solution

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Capture Solution

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Primer 1

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Primer 2

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.



## Section 6. Accidental release measures

HaloPlex Indexing Primer A01 - H02	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Magnetic Beads	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Probe	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

<b>Protective measures</b>	:	☑ E Buffer	Put on appropriate personal protective equipment (see Section 8).
		SSC Buffer	Put on appropriate personal protective equipment (see Section 8).
		BSA Solution	Put on appropriate personal protective equipment (see Section 8).
		DNA Ligase	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do

## Section 7. Handling and storage

Ligation Solution	not reuse container. Put on appropriate personal protective equipment (see Section 8).
Wash Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Capture Solution	Put on appropriate personal protective equipment (see Section 8).
Primer 1	Put on appropriate personal protective equipment (see Section 8).
Primer 2	Put on appropriate personal protective equipment (see Section 8).
HaloPlex Indexing Primer A01 - H02	Put on appropriate personal protective equipment (see Section 8).
Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
HaloPlex Magnetic Beads	Put on appropriate personal protective equipment (see Section 8).
HaloPlex Probe	Put on appropriate personal protective equipment (see Section 8).
Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers

## Section 7. Handling and storage

### Advice on general occupational hygiene

:  Buffer

SSC Buffer

BSA Solution

DNA Ligase

Ligation Solution

Wash Solution

Capture Solution

Primer 1

Primer 2

retain product residue and can be hazardous. Do not reuse container.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Eating, drinking and smoking should be prohibited

## Section 7. Handling and storage

HaloPlex Indexing Primer A01 - H02	in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enrichment Control DNA	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Magnetic Beads	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Probe	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## Section 7. Handling and storage

### 7.2 Conditions for safe storage, including any incompatibilities

: RE Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SSC Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

BSA Solution

Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

DNA Ligase

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Ligation Solution

Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Wash Solution

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed

## Section 7. Handling and storage

Capture Solution	and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Primer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Primer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
HaloPlex Indexing Primer A01 - H02	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Hybridization Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Enrichment Control DNA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been



## Section 7. Handling and storage

HaloPlex Magnetic Beads

opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Store between the following temperatures: 4 to 25°C (39.2 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

HaloPlex Probe

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Enzyme Strip 1

Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate

Enzyme Strip 2

containment to avoid environmental contamination. Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

#### Recommendations

: RE Buffer  
 SSC Buffer  
 BSA Solution  
 DNA Ligase  
 Ligation Solution  
 Wash Solution  
 Capture Solution  
 Primer 1

Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.  
 Industrial applications, Professional applications.



## Section 7. Handling and storage

	Primer 2	Industrial applications, Professional applications.
	HaloPlex Indexing Primer A01 - H02	Industrial applications, Professional applications.
	Hybridization Solution	Industrial applications, Professional applications.
	Enrichment Control DNA	Industrial applications, Professional applications.
	HaloPlex Magnetic Beads	Industrial applications, Professional applications.
	HaloPlex Probe	Industrial applications, Professional applications.
	Enzyme Strip 1	Industrial applications, Professional applications.
	Enzyme Strip 2	Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	<input checked="" type="checkbox"/> RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Not applicable.
	Primer 1	Not applicable.
	Primer 2	Not applicable.
	HaloPlex Indexing Primer A01 - H02	Not applicable.
	Hybridization Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	HaloPlex Magnetic Beads	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Exposure limits
<b>RE Buffer</b> potassium acetate	None.
<b>BSA Solution</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>DNA Ligase</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 10 mg/m <sup>3</sup> 8 hours. Form: Total dust <b>OSHA PEL (United States, 2/2013).</b> TWA: 5 mg/m <sup>3</sup> 8 hours. Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust
<b>Ligation Solution</b> Glycerol	<b>OSHA PEL 1989 (United States, 3/1989).</b>

## Section 8. Exposure controls/personal protection

### Wash Solution

Formamide

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust  
**OSHA PEL (United States, 2/2013).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

**ACGIH TLV (United States, 3/2015).**

**Absorbed through skin.**

TWA: 10 ppm 8 hours.

TWA: 18 mg/m<sup>3</sup> 8 hours.

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 20 ppm 8 hours.

TWA: 30 mg/m<sup>3</sup> 8 hours.

STEL: 30 ppm 15 minutes.

STEL: 45 mg/m<sup>3</sup> 15 minutes.

**NIOSH REL (United States, 10/2013).**

**Absorbed through skin.**

TWA: 10 ppm 10 hours.

TWA: 15 mg/m<sup>3</sup> 10 hours.

None.

Sodium chloride

None.

### Capture Solution

Sodium chloride

**ACGIH TLV (United States, 3/2015).**

**Absorbed through skin.**

TWA: 10 ppm 8 hours.

TWA: 18 mg/m<sup>3</sup> 8 hours.

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 20 ppm 8 hours.

TWA: 30 mg/m<sup>3</sup> 8 hours.

STEL: 30 ppm 15 minutes.

STEL: 45 mg/m<sup>3</sup> 15 minutes.

**NIOSH REL (United States, 10/2013).**

**Absorbed through skin.**

TWA: 10 ppm 10 hours.

TWA: 15 mg/m<sup>3</sup> 10 hours.

None.

Sodium chloride

### Enzyme Strip 1

Glycerol

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust  
**OSHA PEL (United States, 2/2013).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

### Enzyme Strip 2

Glycerol

**OSHA PEL 1989 (United States, 3/1989).**

TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction

## Section 8. Exposure controls/personal protection

TWA: 10 mg/m<sup>3</sup> 8 hours. Form: Total dust  
**OSHA PEL (United States, 2/2013).**  
 TWA: 5 mg/m<sup>3</sup> 8 hours. Form: Respirable fraction  
 TWA: 15 mg/m<sup>3</sup> 8 hours. Form: Total dust

### 8.2 Exposure controls

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

### Skin protection

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

## Section 9. Physical and chemical properties

<b>Physical state</b>	<b>:</b>	<b>RE</b> Buffer	Liquid.
		SSC Buffer	Liquid.
		BSA Solution	Liquid. [Clear.]
		DNA Ligase	Liquid. [Viscous liquid.]
		Ligation Solution	Liquid.
		Wash Solution	Liquid.
		Capture Solution	Liquid.
		Primer 1	Liquid.
		Primer 2	Liquid.
		HaloPlex Indexing Primer A01 - H02	Liquid.
		Hybridization Solution	Liquid.
		Enrichment Control DNA	Liquid.
		HaloPlex Magnetic Beads	Liquid. [aqueous suspensions]
		HaloPlex Probe	Liquid.
		Enzyme Strip 1	Liquid. [Clear.]
		Enzyme Strip 2	Liquid. [Clear.]
<b>Color</b>	<b>:</b>	<b>RE</b> Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Colorless.
		DNA Ligase	Colorless.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Brown.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Colorless.
		Enzyme Strip 2	Colorless.
<b>Odor</b>	<b>:</b>	<b>RE</b> Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Odorless.
		DNA Ligase	Odorless.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Odorless.
		Enzyme Strip 2	Odorless.

## Section 9. Physical and chemical properties

<b>Odor threshold</b>	:	<input checked="" type="checkbox"/> E Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
<b>pH</b>	:	<input checked="" type="checkbox"/> E Buffer	7.9
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	7.4
		Ligation Solution	Not available.
		Wash Solution	7.5
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	7.5
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	5.5 to 8
		Enzyme Strip 2	Not available.
<b>Melting point</b>	:	<input checked="" type="checkbox"/> E Buffer	0°C (32°F)
		SSC Buffer	0°C (32°F)
		BSA Solution	20°C (68°F)
		DNA Ligase	-23°C (-9.4°F)
		Ligation Solution	0°C (32°F)
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	0°C (32°F)
		Primer 2	0°C (32°F)
		HaloPlex Indexing Primer A01 - H02	0°C (32°F)
		Hybridization Solution	Not available.
		Enrichment Control DNA	0°C (32°F)
		HaloPlex Magnetic Beads	~0°C (32°F)
		HaloPlex Probe	0°C (32°F)
		Enzyme Strip 1	20°C (68°F)
		Enzyme Strip 2	20°C (68°F)

## Section 9. Physical and chemical properties

<b>Boiling point</b>	<b>:</b>	RE Buffer	100°C (212°F)
		SSC Buffer	100°C (212°F)
		BSA Solution	182°C (359.6°F)
		DNA Ligase	182°C (359.6°F)
		Ligation Solution	100°C (212°F)
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	100°C (212°F)
		Primer 2	100°C (212°F)
		HaloPlex Indexing Primer A01 - H02	100°C (212°F)
		Hybridization Solution	Not available.
		Enrichment Control DNA	100°C (212°F)
		HaloPlex Magnetic Beads	100°C (212°F)
		HaloPlex Probe	100°C (212°F)
		Enzyme Strip 1	182°C (359.6°F)
		Enzyme Strip 2	182°C (359.6°F)
	<b>Flash point</b>	<b>:</b>	RE Buffer
		SSC Buffer	Not available.
		BSA Solution	Closed cup: 160°C (320°F)
		DNA Ligase	Open cup: 176°C (348.8°F)
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Closed cup: >200°C (>392°F)
		Enzyme Strip 2	Closed cup: 160°C (320°F)
<b>Evaporation rate</b>		<b>:</b>	RE Buffer
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.



## Section 9. Physical and chemical properties

<b>Flammability (solid, gas)</b>	<b>:</b>	<input checked="" type="checkbox"/> E Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	Not applicable.
		Capture Solution	Not applicable.
		Primer 1	Not applicable.
		Primer 2	Not applicable.
		HaloPlex Indexing Primer A01 - H02	Not applicable.
		Hybridization Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		HaloPlex Magnetic Beads	Not applicable.
		HaloPlex Probe	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.
<b>Lower and upper explosive (flammable) limits</b>	<b>:</b>	<input checked="" type="checkbox"/> E Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Lower: 0.9%
		Enzyme Strip 2	Not available.
<b>Vapor pressure</b>	<b>:</b>	<input checked="" type="checkbox"/> E Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	<0.13 kPa (<1 mm Hg) [room temperature]
		DNA Ligase	0.4 kPa (3 mm Hg) [room temperature]
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	2.3 kPa (17.5 mm Hg) [room temperature]
		HaloPlex Probe	Not available.
		Enzyme Strip 1	<0.13 kPa (<1 mm Hg) [room temperature]
		Enzyme Strip 2	<0.13 kPa (<1 mm Hg) [room temperature]
<b>Vapor density</b>	<b>:</b>		

## Section 9. Physical and chemical properties

	RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	3.1 [Air = 1]
	DNA Ligase	3.1 [Air = 1]
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	0.624 [Air = 1]
	HaloPlex Probe	Not available.
	Enzyme Strip 1	3.1 [Air = 1]
	Enzyme Strip 2	3.1 [Air = 1]
<b>Relative density</b>	RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	1.262
	DNA Ligase	1.261
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	1.4 to 1.5
	HaloPlex Probe	Not available.
	Enzyme Strip 1	1.262
	Enzyme Strip 2	1.262
<b>Solubility</b>	RE Buffer	Easily soluble in the following materials: cold water and hot water.
	SSC Buffer	Easily soluble in the following materials: cold water and hot water.
	BSA Solution	Soluble in the following materials: cold water and hot water.
	DNA Ligase	Easily soluble in the following materials: cold water and hot water.
	Ligation Solution	Easily soluble in the following materials: cold water and hot water.
	Wash Solution	Soluble in the following materials: cold water and hot water.
	Capture Solution	Easily soluble in the following materials: cold water and hot water.
	Primer 1	Easily soluble in the following materials: cold water and hot water.
	Primer 2	Easily soluble in the following materials: cold water and hot water.
	HaloPlex Indexing Primer A01 - H02	Easily soluble in the following materials: cold water and hot water.
	Hybridization Solution	Soluble in the following materials: cold water and hot water.
	Enrichment Control DNA	Easily soluble in the following materials: cold water and hot water.

## Section 9. Physical and chemical properties

	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Easily soluble in the following materials: cold water and hot water.
	Enzyme Strip 1	Soluble in the following materials: cold water and hot water.
	Enzyme Strip 2	Soluble in the following materials: cold water and hot water.
<b>Partition coefficient: n-octanol/water</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
<b>Auto-ignition temperature</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	370°C (698°F)
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	370°C (698°F)
	Enzyme Strip 2	370°C (698°F)
<b>Decomposition temperature</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.

## Section 9. Physical and chemical properties

<b>Viscosity</b>	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	Primer 1	Not available.
	Primer 2	Not available.
	HaloPlex Indexing Primer A01 - H02	Not available.
	Hybridization Solution	Not available.
	Enrichment Control DNA	Not available.
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	: RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
	SSC Buffer	No specific test data related to reactivity available for this product or its ingredients.
	BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
	DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
	Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
	Wash Solution	No specific test data related to reactivity available for this product or its ingredients.
	Capture Solution	No specific test data related to reactivity available for this product or its ingredients.
	Primer 1	No specific test data related to reactivity available for this product or its ingredients.
	Primer 2	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Indexing Primer A01 - H02	No specific test data related to reactivity available for this product or its ingredients.
	Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
	Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Magnetic Beads	No specific test data related to reactivity available for this product or its ingredients.
	HaloPlex Probe	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
	Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.

## Section 10. Stability and reactivity

<b>10.2 Chemical stability</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution Primer 1 Primer 2 HaloPlex Indexing Primer A01 - H02 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable. The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: RE Buffer  SSC Buffer  BSA Solution  DNA Ligase  Ligation Solution  Wash Solution  Capture Solution  Primer 1  Primer 2  HaloPlex Indexing Primer A01 - H02 Hybridization Solution  Enrichment Control DNA  HaloPlex Magnetic Beads  HaloPlex Probe  Enzyme Strip 1  Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.  Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution	No specific data. No specific data. No specific data. No specific data. No specific data. No specific data. No specific data.

## Section 10. Stability and reactivity

Primer 1	No specific data.
Primer 2	No specific data.
HaloPlex Indexing Primer A01 - H02	No specific data.
Hybridization Solution	No specific data.
Enrichment Control DNA	No specific data.
HaloPlex Magnetic Beads	No specific data.
HaloPlex Probe	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.

<b>10.5 Incompatible materials</b>	:	RE Buffer	May react or be incompatible with oxidizing materials.
		SSC Buffer	May react or be incompatible with oxidizing materials.
		BSA Solution	May react or be incompatible with oxidizing materials.
		DNA Ligase	May react or be incompatible with oxidizing materials.
		Ligation Solution	May react or be incompatible with oxidizing materials.
		Wash Solution	May react or be incompatible with oxidizing materials.
		Capture Solution	May react or be incompatible with oxidizing materials.
		Primer 1	May react or be incompatible with oxidizing materials.
		Primer 2	May react or be incompatible with oxidizing materials.
		HaloPlex Indexing Primer A01 - H02	May react or be incompatible with oxidizing materials.
		Hybridization Solution	May react or be incompatible with oxidizing materials.
		Enrichment Control DNA	May react or be incompatible with oxidizing materials.
		HaloPlex Magnetic Beads	May react or be incompatible with oxidizing materials.
		HaloPlex Probe	May react or be incompatible with oxidizing materials.
		Enzyme Strip 1	May react or be incompatible with oxidizing materials.
		Enzyme Strip 2	May react or be incompatible with oxidizing materials.

<b>10.6 Hazardous decomposition products</b>	:	RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		SSC Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
		Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



## Section 10. Stability and reactivity

Wash Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Capture Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Primer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Indexing Primer A01 - H02	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hybridization Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Magnetic Beads	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Probe	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>RE Buffer</b> potassium acetate	LD50 Oral	Rat	3250 mg/kg	-
<b>BSA Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>DNA Ligase</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Ligation Solution</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Wash Solution</b> Formamide	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>Capture Solution</b> Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-

## Section 11. Toxicological information

<b>Hybridization Solution</b> Formamide	LD50 Dermal	Rabbit	17 g/kg	-
	LD50 Oral	Rat	4000 mg/kg	-
Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
<b>Enzyme Strip 1</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-
<b>Enzyme Strip 2</b> Glycerol	LD50 Oral	Rat	12600 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>BSA Solution</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>DNA Ligase</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Ligation Solution</b> Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Wash Solution</b> Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Capture Solution</b> Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Hybridization Solution</b> Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
<b>Enzyme Strip 1</b>					

## Section 11. Toxicological information

Enzyme Strip 2 Glycerol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-

### Sensitization

Not available.

### Mutagenicity

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### Teratogenicity

Not available.

### Specific target organ toxicity (single exposure)

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Not available.</li> <li>Not available.</li> <li>Not available.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> <li>Routes of entry anticipated: Oral, Dermal, Inhalation.</li> </ul>
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Potential acute health effects

## Section 11. Toxicological information

<b>Eye contact</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>Causes serious eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes serious eye irritation.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>Causes eye irritation.</li> <li>Causes eye irritation.</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Skin contact</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>

## Section 11. Toxicological information

Primer 1	No known significant effects or critical hazards.
Primer 2	No known significant effects or critical hazards.
HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
Hybridization Solution	No known significant effects or critical hazards.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Magnetic Beads	No known significant effects or critical hazards.
HaloPlex Probe	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

#### Eye contact

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>Adverse symptoms may include the following: irritation watering redness</li> </ul>
<ul style="list-style-type: none"> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>Adverse symptoms may include the following: pain or irritation watering redness</li> </ul>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>Adverse symptoms may include the following: pain or irritation watering redness</li> </ul>
<ul style="list-style-type: none"> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>Adverse symptoms may include the following: irritation watering redness</li> </ul>
<ul style="list-style-type: none"> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>Adverse symptoms may include the following: irritation watering redness</li> </ul>

#### Inhalation

<ul style="list-style-type: none"> <li>RE Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations</li> </ul>
<ul style="list-style-type: none"> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> </ul>	<ul style="list-style-type: none"> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> <li>No specific data.</li> </ul>

## Section 11. Toxicological information

	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
<b>Skin contact</b>	: <input checked="" type="checkbox"/> RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
<b>Ingestion</b>	: <input checked="" type="checkbox"/> RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Capture Solution	No specific data.
	Primer 1	No specific data.
	Primer 2	No specific data.
	HaloPlex Indexing Primer A01 - H02	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure



## Section 11. Toxicological information

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

### Potential chronic health effects

<b>General</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Carcinogenicity</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> <li>Enzyme Strip 1</li> <li>Enzyme Strip 2</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
<b>Mutagenicity</b>	<ul style="list-style-type: none"> <li>: <input checked="" type="checkbox"/> E Buffer</li> <li>SSC Buffer</li> <li>BSA Solution</li> <li>DNA Ligase</li> <li>Ligation Solution</li> <li>Wash Solution</li> <li>Capture Solution</li> <li>Primer 1</li> <li>Primer 2</li> <li>HaloPlex Indexing Primer A01 - H02</li> <li>Hybridization Solution</li> <li>Enrichment Control DNA</li> <li>HaloPlex Magnetic Beads</li> <li>HaloPlex Probe</li> </ul>	<ul style="list-style-type: none"> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>

## Section 11. Toxicological information

<b>Teratogenicity</b>	:	Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		RE Buffer	No known significant effects or critical hazards.
		SSC Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		DNA Ligase	No known significant effects or critical hazards.
		Ligation Solution	No known significant effects or critical hazards.
		Wash Solution	May damage the unborn child.
		Capture Solution	No known significant effects or critical hazards.
		Primer 1	No known significant effects or critical hazards.
		Primer 2	No known significant effects or critical hazards.
		HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
		Hybridization Solution	May damage the unborn child.
<b>Developmental effects</b>	:	Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		RE Buffer	No known significant effects or critical hazards.
		SSC Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		DNA Ligase	No known significant effects or critical hazards.
		Ligation Solution	No known significant effects or critical hazards.
		Wash Solution	No known significant effects or critical hazards.
		Capture Solution	No known significant effects or critical hazards.
		Primer 1	No known significant effects or critical hazards.
		Primer 2	No known significant effects or critical hazards.
		HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
<b>Fertility effects</b>	:	Enzyme Strip 1	No known significant effects or critical hazards.
		Enzyme Strip 2	No known significant effects or critical hazards.
		RE Buffer	No known significant effects or critical hazards.
		SSC Buffer	No known significant effects or critical hazards.
		BSA Solution	No known significant effects or critical hazards.
		DNA Ligase	No known significant effects or critical hazards.
		Ligation Solution	No known significant effects or critical hazards.
		Wash Solution	No known significant effects or critical hazards.
		Capture Solution	No known significant effects or critical hazards.
		Primer 1	No known significant effects or critical hazards.
		Primer 2	No known significant effects or critical hazards.
		HaloPlex Indexing Primer A01 - H02	No known significant effects or critical hazards.
		Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.	
	HaloPlex Magnetic Beads	No known significant effects or critical hazards.	
	HaloPlex Probe	No known significant effects or critical hazards.	
	Enzyme Strip 1	No known significant effects or critical hazards.	
	Enzyme Strip 2	No known significant effects or critical hazards.	

### Numerical measures of toxicity

#### Acute toxicity estimates

## Section 11. Toxicological information

Route	ATE value
<b>RE Buffer</b> Oral	264227.6 mg/kg
<b>Wash Solution</b> Oral	14423.1 mg/kg
<b>Capture Solution</b> Oral	51724.1 mg/kg
<b>Hybridization Solution</b> Oral	8086.3 mg/kg

<b>Other information</b>	:	<b>RE Buffer</b>	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		Primer 1	Not available.
		Primer 2	Not available.
		HaloPlex Indexing Primer A01 - H02	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.

## Section 12. Ecological information

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<b>RE Buffer</b> potassium acetate	Acute EC50 1.05 g/L Fresh water	Daphnia - Daphnia similis - Neonate	48 hours
	Acute LC50 313 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia	48 hours
	Acute LC50 298 mg/l Fresh water	Fish - Pimephales promelas	96 hours
<b>BSA Solution</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>DNA Ligase</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Ligation Solution</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Wash Solution</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water	Algae - Navicula seminulum	96 hours
	Acute EC50 28.85 mg/dm3 Fresh water	Algae - Pseudokirchneriella subcapitata	72 hours

## Section 12. Ecological information

<b>Capture Solution</b> Sodium chloride	Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 48 hours 96 hours 3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
<b>Hybridization Solution</b> Sodium chloride	Acute EC50 2430000 µg/l Fresh water Acute EC50 28.85 mg/dm3 Fresh water	Algae - Navicula seminulum Algae - Pseudokirchneriella subcapitata	96 hours 72 hours
	Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 48 hours 96 hours 3 weeks
<b>Enzyme Strip 1</b> Glycerol	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
	Acute EC50 2430000 µg/l Fresh water Acute EC50 28.85 mg/dm3 Fresh water	Algae - Navicula seminulum Algae - Pseudokirchneriella subcapitata	96 hours 72 hours
<b>Enzyme Strip 2</b> Glycerol	Acute EC50 519.6 mg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1661 mg/l Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Crustaceans - Cypris subglobosa Aquatic plants - Lemna minor Daphnia - Daphnia magna Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 48 hours 96 hours 3 weeks
	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
<b>Enzyme Strip 1</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours
<b>Enzyme Strip 2</b> Glycerol	Acute LC50 54000 mg/l Fresh water	Fish - Oncorhynchus mykiss	96 hours

### [12.2 Persistence and degradability](#)

Not available.

### [12.3 Bioaccumulative potential](#)

## Section 12. Ecological information

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>RE Buffer</b> potassium acetate	-3.72	3.162	low
<b>BSA Solution</b> Glycerol	-1.76	-	low
<b>DNA Ligase</b> Glycerol	-1.76	-	low
<b>Ligation Solution</b> Glycerol	-1.76	-	low
<b>Wash Solution</b> Formamide	-0.82	-	low
<b>Hybridization Solution</b> Formamide	-0.82	-	low
<b>Enzyme Strip 1</b> Glycerol	-1.76	-	low
<b>Enzyme Strip 2</b> Glycerol	-1.76	-	low

### 12.4 Mobility in soil

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**12.5 Other adverse effects** : No known significant effects or critical hazards.

## Section 13. Disposal considerations

### 13.1 Waste treatment methods

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**RCRA classification** :

RE Buffer	Not available.
SSC Buffer	Not available.
BSA Solution	Not available.
DNA Ligase	Not available.
Ligation Solution	Not available.
Wash Solution	Not available.
Capture Solution	Not available.
Primer 1	Not available.
Primer 2	Not available.
HaloPlex Indexing Primer A01 -	Not available.

## Section 13. Disposal considerations

H02	
Hybridization Solution	Not available.
Enrichment Control DNA	Not available.
HaloPlex Magnetic Beads	Not available.
HaloPlex Probe	Not available.
Enzyme Strip 1	Not available.
Enzyme Strip 2	Not available.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## Section 14. Transport information

### Regulatory information

DOT / IMDG / IATA : Not regulated.

## Section 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Federal regulations : TSCA 8(a) PAIR: Formamide  
 United States inventory (TSCA 8b): Not determined.  
 Clean Water Act (CWA) 311: Edetic acid

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

Clean Air Act Section 602 : Not listed  
 Class I Substances

Clean Air Act Section 602 : Not listed  
 Class II Substances

DEA List I Chemicals : Not listed  
 (Precursor Chemicals)

DEA List II Chemicals : Not listed  
 (Essential Chemicals)

### SARA 302/304

#### Composition/information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
HaloPlex Magnetic Beads Sodium azide	≤0.1	Yes.	500	-	1000	-

SARA 304 RQ : 2000000 lbs / 14528000 kg

### SARA 311/312

Classification : Immediate (acute) health hazard  
 Delayed (chronic) health hazard

## Section 15. Regulatory information

### Composition/information on ingredients

Name	%	Fire hazard	Sudden release of pressure	Reactive	Immediate (acute) health hazard	Delayed (chronic) health hazard
<b>RE Buffer</b> potassium acetate	≤3	Yes.	No.	No.	Yes.	No.
<b>BSA Solution</b> Glycerol	<10	No.	No.	No.	Yes.	No.
<b>DNA Ligase</b> Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
<b>Ligation Solution</b> Glycerol	<10	No.	No.	No.	Yes.	No.
<b>Wash Solution</b> Formamide Sodium chloride	≥10 - ≤25 ≤10	No. No.	No. No.	No. No.	Yes. Yes.	Yes. No.
<b>Capture Solution</b> Sodium chloride	<10	No.	No.	No.	Yes.	No.
<b>Hybridization Solution</b> Formamide Sodium chloride	≥25 - ≤50 ≥10 - ≤25	No. No.	No. No.	No. No.	Yes. Yes.	Yes. No.
<b>Enzyme Strip 1</b> Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.
<b>Enzyme Strip 2</b> Glycerol	≥50 - ≤75	No.	No.	No.	Yes.	No.

### State regulations

**Massachusetts**

: The following components are listed: GLYCERINE MIST; FORMAMIDE

**New York**

: None of the components are listed.

**New Jersey**

: The following components are listed: GLYCERIN; 1,2,3-PROPANETRIOL; FORMAMIDE

**Pennsylvania**

: The following components are listed: 1,2,3-PROPANETRIOL; FORMAMIDE

**California Prop. 65**

No products were found.

**Canada inventory**

: Not determined.

### International regulations

**International lists**

: **Australia inventory (AICS)**: Not determined.  
**China inventory (IECSC)**: Not determined.  
**Japan inventory (ENCS)**: Not determined.  
**Japan inventory (ISHL)**: Not determined.  
**Korea inventory**: Not determined.  
**Malaysia Inventory (EHS Register)**: Not determined.  
**New Zealand Inventory of Chemicals (NZIoC)**: Not determined.  
**Philippines inventory (PICCS)**: Not determined.  
**Taiwan Chemical Substances Inventory (TCSI)**: Not determined.  
**Turkey inventory**: Not determined.



## Section 15. Regulatory information

**Chemical Weapons** : Not listed

**Convention List Schedule  
I Chemicals**

**Chemical Weapons** : Not listed

**Convention List Schedule  
II Chemicals**

**Chemical Weapons** : Not listed

**Convention List Schedule  
III Chemicals**

## Section 16. Other information

### History

**Date of issue** : 04/29/2016

**Date of previous issue** : 11/26/2014.

**Version** : 4

Indicates information that has changed from previously issued version.

**Note \*** : HaloPlex Indexing Primer A01 - H02: 5190-8027, 5190-8028, 5190-8029, 5190-8030, 5190-8031, 5190-8032, 5190-8033, 5190-8034, 5190-8035, 5190-8036, 5190-8037, 5190-8038, 5190-8039, 5190-8040, 5190-8041, 5190-8042

### Notice to reader

**Disclaimer:** The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.