

SAFETY DATA SHEET



HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name	: HaloPlex Target Enrichment Kits - ION - 48 Reactions																																		
Part no. (chemical kit)	: G9902C, G9912C																																		
Part no.	: <table><tr><td>RE Buffer</td><td>5190-5956</td></tr><tr><td>SSC Buffer</td><td>5190-5960</td></tr><tr><td>BSA Solution</td><td>5190-5963</td></tr><tr><td>DNA Ligase</td><td>5190-7829</td></tr><tr><td>Ligation Solution</td><td>5190-7832</td></tr><tr><td>Wash Solution</td><td>5190-5953</td></tr><tr><td>Capture Solution</td><td>5190-5954</td></tr><tr><td>HaloPlex ION Primer 1</td><td>5190-6196</td></tr><tr><td>HaloPlex ION Primer 2</td><td>5190-6197</td></tr><tr><td>HaloPlex Barcoding</td><td>5190-6198</td></tr><tr><td>Primer Cassettes 1-48</td><td></td></tr><tr><td>Hybridization Solution</td><td>5190-5951</td></tr><tr><td>Enrichment Control DNA</td><td>5190-5957</td></tr><tr><td>HaloPlex Magnetic Beads</td><td>5190-5967</td></tr><tr><td>HaloPlex Probe</td><td>5190-5988 / 5190-5989 / 5190-5992 / 5190-5993</td></tr><tr><td>Enzyme Strip 1</td><td>5190-5961</td></tr><tr><td>Enzyme Strip 2</td><td>5190-5962</td></tr></table>	RE Buffer	5190-5956	SSC Buffer	5190-5960	BSA Solution	5190-5963	DNA Ligase	5190-7829	Ligation Solution	5190-7832	Wash Solution	5190-5953	Capture Solution	5190-5954	HaloPlex ION Primer 1	5190-6196	HaloPlex ION Primer 2	5190-6197	HaloPlex Barcoding	5190-6198	Primer Cassettes 1-48		Hybridization Solution	5190-5951	Enrichment Control DNA	5190-5957	HaloPlex Magnetic Beads	5190-5967	HaloPlex Probe	5190-5988 / 5190-5989 / 5190-5992 / 5190-5993	Enzyme Strip 1	5190-5961	Enzyme Strip 2	5190-5962
RE Buffer	5190-5956																																		
SSC Buffer	5190-5960																																		
BSA Solution	5190-5963																																		
DNA Ligase	5190-7829																																		
Ligation Solution	5190-7832																																		
Wash Solution	5190-5953																																		
Capture Solution	5190-5954																																		
HaloPlex ION Primer 1	5190-6196																																		
HaloPlex ION Primer 2	5190-6197																																		
HaloPlex Barcoding	5190-6198																																		
Primer Cassettes 1-48																																			
Hybridization Solution	5190-5951																																		
Enrichment Control DNA	5190-5957																																		
HaloPlex Magnetic Beads	5190-5967																																		
HaloPlex Probe	5190-5988 / 5190-5989 / 5190-5992 / 5190-5993																																		
Enzyme Strip 1	5190-5961																																		
Enzyme Strip 2	5190-5962																																		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Material uses	: Analytical reagent.																																
	<table><tr><td>RE Buffer</td><td>2.4 ml (48 reactions)</td></tr><tr><td>SSC Buffer</td><td>8.15 ml (48 reactions)</td></tr><tr><td>BSA Solution</td><td>0.058 ml (48 reactions)</td></tr><tr><td>DNA Ligase</td><td>0.17 ml (48 reactions)</td></tr><tr><td>Ligation Solution</td><td>3.25 ml (48 reactions)</td></tr><tr><td>Wash Solution</td><td>7 ml (48 reactions)</td></tr><tr><td>Capture Solution</td><td>2.4 ml (48 reactions)</td></tr><tr><td>HaloPlex ION Primer 1</td><td>0.068 ml (48 reactions)</td></tr><tr><td>HaloPlex ION Primer 2</td><td>0.068 ml (48 reactions)</td></tr><tr><td>HaloPlex Barcoding Primer Cassettes 1-48</td><td>48 x 0.015 ml (48 reactions)</td></tr><tr><td>Hybridization Solution</td><td>3.5 ml (48 reactions)</td></tr><tr><td>Enrichment Control DNA</td><td>0.24 ml (48 reactions)</td></tr><tr><td>HaloPlex Magnetic Beads</td><td>2.3 ml (48 reactions)</td></tr><tr><td>HaloPlex Probe</td><td>1.35 ml (48 reactions)</td></tr><tr><td>Enzyme Strip 1</td><td>0.304 ml (48 reactions)</td></tr><tr><td>Enzyme Strip 2</td><td>0.304 ml (48 reactions)</td></tr></table>	RE Buffer	2.4 ml (48 reactions)	SSC Buffer	8.15 ml (48 reactions)	BSA Solution	0.058 ml (48 reactions)	DNA Ligase	0.17 ml (48 reactions)	Ligation Solution	3.25 ml (48 reactions)	Wash Solution	7 ml (48 reactions)	Capture Solution	2.4 ml (48 reactions)	HaloPlex ION Primer 1	0.068 ml (48 reactions)	HaloPlex ION Primer 2	0.068 ml (48 reactions)	HaloPlex Barcoding Primer Cassettes 1-48	48 x 0.015 ml (48 reactions)	Hybridization Solution	3.5 ml (48 reactions)	Enrichment Control DNA	0.24 ml (48 reactions)	HaloPlex Magnetic Beads	2.3 ml (48 reactions)	HaloPlex Probe	1.35 ml (48 reactions)	Enzyme Strip 1	0.304 ml (48 reactions)	Enzyme Strip 2	0.304 ml (48 reactions)
RE Buffer	2.4 ml (48 reactions)																																
SSC Buffer	8.15 ml (48 reactions)																																
BSA Solution	0.058 ml (48 reactions)																																
DNA Ligase	0.17 ml (48 reactions)																																
Ligation Solution	3.25 ml (48 reactions)																																
Wash Solution	7 ml (48 reactions)																																
Capture Solution	2.4 ml (48 reactions)																																
HaloPlex ION Primer 1	0.068 ml (48 reactions)																																
HaloPlex ION Primer 2	0.068 ml (48 reactions)																																
HaloPlex Barcoding Primer Cassettes 1-48	48 x 0.015 ml (48 reactions)																																
Hybridization Solution	3.5 ml (48 reactions)																																
Enrichment Control DNA	0.24 ml (48 reactions)																																
HaloPlex Magnetic Beads	2.3 ml (48 reactions)																																
HaloPlex Probe	1.35 ml (48 reactions)																																
Enzyme Strip 1	0.304 ml (48 reactions)																																
Enzyme Strip 2	0.304 ml (48 reactions)																																

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Date of issue/Date of revision : 14/02/2018

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition	:	<input checked="" type="checkbox"/> E Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		HaloPlex ION Primer 1	Mixture
		HaloPlex ION Primer 2	Mixture
		HaloPlex Barcoding	Mixture
		Primer Cassettes 1-48	
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Magnetic Beads	Mixture
		HaloPlex Probe	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Wash Solution

H360D REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

Hybridization Solution

H319 SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
H360D REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

Ingredients of unknown toxicity

<input checked="" type="checkbox"/> BSA Solution	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
DNA Ligase	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
Wash Solution	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
Capture Solution	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10%
Hybridization Solution	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 10 - 30%
Enzyme Strip 1	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%
Enzyme Strip 2	Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 30 - 60%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 2: Hazards identification

Hazard pictograms

: Wash Solution



Hybridization Solution



Signal word

: RE Buffer No signal word.
 SSC Buffer No signal word.
 BSA Solution No signal word.
 DNA Ligase No signal word.
 Ligation Solution No signal word.
 Wash Solution Danger
 Capture Solution No signal word.
 HaloPlex ION Primer 1 No signal word.
 HaloPlex ION Primer 2 No signal word.
 HaloPlex Barcoding Primer Cassettes 1-48 No signal word.
 Hybridization Solution Danger
 Enrichment Control DNA No signal word.
 HaloPlex Magnetic Beads No signal word.
 HaloPlex Probe No signal word.
 Enzyme Strip 1 No signal word.
 Enzyme Strip 2 No signal word.

Hazard statements

: RE Buffer No known significant effects or critical hazards.
 SSC Buffer No known significant effects or critical hazards.
 BSA Solution No known significant effects or critical hazards.
 DNA Ligase No known significant effects or critical hazards.
 Ligation Solution No known significant effects or critical hazards.
 Wash Solution H360D - May damage the unborn child.
 Capture Solution No known significant effects or critical hazards.
 HaloPlex ION Primer 1 No known significant effects or critical hazards.
 HaloPlex ION Primer 2 No known significant effects or critical hazards.
 HaloPlex Barcoding Primer Cassettes 1-48 No known significant effects or critical hazards.
 Hybridization Solution H319 - Causes serious eye irritation.
 H360D - May damage the unborn child.
 Enrichment Control DNA No known significant effects or critical hazards.
 HaloPlex Magnetic Beads No known significant effects or critical hazards.
 HaloPlex Probe No known significant effects or critical hazards.
 Enzyme Strip 1 No known significant effects or critical hazards.
 Enzyme Strip 2 No known significant effects or critical hazards.

Precautionary statements

Prevention

: RE Buffer Not applicable.
 SSC Buffer Not applicable.
 BSA Solution Not applicable.
 DNA Ligase Not applicable.
 Ligation Solution Not applicable.
 Wash Solution P201 - Obtain special instructions before use.
 P280 - Wear protective gloves. Wear protective clothing.
 Wear eye or face protection.
 Capture Solution Not applicable.
 HaloPlex ION Primer 1 Not applicable.
 HaloPlex ION Primer 2 Not applicable.
 HaloPlex Barcoding Not applicable.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 2: Hazards identification

	Primer Cassettes 1-48		
	Hybridization Solution		P201 - Obtain special instructions before use. P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.
	Enrichment Control DNA		Not applicable.
	HaloPlex Magnetic Beads		Not applicable.
	HaloPlex Probe		Not applicable.
	Enzyme Strip 1		Not applicable.
	Enzyme Strip 2		Not applicable.
Response	: RE Buffer		Not applicable.
	SSC Buffer		Not applicable.
	BSA Solution		Not applicable.
	DNA Ligase		Not applicable.
	Ligation Solution		Not applicable.
	Wash Solution		P308 + P313 - IF exposed or concerned: Get medical attention.
	Capture Solution		Not applicable.
	HaloPlex ION Primer 1		Not applicable.
	HaloPlex ION Primer 2		Not applicable.
	HaloPlex Barcoding		Not applicable.
	Primer Cassettes 1-48		
	Hybridization Solution		P308 + P313 - IF exposed or concerned: Get medical attention. P305 + P351 - IF IN EYES: Rinse cautiously with water for several minutes.
	Enrichment Control DNA		Not applicable.
	HaloPlex Magnetic Beads		Not applicable.
	HaloPlex Probe		Not applicable.
	Enzyme Strip 1		Not applicable.
	Enzyme Strip 2		Not applicable.
Storage	: RE Buffer		Not applicable.
	SSC Buffer		Not applicable.
	BSA Solution		Not applicable.
	DNA Ligase		Not applicable.
	Ligation Solution		Not applicable.
	Wash Solution		P405 - Store locked up.
	Capture Solution		Not applicable.
	HaloPlex ION Primer 1		Not applicable.
	HaloPlex ION Primer 2		Not applicable.
	HaloPlex Barcoding		Not applicable.
	Primer Cassettes 1-48		
	Hybridization Solution		P405 - Store locked up.
	Enrichment Control DNA		Not applicable.
	HaloPlex Magnetic Beads		Not applicable.
	HaloPlex Probe		Not applicable.
	Enzyme Strip 1		Not applicable.
	Enzyme Strip 2		Not applicable.
Disposal	: RE Buffer		Not applicable.
	SSC Buffer		Not applicable.
	BSA Solution		Not applicable.
	DNA Ligase		Not applicable.
	Ligation Solution		Not applicable.
	Wash Solution		P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Capture Solution		Not applicable.
	HaloPlex ION Primer 1		Not applicable.
	HaloPlex ION Primer 2		Not applicable.
	HaloPlex Barcoding		Not applicable.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 2: Hazards identification

	Primer Cassettes 1-48	
	Hybridization Solution	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
	Enrichment Control DNA	Not applicable.
	HaloPlex Magnetic Beads	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
Hazardous ingredients	: <input checked="" type="checkbox"/> Ligation Solution	Not applicable.
	Wash Solution	- formamide
	Capture Solution	Not applicable.
	Hybridization Solution	- formamide
Supplemental label elements	: <input checked="" type="checkbox"/> RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Safety data sheet available on request.
	HaloPlex ION Primer 1	Not applicable.
	HaloPlex ION Primer 2	Not applicable.
	HaloPlex Barcoding	Not applicable.
	Primer Cassettes 1-48	
	Hybridization Solution	Not applicable.
	Enrichment Control DNA	Not applicable.
	HaloPlex Magnetic Beads	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: <input checked="" type="checkbox"/> RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Restricted to professional users.
	Capture Solution	Not applicable.
	HaloPlex ION Primer 1	Not applicable.
	HaloPlex ION Primer 2	Not applicable.
	HaloPlex Barcoding	Not applicable.
	Primer Cassettes 1-48	
	Hybridization Solution	Restricted to professional users.
	Enrichment Control DNA	Not applicable.
	HaloPlex Magnetic Beads	Not applicable.
	HaloPlex Probe	Not applicable.
	Enzyme Strip 1	Not applicable.
	Enzyme Strip 2	Not applicable.
Special packaging requirements		
Tactile warning of danger	: <input checked="" type="checkbox"/> RE Buffer	Not applicable.
	SSC Buffer	Not applicable.
	BSA Solution	Not applicable.
	DNA Ligase	Not applicable.
	Ligation Solution	Not applicable.
	Wash Solution	Not applicable.
	Capture Solution	Not applicable.
	HaloPlex ION Primer 1	Not applicable.
	HaloPlex ION Primer 2	Not applicable.
	HaloPlex Barcoding	Not applicable.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 2: Hazards identification

Primer Cassettes 1-48	
Hybridization Solution	Not applicable.
Enrichment Control DNA	Not applicable.
HaloPlex Magnetic Beads	Not applicable.
HaloPlex Probe	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.

2.3 Other hazards

Other hazards which do not result in classification	:	<input checked="" type="checkbox"/> RE Buffer	None known.
		SSC Buffer	None known.
		BSA Solution	None known.
		DNA Ligase	None known.
		Ligation Solution	None known.
		Wash Solution	None known.
		Capture Solution	None known.
		HaloPlex ION Primer 1	None known.
		HaloPlex ION Primer 2	None known.
		HaloPlex Barcoding	None known.
		Primer Cassettes 1-48	
		Hybridization Solution	None known.
		Enrichment Control DNA	None known.
		HaloPlex Magnetic Beads	None known.
		HaloPlex Probe	None known.
Enzyme Strip 1	None known.		
Enzyme Strip 2	None known.		

SECTION 3: Composition/information on ingredients

3.1 Substances	:	<input checked="" type="checkbox"/> RE Buffer	Mixture
		SSC Buffer	Mixture
		BSA Solution	Mixture
		DNA Ligase	Mixture
		Ligation Solution	Mixture
		Wash Solution	Mixture
		Capture Solution	Mixture
		HaloPlex ION Primer 1	Mixture
		HaloPlex ION Primer 2	Mixture
		HaloPlex Barcoding Primer	Mixture
		Cassettes 1-48	
		Hybridization Solution	Mixture
		Enrichment Control DNA	Mixture
		HaloPlex Magnetic Beads	Mixture
		HaloPlex Probe	Mixture
		Enzyme Strip 1	Mixture
		Enzyme Strip 2	Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
<input checked="" type="checkbox"/> BSA Solution Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≤10	Not classified.	[2]
<input checked="" type="checkbox"/> DNA Ligase Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 3: Composition/information on ingredients

Ligation Solution Polyoxyethylene octyl phenyl ether	CAS: 9002-93-1	≤0.3	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	[1] [5]
Wash Solution Formamide	EC: 200-842-0 CAS: 75-12-7 Index: 616-052-00-8	≥10 - ≤25	Repr. 1B, H360D (Unborn child)	[1] [2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	<10	Eye Irrit. 2, H319	[1]
Capture Solution Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	<10	Eye Irrit. 2, H319	[1]
Hybridization Solution Formamide	EC: 200-842-0 CAS: 75-12-7 Index: 616-052-00-8	≥25 - ≤50	Repr. 1B, H360D (Unborn child)	[1] [2]
Sodium chloride	EC: 231-598-3 CAS: 7647-14-5	≥10 - ≤25	Eye Irrit. 2, H319	[1]
Enzyme Strip 1 Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
Enzyme Strip 2 Glycerol	REACH #: Annex V EC: 200-289-5 CAS: 56-81-5	≥50 - ≤75	Not classified.	[2]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: RE Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	SSC Buffer	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	BSA Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
	DNA Ligase	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

Ligation Solution	any contact lenses. Get medical attention if irritation occurs. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Wash Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
Capture Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex ION Primer 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex ION Primer 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Barcoding Primer Cassettes 1-48	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Hybridization Solution	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Enrichment Control DNA	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Magnetic Beads	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
HaloPlex Probe	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 1	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Enzyme Strip 2	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation

: RE Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
SSC Buffer	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
BSA Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
DNA Ligase	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Ligation Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Wash Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

	immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Capture Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex ION Primer 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex ION Primer 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Barcoding Primer Cassettes 1-48	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Hybridization Solution	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Enrichment Control DNA	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Magnetic Beads	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
HaloPlex Probe	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 1	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Enzyme Strip 2	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	
: RE Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
SSC Buffer	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
BSA Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
DNA Ligase	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ligation Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Wash Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

	clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Capture Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex ION Primer 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex ION Primer 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex Barcoding Primer Cassettes 1-48	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Hybridization Solution	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Enrichment Control DNA	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex Magnetic Beads	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
HaloPlex Probe	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enzyme Strip 1	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Enzyme Strip 2	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
RE Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
SSC Buffer	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
BSA Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
DNA Ligase	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Ligation Solution	Wash out mouth with water. Remove victim to fresh air and

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

Wash Solution	keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Capture Solution	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex ION Primer 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex ION Primer 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex Barcoding Primer Cassettes 1-48	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Hybridization Solution	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Enrichment Control DNA	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex Magnetic	Wash out mouth with water. Remove victim to fresh air and

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

Beads	keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
HaloPlex Probe	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enzyme Strip 1	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Enzyme Strip 2	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders : RE Buffer	No action shall be taken involving any personal risk or without suitable training.
SSC Buffer	No action shall be taken involving any personal risk or without suitable training.
BSA Solution	No action shall be taken involving any personal risk or without suitable training.
DNA Ligase	No action shall be taken involving any personal risk or without suitable training.
Ligation Solution	No action shall be taken involving any personal risk or without suitable training.
Wash Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Capture Solution	No action shall be taken involving any personal risk or without suitable training.
HaloPlex ION Primer 1	No action shall be taken involving any personal risk or without suitable training.
HaloPlex ION Primer 2	No action shall be taken involving any personal risk or without suitable training.
HaloPlex Barcoding Primer Cassettes 1-48	No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training.
HaloPlex Magnetic Beads	No action shall be taken involving any personal risk or without suitable training.
HaloPlex Probe	No action shall be taken involving any personal risk or without suitable training.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

	Beads	
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
Skin contact	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Capture Solution	No specific data.
	HaloPlex ION Primer 1	No specific data.
	HaloPlex ION Primer 2	No specific data.
	HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.
Ingestion	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	No specific data.
	DNA Ligase	No specific data.
	Ligation Solution	No specific data.
	Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Capture Solution	No specific data.
	HaloPlex ION Primer 1	No specific data.
	HaloPlex ION Primer 2	No specific data.
	HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
	Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
	Enrichment Control DNA	No specific data.
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 4: First aid measures

Notes to physician	: RE Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	SSC Buffer	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	BSA Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	DNA Ligase	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Ligation Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Wash Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Capture Solution	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex ION Primer 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex ION Primer 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Barcoding Primer Cassettes 1-48	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Hybridization Solution	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	Enrichment Control DNA	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Magnetic Beads	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	HaloPlex Probe	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 1	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Enzyme Strip 2	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: RE Buffer	No specific treatment.
	SSC Buffer	No specific treatment.
	BSA Solution	No specific treatment.
	DNA Ligase	No specific treatment.
	Ligation Solution	No specific treatment.
	Wash Solution	No specific treatment.
	Capture Solution	No specific treatment.
	HaloPlex ION Primer 1	No specific treatment.
	HaloPlex ION Primer 2	No specific treatment.
	HaloPlex Barcoding Primer Cassettes 1-48	No specific treatment.
	Hybridization Solution	No specific treatment.
	Enrichment Control DNA	No specific treatment.
	HaloPlex Magnetic Beads	No specific treatment.
	HaloPlex Probe	No specific treatment.
	Enzyme Strip 1	No specific treatment.
	Enzyme Strip 2	No specific treatment.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	<input checked="" type="checkbox"/> RE Buffer	Use an extinguishing agent suitable for the surrounding fire.
	SSC Buffer	Use an extinguishing agent suitable for the surrounding fire.
	BSA Solution	Use an extinguishing agent suitable for the surrounding fire.
	DNA Ligase	Use an extinguishing agent suitable for the surrounding fire.
	Ligation Solution	Use an extinguishing agent suitable for the surrounding fire.
	Wash Solution	Use an extinguishing agent suitable for the surrounding fire.
	Capture Solution	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex ION Primer 1	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex ION Primer 2	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Barcoding Primer Cassettes 1-48	Use an extinguishing agent suitable for the surrounding fire.
	Hybridization Solution	Use an extinguishing agent suitable for the surrounding fire.
	Enrichment Control DNA	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Magnetic Beads	Use an extinguishing agent suitable for the surrounding fire.
	HaloPlex Probe	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 1	Use an extinguishing agent suitable for the surrounding fire.
	Enzyme Strip 2	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	<input checked="" type="checkbox"/> RE Buffer	None known.
	SSC Buffer	None known.
	BSA Solution	None known.
	DNA Ligase	None known.
	Ligation Solution	None known.
	Wash Solution	None known.
	Capture Solution	None known.
	HaloPlex ION Primer 1	None known.
	HaloPlex ION Primer 2	None known.
	HaloPlex Barcoding Primer Cassettes 1-48	None known.
	Hybridization Solution	None known.
	Enrichment Control DNA	None known.
	HaloPlex Magnetic Beads	None known.
	HaloPlex Probe	None known.
	Enzyme Strip 1	None known.
	Enzyme Strip 2	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	<input checked="" type="checkbox"/> RE Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	SSC Buffer	In a fire or if heated, a pressure increase will occur and the container may burst.
	BSA Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	DNA Ligase	In a fire or if heated, a pressure increase will occur and the container may burst.
	Ligation Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Wash Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	Capture Solution	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex ION Primer 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex ION Primer 2	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Barcoding Primer Cassettes 1-48	In a fire or if heated, a pressure increase will occur and the container may burst.
	Hybridization Solution	In a fire or if heated, a pressure increase will occur and the

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 5: Firefighting measures

	Enrichment Control DNA	container may burst. In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Magnetic Beads	In a fire or if heated, a pressure increase will occur and the container may burst.
	HaloPlex Probe	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 1	In a fire or if heated, a pressure increase will occur and the container may burst.
	Enzyme Strip 2	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: RE Buffer	No specific data.
	SSC Buffer	No specific data.
	BSA Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	DNA Ligase	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Ligation Solution	No specific data.
	Wash Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
	Capture Solution	Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
	HaloPlex ION Primer 1	No specific data.
	HaloPlex ION Primer 2	No specific data.
	HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
	Hybridization Solution	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds metal oxide/oxides
		Enrichment Control DNA
	HaloPlex Magnetic Beads	No specific data.
	HaloPlex Probe	No specific data.
	Enzyme Strip 1	Decomposition products may include the following materials: carbon dioxide carbon monoxide
	Enzyme Strip 2	Decomposition products may include the following materials: carbon dioxide carbon monoxide

5.3 Advice for firefighters

Special precautions for fire-fighters	: RE Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	SSC Buffer	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	BSA Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	DNA Ligase	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 5: Firefighting measures

Ligation Solution	vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Wash Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Capture Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex ION Primer 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex ION Primer 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Barcoding Primer Cassettes 1-48	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hybridization Solution	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enrichment Control DNA	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Magnetic Beads	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
HaloPlex Probe	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 1	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Enzyme Strip 2	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	
: RE Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
SSC Buffer	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
BSA Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
DNA Ligase	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 5: Firefighting measures

Ligation Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Wash Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Capture Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex ION Primer 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex ION Primer 2	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex Barcoding Primer Cassettes 1-48	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Hybridization Solution	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Enrichment Control DNA	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex Magnetic Beads	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
HaloPlex Probe	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Enzyme Strip 1	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 5: Firefighting measures

Enzyme Strip 2

face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: RE Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

SSC Buffer

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

BSA Solution

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

DNA Ligase

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

Ligation Solution

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

Wash Solution

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Capture Solution

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

HaloPlex ION Primer 1

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

HaloPlex ION Primer 2

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

HaloPlex Barcoding

No action shall be taken involving any personal risk or

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 6: Accidental release measures

Primer Cassettes 1-48	without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Hybridization Solution	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
Enrichment Control DNA	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex Magnetic Beads	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
HaloPlex Probe	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 1	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
Enzyme Strip 2	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	
: RE Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
SSC Buffer	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
BSA Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
DNA Ligase	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Ligation Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Wash Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Capture Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 6: Accidental release measures

	unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex ION Primer 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex ION Primer 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Barcoding Primer Cassettes 1-48	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Hybridization Solution	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enrichment Control DNA	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Magnetic Beads	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
HaloPlex Probe	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 1	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Enzyme Strip 2	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: RE Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
SSC Buffer	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BSA Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
DNA Ligase	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Ligation Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Wash Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 6: Accidental release measures

	authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Capture Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex ION Primer 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex ION Primer 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Barcoding Primer Cassettes 1-48	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Hybridization Solution	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enrichment Control DNA	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Magnetic Beads	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
HaloPlex Probe	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 1	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Enzyme Strip 2	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	: RE Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	SSC Buffer	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	BSA Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	DNA Ligase	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively,

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 6: Accidental release measures

	or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Ligation Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Wash Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Capture Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex ION Primer 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex ION Primer 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Barcoding Primer Cassettes 1-48	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Hybridization Solution	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enrichment Control DNA	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Magnetic Beads	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
HaloPlex Probe	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 1	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Enzyme Strip 2	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 6: Accidental release measures

of via a licensed waste disposal contractor.

6.4 Reference to other sections : See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	:	RE Buffer	Put on appropriate personal protective equipment (see Section 8).
		SSC Buffer	Put on appropriate personal protective equipment (see Section 8).
		BSA Solution	Put on appropriate personal protective equipment (see Section 8).
		DNA Ligase	Put on appropriate personal protective equipment (see Section 8).
		Ligation Solution	Put on appropriate personal protective equipment (see Section 8).
		Wash Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		Capture Solution	Put on appropriate personal protective equipment (see Section 8).
		HaloPlex ION Primer 1	Put on appropriate personal protective equipment (see Section 8).
		HaloPlex ION Primer 2	Put on appropriate personal protective equipment (see Section 8).
		HaloPlex Barcoding Primer Cassettes 1-48	Put on appropriate personal protective equipment (see Section 8).
		Hybridization Solution	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
		Enrichment Control DNA	Put on appropriate personal protective equipment (see Section 8).
		HaloPlex Magnetic Beads	Put on appropriate personal protective equipment (see Section 8).
		HaloPlex Probe	Put on appropriate personal protective equipment (see Section 8).
		Enzyme Strip 1	Put on appropriate personal protective equipment (see Section 8).
		Enzyme Strip 2	Put on appropriate personal protective equipment (see Section 8).

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 7: Handling and storage

Advice on general occupational hygiene

: RE Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
SSC Buffer	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
BSA Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
DNA Ligase	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Ligation Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Wash Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Capture Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex ION Primer 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex ION Primer 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Barcoding Primer Cassettes 1-48	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Hybridization Solution	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 7: Handling and storage

Enrichment Control DNA	Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Magnetic Beads	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
HaloPlex Probe	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 1	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Enzyme Strip 2	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage

: RE Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

SSC Buffer

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

BSA Solution

Store between the following temperatures: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 7: Handling and storage

	closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
DNA Ligase	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Ligation Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Wash Solution	Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Capture Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex ION Primer 1	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex ION Primer 2	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 7: Handling and storage

	been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex Barcoding Primer Cassettes 1-48	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Hybridization Solution	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Enrichment Control DNA	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex Magnetic Beads	Store between the following temperatures: 4 to 25°C (39.2 to 77°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
HaloPlex Probe	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
Enzyme Strip 1	Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 7: Handling and storage

Enzyme Strip 2

carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. Storage temperature: -20°C (-4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations

- : RE Buffer Industrial applications, Professional applications.
- SSC Buffer Industrial applications, Professional applications.
- BSA Solution Industrial applications, Professional applications.
- DNA Ligase Industrial applications, Professional applications.
- Ligation Solution Industrial applications, Professional applications.
- Wash Solution Industrial applications, Professional applications.
- Capture Solution Industrial applications, Professional applications.
- HaloPlex ION Primer 1 Industrial applications, Professional applications.
- HaloPlex ION Primer 2 Industrial applications, Professional applications.
- HaloPlex Barcoding Industrial applications, Professional applications.
- Primer Cassettes 1-48
- Hybridization Solution Industrial applications, Professional applications.
- Enrichment Control DNA Industrial applications, Professional applications.
- HaloPlex Magnetic Beads Industrial applications, Professional applications.
- HaloPlex Probe Industrial applications, Professional applications.
- Enzyme Strip 1 Industrial applications, Professional applications.
- Enzyme Strip 2 Industrial applications, Professional applications.

Industrial sector specific solutions

- : RE Buffer Not applicable.
- SSC Buffer Not applicable.
- BSA Solution Not applicable.
- DNA Ligase Not applicable.
- Ligation Solution Not applicable.
- Wash Solution Not applicable.
- Capture Solution Not applicable.
- HaloPlex ION Primer 1 Not applicable.
- HaloPlex ION Primer 2 Not applicable.
- HaloPlex Barcoding Not applicable.
- Primer Cassettes 1-48
- Hybridization Solution Not applicable.
- Enrichment Control DNA Not applicable.
- HaloPlex Magnetic Beads Not applicable.
- HaloPlex Probe Not applicable.
- Enzyme Strip 1 Not applicable.
- Enzyme Strip 2 Not applicable.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
BSA Solution Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
DNA Ligase Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Wash Solution Formamide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 56 mg/m ³ 15 minutes. STEL: 30 ppm 15 minutes. TWA: 37 mg/m ³ 8 hours. TWA: 20 ppm 8 hours.
Hybridization Solution Formamide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 56 mg/m ³ 15 minutes. STEL: 30 ppm 15 minutes. TWA: 37 mg/m ³ 8 hours. TWA: 20 ppm 8 hours.
Enzyme Strip 1 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist
Enzyme Strip 2 Glycerol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Mist

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 8: Exposure controls/personal protection

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state	:	RE Buffer	Liquid.
		SSC Buffer	Liquid.
		BSA Solution	Liquid. [Clear.]
		DNA Ligase	Liquid.
		Ligation Solution	Liquid.
		Wash Solution	Liquid.
		Capture Solution	Liquid.
		HaloPlex ION Primer 1	Liquid.
		HaloPlex ION Primer 2	Liquid.
		HaloPlex Barcoding Primer Cassettes 1-48	Liquid.
		Hybridization Solution	Liquid.
		Enrichment Control DNA	Liquid.
		HaloPlex Magnetic Beads	Liquid. [aqueous suspensions]
		HaloPlex Probe	Liquid.
		Enzyme Strip 1	Liquid. [Clear.]
		Enzyme Strip 2	Liquid. [Clear.]

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

Colour	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Colourless.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Brown.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Colourless.
		Enzyme Strip 2	Colourless.
Odour	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Odourless.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Odourless.
		Enzyme Strip 2	Odourless.
Odour threshold	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

pH	:	☑ RE Buffer	7.9
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	7.4
		Ligation Solution	Not available.
		Wash Solution	7.5
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	7.5
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Melting point/freezing point	:	☑ RE Buffer	0°C
		SSC Buffer	0°C
		BSA Solution	20°C
		DNA Ligase	Not available.
		Ligation Solution	0°C
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	0°C
		HaloPlex ION Primer 2	0°C
		HaloPlex Barcoding Primer Cassettes 1-48	0°C
		Hybridization Solution	Not available.
		Enrichment Control DNA	0°C
		HaloPlex Magnetic Beads	~0°C
		HaloPlex Probe	0°C
		Enzyme Strip 1	20°C
		Enzyme Strip 2	20°C
Initial boiling point and boiling range	:	☑ RE Buffer	100°C
		SSC Buffer	100°C
		BSA Solution	182°C
		DNA Ligase	Not available.
		Ligation Solution	100°C
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	100°C
		HaloPlex ION Primer 2	100°C
		HaloPlex Barcoding Primer Cassettes 1-48	100°C
		Hybridization Solution	Not available.
		Enrichment Control DNA	100°C
		HaloPlex Magnetic Beads	100°C
		HaloPlex Probe	100°C
		Enzyme Strip 1	182°C
		Enzyme Strip 2	182°C

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

Flash point	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Closed cup: 160°C
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Closed cup: 160°C
		Enzyme Strip 2	Closed cup: 160°C
Evaporation rate	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control DNA	Not available.
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Flammability (solid, gas)	:	<input checked="" type="checkbox"/> RE Buffer	Not applicable.
		SSC Buffer	Not applicable.
		BSA Solution	Not applicable.
		DNA Ligase	Not applicable.
		Ligation Solution	Not applicable.
		Wash Solution	Not applicable.
		Capture Solution	Not applicable.
		HaloPlex ION Primer 1	Not applicable.
		HaloPlex ION Primer 2	Not applicable.
		HaloPlex Barcoding Primer Cassettes 1-48	Not applicable.
		Hybridization Solution	Not applicable.
		Enrichment Control DNA	Not applicable.
		HaloPlex Magnetic Beads	Not applicable.
		HaloPlex Probe	Not applicable.
		Enzyme Strip 1	Not applicable.
		Enzyme Strip 2	Not applicable.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

Upper/lower flammability or explosive limits	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.	
Vapour pressure	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	<0.13 kPa [room temperature]
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		HaloPlex Magnetic Beads	2.3 kPa [room temperature]
		HaloPlex Probe	Not available.
		Enzyme Strip 1	<0.13 kPa [room temperature]
	Enzyme Strip 2	<0.13 kPa [room temperature]	
Vapour density	:	RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	3.1 [Air = 1]
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		HaloPlex Magnetic Beads	0.624 [Air = 1]
		HaloPlex Probe	Not available.
		Enzyme Strip 1	3.1 [Air = 1]
	Enzyme Strip 2	3.1 [Air = 1]	

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

Relative density	:	<ul style="list-style-type: none"> RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2 	<ul style="list-style-type: none"> Not available. Not available. 1.262 Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. 1.4 to 1.5 Not available. 1.262 1.262
Solubility(ies)	:	<ul style="list-style-type: none"> RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2 	<ul style="list-style-type: none"> Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water. Soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	:	<ul style="list-style-type: none"> RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 	<ul style="list-style-type: none"> Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available. Not available.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

	Hybridization Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Auto-ignition temperature	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	370°C
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	HaloPlex ION Primer 1	Not available.
	HaloPlex ION Primer 2	Not available.
	HaloPlex Barcoding Primer Cassettes 1-48	Not available.
	Hybridization Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	370°C
	Enzyme Strip 2	370°C
Decomposition temperature	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	HaloPlex ION Primer 1	Not available.
	HaloPlex ION Primer 2	Not available.
	HaloPlex Barcoding Primer Cassettes 1-48	Not available.
	Hybridization Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	HaloPlex Magnetic Beads	Not available.
	HaloPlex Probe	Not available.
	Enzyme Strip 1	Not available.
	Enzyme Strip 2	Not available.
Viscosity	: RE Buffer	Not available.
	SSC Buffer	Not available.
	BSA Solution	Not available.
	DNA Ligase	Not available.
	Ligation Solution	Not available.
	Wash Solution	Not available.
	Capture Solution	Not available.
	HaloPlex ION Primer 1	Not available.
	HaloPlex ION Primer 2	Not available.
	HaloPlex Barcoding Primer Cassettes 1-48	Not available.
	Hybridization Solution	Not available.
	Enrichment Control	Not available.
	DNA	
	HaloPlex Magnetic	Not available.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 9: Physical and chemical properties

		Beads	
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Explosive properties	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.
Oxidising properties	:	<input checked="" type="checkbox"/> RE Buffer	Not available.
		SSC Buffer	Not available.
		BSA Solution	Not available.
		DNA Ligase	Not available.
		Ligation Solution	Not available.
		Wash Solution	Not available.
		Capture Solution	Not available.
		HaloPlex ION Primer 1	Not available.
		HaloPlex ION Primer 2	Not available.
		HaloPlex Barcoding Primer Cassettes 1-48	Not available.
		Hybridization Solution	Not available.
		Enrichment Control	Not available.
		DNA	
		HaloPlex Magnetic Beads	Not available.
		HaloPlex Probe	Not available.
		Enzyme Strip 1	Not available.
		Enzyme Strip 2	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	<input checked="" type="checkbox"/> RE Buffer	No specific test data related to reactivity available for this product or its ingredients.
		SSC Buffer	No specific test data related to reactivity available for this product or its ingredients.
		BSA Solution	No specific test data related to reactivity available for this product or its ingredients.
		DNA Ligase	No specific test data related to reactivity available for this product or its ingredients.
		Ligation Solution	No specific test data related to reactivity available for this product or its ingredients.
		Wash Solution	No specific test data related to reactivity available for this product or its ingredients.
		Capture Solution	No specific test data related to reactivity available for this

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 10: Stability and reactivity

HaloPlex ION Primer 1	product or its ingredients. No specific test data related to reactivity available for this product or its ingredients.
HaloPlex ION Primer 2	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex Barcoding Primer Cassettes 1-48	No specific test data related to reactivity available for this product or its ingredients.
Hybridization Solution	No specific test data related to reactivity available for this product or its ingredients.
Enrichment Control DNA	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex Magnetic Beads	No specific test data related to reactivity available for this product or its ingredients.
HaloPlex Probe	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 1	No specific test data related to reactivity available for this product or its ingredients.
Enzyme Strip 2	No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

<p>RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2</p>	<p>The product is stable. The product is stable.</p>
---	---

10.3 Possibility of hazardous reactions

<p>RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution</p>	<p>Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous reactions will not occur.</p>
---	--

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 10: Stability and reactivity

Enrichment Control DNA	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex Magnetic Beads	Under normal conditions of storage and use, hazardous reactions will not occur.
HaloPlex Probe	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous reactions will not occur.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid :

RE Buffer	No specific data.
SSC Buffer	No specific data.
BSA Solution	No specific data.
DNA Ligase	No specific data.
Ligation Solution	No specific data.
Wash Solution	No specific data.
Capture Solution	No specific data.
HaloPlex ION Primer 1	No specific data.
HaloPlex ION Primer 2	No specific data.
HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
Hybridization Solution	No specific data.
Enrichment Control DNA	No specific data.
HaloPlex Magnetic Beads	No specific data.
HaloPlex Probe	No specific data.
Enzyme Strip 1	No specific data.
Enzyme Strip 2	No specific data.

10.5 Incompatible materials :

RE Buffer	May react or be incompatible with oxidising materials.
SSC Buffer	May react or be incompatible with oxidising materials.
BSA Solution	May react or be incompatible with oxidising materials.
DNA Ligase	May react or be incompatible with oxidising materials.
Ligation Solution	May react or be incompatible with oxidising materials.
Wash Solution	May react or be incompatible with oxidising materials.
Capture Solution	May react or be incompatible with oxidising materials.
HaloPlex ION Primer 1	May react or be incompatible with oxidising materials.
HaloPlex ION Primer 2	May react or be incompatible with oxidising materials.
HaloPlex Barcoding Primer Cassettes 1-48	May react or be incompatible with oxidising materials.
Hybridization Solution	May react or be incompatible with oxidising materials.
Enrichment Control DNA	May react or be incompatible with oxidising materials.
HaloPlex Magnetic Beads	May react or be incompatible with oxidising materials.
HaloPlex Probe	May react or be incompatible with oxidising materials.
Enzyme Strip 1	May react or be incompatible with oxidising materials.
Enzyme Strip 2	May react or be incompatible with oxidising materials.

10.6 Hazardous decomposition products :

RE Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
SSC Buffer	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
BSA Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
DNA Ligase	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Ligation Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Wash Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 10: Stability and reactivity

Capture Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex ION Primer 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex ION Primer 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Barcoding Primer Cassettes 1-48	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hybridization Solution	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enrichment Control DNA	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Magnetic Beads	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
HaloPlex Probe	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Enzyme Strip 2	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Ligation Solution Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
Wash Solution Formamide	LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rabbit	>21 mg/l 17 g/kg	4 hours -
Sodium chloride	LD50 Oral LD50 Oral	Rat Rat	4000 mg/kg 3000 mg/kg	- -
Capture Solution Sodium chloride	LD50 Oral	Rat	3000 mg/kg	-
Hybridization Solution Formamide	LC50 Inhalation Dusts and mists LD50 Dermal	Rat Rabbit	>21 mg/l 17 g/kg	4 hours -
Sodium chloride	LD50 Oral LD50 Oral	Rat Rat	4000 mg/kg 3000 mg/kg	- -

Acute toxicity estimates

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Ligation Solution Polyoxyethylene octyl phenyl ether	Eyes - Moderate irritant	Rabbit	-	24 hours 10 microliters	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 microliters	-
Wash Solution Formamide	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

Capture Solution Sodium chloride	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit	- -	milligrams 10 milligrams 24 hours 500 milligrams	- -
	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
Hybridization Solution Formamide	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit	- -	10 milligrams 24 hours 500 milligrams	- -
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
Sodium chloride	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant Skin - Mild irritant	Rabbit Rabbit	- -	10 milligrams 24 hours 500 milligrams	- -

Sensitiser

Conclusion/Summary : Not available.

Mutagenicity

Conclusion/Summary : Not available.

Carcinogenicity

Conclusion/Summary : Not available.

Reproductive toxicity

Conclusion/Summary : Not available.

Teratogenicity

Conclusion/Summary : Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on likely routes of exposure

RE Buffer	Not available.
SSC Buffer	Not available.
BSA Solution	Not available.
DNA Ligase	Routes of entry anticipated: Oral, Dermal, Inhalation.
Ligation Solution	Not available.
Wash Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
Capture Solution	Not available.
HaloPlex ION Primer 1	Not available.
HaloPlex ION Primer 2	Not available.
HaloPlex Barcoding Primer Cassettes 1-48	Not available.
Hybridization Solution	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enrichment Control DNA	Not available.
HaloPlex Magnetic Beads	Not available.
HaloPlex Probe	Not available.
Enzyme Strip 1	Routes of entry anticipated: Oral, Dermal, Inhalation.
Enzyme Strip 2	Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

Inhalation	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

HaloPlex ION Primer 1	No known significant effects or critical hazards.
HaloPlex ION Primer 2	No known significant effects or critical hazards.
HaloPlex Barcoding Primer Cassettes 1-48	No known significant effects or critical hazards.
Hybridization Solution	Causes serious eye irritation.
Enrichment Control DNA	No known significant effects or critical hazards.
HaloPlex Magnetic Beads	No known significant effects or critical hazards.
HaloPlex Probe	No known significant effects or critical hazards.
Enzyme Strip 1	No known significant effects or critical hazards.
Enzyme Strip 2	No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Capture Solution	No specific data.
		HaloPlex ION Primer 1	No specific data.
		HaloPlex ION Primer 2	No specific data.
		HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Magnetic Beads	No specific data.
		HaloPlex Probe	No specific data.
Enzyme Strip 1	No specific data.		
Enzyme Strip 2	No specific data.		
Ingestion	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Capture Solution	No specific data.
		HaloPlex ION Primer 1	No specific data.
		HaloPlex ION Primer 2	No specific data.
		HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Magnetic Beads	No specific data.
		HaloPlex Probe	No specific data.
Enzyme Strip 1	No specific data.		
Enzyme Strip 2	No specific data.		

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

Skin contact	:	RE Buffer	No specific data.
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Capture Solution	No specific data.
		HaloPlex ION Primer 1	No specific data.
		HaloPlex ION Primer 2	No specific data.
		HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
		Enrichment Control DNA	No specific data.
		HaloPlex Magnetic Beads	No specific data.
		HaloPlex Probe	No specific data.
	Eye contact	:	RE Buffer
		SSC Buffer	No specific data.
		BSA Solution	No specific data.
		DNA Ligase	No specific data.
		Ligation Solution	No specific data.
		Wash Solution	No specific data.
		Capture Solution	No specific data.
		HaloPlex ION Primer 1	No specific data.
		HaloPlex ION Primer 2	No specific data.
		HaloPlex Barcoding Primer Cassettes 1-48	No specific data.
		Hybridization Solution	Adverse symptoms may include the following: pain or irritation watering redness
		Enrichment Control DNA	No specific data.
		HaloPlex Magnetic Beads	No specific data.
		HaloPlex Probe	No specific data.
		Enzyme Strip 1	No specific data.
	Enzyme Strip 2	No specific data.	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

General	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Carcinogenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards.
Mutagenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution HaloPlex ION Primer 1 HaloPlex ION Primer 2 HaloPlex Barcoding Primer Cassettes 1-48 Hybridization Solution Enrichment Control DNA HaloPlex Magnetic Beads HaloPlex Probe Enzyme Strip 1 Enzyme Strip 2	No known significant effects or critical hazards. No known significant effects or critical hazards.
Teratogenicity	: RE Buffer SSC Buffer BSA Solution DNA Ligase Ligation Solution Wash Solution Capture Solution	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. May damage the unborn child. No known significant effects or critical hazards.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 11: Toxicological information

	HaloPlex ION Primer 1	No known significant effects or critical hazards.
	HaloPlex ION Primer 2	No known significant effects or critical hazards.
	HaloPlex Barcoding Primer Cassettes 1-48	No known significant effects or critical hazards.
	Hybridization Solution	May damage the unborn child.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Magnetic Beads	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Developmental effects	<input checked="" type="checkbox"/> RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	HaloPlex ION Primer 1	No known significant effects or critical hazards.
	HaloPlex ION Primer 2	No known significant effects or critical hazards.
	HaloPlex Barcoding Primer Cassettes 1-48	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Magnetic Beads	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.
Fertility effects	<input checked="" type="checkbox"/> RE Buffer	No known significant effects or critical hazards.
	SSC Buffer	No known significant effects or critical hazards.
	BSA Solution	No known significant effects or critical hazards.
	DNA Ligase	No known significant effects or critical hazards.
	Ligation Solution	No known significant effects or critical hazards.
	Wash Solution	No known significant effects or critical hazards.
	Capture Solution	No known significant effects or critical hazards.
	HaloPlex ION Primer 1	No known significant effects or critical hazards.
	HaloPlex ION Primer 2	No known significant effects or critical hazards.
	HaloPlex Barcoding Primer Cassettes 1-48	No known significant effects or critical hazards.
	Hybridization Solution	No known significant effects or critical hazards.
	Enrichment Control DNA	No known significant effects or critical hazards.
	HaloPlex Magnetic Beads	No known significant effects or critical hazards.
	HaloPlex Probe	No known significant effects or critical hazards.
	Enzyme Strip 1	No known significant effects or critical hazards.
	Enzyme Strip 2	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
<input checked="" type="checkbox"/> Ligation Solution Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Ceriodaphnia rigaudi - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - Pimephales promelas	96 hours
Wash Solution Sodium chloride	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas	96 hours

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 12: Ecological information

Capture Solution Sodium chloride	Acute EC50 519.6 mg/l Fresh water	reinhardtii Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 96 hours 3 weeks
Hybridization Solution Sodium chloride	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
Capture Solution Sodium chloride	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 96 hours 3 weeks
Hybridization Solution Sodium chloride	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks
	Acute EC50 4.74 g/L Fresh water	Algae - Chlamydomonas reinhardtii	96 hours
Capture Solution Sodium chloride	Acute EC50 519.6 mg/l Fresh water	Crustaceans - Cypris subglobosa	48 hours
	Acute EC50 402600 µg/l Fresh water Acute IC50 6.87 g/L Fresh water Acute LC50 1000000 µg/l Fresh water Chronic LC10 781 mg/l Fresh water	Daphnia - Daphnia magna Aquatic plants - Lemna minor Fish - Morone saxatilis - Larvae Crustaceans - Hyalella azteca - Juvenile (Fledgling, Hatchling, Weanling)	48 hours 96 hours 96 hours 3 weeks
Hybridization Solution Sodium chloride	Chronic NOEC 6 g/L Fresh water Chronic NOEC 0.314 g/L Fresh water Chronic NOEC 100 mg/l Fresh water	Aquatic plants - Lemna minor Daphnia - Daphnia pulex Fish - Gambusia holbrooki - Adult	96 hours 21 days 8 weeks

12.2 Persistence and degradability

Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Ligation Solution Polyoxyethylene octyl phenyl ether	-	-	Readily

12.3 Bioaccumulative potential

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 12: Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
Ligation Solution Polyoxyethylene octyl phenyl ether	4.86	-	high
Wash Solution Formamide	-0.82	-	low
Hybridization Solution Formamide	-0.82	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
Ligation Solution Polyoxyethylene octyl phenyl ether	Substance of equivalent concern for environment	Recommended	ED/169/2012	2/10/2014
Wash Solution Formamide	Toxic to reproduction	Candidate	ED/87/2012	6/18/2012
Hybridization Solution Formamide	Toxic to reproduction	Candidate	ED/87/2012	6/18/2012

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

RE Buffer	Not applicable.
SSC Buffer	Not applicable.
BSA Solution	Not applicable.
DNA Ligase	Not applicable.
Ligation Solution	Not applicable.
Wash Solution	Restricted to professional users.
Capture Solution	Not applicable.
HaloPlex ION Primer 1	Not applicable.
HaloPlex ION Primer 2	Not applicable.
HaloPlex Barcoding Primer Cassettes 1-48	Not applicable.
Hybridization Solution	Restricted to professional users.
Enrichment Control DNA	Not applicable.
HaloPlex Magnetic Beads	Not applicable.
HaloPlex Probe	Not applicable.
Enzyme Strip 1	Not applicable.
Enzyme Strip 2	Not applicable.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 15: Regulatory information

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: <input checked="" type="checkbox"/> Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: <input checked="" type="checkbox"/> Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Wash Solution Repr. 1B, H360D (Unborn child)	Calculation method
Hybridization Solution Eye Irrit. 2, H319 Repr. 1B, H360D (Unborn child)	Calculation method Calculation method

Full text of abbreviated H statements

<input checked="" type="checkbox"/> Ligation Solution H302 H315 H318 H411	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects.
Wash Solution H319 H360D	Causes serious eye irritation. May damage the unborn child.
Capture Solution H319	Causes serious eye irritation.

Date of issue/Date of revision : 14/02/2018

HaloPlex Target Enrichment Kits - ION - 48 Reactions

SECTION 16: Other information

Hybridization Solution

H319
H360D

Causes serious eye irritation.
May damage the unborn child.

[Full text of classifications \[CLP/GHS\]](#)

Ligation Solution

Acute Tox. 4, H302
Aquatic Chronic 2, H411
Eye Dam. 1, H318
Skin Irrit. 2, H315

ACUTE TOXICITY (oral) - Category 4
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
SKIN CORROSION/IRRITATION - Category 2

Wash Solution

Eye Irrit. 2, H319
Repr. 1B, H360D

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

Capture Solution

Eye Irrit. 2, H319

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2

Hybridization Solution

Eye Irrit. 2, H319
Repr. 1B, H360D

SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

Date of issue/ Date of revision : 14/02/2018

Date of previous issue : 29/04/2016

Version : 2

[Notice to reader](#)

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.