

Revision date: 05/16/2025

1 Identification

· Product identifier

· Product Name: ICP Calibration Standard (125 mL)

· Part no.: ICM-101

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals. Eye Damage 1 H318 Causes serious eye damage.



Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

5 GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

acetic acid beryllium salt

· Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

(Contd. on page 2)



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 1)

H318 Causes serious eye damage.

H350 May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. P280

P234 Keep only in original container. P264 Wash thoroughly after handling. P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

IF exposed or concerned: Get medical advice/attention. P308+P313

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water. P390 Absorb spillage to prevent material damage.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

	· Dangerous	s components:	
ı	7697-37-2	nitric acid	4.95%
	543-81-7	acetic acid beryllium salt	0.141%
Ī	7664-39-3	hydrogen fluoride	0.1%



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 2)

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7784-27-2	aluminium nitrate	83 mg/m³
13446-18-9	magnesium nitrate hexahydrate	16 mg/m ³
7664-39-3	hydrogen fluoride	1.0 ppm
7782-61-8	iron (III) nitrate nonahydrate	22 mg/m³
10043-35-3	boric acid	6 mg/m³
554-13-2	lithium carbonate	3.1 mg/m ³
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1.5 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	0.3 mg/m ³
10196-18-6	zinc(II) nitrate hexahydrate	27 mg/m ³



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

7631-99-4 sodium nitrate	(Contd. of page 4.1 mg/m
10377-66-9 manganese dinitrate	9.8 mg/m
3251-23-8 copper dinitrate	8.9 mg/m
10022-68-1 Nitric acid, cadmium salt, tetrahydrate	0.27 mg/ii
7757-79-1 potassium nitrate	9 mg/m ³
471-34-1 calcium carbonate	45 mg/m ³
10042-76-9 strontium nitrate	5.7 mg/m
10022-31-8 barium nitrate	2.9 mg/m
10099-74-8 lead dinitrate	0.24 mg/n
7446-08-4 selenium dioxide	0.84 mg/s
10102-45-1 thallium nitrate	0.078 mg
7446-07-3 tellurium dioxide	0.38 mg/s
7440-55-3 gallium	30 mg/m ²
7440-69-9 bismuth	15 mg/m ²
	13 mg/m
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7784-27-2 aluminium nitrate	920 mg
13446-18-9 magnesium nitrate hexahydrate	180 mg
7664-39-3 hydrogen fluoride	24 ppm
7782-61-8 iron (III) nitrate nonahydrate	110 mg
10043-35-3 boric acid	23 mg/s
554-13-2 lithium carbonate	11 ppm
13478-00-7 Nitric acid, nickel(2+) salt, hexahydrate	53 mg/s
10026-22-9 cobalt (II) nitrate hexahydrate	23 mg/s
10196-18-6 zinc(II) nitrate hexahydrate	300 mg
7631-99-4 sodium nitrate	45 mg/s
10377-66-9 manganese dinitrate	16 mg/s
3251-23-8 copper dinitrate	31 mg/s
10022-68-1 Nitric acid, cadmium salt, tetrahydrate	2.1 mg/
7757-79-1 potassium nitrate	100 mg
471-34-1 calcium carbonate	210 mg
10042-76-9 strontium nitrate	62 mg/s
10022-31-8 barium nitrate	350 mg
10099-74-8 lead dinitrate	180 mg
7446-08-4 selenium dioxide	1.6 mg/
10102-45-1 thallium nitrate	4.3 mg/
7446-07-3 tellurium dioxide	4.3 mg/
7440-55-3 gallium	330 mg
7440-69-9 bismuth	170 mg
· PAC-3:	
7697-37-2 nitric acid	92 ppm



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

		(Contd. of page 4
	aluminium nitrate	5,500 mg/m ³
	magnesium nitrate hexahydrate	1,100 mg/m ³
	hydrogen fluoride	44 ppm
7782-61-8	iron (III) nitrate nonahydrate	640 mg/m ³
10043-35-3	boric acid	830 mg/m ³
554-13-2	lithium carbonate	68 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	320 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	140 mg/m ³
10196-18-6	zinc(II) nitrate hexahydrate	1,800 mg/m³
7631-99-4	sodium nitrate	270 mg/m ³
10377-66-9	manganese dinitrate	96 mg/m ³
3251-23-8	copper dinitrate	190 mg/m³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	13 mg/m ³
7757-79-1	potassium nitrate	600 mg/m ³
471-34-1	calcium carbonate	1,300 mg/m³
10042-76-9	strontium nitrate	370 mg/m ³
10022-31-8	barium nitrate	2,100 mg/m ³
10099-74-8	lead dinitrate	1,100 mg/m³
7446-08-4	selenium dioxide	9.5 mg/m ³
10102-45-1	thallium nitrate	26 mg/m ³
7446-07-3	tellurium dioxide	26 mg/m ³
7440-55-3	gallium	2,000 mg/m ³
7440-69-9	bismuth	990 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 6)



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 5)

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

	, ,				
7697-	7697-37-2 nitric acid				
PEL	Long-term value: 5 mg/m³, 2 ppm				
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm				
TLV	Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4				
7664-	-39-3 hydrogen fluoride				
PEL	Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid				
REL	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F				
TLV	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI				

· Ingredients with biological limit values:

7664-39-3 hydrogen fluoride

BEI 3 mg/g creatinine Medium: urine

Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- $\cdot \ Personal \ protective \ equipment:$
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

(Contd. on page 7)



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

· Protection of hands:

(Contd. of page 6)

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

• **Penetration time of glove material** For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Information on basic physical and chemical properties

· Eye protection:

· Vapor density

· Evaporation rate



Tightly sealed goggles

O DI					
9 Phys	ica and	chan	nical	nranai	rtias
	icai aiic	и спеп	шсаг	DIODC	

· General Information	r · r
· Appearance:	
Form:	Fluid
Color:	Colorless
· Odor:	Odorless
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.

Not determined. Not determined.

(Contd. on page 8)



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

	(Contd. of pa	age 7
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Water:	93.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.1 %	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)			
	LD50	1,276,000 mg/kg (rat)		
Dermal	LD50	5,000 mg/kg		
Inhalative	LC50/4 h	500 mg/L		
7697-37-2	7697-37-2 nitric acid			

7697-37-	-2 nitric aci	d
Inhalativ	e LC50/4 h	67 mg/L (rat)
7664-39-	-3 hydrogei	n fluoride
Oral	LD50	1,276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 9)



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 8)

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
543-81-7	acetic acid beryllium salt	1
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1
10026-22-9	cobalt (II) nitrate hexahydrate	2B
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1
10099-74-8	lead dinitrate	2A
7446-08-4	selenium dioxide	3
· NTP (Natio	nal Toxicology Program)	
543-81-7	acetic acid beryllium salt	K
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	K
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	K
10099-74-8	lead dinitrate	R
· OSHA-Ca (Occupational Safety & Health Administration)	
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

IIS



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 9)

Transport information	
UN-Number	
DOT, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	(NITRIC ACID)
Transport hazard class(es)	
DOT	
W. D.	
CORROSIVE	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
<u> </u>	
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
3	
Class	8 Corrosive substances
Label	8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A SW2 Clear of living quarters
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 10)

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (NITRIC ACID), 8, III

15 Regula	atory information	

7757-79-1 potassium nitrate

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

	· Section 355 (extremely hazardous substances):		
7697-37-2	nitric acid		
7664-39-3	nydrogen fluoride		
Section 313	(Specific toxic chemical listings):		
7697-37-2	nitric acid		
543-81-7	acetic acid beryllium salt		
7784-27-2	aluminium nitrate		
13446-18-9	magnesium nitrate hexahydrate		
	chromium (III) nitrate nonahydrate		
	hydrogen fluoride		
	iron (III) nitrate nonahydrate		
	lithium carbonate		
	Nitric acid, nickel(2+) salt, hexahydrate		
	cobalt (II) nitrate hexahydrate		
	zinc(II) nitrate hexahydrate		
	manganese dinitrate		
	copper dinitrate		
	Nitric acid, cadmium salt, tetrahydrate		
	potassium nitrate		
	strontium nitrate		
	barium nitrate		
	lead dinitrate		
	selenium dioxide		
10102-45-1	thallium nitrate		
· TSCA (Tox	ic Substances Control Act):		
7732-18-5	water	ACTIVE	
7697-37-2	nitric acid	ACTIVE	
	hydrogen fluoride	ACTIVE	
10043-35-3	boric acid	ACTIVE	
	lithium carbonate	ACTIVE	
7631-99-4	sodium nitrate	ACTIVE	
	manganese dinitrate	ACTIVE	
3251-23-8	copper dinitrate	ACTIVE	

(Contd. on page 12)

ACTIVE



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

		(Contd. of page
	calcium carbonate	ACTIV
	strontium nitrate	ACTIV
	barium nitrate	ACTIV
	lead dinitrate	ACTIV
	selenium dioxide	ACTIV
	thallium nitrate	ACTIV
	tellurium dioxide	ACTIV:
7440-55-3	F	ACTIV:
7440-69-9	bismuth	ACTIV
	Air Pollutants	
	hydrogen fluoride	
	cobalt (II) nitrate hexahydrate	
	manganese dinitrate	
	Nitric acid, cadmium salt, tetrahydrate	
10099-74-8	lead dinitrate	
7446-08-4	selenium dioxide	
Proposition		
Chemicals	known to cause cancer:	
	acetic acid beryllium salt	
	Nitric acid, nickel(2+) salt, hexahydrate	
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	
10099-74-8	lead dinitrate	
Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals	known to cause reproductive toxicity for males:	
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	
Chemicals	known to cause developmental toxicity:	
554-13-2	lithium carbonate	
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	
Carcinoger	nic categories	
_	ronmental Protection Agency)	
10043-35-3	0 • 7	I (oral)
	manganese dinitrate	D
	barium nitrate	D, CBD(inh), NL(ora
	lead dinitrate	B2
	selenium dioxide	D
	thallium nitrate	II
	shold Limit Value)	l
10043-35-3	,	A
	barium nitrate	A
	lead dinitrate	A
10077-/4-0	read diffitate	A



Printing date: 05/16/2025 Revision date: 05/16/2025

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 12)

· NIOSH-Ca (National Institute for Occupational Safety and Health)		
543-81-7	acetic acid beryllium salt	
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 05/16/2025 / 7
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Corrosive to Metals 1: Corrosive to metals - Category 1

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Carcinogenicity 1A: Carcinogenicity - Category 1A

* Data compared to the previous version altered.

US