

Safety Data Sheet

acc. to OSHA HCS

Revision date 08/23/2024

1 Identification

- **Product identifier**
- **Product Name:** ICP Calibration Standard (125 mL)
- **Part number:** ICM-105
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS05



GHS08

- **Signal word** Danger

- **Hazard-determining components of labeling:**

nitric acid

acetic acid beryllium salt

- **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 1)

Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P264 Wash thoroughly after handling.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P302+P352 If on skin: Wash with plenty of water.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Classification system:

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)



Other hazards

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

· **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

7697-37-2	nitric acid	4.95%
543-81-7	acetic acid beryllium salt	0.141%

4 First-aid measures

Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 2)

- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:

7697-37-2	nitric acid	0.16 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1.5 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	0.27 mg/m ³
7789-09-5	ammonium dichromate	0.37 mg/m ³
7783-34-8	mercuric nitrate monohydrate	0.13 mg/m ³
10099-74-8	lead dinitrate	0.24 mg/m ³
7446-08-4	selenium dioxide	0.84 mg/m ³
1327-53-3	diarsenic trioxide	0.27 mg/m ³
10102-45-1	thallium nitrate	0.078 mg/m ³

· PAC-2:

7697-37-2	nitric acid	24 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	53 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	2.1 mg/m ³
7789-09-5	ammonium dichromate	1.5 mg/m ³
7783-34-8	mercuric nitrate monohydrate	0.17 mg/m ³
10099-74-8	lead dinitrate	180 mg/m ³

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 3)

7446-08-4	selenium dioxide	1.6 mg/m ³
1327-53-3	diarsenic trioxide	3.0 mg/m ³
10102-45-1	thallium nitrate	4.3 mg/m ³
· PAC-3:		
7697-37-2	nitric acid	92 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	320 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	13 mg/m ³
7789-09-5	ammonium dichromate	8.8 mg/m ³
7783-34-8	mercuric nitrate monohydrate	48 mg/m ³
10099-74-8	lead dinitrate	1,100 mg/m ³
7446-08-4	selenium dioxide	9.5 mg/m ³
1327-53-3	diarsenic trioxide	9.1 mg/m ³
10102-45-1	thallium nitrate	26 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.
At this time, the remaining constituent has no known exposure limits.

7697-37-2 nitric acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: (4) NIC-0.025 ppm Long-term value: (2) ppm NIC-A4

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Avoid contact with the skin.
 - Avoid contact with the eyes and skin.
- **Breathing equipment:**
 - When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.
 - Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.
- **Protection of hands:**
 - Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.
- **Material of gloves**
 - For normal use: nitrile rubber, 11-13 mil thickness
 - For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material**
 - For normal use: nitrile rubber: 1 hour
 - For direct contact with the chemical: butyl rubber: >4 hours
- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Color:	Colorless
Odor:	Odorless
Odor threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 5)

· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	94.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.3 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7697-37-2 nitric acid

Inhalative LC50/4 h 67 mg/L (rat)

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 6)

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

543-81-7	acetic acid beryllium salt	1
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1
7789-09-5	ammonium dichromate	1
7783-34-8	mercuric nitrate monohydrate	3
10099-74-8	lead dinitrate	2A
7446-08-4	selenium dioxide	3
1327-53-3	diarsenic trioxide	1

- **NTP (National Toxicology Program)**

543-81-7	acetic acid beryllium salt	K
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	K
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	K
7789-09-5	ammonium dichromate	K
10099-74-8	lead dinitrate	R
1327-53-3	diarsenic trioxide	K

- **OSHA-Ca (Occupational Safety & Health Administration)**

10022-68-1	Nitric acid, cadmium salt, tetrahydrate
1327-53-3	diarsenic trioxide

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)



· **Other adverse effects** No further relevant information available.

(Contd. of page 7)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN3264
- **UN proper shipping name**
- **DOT** Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
- **IMDG, IATA** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 8 Corrosive substances
- **Label** 8
- **IMDG, IATA**
- 
- **Class** 8 Corrosive substances
- **Label** 8
- **Packing group**
- **DOT, IMDG, IATA** III
- **Environmental hazards:** Not applicable.
- **Special precautions for user** Warning: Corrosive substances
- **Hazard identification number (Kemler code):** 80
- **EMS Number:** F-A,S-B
- **Segregation groups** (SGG1) Acids
- **Stowage Category** A
- **Stowage Code** SW2 Clear of living quarters.

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 8)

- | | |
|---|--|
| · Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 5 L
On cargo aircraft only: 60 L |
| · IMDG | |
| · Limited quantities (LQ) | 5L |
| · Excepted quantities (EQ) | Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- **Sara**

· Section 355 (extremely hazardous substances):

7697-37-2	nitric acid
1327-53-3	diarsenic trioxide

· Section 313 (Specific toxic chemical listings):

7697-37-2	nitric acid
543-81-7	acetic acid beryllium salt
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
7789-09-5	ammonium dichromate
7783-34-8	mercuric nitrate monohydrate
10099-74-8	lead dinitrate
7446-08-4	selenium dioxide
1327-53-3	diarsenic trioxide
10102-45-1	thallium nitrate

· TSCA (Toxic Substances Control Act):

7732-18-5	water	ACTIVE
7697-37-2	nitric acid	ACTIVE
7789-09-5	ammonium dichromate	ACTIVE
10099-74-8	lead dinitrate	ACTIVE
7446-08-4	selenium dioxide	ACTIVE
1327-53-3	diarsenic trioxide	ACTIVE
10102-45-1	thallium nitrate	ACTIVE

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 9)

· Hazardous Air Pollutants

10022-68-1	Nitric acid, cadmium salt, tetrahydrate
7789-09-5	ammonium dichromate
7783-34-8	mercuric nitrate monohydrate
10099-74-8	lead dinitrate
7446-08-4	selenium dioxide
1327-53-3	diarsenic trioxide

· Proposition 65
· Chemicals known to cause cancer:

543-81-7	acetic acid beryllium salt
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
7789-09-5	ammonium dichromate
10099-74-8	lead dinitrate
1327-53-3	diarsenic trioxide

· Chemicals known to cause reproductive toxicity for females:

7789-09-5	ammonium dichromate
-----------	---------------------

· Chemicals known to cause reproductive toxicity for males:

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
7789-09-5	ammonium dichromate

· Chemicals known to cause developmental toxicity:

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
7789-09-5	ammonium dichromate
7783-34-8	mercuric nitrate monohydrate
1327-53-3	diarsenic trioxide

· Carcinogenic categories
· EPA (Environmental Protection Agency)

7789-09-5	ammonium dichromate	A(inh), D(oral), K/L(inh), CBD(oral)
7783-34-8	mercuric nitrate monohydrate	D
10099-74-8	lead dinitrate	B2
7446-08-4	selenium dioxide	D
1327-53-3	diarsenic trioxide	A
10102-45-1	thallium nitrate	II

· TLV (Threshold Limit Value)

7789-09-5	ammonium dichromate	A1
7783-34-8	mercuric nitrate monohydrate	A4
10099-74-8	lead dinitrate	A3
1327-53-3	diarsenic trioxide	A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

543-81-7	acetic acid beryllium salt
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

Product Name: ICP Calibration Standard (125 mL)

(Contd. of page 10)

10022-68-1	Nitric acid, cadmium salt, tetrahydrate
7789-09-5	ammonium dichromate
1327-53-3	diarsenic trioxide

- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials:**
Carcinogenic hazardous material group III (dangerous).
- **Information about limitation of use:**
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory
- **Contact:** pdl-acg-regulatory-cq@agilent.com
- **Date of preparation / last revision** 08/23/2024 / 6
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Carcinogenicity 1A: Carcinogenicity – Category 1A
- *** Data compared to the previous version altered.**