

Revision date: 11/04/2025

1 Identification

· Product identifier

· Product Name: CLP ICP Calibration Standard (125 mL)

• **Part no.** : ICM-413

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals. Eye Damage 1 H318 Causes serious eye damage.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid lead dinitrate diarsenic trioxide

(Contd. on page 2)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 1)

· Hazard statements

H290 May be corrosive to metals.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P234 Keep only in original container. Wash thoroughly after handling. P264 P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P310 Immediately call a poison center/doctor. Specific treatment (see on this label). P321

If skin irritation occurs: Get medical advice/attention. P332+P313

P302+P352 If on skin: Wash with plenty of water. P390 Absorb spillage to prevent material damage.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse. P362+P364

P405 Store locked up.

P406 Store in corrosive resistant container with a resistant inner liner.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2	nitric acid	3.5%
10099-74-8	lead dinitrate	0.1598%
7446-08-4	selenium dioxide	0.1405%
	(Con:	d on nage 3)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

		(Contd. of page 2)
1327-53-3	diarsenic trioxide	0.132%
10102-45-1	thallium nitrate	0.1303%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7697-37-2	nitric acid	0.16 ppm
10099-74-8	lead dinitrate	0.24 mg/m ³
7446-08-4	selenium dioxide	0.84 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1.2 mg/m3
1327-53-3	diarsenic trioxide	0.27 mg/m ³
10102-45-1	thallium nitrate	0.078 mg/m ³
		(Contd. on page 4



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

	(Contd. of page 3
PAC-2:	
7697-37-2 nitric acid	24 ppm
10099-74-8 lead dinitrate	180 mg/m ³
7446-08-4 selenium dioxide	2.2 mg/m ³
10022-68-1 Nitric acid, cadmium salt, tetrahydrate	13 mg/m3
1327-53-3 diarsenic trioxide	3.0 mg/m ³
10102-45-1 thallium nitrate	4.3 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
10099-74-8 lead dinitrate	1,100 mg/m ²
7446-08-4 selenium dioxide	13 mg/m3
10022-68-1 Nitric acid, cadmium salt, tetrahydrate	78 mg/m3
1327-53-3 diarsenic trioxide	9.1 mg/m3
10102-45-1 thallium nitrate	26 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7697	7697-37-2 nitric acid		
PEL	Long-term value: 5 mg/m³, 2 ppm		
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		

(Contd. on page 5)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

	(Contd. of page 4
10099	0-74-8 lead dinitrate
	Long-term value: 0.05 mg/m³ as Pb; See 29 CFR 1910.1025
	Long-term value: 0.05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C
	Long-term value: 0.05 mg/m³ as Pb; A3, BEI
1327-	53-3 diarsenic trioxide
	Long-term value: 0.01 mg/m³ as As; 29CFR1910.1018
	Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A
TLV	Long-term value: 0.01 mg/m ³
10102	2-45-1 thallium nitrate
	Long-term value: 0.1 mg/m³ as Tl; Skin
	Long-term value: 0.1 mg/m³ as Tl; Skin
	Long-term value: 0.02* mg/m³ as Tl; *inhalable fraction; Skin
·Ingre	dients with biological limit values:
10099	2-74-8 lead dinitrate
BEI 2	$200 \mu \text{g} / 100 \text{ml}$
N	Medium: blood
7	Fime: not critical
F	Parameter: Lead

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- $\cdot \ Personal \ protective \ equipment:$
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)

(Contd. of page 5)



Safety Data Sheet acc. to OSHA HCS

Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

• **Penetration time of glove material** For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

0 DL						٠
9 Physical	and	LC.	nemica	pro	pert	ies

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid
Color: Colorless
Odor: Odorless
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: $0 \, ^{\circ}\text{C} \, (32 \, ^{\circ}\text{F})$ Boiling point/Boiling range: $100 \, ^{\circ}\text{C} \, (212 \, ^{\circ}\text{F})$

· Flash point: Not applicable.

• Flammability: Not applicable.

Decomposition temperature: Not determined.
 Ignition temperature: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

• **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

• Density at 20 °C (68 °F): 1 g/cm³ (8.345 lbs/gal)
• Relative density

Not determined.

Vapor density
 Evaporation rate
 Not determined.
 Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 0.952 mPas

(Contd. on page 7)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 6)

	(commer page
Kinematic:	Not determined.
· Solvent content: Water: VOC content:	95.8 % 0.00 % 0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
ATE (Acu	ATE (Acute Toxicity Estimate)		
Oral	LD50	7,929 mg/kg	
Inhalative	LC50/4 h	34.6 mg/L	
7697-37-2	7697-37-2 nitric acid		
Inhalative	Inhalative LC50/4 h 67 mg/L (rat)		
7446-08-4	7446-08-4 selenium dioxide		
Oral	LD50	68.1 mg/kg (rat)	
1327-53-3	diarsenic	trioxide	
Oral	Oral LD50 20 mg/kg (rat)		
10102-45-	10102-45-1 thallium nitrate		
Oral	LD50	33 mg/kg (mouse)	
· Primary i	Primary irritant effect:		

- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

(Contd. on page 8)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 7)

· Carcinogen	· Carcinogenic categories			
· IARC (Inte	· IARC (International Agency for Research on Cancer)			
10099-74-8	lead dinitrate	2A		
7446-08-4	selenium dioxide	3		
10022-68-1 Nitric acid, cadmium salt, tetrahydrate				
1327-53-3	1327-53-3 diarsenic trioxide			
· NTP (Natio	nal Toxicology Program)			
10099-74-8	lead dinitrate	R		
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	K		
1327-53-3	diarsenic trioxide	K		
· OSHA-Ca (Occupational Safety & Health Administration)			
10022-68-1	Nitric acid, cadmium salt, tetrahydrate			
1327-53-3	diarsenic trioxide			

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Behavior** in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

US



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 8)

Transport information	
*	
· UN-Number · DOT, IMDG, IATA	UN3264
	UN3204
· UN proper shipping name	
· DOT · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
INIDG, IATA	(NITRIC ACID)
· Transport hazard class(es)	(MIMO NOID)
• • • • • • • • • • • • • • • • • • • •	
· DOT	
F-34	
CORROSIVE	
8	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
<u> </u>	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code)	
· EMS Number: · Segregation groups	F-A,S-B (SGG1) Acids
· Stowage Category	A A
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
Zummey mineurons	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
- · · · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 9)

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC,

N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

7697-37-2 nitric acid

1327-53-3 diarsenic trioxide

Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

10099-74-8 lead dinitrate

7446-08-4 selenium dioxide

10022-68-1 Nitric acid, cadmium salt, tetrahydrate

1327-53-3 diarsenic trioxide

10102-45-1 thallium nitrate

· TSCA (Toxic Substances Control Act):

`	,	
7732-18-5		ACTIVE
7697-37-2		ACTIVE
10099-74-8	lead dinitrate	ACTIVE
7446-08-4	selenium dioxide	ACTIVE
		ACTIVE
10102-45-1	thallium nitrate	ACTIVE

· Hazardous Air Pollutants

10099-74-8 lead dinitrate

7446-08-4 selenium dioxide

10022-68-1 Nitric acid, cadmium salt, tetrahydrate

1327-53-3 diarsenic trioxide

· Proposition 65

· Chemicals known to cause cancer:

10099-74-8	lead dinitrate
------------	----------------

10022-68-1 Nitric acid, cadmium salt, tetrahydrate

1327-53-3 diarsenic trioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

1327-53-3 diarsenic trioxide

(Contd. on page 11)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 10)

· Carcinogenic categories

· EPA (Environmental Protection Agency)				
10099-74-8	lead dinitrate	B2		
7446-08-4	selenium dioxide	D		
1327-53-3	diarsenic trioxide	A		
10102-45-1	thallium nitrate	II		
· TLV (Threshold Limit Value)				
10099-74-8	lead dinitrate	A3		
1327-53-3	diarsenic trioxide	A1		
· NIOSH-Ca (National Institute for Occupational Safety and Health)				
10022-68-1	Nitric acid, cadmium salt, tetrahydrate			
1327-53-3	diarsenic trioxide			

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 11/04/2025 / 4
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Corrosive to Metals 1: Corrosive to metals - Category 1

Skin Irritation 2: Skin corrosion/irritation – Category 2

(Contd. on page 12)



Revision date: 11/04/2025

Product Name: CLP ICP Calibration Standard (125 mL)

(Contd. of page 11)

Eye Damage 1: Serious eye damage/eye irritation – Category 1 Carcinogenicity 1A: Carcinogenicity – Category 1A Toxic to Reproduction 1A: Reproductive toxicity – Category 1A

* Data compared to the previous version altered.

us.