

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**1 Identification**

- **Product identifier**
- **Trade name:** CLP ICP Calibration Verification Standard (125 mL)
- **Part number:** ICM-431
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:**  
Telephone: 800-227-9770  
e-mail: [pdl-msds\\_author@agilent.com](mailto:pdl-msds_author@agilent.com)
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 1A    H350 May cause cancer.



GHS07

Skin Irrit. 2    H315 Causes skin irritation.

Eye Irrit. 2A    H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07    GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
Nitric acid, nickel(2+) salt, hexahydrate
- **Hazard statements**  
Causes skin irritation.  
Causes serious eye irritation.  
May cause cancer.
- **Precautionary statements**  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 1)

If on skin: Wash with plenty of water.  
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If exposed or concerned: Get medical advice/attention.  
Specific treatment (see on this label).  
Take off contaminated clothing and wash it before reuse.  
If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

## 3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

|            |                                           |        |
|------------|-------------------------------------------|--------|
| 7697-37-2  | nitric acid                               | 1.98%  |
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | 0.124% |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           | 0.124% |

## 4 First-aid measures

· **Description of first aid measures**

· **General information:** Immediately remove any clothing soiled by the product.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

(Contd. on page 3)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 2)

- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

#### · PAC-1:

|            |                                           |                         |
|------------|-------------------------------------------|-------------------------|
| 13446-18-9 | magnesium nitrate hexahydrate             | 16 mg/m <sup>3</sup>    |
| 7697-37-2  | nitric acid                               | 0.16 ppm                |
| 7784-27-2  | aluminium nitrate                         | 83 mg/m <sup>3</sup>    |
| 7631-99-4  | sodium nitrate                            | 4.1 mg/m <sup>3</sup>   |
| 7757-79-1  | potassium nitrate                         | 9 mg/m <sup>3</sup>     |
| 471-34-1   | calcium carbonate                         | 45 mg/m <sup>3</sup>    |
| 7782-61-8  | iron (III) nitrate nonahydrate            | 22 mg/m <sup>3</sup>    |
| 10022-31-8 | barium nitrate                            | 2.9 mg/m <sup>3</sup>   |
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | 1.5 mg/m <sup>3</sup>   |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           | 0.3 mg/m <sup>3</sup>   |
| 10196-18-6 | zinc(II) nitrate hexahydrate              | 27 mg/m <sup>3</sup>    |
| 7664-39-3  | hydrogen fluoride                         | 1.0 ppm                 |
| 10377-66-9 | manganese dinitrate                       | 9.8 mg/m <sup>3</sup>   |
| 7803-55-6  | ammonium trioxovanadate                   | 0.01 mg/m <sup>3</sup>  |
| 3251-23-8  | copper dinitrate                          | 8.9 mg/m <sup>3</sup>   |
| 7761-88-8  | silver nitrate                            | 0.047 mg/m <sup>3</sup> |

#### · PAC-2:

|            |                               |                       |
|------------|-------------------------------|-----------------------|
| 13446-18-9 | magnesium nitrate hexahydrate | 180 mg/m <sup>3</sup> |
| 7697-37-2  | nitric acid                   | 24 ppm                |

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 3)

|            |                                           |                        |
|------------|-------------------------------------------|------------------------|
| 7784-27-2  | aluminium nitrate                         | 920 mg/m <sup>3</sup>  |
| 7631-99-4  | sodium nitrate                            | 45 mg/m <sup>3</sup>   |
| 7757-79-1  | potassium nitrate                         | 100 mg/m <sup>3</sup>  |
| 471-34-1   | calcium carbonate                         | 210 mg/m <sup>3</sup>  |
| 7782-61-8  | iron (III) nitrate nonahydrate            | 110 mg/m <sup>3</sup>  |
| 10022-31-8 | barium nitrate                            | 350 mg/m <sup>3</sup>  |
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | 53 mg/m <sup>3</sup>   |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           | 23 mg/m <sup>3</sup>   |
| 10196-18-6 | zinc(II) nitrate hexahydrate              | 300 mg/m <sup>3</sup>  |
| 7664-39-3  | hydrogen fluoride                         | 24 ppm                 |
| 10377-66-9 | manganese dinitrate                       | 16 mg/m <sup>3</sup>   |
| 7803-55-6  | ammonium trioxovanadate                   | 0.11 mg/m <sup>3</sup> |
| 3251-23-8  | copper dinitrate                          | 31 mg/m <sup>3</sup>   |
| 7761-88-8  | silver nitrate                            | 0.9 mg/m <sup>3</sup>  |

**PAC-3:**

|            |                                           |                         |
|------------|-------------------------------------------|-------------------------|
| 13446-18-9 | magnesium nitrate hexahydrate             | 1,100 mg/m <sup>3</sup> |
| 7697-37-2  | nitric acid                               | 92 ppm                  |
| 7784-27-2  | aluminium nitrate                         | 5,500 mg/m <sup>3</sup> |
| 7631-99-4  | sodium nitrate                            | 270 mg/m <sup>3</sup>   |
| 7757-79-1  | potassium nitrate                         | 600 mg/m <sup>3</sup>   |
| 471-34-1   | calcium carbonate                         | 1,300 mg/m <sup>3</sup> |
| 7782-61-8  | iron (III) nitrate nonahydrate            | 640 mg/m <sup>3</sup>   |
| 10022-31-8 | barium nitrate                            | 2,100 mg/m <sup>3</sup> |
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | 320 mg/m <sup>3</sup>   |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           | 140 mg/m <sup>3</sup>   |
| 10196-18-6 | zinc(II) nitrate hexahydrate              | 1,800 mg/m <sup>3</sup> |
| 7664-39-3  | hydrogen fluoride                         | 44 ppm                  |
| 10377-66-9 | manganese dinitrate                       | 96 mg/m <sup>3</sup>    |
| 7803-55-6  | ammonium trioxovanadate                   | 80 mg/m <sup>3</sup>    |
| 3251-23-8  | copper dinitrate                          | 190 mg/m <sup>3</sup>   |
| 7761-88-8  | silver nitrate                            | 5.4 mg/m <sup>3</sup>   |

## 7 Handling and storage

**Handling:**
**Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

**Information about protection against explosions and fires:** Keep respiratory protective device available.

**Conditions for safe storage, including any incompatibilities**
**Storage:**
**Requirements to be met by storerooms and receptacles:** No special requirements.

**Information about storage in one common storage facility:** Not required.

(Contd. on page 5)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 4)

- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

### 7697-37-2 nitric acid

|     |                                                                                                  |
|-----|--------------------------------------------------------------------------------------------------|
| PEL | Long-term value: 5 mg/m <sup>3</sup> , 2 ppm                                                     |
| REL | Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5 mg/m <sup>3</sup> , 2 ppm   |
| TLV | Short-term value: 10 mg/m <sup>3</sup> , 4 ppm<br>Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm |

- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the eyes and skin.

- **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

- **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness  
For direct contact with the chemical: butyl rubber, 12-15 mil thickness

- **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour  
For direct contact with the chemical: butyl rubber: >4 hours

- **Eye protection:**



Tightly sealed goggles

US

(Contd. on page 6)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 5)

**9 Physical and chemical properties**· **Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· **Form:** Fluid  
· **Color:** According to product specification

· **Odor:** Characteristic· **Odor threshold:** Not determined.· **pH-value:** Not determined.· **Change in condition**· **Melting point/Melting range:** Undetermined.· **Boiling point/Boiling range:** 100 °C (212 °F)· **Flash point:** Not applicable.· **Flammability (solid, gaseous):** Not applicable.· **Decomposition temperature:** Not determined.· **Auto igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Explosion limits:**· **Lower:** Not determined.· **Upper:** Not determined.· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)· **Density:** Not determined.· **Relative density** Not determined.· **Vapor density** Not determined.· **Evaporation rate** Not determined.· **Solubility in / Miscibility with**· **Water:** Not miscible or difficult to mix.· **Partition coefficient (n-octanol/water):** Not determined.· **Viscosity:**· **Dynamic:** Not determined.· **Kinematic:** Not determined.· **Solvent content:**· **Water:** 90.5 %· **VOC content:** 0.00 %

0.0 g/l / 0.00 lb/gal

· **Solids content:** 7.5 %· **Other information** No further relevant information available.**10 Stability and reactivity**· **Reactivity** No further relevant information available.

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 6)

- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

##### ATE (Acute Toxicity Estimate)

|            |          |                     |
|------------|----------|---------------------|
| Oral       | LD50     | 218,708 mg/kg (rat) |
| Dermal     | LD50     | 5,000 mg/kg         |
| Inhalative | LC50/4 h | 436 mg/L            |

##### 7697-37-2 nitric acid

|            |          |               |
|------------|----------|---------------|
| Inhalative | LC50/4 h | 67 mg/L (rat) |
|------------|----------|---------------|

##### 13478-00-7 Nitric acid, nickel(2+) salt, hexahydrate

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | 1,620 mg/kg (rat) |
|------|------|-------------------|

##### 10026-22-9 cobalt (II) nitrate hexahydrate

|      |      |                 |
|------|------|-----------------|
| Oral | LD50 | 691 mg/kg (rat) |
|------|------|-----------------|

##### 7664-39-3 hydrogen fluoride

|      |      |                   |
|------|------|-------------------|
| Oral | LD50 | 1,276 mg/kg (rat) |
|------|------|-------------------|

##### 7803-55-6 ammonium trioxovanadate

|            |          |                   |
|------------|----------|-------------------|
| Oral       | LD50     | 58 mg/kg (rat)    |
| Dermal     | LD50     | 2,102 mg/kg (rat) |
| Inhalative | LC50/4 h | 7.8 mg/L (rat)    |

#### Primary irritant effect:

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

#### Carcinogenic categories

##### IARC (International Agency for Research on Cancer)

|            |                                           |    |
|------------|-------------------------------------------|----|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | 1  |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           | 2B |
| 543-81-7   | acetic acid beryllium salt                | 1  |

##### NTP (National Toxicology Program)

|            |                                           |   |
|------------|-------------------------------------------|---|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate | K |
| 543-81-7   | acetic acid beryllium salt                | K |

(Contd. on page 8)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 7)

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- |                                                                                     |                                                           |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------|
| · <b>UN-Number</b>                                                                  |                                                           |
| · <b>DOT, IMDG, IATA</b>                                                            | UN3264                                                    |
| · <b>UN proper shipping name</b>                                                    |                                                           |
| · <b>DOT</b>                                                                        | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) |
| · <b>IMDG, IATA</b>                                                                 | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) |
| · <b>Transport hazard class(es)</b>                                                 |                                                           |
| · <b>DOT, IMDG, IATA</b>                                                            |                                                           |
|  |                                                           |
| · <b>Class</b>                                                                      | 8 Corrosive substances                                    |
| · <b>Label</b>                                                                      | 8                                                         |

(Contd. on page 9)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 8)

|                                                                                   |                                                                                                                  |
|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| · <b>Packing group</b>                                                            | III                                                                                                              |
| · <b>DOT, IMDG, IATA</b>                                                          |                                                                                                                  |
| · <b>Environmental hazards:</b>                                                   | Not applicable.                                                                                                  |
| · <b>Special precautions for user</b>                                             | Warning: Corrosive substances                                                                                    |
| · <b>Danger code (Kemler):</b>                                                    | 80                                                                                                               |
| · <b>EMS Number:</b>                                                              | F-A,S-B                                                                                                          |
| · <b>Segregation groups</b>                                                       | Acids                                                                                                            |
| · <b>Stowage Category</b>                                                         | A                                                                                                                |
| · <b>Stowage Code</b>                                                             | SW2 Clear of living quarters.                                                                                    |
| · <b>Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code</b> | Not applicable.                                                                                                  |
| · <b>Transport/Additional information:</b>                                        |                                                                                                                  |
| · <b>DOT</b>                                                                      |                                                                                                                  |
| · <b>Quantity limitations</b>                                                     | On passenger aircraft/rail: 5 L<br>On cargo aircraft only: 60 L                                                  |
| · <b>IMDG</b>                                                                     |                                                                                                                  |
| · <b>Limited quantities (LQ)</b>                                                  | 5L                                                                                                               |
| · <b>Excepted quantities (EQ)</b>                                                 | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · <b>UN "Model Regulation":</b>                                                   | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III                                        |

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

### · Section 355 (extremely hazardous substances):

|           |                   |
|-----------|-------------------|
| 7697-37-2 | nitric acid       |
| 7664-39-3 | hydrogen fluoride |

### · Section 313 (Specific toxic chemical listings):

|            |                                           |
|------------|-------------------------------------------|
| 13446-18-9 | magnesium nitrate hexahydrate             |
| 7697-37-2  | nitric acid                               |
| 7784-27-2  | aluminium nitrate                         |
| 7757-79-1  | potassium nitrate                         |
| 7782-61-8  | iron (III) nitrate nonahydrate            |
| 10022-31-8 | barium nitrate                            |
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           |
| 10196-18-6 | zinc(II) nitrate hexahydrate              |
| 7789-02-8  | chromium (III) nitrate nonahydrate        |
| 7664-39-3  | hydrogen fluoride                         |

(Contd. on page 10)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 9)

|            |                            |
|------------|----------------------------|
| 10377-66-9 | manganese dinitrate        |
| 7803-55-6  | ammonium trioxovanadate    |
| 3251-23-8  | copper dinitrate           |
| 543-81-7   | acetic acid beryllium salt |
| 7761-88-8  | silver nitrate             |

**· TSCA (Toxic Substances Control Act):**

|            |                         |
|------------|-------------------------|
| 7697-37-2  | nitric acid             |
| 7631-99-4  | sodium nitrate          |
| 7757-79-1  | potassium nitrate       |
| 471-34-1   | calcium carbonate       |
| 10022-31-8 | barium nitrate          |
| 7664-39-3  | hydrogen fluoride       |
| 10377-66-9 | manganese dinitrate     |
| 7803-55-6  | ammonium trioxovanadate |
| 3251-23-8  | copper dinitrate        |
| 7761-88-8  | silver nitrate          |
| 7732-18-5  | water                   |

**· TSCA new (21st Century Act): (Substances not listed)**

|            |                                           |
|------------|-------------------------------------------|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate |
| 10026-22-9 | cobalt (II) nitrate hexahydrate           |

**· Proposition 65**
**· Chemicals known to cause cancer:**

|            |                                           |
|------------|-------------------------------------------|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate |
| 543-81-7   | acetic acid beryllium salt                |

**· Chemicals known to cause reproductive toxicity for females:**

|                                    |  |
|------------------------------------|--|
| None of the ingredients is listed. |  |
|------------------------------------|--|

**· Chemicals known to cause reproductive toxicity for males:**

|            |                                           |
|------------|-------------------------------------------|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate |
|------------|-------------------------------------------|

**· Chemicals known to cause developmental toxicity:**

|            |                                           |
|------------|-------------------------------------------|
| 13478-00-7 | Nitric acid, nickel(2+) salt, hexahydrate |
|------------|-------------------------------------------|

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

|            |                     |                       |
|------------|---------------------|-----------------------|
| 10022-31-8 | barium nitrate      | D, CBD(inh), NL(oral) |
| 10377-66-9 | manganese dinitrate | D                     |

**· TLV (Threshold Limit Value established by ACGIH)**

|            |                |    |
|------------|----------------|----|
| 10022-31-8 | barium nitrate | A4 |
|------------|----------------|----|

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

|                                    |  |
|------------------------------------|--|
| None of the ingredients is listed. |  |
|------------------------------------|--|

**· National regulations:**

**· Additional classification according to Decree on Hazardous Materials:**  
Carcinogenic hazardous material group III (dangerous).

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/29/2019

Version Number 4

Reviewed on 03/27/2019

**Trade name: CLP ICP Calibration Verification Standard (125 mL)**

(Contd. of page 10)

**· Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.  
Exceptions can be made by the authorities in certain cases.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.  
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Department issuing SDS:** Document Control / Regulatory**· Contact:** regulatory@ultrasci.com**· Date of preparation / last revision** 03/29/2019 / 3**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity – Category 1A

**· \* Data compared to the previous version altered.**