

Safety Data Sheet

acc. to OSHA HCS

Revision date: 09/26/2025

1 Identification

- **Product identifier**
- **Product Name:** CLP ICP Interference Check Standard (125 mL)
- **Part no. :** ICM-443
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Warning
- **Hazard statements**
H290 May be corrosive to metals.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves / eye protection / face protection.
P234 Keep only in original container.
P264 Wash thoroughly after handling.
P321 Specific treatment (see on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P302+P352 If on skin: Wash with plenty of water.

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 1)

- P390 Absorb spillage to prevent material damage.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P362+P364 Take off contaminated clothing and wash it before reuse.
P406 Store in corrosive resistant container with a resistant inner liner.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = *2
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

7697-37-2	nitric acid	1.98%
7664-39-3	hydrogen fluoride	0.1%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 2)

- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

7697-37-2	nitric acid	0.16 ppm
87-69-4	(+)-tartaric acid	1.6 mg/m ³
7664-39-3	hydrogen fluoride	1.0 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1.5 mg/m ³
10196-18-6	zinc(II) nitrate hexahydrate	27 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1.2 mg/m ³
10377-66-9	manganese dinitrate	9.8 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	0.3 mg/m ³
3251-23-8	copper dinitrate	8.9 mg/m ³
7803-55-6	ammonium trioxovanadate	0.058 mg/m ³
10022-31-8	barium nitrate	2.9 mg/m ³
7440-36-0	antimony	1.5 mg/m ³
7761-88-8	silver nitrate	0.047 mg/m ³
1327-53-3	diarsenic trioxide	0.27 mg/m ³
10102-45-1	thallium nitrate	0.078 mg/m ³
10099-74-8	lead dinitrate	0.24 mg/m ³
7446-08-4	selenium dioxide	0.84 mg/m ³

· PAC-2:

7697-37-2	nitric acid	24 ppm
87-69-4	(+)-tartaric acid	17 mg/m ³
7664-39-3	hydrogen fluoride	24 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	53 mg/m ³
10196-18-6	zinc(II) nitrate hexahydrate	300 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	13 mg/m ³
10377-66-9	manganese dinitrate	16 mg/m ³

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 3)

10026-22-9	cobalt (II) nitrate hexahydrate	23 mg/m ³
3251-23-8	copper dinitrate	31 mg/m ³
7803-55-6	ammonium trioxovanadate	0.64 mg/m ³
10022-31-8	barium nitrate	350 mg/m ³
7440-36-0	antimony	13 mg/m ³
7761-88-8	silver nitrate	39 mg/m ³
1327-53-3	diarsenic trioxide	3.0 mg/m ³
10102-45-1	thallium nitrate	4.3 mg/m ³
10099-74-8	lead dinitrate	180 mg/m ³
7446-08-4	selenium dioxide	2.2 mg/m ³

· PAC-3:

7697-37-2	nitric acid	92 ppm
87-69-4	(+)-tartaric acid	100 mg/m ³
7664-39-3	hydrogen fluoride	44 ppm
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	320 mg/m ³
10196-18-6	zinc(II) nitrate hexahydrate	1,800 mg/m ³
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	78 mg/m ³
10377-66-9	manganese dinitrate	98 mg/m ³
10026-22-9	cobalt (II) nitrate hexahydrate	140 mg/m ³
3251-23-8	copper dinitrate	190 mg/m ³
7803-55-6	ammonium trioxovanadate	12 mg/m ³
10022-31-8	barium nitrate	2,100 mg/m ³
7440-36-0	antimony	80 mg/m ³
7761-88-8	silver nitrate	230 mg/m ³
1327-53-3	diarsenic trioxide	9.1 mg/m ³
10102-45-1	thallium nitrate	26 mg/m ³
10099-74-8	lead dinitrate	1,100 mg/m ³
7446-08-4	selenium dioxide	13 mg/m ³

7 Handling and storage

· Handling:
· Precautions for safe handling No special precautions are necessary if used correctly.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities
· Storage:
· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

US

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 4)

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

7697-37-2 nitric acid

PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

7664-39-3 hydrogen fluoride

PEL	Long-term value: 1* mg/m ³ , 3 ppm as F, *sulfuric acid
REL	Long-term value: 2.5 mg/m ³ , 3 ppm Ceiling limit value: 5* mg/m ³ , 6* ppm *15-min, as F
TLV	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI

· **Ingredients with biological limit values:**

7664-39-3 hydrogen fluoride

BEI	2 mg/L Medium: urine Time: prior to shift Parameter: Fluorides (background, non-specific)
	3 mg/L Medium: urine Time: end of shift Parameter: Fluorides (background, non-specific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 5)

direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

Eye protection:


Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties
General Information
Appearance:

Form: Fluid

Color: Colorless

Odor: Odorless

Odor threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: 0 °C (32 °F)

Boiling point/Boiling range: 100 °C (212 °F)

Flash point: Not applicable.

Flammability: Not applicable.

Decomposition temperature: Not determined.

Ignition temperature: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Density at 20 °C (68 °F): 1 g/cm³ (8.345 lbs/gal)

Relative density Not determined.

Vapor density Not determined.

Evaporation rate Not determined.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 6)

· Viscosity:	
Dynamic at 20 °C (68 °F):	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
Water:	97.4 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.5 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	1,276,000 mg/kg (rat)
Dermal	LD50	5,000 mg/kg
Inhalative	LC50/4 h	500 mg/L

7697-37-2 nitric acid

Inhalative	LC50/4 h	67 mg/L (rat)
------------	----------	---------------

7664-39-3 hydrogen fluoride

Oral	LD50	1,276 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**
- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

543-81-7 acetic acid beryllium salt

1

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 7)

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1
10026-22-9	cobalt (II) nitrate hexahydrate	2B
1327-53-3	diarsenic trioxide	1
10099-74-8	lead dinitrate	2A
7446-08-4	selenium dioxide	3

· NTP (National Toxicology Program)

543-81-7	acetic acid beryllium salt	K
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	K
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	K
1327-53-3	diarsenic trioxide	K
10099-74-8	lead dinitrate	R

· OSHA-Ca (Occupational Safety & Health Administration)

10022-68-1	Nitric acid, cadmium salt, tetrahydrate	
1327-53-3	diarsenic trioxide	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

US

(Contd. on page 9)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 8)

14 Transport information

· UN-Number	UN3264
· DOT, IMDG, IATA	
· UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· DOT	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
· IMDG, IATA	(NITRIC ACID)
· Transport hazard class(es)	
· DOT	
	
· Class	8 Corrosive substances
· Label	8
· IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 9)

· **UN "Model Regulation":** UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	nitric acid
7664-39-3	hydrogen fluoride
1327-53-3	diarsenic trioxide

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	nitric acid
7664-39-3	hydrogen fluoride
543-81-7	acetic acid beryllium salt
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
10196-18-6	zinc(II) nitrate hexahydrate
7789-02-8	chromium (III) nitrate nonahydrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
10377-66-9	manganese dinitrate
10026-22-9	cobalt (II) nitrate hexahydrate
3251-23-8	copper dinitrate
7803-55-6	ammonium trioxovanadate
10022-31-8	barium nitrate
7440-36-0	antimony
7761-88-8	silver nitrate
1327-53-3	diarsenic trioxide
10102-45-1	thallium nitrate
10099-74-8	lead dinitrate
7446-08-4	selenium dioxide

· **TSCA (Toxic Substances Control Act):**

7732-18-5	water	ACTIVE
7697-37-2	nitric acid	ACTIVE
87-69-4	(+)-tartaric acid	ACTIVE
7664-39-3	hydrogen fluoride	ACTIVE
10377-66-9	manganese dinitrate	ACTIVE
3251-23-8	copper dinitrate	ACTIVE
7803-55-6	ammonium trioxovanadate	ACTIVE
10022-31-8	barium nitrate	ACTIVE
7440-36-0	antimony	ACTIVE

(Contd. on page 11)

Safety Data Sheet acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 10)

7761-88-8	silver nitrate	ACTIVE
1327-53-3	diarsenic trioxide	ACTIVE
10102-45-1	thallium nitrate	ACTIVE
10099-74-8	lead dinitrate	ACTIVE
7446-08-4	selenium dioxide	ACTIVE

· Hazardous Air Pollutants

7664-39-3	hydrogen fluoride
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
10377-66-9	manganese dinitrate
10026-22-9	cobalt (II) nitrate hexahydrate
1327-53-3	diarsenic trioxide
10099-74-8	lead dinitrate
7446-08-4	selenium dioxide

· Proposition 65
· Chemicals known to cause cancer:

543-81-7	acetic acid beryllium salt
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
1327-53-3	diarsenic trioxide
10099-74-8	lead dinitrate

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
------------	---

· Chemicals known to cause developmental toxicity:

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
1327-53-3	diarsenic trioxide

· Carcinogenic categories
· EPA (Environmental Protection Agency)

10377-66-9	manganese dinitrate	D
10022-31-8	barium nitrate	D, CBD(inh), NL(oral)
1327-53-3	diarsenic trioxide	A
10102-45-1	thallium nitrate	II
10099-74-8	lead dinitrate	B2
7446-08-4	selenium dioxide	D

· TLV (Threshold Limit Value)

10022-31-8	barium nitrate	A4
1327-53-3	diarsenic trioxide	A1
10099-74-8	lead dinitrate	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

543-81-7	acetic acid beryllium salt
----------	----------------------------

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Revision date: 09/26/2025

Product Name: CLP ICP Interference Check Standard (125 mL)

(Contd. of page 11)

13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
1327-53-3	diarsenic trioxide

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** pdl-acg-regulatory-cq@agilent.com

· **Date of preparation / last revision** 09/26/2025 / 7

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Corrosive to Metals 1: Corrosive to metals – Category 1

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

· *** Data compared to the previous version altered.**

US