

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

1 Identification

- **Product identifier**
- **Product Name: ICP-MS Calibration Standard**
- **Part no. : IMS-102**
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 Agilent Technologies, Inc.
 5301 Stevens Creek Blvd.
 Santa Clara, CA 95051 USA
- **Information department:**
 Telephone: 800-227-9770
 e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard identification

- **Classification of the substance or mixture**



GHS05 Corrosion

Corrosive to Metals - Category 1 H290 May be corrosive to metals.
 Serious Eye Damage - Category 1 H318 Causes serious eye damage.



GHS07

Skin Irritation - Category 2 H315 Causes skin irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**
 nitric acid
- **Hazard statements**
 H290 May be corrosive to metals.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
- **Precautionary statements**
 P280 Wear protective gloves / protective clothing.
 P234 Keep only in original packaging.
 P264 Wash thoroughly after handling.
 P310 Immediately call a poison center/doctor.

(Contd. on page 2)

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 1)

- P321 Specific treatment (see on this label).
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P302+P352 If on skin: Wash with plenty of water.
- P390 Absorb spillage to prevent material-damage.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P362+P364 Take off contaminated clothing and wash it before reuse.

Classification system:
NFPA ratings (scale 0 - 4)

HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/Information on ingredients

Chemical characterization: Mixtures
Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

7697-37-2	nitric acid	1-5% w/w *
-----------	-------------	------------

* Actual concentration ranges are withheld as a trade secret.

4 First-aid measures

Description of first aid measures

- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

* 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/ Personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**

 · **Components with limit values that require monitoring at the workplace:**
7697-37-2 nitric acid

EL	STEL: 4 ppm TWA: 2 ppm
EV	STEL: 10 mg/m ³ , 4 ppm TWA: 5 mg/m ³ , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Ignition temperature:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

Lower: Not determined.

(Contd. on page 5)

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 4)

Upper:	Not determined.
· Vapor pressure at 20 °C:	23 hPa
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C:	0.952 mPas
Kinematic:	Not determined.
· Solvent content:	
Water:	95.0 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7697-37-2 nitric acid

Inhalative	LC50/4 h	67 mg/L (rat)
------------	----------	---------------

· **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

(Contd. on page 6)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 5)

· Carcinogenic categories
· IARC (International Agency for Research on Cancer)

543-81-7	acetic acid beryllium salt	1
1327-53-3	diarsenic trioxide	1
7446-08-4	selenium dioxide	3
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	1
10026-22-9	cobalt (II) nitrate hexahydrate	2B
10099-74-8	lead dinitrate	2A
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	1

· NTP (National Toxicology Program)

543-81-7	acetic acid beryllium salt	K
1327-53-3	diarsenic trioxide	K
10022-68-1	Nitric acid, cadmium salt, tetrahydrate	K
10099-74-8	lead dinitrate	R
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate	K

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 2 (Self-assessment): hazardous for water
 Do not allow product to reach ground water, water course or sewage system.
 Must not reach bodies of water or drainage ditch undiluted or unneutralized.
 Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 7)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025



Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 6)

 · **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number	
· DOT/TDG, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
· DOT/TDG	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	
· DOT/TDG (Transport dangerous goods):	
	
· Class	8 Corrosive substances
· Label	8
· ADR, IMDG, IATA	
	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT/TDG, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Corrosive substances
· Hazard identification number (Kemler code):	80
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT/TDG	
· Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

(Contd. on page 8)

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 7)

· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
No further relevant information available.

· **Sara**

· **Section 355 (extremely hazardous substances):**

7697-37-2	nitric acid
7664-39-3	hydrogen fluoride
1327-53-3	diarsenic trioxide

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	nitric acid
7664-39-3	hydrogen fluoride
543-81-7	acetic acid beryllium salt
554-13-2	lithium carbonate
1327-53-3	diarsenic trioxide
7446-08-4	selenium dioxide
7757-79-1	potassium nitrate
7761-88-8	silver nitrate
7782-61-8	iron (III) nitrate nonahydrate
7784-27-2	aluminium nitrate
7789-02-8	chromium (III) nitrate nonahydrate
7789-18-6	cesium nitrate
7803-55-6	ammonium trioxovanadate
10022-31-8	barium nitrate
10022-68-1	Nitric acid, cadmium salt, tetrahydrate
10026-22-9	cobalt (II) nitrate hexahydrate
10031-43-3	cupric nitrate
10042-76-9	strontium nitrate
10099-74-8	lead dinitrate
10102-45-1	thallium nitrate

(Contd. on page 9)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 8)

10196-18-6	zinc(II) nitrate hexahydrate
10377-66-9	manganese dinitrate
13126-12-0	rubidium nitrate
13446-18-9	magnesium nitrate hexahydrate
13478-00-7	Nitric acid, nickel(2+) salt, hexahydrate

TSCA (Toxic Substances Control Act):

7732-18-5	water	ACTIVE
7697-37-2	nitric acid	ACTIVE
7664-39-3	hydrogen fluoride	ACTIVE
471-34-1	calcium carbonate	ACTIVE
554-13-2	lithium carbonate	ACTIVE
1327-53-3	diarsenic trioxide	ACTIVE
7440-55-3	gallium	ACTIVE
7440-69-9	bismuth	ACTIVE
7440-74-6	indium	ACTIVE
7446-08-4	selenium dioxide	ACTIVE
7631-99-4	sodium nitrate	ACTIVE
7757-79-1	potassium nitrate	ACTIVE
7761-88-8	silver nitrate	ACTIVE
7789-18-6	cesium nitrate	ACTIVE
7803-55-6	ammonium trioxovanadate	ACTIVE
10022-31-8	barium nitrate	ACTIVE
10042-76-9	strontium nitrate	ACTIVE
10099-74-8	lead dinitrate	ACTIVE
10102-45-1	thallium nitrate	ACTIVE
10377-66-9	manganese dinitrate	ACTIVE
13126-12-0	rubidium nitrate	ACTIVE

Canadian substance listings:
Canadian Domestic Substances List (DSL)

7732-18-5	water
7697-37-2	nitric acid
7664-39-3	hydrogen fluoride
471-34-1	calcium carbonate
554-13-2	lithium carbonate
1327-53-3	diarsenic trioxide
7440-55-3	gallium
7440-69-9	bismuth
7440-74-6	indium
7446-08-4	selenium dioxide
7631-99-4	sodium nitrate
7757-79-1	potassium nitrate

(Contd. on page 10)

CA

Safety Data Sheet

according to HPR, Schedule 1

Printing date: 04/17/2025

Revision date: 04/17/2025

Product Name: ICP-MS Calibration Standard

(Contd. of page 9)

7761-88-8	silver nitrate
7789-18-6	cesium nitrate
7803-55-6	ammonium trioxovanadate
10022-31-8	barium nitrate
10042-76-9	strontium nitrate
10099-74-8	lead dinitrate
10377-66-9	manganese dinitrate

· Canadian Non-Domestic Substances List (NDSL)

10102-45-1	thallium nitrate
13126-12-0	rubidium nitrate

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7697-37-2	nitric acid
-----------	-------------

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory
- **Contact:** pdl-acg-regulatory-cq@agilent.com
- **Date of the latest revision of the safety data sheet** 04/17/2025 / 7
- **Abbreviations and acronyms:**
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 NFPA: National Fire Protection Association (USA)
 HMIS: Hazardous Materials Identification System (USA)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent
 PBT: Persistent, Bioaccumulative and Toxic
 vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**