

SAFETY DATA SHEET



Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21
Part No. (Kit) : K589911-21
Part No. : CISH Endogenous Enzyme Block (Dako Omnis) K589911-21510
Anti-FITC-AP (Dako Omnis) K589911-21511
BCIP-NBT Substrate (Dako Omnis) K589911-21512

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
<input checked="" type="checkbox"/> For in vitro diagnostic use	
CISH Endogenous Enzyme Block (Dako Omnis)	13.7 ml
Anti-FITC-AP (Dako Omnis)	9.3 ml
BCIP-NBT Substrate (Dako Omnis)	26.9 ml

1.3 Details of the supplier of the safety data sheet

Agilent Technologies Manufacturing GmbH & Co. KG
Hewlett-Packard-Str. 8
76337 Waldbronn
Germany
0800 603 1000

e-mail address of person responsible for this SDS : pdl-msds_author@agilent.com

1.4 Emergency telephone number

Emergency telephone number (with hours of operation) : CHEMTREC®: +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : CISH Endogenous Enzyme Block (Dako Omnis) Mixture
Anti-FITC-AP (Dako Omnis) Mixture
BCIP-NBT Substrate (Dako Omnis) Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

BCIP-NBT Substrate (Dako Omnis)
H360D

REPRODUCTIVE TOXICITY (Unborn child) - Category 1B

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21







SECTION 2: Hazards identification

Ingredients of unknown toxicity	: Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 1 - 10% Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 1 - 10%
Ingredients of unknown ecotoxicity	: Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 3% Percentage of the mixture consisting of ingredient(s) of unknown hazards to the aquatic environment: 1.6%

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms	:  BCIP-NBT Substrate (Dako Omnis)	
Signal word	:  CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No signal word. No signal word. Danger
Hazard statements	:  CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards. No known significant effects or critical hazards. H360D - May damage the unborn child.
Precautionary statements		
Prevention	:  CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. P201 - Obtain special instructions before use. P280 - Wear protective gloves. Wear protective clothing. Wear eye or face protection.
Response	:  CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. P308 + P313 - IF exposed or concerned: Get medical attention.

SECTION 2: Hazards identification

Storage	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. P405 - Store locked up.
Disposal	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. - N,N-dimethylformamide
Supplemental label elements	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Safety data sheet available on request. Not applicable. Not applicable.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. Restricted to professional users.
<u>Special packaging requirements</u>		
Tactile warning of danger	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. Not applicable.
2.3 Other hazards		
Other hazards which do not result in classification	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	None known. None known. None known.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 3: Composition/information on ingredients

3.1 Substances : CISH Endogenous Enzyme Block Mixture
(Dako Omnis)
Anti-FITC-AP (Dako Omnis) Mixture
BCIP-NBT Substrate (Dako Omnis) Mixture

Product/ingredient name	Identifiers	%	Regulation (EC) No. 1272/2008 [CLP]	Type
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	EC: 231-765-0 CAS: 7722-84-1 Index: 008-003-00-9	<5	Ox. Liq. 1, H271 Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1A, H314	[1] [2]
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	CAS: 9002-93-1	≤0.3	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 2, H411	[1] [5]
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	EC: 200-679-5 CAS: 68-12-2 Index: 616-001-00-X	≤3	Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Repr. 1B, H360D (Unborn child)	[1] [2]
2-Amino-2-(hydroxymethyl) propane-1,3-diol hydrochloride	EC: 214-684-5 CAS: 1185-53-1	≤3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 See Section 16 for the full text of the H statements declared above.	[1]

Type

- [1] Substance classified with a health or environmental hazard
 [2] Substance with a workplace exposure limit
 [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
 [5] Substance of equivalent concern
 [6] Additional disclosure due to company policy

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact : CISH Endogenous Enzyme Block (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
 Anti-FITC-AP (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
 BCIP-NBT Substrate (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

SECTION 4: First aid measures

Inhalation	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	BCIP-NBT Substrate (Dako Omnis)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Skin contact	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
	BCIP-NBT Substrate (Dako Omnis)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: CISH Endogenous Enzyme Block (Dako Omnis)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	Anti-FITC-AP (Dako Omnis)	Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
	BCIP-NBT Substrate (Dako Omnis)	Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

SECTION 4: First aid measures

Protection of first-aiders	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.</p> <p>No action shall be taken involving any personal risk or without suitable training.</p> <p>No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.</p>
-----------------------------------	--	---

4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

Eye contact	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
Inhalation	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>Severely corrosive to the respiratory system.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
Skin contact	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>
Ingestion	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>May cause burns to mouth, throat and stomach.</p> <p>No known significant effects or critical hazards.</p> <p>No known significant effects or critical hazards.</p>

Over-exposure signs/symptoms

Eye contact	<p>: CISH Endogenous Enzyme Block (Dako Omnis)</p> <p>Anti-FITC-AP (Dako Omnis)</p> <p>BCIP-NBT Substrate (Dako Omnis)</p>	<p>No specific data.</p> <p>No specific data.</p> <p>No specific data.</p>
--------------------	--	--

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 4: First aid measures

Inhalation	: CISH Endogenous Enzyme Block (Dako Omnis)	Adverse symptoms may include the following: respiratory tract irritation coughing No specific data.
	Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific data.
	Anti-FITC-AP (Dako Omnis)	No specific data.
	BCIP-NBT Substrate (Dako Omnis)	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific data.
	Anti-FITC-AP (Dako Omnis)	No specific data.
	BCIP-NBT Substrate (Dako Omnis)	Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	: CISH Endogenous Enzyme Block (Dako Omnis)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
	Anti-FITC-AP (Dako Omnis)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
	BCIP-NBT Substrate (Dako Omnis)	In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
Specific treatments	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific treatment.
	Anti-FITC-AP (Dako Omnis)	No specific treatment.
	BCIP-NBT Substrate (Dako Omnis)	No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

SECTION 5: Firefighting measures

Suitable extinguishing media	: CISH Endogenous Enzyme Block (Dako Omnis)	Use an extinguishing agent suitable for the surrounding fire.
	: Anti-FITC-AP (Dako Omnis)	Use an extinguishing agent suitable for the surrounding fire.
	: BCIP-NBT Substrate (Dako Omnis)	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: CISH Endogenous Enzyme Block (Dako Omnis)	None known.
	: Anti-FITC-AP (Dako Omnis)	None known.
	: BCIP-NBT Substrate (Dako Omnis)	None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	: CISH Endogenous Enzyme Block (Dako Omnis)	In a fire or if heated, a pressure increase will occur and the container may burst.
	: Anti-FITC-AP (Dako Omnis)	In a fire or if heated, a pressure increase will occur and the container may burst.
	: BCIP-NBT Substrate (Dako Omnis)	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific data.
	: Anti-FITC-AP (Dako Omnis)	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides phosphorus oxides
	: BCIP-NBT Substrate (Dako Omnis)	Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

5.3 Advice for firefighters

Special precautions for fire-fighters	: CISH Endogenous Enzyme Block (Dako Omnis)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
	: Anti-FITC-AP (Dako Omnis)	
	: BCIP-NBT Substrate (Dako Omnis)	
Special protective equipment for fire-fighters	: CISH Endogenous Enzyme Block (Dako Omnis)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.
	: Anti-FITC-AP (Dako Omnis)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves)

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 5: Firefighting measures

BCIP-NBT Substrate
(Dako Omnis)

conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: CISH Endogenous Enzyme Block (Dako Omnis)

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Put on appropriate personal protective equipment.

Anti-FITC-AP (Dako Omnis)

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

BCIP-NBT Substrate (Dako Omnis)

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: CISH Endogenous Enzyme Block (Dako Omnis)

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Anti-FITC-AP (Dako Omnis)

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

BCIP-NBT Substrate (Dako Omnis)

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

6.2 Environmental precautions

: CISH Endogenous Enzyme Block (Dako Omnis)

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Anti-FITC-AP (Dako Omnis)

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

BCIP-NBT Substrate (Dako Omnis)

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and material for containment and cleaning up

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 6: Accidental release measures

Methods for cleaning up	: CISH Endogenous Enzyme Block (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Anti-FITC-AP (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	BCIP-NBT Substrate (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.	

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Protective measures	: CISH Endogenous Enzyme Block (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
	Anti-FITC-AP (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8).
	BCIP-NBT Substrate (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: CISH Endogenous Enzyme Block (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Anti-FITC-AP (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	BCIP-NBT Substrate (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Date of issue/Date of revision : 10/09/2017

10/24

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 7: Handling and storage

Storage	: CISH Endogenous Enzyme Block (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Anti-FITC-AP (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	BCIP-NBT Substrate (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

7.3 Specific end use(s)

Recommendations	: CISH Endogenous Enzyme Block (Dako Omnis)	Industrial applications, Professional applications.
	Anti-FITC-AP (Dako Omnis)	Industrial applications, Professional applications.
	BCIP-NBT Substrate (Dako Omnis)	Industrial applications, Professional applications.
Industrial sector specific solutions	: CISH Endogenous Enzyme Block (Dako Omnis)	Not applicable.
	Anti-FITC-AP (Dako Omnis)	Not applicable.
	BCIP-NBT Substrate (Dako Omnis)	Not applicable.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 8: Exposure controls/personal protection

Product/ingredient name	Exposure limit values
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	EH40/2005 WELs (United Kingdom (UK), 12/2011). STEL: 2.8 mg/m ³ 15 minutes. STEL: 2 ppm 15 minutes. TWA: 1.4 mg/m ³ 8 hours. TWA: 1 ppm 8 hours.
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin. STEL: 30 mg/m ³ 15 minutes. STEL: 10 ppm 15 minutes. TWA: 5 ppm 8 hours. TWA: 15 mg/m ³ 8 hours.

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

Skin protection

SECTION 8: Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

- Physical state** : CISH Endogenous Enzyme Block (Dako Omnis) Liquid.
Anti-FITC-AP (Dako Omnis) Liquid.
BCIP-NBT Substrate (Dako Omnis) Liquid.
- Colour** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.
Anti-FITC-AP (Dako Omnis) Not available.
BCIP-NBT Substrate (Dako Omnis) Not available.
- Odour** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.
Anti-FITC-AP (Dako Omnis) Not available.
BCIP-NBT Substrate (Dako Omnis) Not available.
- Odour threshold** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.
Anti-FITC-AP (Dako Omnis) Not available.
BCIP-NBT Substrate (Dako Omnis) Not available.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 9: Physical and chemical properties

pH	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	7.5
	BCIP-NBT Substrate (Dako Omnis)	9
Melting point/freezing point	: CISH Endogenous Enzyme Block (Dako Omnis)	0°C
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	0°C
Initial boiling point and boiling range	: CISH Endogenous Enzyme Block (Dako Omnis)	100°C
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	100°C
Flash point	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
Evaporation rate	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
Flammability (solid, gas)	: CISH Endogenous Enzyme Block (Dako Omnis)	Not applicable.
	Anti-FITC-AP (Dako Omnis)	Not applicable.
	BCIP-NBT Substrate (Dako Omnis)	Not applicable.
Upper/lower flammability or explosive limits	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
Vapour pressure	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 9: Physical and chemical properties

Vapour density	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Relative density	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Solubility(ies)	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water. Easily soluble in the following materials: cold water and hot water.
Partition coefficient: n-octanol/water	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Auto-ignition temperature	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Decomposition temperature	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Viscosity	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.
Explosive properties	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not available. Not available. Not available.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 9: Physical and chemical properties

Oxidising properties	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.

9.2 Other information

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
	Anti-FITC-AP (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
	BCIP-NBT Substrate (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: CISH Endogenous Enzyme Block (Dako Omnis)	The product is stable.
	Anti-FITC-AP (Dako Omnis)	The product is stable.
	BCIP-NBT Substrate (Dako Omnis)	The product is stable.
10.3 Possibility of hazardous reactions	: CISH Endogenous Enzyme Block (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.
	Anti-FITC-AP (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.
	BCIP-NBT Substrate (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific data.
	Anti-FITC-AP (Dako Omnis)	No specific data.
	BCIP-NBT Substrate (Dako Omnis)	No specific data.
10.5 Incompatible materials	: CISH Endogenous Enzyme Block (Dako Omnis)	May react or be incompatible with oxidising materials.
	Anti-FITC-AP (Dako Omnis)	May react or be incompatible with oxidising materials.
	BCIP-NBT Substrate (Dako Omnis)	May react or be incompatible with oxidising materials.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 10: Stability and reactivity

10.6 Hazardous decomposition products	: CISH Endogenous Enzyme Block (Dako Omnis)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: Anti-FITC-AP (Dako Omnis)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
	: BCIP-NBT Substrate (Dako Omnis)	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	LD50 Oral	Rat - Male, Female	693.7 mg/kg 70% solution	-
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	LC50 Inhalation Vapour	Rat	3421 ppm	1 hours
	LC50 Inhalation Vapour	Rat	1948 ppm	4 hours
	LD50 Dermal	Rabbit	4720 mg/kg	-
	LD50 Oral	Rat	2000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	Eyes - Severe irritant	Rabbit	-	1 milligrams	-
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	Eyes - Moderate irritant	Rabbit	-	24 hours 10 microliters	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 microliters	-
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	Eyes - Severe irritant	Rabbit	-	100 Percent	-

Skin : May cause skin irritation.

Sensitiser

Conclusion/Summary : Not available.

Information on likely routes of exposure : CISH Endogenous Enzyme Block (Dako Omnis) Routes of entry anticipated: Oral, Dermal, Inhalation.
Anti-FITC-AP (Dako Omnis) Not available.
BCIP-NBT Substrate (Dako Omnis) Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

SECTION 11: Toxicological information

Inhalation	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Severely corrosive to the respiratory system. No known significant effects or critical hazards. No known significant effects or critical hazards.
Ingestion	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	May cause burns to mouth, throat and stomach. No known significant effects or critical hazards. No known significant effects or critical hazards.
Skin contact	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Eye contact	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Adverse symptoms may include the following: respiratory tract irritation coughing No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Ingestion	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data. No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths skeletal malformations
Skin contact	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data. No specific data. Adverse symptoms may include the following: reduced foetal weight increase in foetal deaths

SECTION 11: Toxicological information

Eye contact	: CISH Endogenous Enzyme Block (Dako Omnis)	skeletal malformations No specific data.
	: Anti-FITC-AP (Dako Omnis)	No specific data.
	: BCIP-NBT Substrate (Dako Omnis)	No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

General	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.
Carcinogenicity	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.
Mutagenicity	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.
Teratogenicity	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	May damage the unborn child.
Developmental effects	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 11: Toxicological information

Fertility effects	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	Acute EC50 1.2 mg/l Marine water	Algae - Dunaliella tertiolecta - Exponential growth phase	72 hours
	Acute EC50 5.38 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata	96 hours
	Acute EC50 2320 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 93 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
	Chronic NOEC 989.7 ppm Fresh water	Fish - Oncorhynchus tshawytscha - Egg	43 days
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Ceriodaphnia rigaudi - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - Pimephales promelas	96 hours
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	Acute EC50 4500000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 >100000 µg/l Marine water	Crustaceans - Crangon crangon - Adult	48 hours
	Acute LC50 7100000 µg/l Fresh water	Fish - Lepomis macrochirus - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 1500 mg/l Fresh water	Daphnia - Daphnia magna	21 days
	Chronic NOEC 1000 mg/l Fresh water	Fish - Pimephales promelas - Embryo	32 days

12.2 Persistence and degradability

Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	-	-	Readily

12.3 Bioaccumulative potential

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 12: Ecological information

Product/ingredient name	LogP _{ow}	BCF	Potential
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide	-1.36	-	low
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	4.86	-	high
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	-1.01	0.79	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

Hazardous waste : The classification of the product may meet the criteria for a hazardous waste.

Packaging

Methods of disposal : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions : This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID / IMDG / IATA : Not regulated.

14.6 Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code : Not available.

Date of issue/Date of revision : 10/09/2017

21/24

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

Ingredient name	Intrinsic property	Status	Reference number	Date of revision
Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	Substance of equivalent concern for environment	Recommended	ED/169/2012	2/10/2014
BCIP-NBT Substrate (Dako Omnis) N,N-Dimethylformamide	Toxic to reproduction	Recommended	ED/169/2012	2/10/2014

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.
Anti-FITC-AP (Dako Omnis) Not applicable.
BCIP-NBT Substrate (Dako Omnis) Restricted to professional users.

Other EU regulations

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Seveso Directive

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : Not determined.
Canada : All components are listed or exempted.
China : Not determined.
Europe : All components are listed or exempted.
Japan : **Japan inventory (ENCS)**: Not determined.
Japan inventory (ISHL): Not determined.
Malaysia : Not determined.

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 15: Regulatory information

New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

15.2 Chemical safety assessment : This product contains substances for which Chemical Safety Assessments might still be required.

SECTION 16: Other information

✓ Indicates information that has changed from previously issued version.

Abbreviations and acronyms : ATE = Acute Toxicity Estimate
 CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
 DNEL = Derived No Effect Level
 EUH statement = CLP-specific Hazard statement
 PNEC = Predicted No Effect Concentration
 RRN = REACH Registration Number

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
BCIP-NBT Substrate (Dako Omnis) Repr. 1B, H360D (Unborn child)	Calculation method

Full text of abbreviated H statements

CISH Endogenous Enzyme Block (Dako Omnis) H271 H302 H314 H332 Anti-FITC-AP (Dako Omnis) H302 H315 H318 H411 BCIP-NBT Substrate (Dako Omnis) H312 H315 H319 H332 H335 H360D	May cause fire or explosion; strong oxidiser. Harmful if swallowed. Causes severe skin burns and eye damage. Harmful if inhaled. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Toxic to aquatic life with long lasting effects. Harmful in contact with skin. Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause respiratory irritation. May damage the unborn child.
---	---

Full text of classifications [CLP/GHS]

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A, Part Number K589911-21

SECTION 16: Other information

CISH Endogenous Enzyme Block (Dako Omnis)

Acute Tox. 4, H302
Acute Tox. 4, H332
Ox. Liq. 1, H271
Skin Corr. 1A, H314

ACUTE TOXICITY (oral) - Category 4
ACUTE TOXICITY (inhalation) - Category 4
OXIDISING LIQUIDS - Category 1
SKIN CORROSION/IRRITATION - Category 1A

Anti-FITC-AP (Dako Omnis)

Acute Tox. 4, H302
Aquatic Chronic 2, H411
Eye Dam. 1, H318
Skin Irrit. 2, H315

ACUTE TOXICITY (oral) - Category 4
LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 2
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
SKIN CORROSION/IRRITATION - Category 2

BCIP-NBT Substrate (Dako Omnis)

Acute Tox. 4, H312
Acute Tox. 4, H332
Eye Irrit. 2, H319
Repr. 1B, H360D
Skin Irrit. 2, H315
STOT SE 3, H335

ACUTE TOXICITY (dermal) - Category 4
ACUTE TOXICITY (inhalation) - Category 4
SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
REPRODUCTIVE TOXICITY (Unborn child) - Category 1B
SKIN CORROSION/IRRITATION - Category 2
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE (Respiratory tract irritation) - Category 3

Date of issue/ Date of revision : 10/09/2017

Date of previous issue : 31/05/2017.

Version : 1.1

Notice to reader

Disclaimer: The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.