

# SAFETY DATA SHEET

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A  
**Part no. (chemical kit)** : K589911-21  
**Part no.** : CISH Endogenous Enzyme Block (Dako Omnis) K589911-21510  
 Anti-FITC-AP (Dako Omnis) K589911-21511  
 BCIP-NBT Substrate (Dako Omnis) K589911-21512

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** : Laboratory use  
 CISH Endogenous Enzyme Block (Dako Omnis) 13.7 ml  
 Anti-FITC-AP (Dako Omnis) 9.3 ml  
 BCIP-NBT Substrate (Dako Omnis) 26.9 ml

**Uses advised against** : None known.

### 1.3 Details of the supplier of the safety data sheet

Agilent Technologies LDA UK Ltd.  
 5500 Lakeside Cheadle Royal Business Park,  
 Cheadle, Cheshire, SK8 3GR  
 United Kingdom  
 Tel: +44 (0) 345 712 5292  
**e-mail address of person responsible for this SDS** : pdl-msds\_author@agilent.com

### 1.4 Emergency telephone number

**Emergency telephone number (with hours of operation)** : CHEMTREC®: +44 20 3807 3798

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : CISH Endogenous Enzyme Block (Dako Omnis) Mixture  
 Anti-FITC-AP (Dako Omnis) Mixture  
 BCIP-NBT Substrate (Dako Omnis) Mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

##### **BCIP-NBT Substrate (Dako Omnis)**

H360D REPRODUCTIVE TOXICITY Category 1B  
 H412 LONG-TERM (CHRONIC) AQUATIC HAZARD Category 3

CISH Endogenous Enzyme Block (Dako Omnis) The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

Anti-FITC-AP (Dako Omnis) The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

BCIP-NBT Substrate (Dako Omnis) The product is classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 2: Hazards identification**

<b>Ingredients of unknown toxicity</b>	: Anti-FITC-AP (Dako Omnis)	Percentage of the mixture consisting of ingredient(s) of unknown acute dermal toxicity: 1 - 10%
	BCIP-NBT Substrate (Dako Omnis)	Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
<b>Ingredients of unknown ecotoxicity</b>	: Anti-FITC-AP (Dako Omnis)	Percentage of the mixture consisting of ingredient(s) of unknown acute oral toxicity: 1 - 10%
		Percentage of the mixture consisting of ingredient(s) of unknown acute inhalation toxicity: 1 - 10%
		Contains 3% of components with unknown hazards to the aquatic environment

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

**2.2 Label elements**

**Hazard pictograms** : BCIP-NBT Substrate (Dako Omnis)



**Signal word** : CISH Endogenous Enzyme Block (Dako Omnis) No signal word.  
 Anti-FITC-AP (Dako Omnis) No signal word.  
 BCIP-NBT Substrate (Dako Omnis) Danger

**Hazard statements** : CISH Endogenous Enzyme Block (Dako Omnis) No known significant effects or critical hazards.  
 Anti-FITC-AP (Dako Omnis) No known significant effects or critical hazards.  
 BCIP-NBT Substrate (Dako Omnis) H360D - May damage the unborn child.  
 H412 - Harmful to aquatic life with long lasting effects.

**Precautionary statements**

**Prevention** : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.  
 Anti-FITC-AP (Dako Omnis) Not applicable.  
 BCIP-NBT Substrate (Dako Omnis) P201 - Obtain special instructions before use.  
 P280 - Wear protective gloves, protective clothing and eye or face protection.  
 P273 - Avoid release to the environment.

**Response** : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.  
 Anti-FITC-AP (Dako Omnis) Not applicable.  
 BCIP-NBT Substrate (Dako Omnis) P308 + P313 - IF exposed or concerned: Get medical advice or attention.

**Storage** : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.  
 Anti-FITC-AP (Dako Omnis) Not applicable.  
 BCIP-NBT Substrate (Dako Omnis) Not applicable.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 2: Hazards identification**

<b>Disposal</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.				
<b>Hazardous ingredients</b>	: BCIP-NBT Substrate (Dako Omnis)	N, N-dimethylformamide				
<b>Supplemental label elements</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Safety data sheet available on request. Not applicable. Not applicable.				
<b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. Restricted to professional users.				
<b>Special packaging requirements</b>						
<b>Containers to be fitted with child-resistant fastenings</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. Not applicable.				
<b>Tactile warning of danger</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Not applicable. Not applicable. Not applicable.				
<b>2.3 Other hazards</b>						
<b>Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	This mixture does not contain any substances that are assessed to be a PBT or a vPvB. This mixture does not contain any substances that are assessed to be a PBT or a vPvB. This mixture does not contain any substances that are assessed to be a PBT or a vPvB.				
<b>Other hazards which do not result in classification</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	None known. None known. None known.				
<b>Substances identified as having endocrine disruptor properties</b>	: <table border="1"> <thead> <tr> <th>Ingredient name</th> <th>Impact</th> </tr> </thead> <tbody> <tr> <td><b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether</td> <td>Environment</td> </tr> </tbody> </table>	Ingredient name	Impact	<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	Environment	
Ingredient name	Impact					
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	Environment					

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 3: Composition/information on ingredients**

**3.1 Substances** : CISH Endogenous Enzyme Block Mixture (Dako Omnis)  
 Anti-FITC-AP (Dako Omnis) Mixture  
 BCIP-NBT Substrate (Dako Omnis) Mixture

Product/ingredient name	Identifiers	%	Classification	Type
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	EC: 231-765-0 CAS: 7722-84-1 Index: 008-003-00-9	<5	Ox. Liq. 1, H271 Acute Tox. 4, H302 Acute Tox. 4, H332 Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335	[1] [2]
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	CAS: 9002-93-1	≤0.12	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	[1] [2]
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	EC: 200-679-5 CAS: 68-12-2 Index: 616-001-00-X	≤3	Flam. Liq. 3, H226 Acute Tox. 4, H312 Acute Tox. 4, H332 Eye Irrit. 2, H319 Repr. 1B, H360D	[1] [2]
Magnesium chloride	EC: 232-094-6 CAS: 7786-30-3	≤1	Aquatic Chronic 1, H410 (M=1) <b>See Section 16 for the full text of the H statements declared above.</b>	[1]

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

- Type
- CISH Endogenous Enzyme Block (Dako Omnis) [1] Substance classified with a health or environmental hazard [2] Substance with a workplace exposure limit
  - Anti-FITC-AP (Dako Omnis) [1] Substance classified with a health or environmental hazard [2] Substance of equivalent concern
  - BCIP-NBT Substrate (Dako Omnis) [1] Substance classified with a health or environmental hazard [2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**Eye contact** : CISH Endogenous Enzyme Block (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.  
 Anti-FITC-AP (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.  
 BCIP-NBT Substrate (Dako Omnis) Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 4: First aid measures**

<b>Inhalation</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Skin contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
<b>Ingestion</b>	: CISH Endogenous Enzyme Block (Dako Omnis)  Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
<b>Protection of first-aiders</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No action shall be taken involving any personal risk or without suitable training.  No action shall be taken involving any personal risk or without suitable training. No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

## SECTION 4: First aid measures

Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Over-exposure signs/symptoms

<b>Eye contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  No specific data.
<b>Inhalation</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
<b>Skin contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
<b>Ingestion</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations

### 4.3 Indication of any immediate medical attention and special treatment needed

<b>Notes to physician</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.  In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
<b>Specific treatments</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific treatment.  No specific treatment.  No specific treatment.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Use an extinguishing agent suitable for the surrounding fire.  Use an extinguishing agent suitable for the surrounding fire.  Use an extinguishing agent suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	None known.  None known.  None known.

**5.2 Special hazards arising from the substance or mixture**

<b>Hazards from the substance or mixture</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	In a fire or if heated, a pressure increase will occur and the container may burst.  In a fire or if heated, a pressure increase will occur and the container may burst.  In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
<b>Hazardous combustion products</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	No specific data.  Decomposition products may include the following materials:  carbon dioxide carbon monoxide nitrogen oxides sulfur oxides phosphorus oxides  Decomposition products may include the following materials:  carbon dioxide carbon monoxide nitrogen oxides halogenated compounds

**5.3 Advice for firefighters**

<b>Special protective actions for fire-fighters</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.  Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
---	---	---

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 5: Firefighting measures**

<b>Special protective equipment for fire-fighters</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
---	---	---

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

<b>For non-emergency personnel</b>	: CISH Endogenous Enzyme Block (Dako Omnis)  Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment. No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
<b>For emergency responders</b>	: CISH Endogenous Enzyme Block (Dako Omnis)  Anti-FITC-AP (Dako Omnis)  BCIP-NBT Substrate (Dako Omnis)	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**6.2 Environmental precautions**

: CISH Endogenous Enzyme Block (Dako Omnis)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Anti-FITC-AP (Dako Omnis)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
BCIP-NBT Substrate (Dako Omnis)	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.

**6.3 Methods and material for containment and cleaning up**

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 6: Accidental release measures**

<b>Methods for cleaning up</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
	Anti-FITC-AP (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. May be harmful to the environment if released. Dispose of spillages under controlled conditions.
	BCIP-NBT Substrate (Dako Omnis)	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

**6.4 Reference to other sections** : See Section 1 for emergency contact information.  
 See Section 8 for information on appropriate personal protective equipment.  
 See Section 13 for additional waste treatment information.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

<b>Protective measures</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8).
	Anti-FITC-AP (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8).
	BCIP-NBT Substrate (Dako Omnis)	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapour or mist. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Advice on general occupational hygiene</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	Anti-FITC-AP (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
	BCIP-NBT Substrate (Dako Omnis)	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

**7.2 Conditions for safe storage, including any incompatibilities**

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 7: Handling and storage**

<b>Storage</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	Anti-FITC-AP (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.
	BCIP-NBT Substrate (Dako Omnis)	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

**7.3 Specific end use(s)**

<b>Recommendations</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Industrial applications, Professional applications.
	Anti-FITC-AP (Dako Omnis)	Industrial applications, Professional applications.
	BCIP-NBT Substrate (Dako Omnis)	Industrial applications, Professional applications.
<b>Industrial sector specific solutions</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Occupational exposure limits**

Product/ingredient name	Exposure limit values
CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide solution	<b>EH40/2005 WELs (United Kingdom (UK), 1/2020).</b> STEL: 2.8 mg/m <sup>3</sup> 15 minutes. STEL: 2 ppm 15 minutes. TWA: 1.4 mg/m <sup>3</sup> 8 hours. TWA: 1 ppm 8 hours.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 8: Exposure controls/personal protection**

<p><b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide</p>	<p><b>EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed through skin.</b>                      STEL: 30 mg/m<sup>3</sup> 15 minutes.                      STEL: 10 ppm 15 minutes.                      TWA: 5 ppm 8 hours.                      TWA: 15 mg/m<sup>3</sup> 8 hours.</p>
--	---

**Biological exposure indices**

No exposure indices known.

**Recommended monitoring procedures** : Reference should be made to appropriate monitoring standards. Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

**DNELs/DMELs**

Product/ingredient name	Type	Exposure	Value	Population	Effects
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	DNEL	Long term Inhalation	0.21 mg/m <sup>3</sup>	General population	Local
	DNEL	Long term Inhalation	1.4 mg/m <sup>3</sup>	Workers	Local
	DNEL	Short term Inhalation	1.93 mg/m <sup>3</sup>	General population	Local
	DNEL	Short term Inhalation	3 mg/m <sup>3</sup>	Workers	Local
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	DNEL	Long term Inhalation	6 mg/m <sup>3</sup>	Workers	Systemic
	DNEL	Long term Dermal	1.1 mg/kg bw/day	Workers	Systemic
Magnesium chloride	DNEL	Long term Oral	7 mg/kg bw/day	General population	Systemic

**PNECs**

No PNECs available

**8.2 Exposure controls**

**Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

**Skin protection**

## SECTION 8: Exposure controls/personal protection

- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### Appearance

<b>Physical state</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Liquid.
	: Anti-FITC-AP (Dako Omnis)	Liquid.
	: BCIP-NBT Substrate (Dako Omnis)	Liquid.
<b>Colour</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	: Anti-FITC-AP (Dako Omnis)	Not available.
	: BCIP-NBT Substrate (Dako Omnis)	Not available.
<b>Odour</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	: Anti-FITC-AP (Dako Omnis)	Not available.
	: BCIP-NBT Substrate (Dako Omnis)	Not available.
<b>Odour threshold</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	: Anti-FITC-AP (Dako Omnis)	Not available.
	: BCIP-NBT Substrate (Dako Omnis)	Not available.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 9: Physical and chemical properties**

**Melting point/freezing point** : CISH Endogenous Enzyme Block (Dako Omnis) 0°C  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) 0°C

**Initial boiling point and boiling range** : CISH Endogenous Enzyme Block (Dako Omnis) 100°C  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) 100°C

**Flammability** : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.  
 Anti-FITC-AP (Dako Omnis) Not applicable.  
 BCIP-NBT Substrate (Dako Omnis) Not applicable.

**Upper/lower flammability or explosive limits** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) Not available.

**Flash point** :

Ingredient name	Closed cup		Open cup	
	°C	Method	°C	Method
<b>BCIP-NBT Substrate (Dako Omnis)</b>				
N, N-dimethylformamide	57.5	DIN 51755	-	-

**Auto-ignition temperature** :

Ingredient name	°C	Method
<b>BCIP-NBT Substrate (Dako Omnis)</b>		
N, N-dimethylformamide	445	-

**Decomposition temperature** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) Not available.

**pH** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.  
 Anti-FITC-AP (Dako Omnis) 7.5  
 BCIP-NBT Substrate (Dako Omnis) 9

**Viscosity** : CISH Endogenous Enzyme Block (Dako Omnis) Not available.  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) Not available.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 9: Physical and chemical properties**

Solubility(ies)	Media	Result
	<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> water	Soluble
	<b>Anti-FITC-AP (Dako Omnis)</b> water	Soluble
	<b>BCIP-NBT Substrate (Dako Omnis)</b> water	Soluble

<b>Partition coefficient: n-octanol/water</b>	CISH Endogenous Enzyme Block (Dako Omnis)	Not applicable.
	Anti-FITC-AP (Dako Omnis)	Not applicable.
	BCIP-NBT Substrate (Dako Omnis)	Not applicable.

Vapour pressure	Ingredient name	Vapour Pressure at 20°C			Vapour pressure at 50°C		
		mm Hg	kPa	Method	mm Hg	kPa	Method
	<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> water	17.5	2.3	-	92.258	12.3	-
	hydrogen peroxide solution	0.75	0.1	-	-	-	-
	<b>Anti-FITC-AP (Dako Omnis)</b> water	17.5	2.3	-	92.258	12.3	-
	<b>BCIP-NBT Substrate (Dako Omnis)</b> water	17.5	2.3	-	92.258	12.3	-
	N, N-dimethylformamide	3.7	0.49	-	-	-	-

<b>Evaporation rate</b>	CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.

<b>Relative density</b>	CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 9: Physical and chemical properties**

<b>Vapour density</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
<b>Explosive properties</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
<b>Oxidising properties</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not available.
	Anti-FITC-AP (Dako Omnis)	Not available.
	BCIP-NBT Substrate (Dako Omnis)	Not available.
<b>Particle characteristics</b>		
<b>Median particle size</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Not applicable.
	Anti-FITC-AP (Dako Omnis)	Not applicable.
	BCIP-NBT Substrate (Dako Omnis)	Not applicable.

**9.2 Other information**

No additional information.

**SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
	Anti-FITC-AP (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
	BCIP-NBT Substrate (Dako Omnis)	No specific test data related to reactivity available for this product or its ingredients.
<b>10.2 Chemical stability</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	The product is stable.
	Anti-FITC-AP (Dako Omnis)	The product is stable.
	BCIP-NBT Substrate (Dako Omnis)	The product is stable.
<b>10.3 Possibility of hazardous reactions</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.
	Anti-FITC-AP (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.
	BCIP-NBT Substrate (Dako Omnis)	Under normal conditions of storage and use, hazardous reactions will not occur.

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 10: Stability and reactivity**

<b>10.4 Conditions to avoid</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data. No specific data. No specific data.
<b>10.5 Incompatible materials</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials. May react or be incompatible with oxidising materials.
<b>10.6 Hazardous decomposition products</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	LD50 Dermal	Rabbit - Male, Female	>2000 mg/kg 35% solution	-
	LD50 Oral	Rat - Female	693.7 mg/kg 70% solution	-
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	LD50 Oral	Rat	1800 mg/kg	-
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	LC50 Inhalation Vapour	Rat	3421 ppm	1 hours
	LC50 Inhalation Vapour	Rat	1948 ppm	4 hours
	LD50 Oral	Rat	4000 mg/kg	-
Magnesium chloride	LD50 Dermal	Rat - Male, Female	>2000 mg/kg	-
	LD50 Oral	Rat	2800 mg/kg	-

Acute toxicity estimates

Product/ingredient name	Oral (mg/kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapours) (mg/l)	Inhalation (dusts and mists) (mg/l)

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 11: Toxicological information**

<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> CISH Endogenous Enzyme Block (Dako Omnis) hydrogen peroxide solution	12458.4 693.7	N/A N/A	N/A N/A	366.7 11	N/A N/A
<b>Anti-FITC-AP (Dako Omnis)</b> Anti-FITC-AP (Dako Omnis) Polyoxyethylene octyl phenyl ether	27089.4 1800	N/A N/A	N/A N/A	N/A N/A	N/A N/A
<b>BCIP-NBT Substrate (Dako Omnis)</b> BCIP-NBT Substrate (Dako Omnis) N, N-dimethylformamide Magnesium chloride	N/A 4000 2800	88332.4 1500 N/A	N/A N/A N/A	647.8 11 N/A	N/A N/A N/A

**Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	Eyes - Severe irritant	Rabbit	-	1 mg	-
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	Skin - Mild irritant	Rabbit	-	24 hours 500 uL	-
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	Eyes - Severe irritant	Rabbit	-	100 %	-

**Sensitiser**

**Conclusion/Summary** : Not available.

**Mutagenicity**

**Conclusion/Summary** : Not available.

**Carcinogenicity**

**Conclusion/Summary** : Not available.

**Reproductive toxicity**

**Conclusion/Summary** : Not available.

**Teratogenicity**

**Conclusion/Summary** : Not available.

**Specific target organ toxicity (single exposure)**

Product/ingredient name	Category	Route of exposure	Target organs
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	Category 3	-	Respiratory tract irritation

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on likely routes of exposure**

: CISH Endogenous Enzyme Block (Dako Omnis) Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.  
 Anti-FITC-AP (Dako Omnis) Not available.  
 BCIP-NBT Substrate (Dako Omnis) Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.

**Potential acute health effects**

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 11: Toxicological information**

<b>Inhalation</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.
<b>Ingestion</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.
<b>Skin contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.
<b>Eye contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.  No known significant effects or critical hazards.  No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

<b>Inhalation</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
<b>Ingestion</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations
<b>Skin contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis) Anti-FITC-AP (Dako Omnis) BCIP-NBT Substrate (Dako Omnis)	No specific data.  No specific data.  Adverse symptoms may include the following:  reduced foetal weight increase in foetal deaths skeletal malformations

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 11: Toxicological information**

<b>Eye contact</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No specific data.
	: Anti-FITC-AP (Dako Omnis)	No specific data.
	: BCIP-NBT Substrate (Dako Omnis)	No specific data.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Short term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Long term exposure**

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

**Potential chronic health effects**

**Conclusion/Summary** : Not available.

<b>General</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.

<b>Carcinogenicity</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.

<b>Mutagenicity</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	No known significant effects or critical hazards.

<b>Reproductive toxicity</b>	: CISH Endogenous Enzyme Block (Dako Omnis)	No known significant effects or critical hazards.
	: Anti-FITC-AP (Dako Omnis)	No known significant effects or critical hazards.
	: BCIP-NBT Substrate (Dako Omnis)	May damage the unborn child.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A

**SECTION 12: Ecological information**

Product/ingredient name	Result	Species	Exposure
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	Acute EC50 1.2 mg/l Marine water	Algae - Green algae - <i>Dunaliella tertiolecta</i> - Exponential growth phase	72 hours
	Acute EC50 2320 µg/l Fresh water	Daphnia - Water flea - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 93 ppm Fresh water	Fish - Rainbow trout, donaldson trout - <i>Oncorhynchus mykiss</i>	96 hours
	Chronic NOEC 0.63 mg/l Fresh water	Daphnia - <i>Daphnia Magna</i>	21 days
	Chronic NOEC 100 mg/l Fresh water	Fish - Largemouth bass - <i>Micropterus salmoides</i>	28 days
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	Acute LC50 5.85 mg/l Fresh water	Crustaceans - Water flea - <i>Ceriodaphnia rigaudi</i> - Neonate	48 hours
	Acute LC50 11.2 mg/l Fresh water	Daphnia - Water flea - <i>Daphnia magna</i> - Neonate	48 hours
	Acute LC50 4500 µg/l Fresh water	Fish - Fathead minnow - <i>Pimephales promelas</i>	96 hours
	Chronic NOEC 0.004 mg/l Fresh water	Fish - Eastern mosquitofish - <i>Gambusia holbrooki</i>	28 days
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	Acute EC50 4500 mg/l Fresh water	Daphnia - Water flea - <i>Daphnia magna</i>	48 hours
	Acute LC50 >100000 µg/l Marine water	Crustaceans - Common shrimp, sand shrimp - <i>Crangon crangon</i> - Adult	48 hours
	Acute LC50 7100000 µg/l Fresh water	Fish - Bluegill - <i>Lepomis macrochirus</i> - Juvenile (Fledgling, Hatchling, Weanling)	96 hours
	Chronic NOEC 1500 mg/l Fresh water	Daphnia - Water flea - <i>Daphnia magna</i>	21 days
	Chronic NOEC 0.1 ml/L Fresh water	Fish - Rainbow trout, donaldson trout - <i>Oncorhynchus mykiss</i> - Embryo	30 days
Magnesium chloride	Acute EC50 >100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Acute EC50 180000 µg/l Fresh water	Crustaceans - Calanoid copepod - <i>Eudiaptomus padanus ssp. padanus</i> - Adult	48 hours
	Acute IC50 6.8 mg/l Fresh water	Aquatic plants - Lesser Duckweed - <i>Lemna aequinoctialis</i>	96 hours
	Acute LC50 32000 µg/l Fresh water	Daphnia - Water flea - <i>Daphnia hyalina</i> - Adult	48 hours
	Acute LC50 2120 mg/l Fresh water	Fish - Fathead minnow - <i>Pimephales promelas</i>	96 hours
	Acute NOEC 100 mg/l Fresh water	Algae - <i>Desmodesmus subspicatus</i>	72 hours
	Chronic NOEC 0.1 mg/l Fresh water	Fish - common carp - <i>Cyprinus carpio</i>	35 days

**Conclusion/Summary** : Not available.

**12.2 Persistence and degradability**

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 12: Ecological information**

Product/ingredient name	Test	Result	Dose	Inoculum
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	-	100 % - Readily - 21 days	-	-

**Conclusion/Summary** : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	-	-	Readily
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	-	-	Readily
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	-	-	Readily

**12.3 Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
<b>CISH Endogenous Enzyme Block (Dako Omnis)</b> hydrogen peroxide solution	-1.36	-	Low
<b>Anti-FITC-AP (Dako Omnis)</b> Polyoxyethylene octyl phenyl ether	4.86	-	High
<b>BCIP-NBT Substrate (Dako Omnis)</b> N, N-dimethylformamide	-1.01	0.79	Low

**12.4 Mobility in soil**

**Soil/water partition coefficient (K<sub>oc</sub>)** : Not available.

**Mobility** : Not available.

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Product

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 13: Disposal considerations**

- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
- Hazardous waste** : The classification of the product may meet the criteria for a hazardous waste.
- Packaging**
- Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
- Special precautions** : Dispose of material(s) and residues under controlled conditions. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14: Transport information**

	<b>ADR/RID</b>	<b>IMDG</b>	<b>IATA</b>
<b>14.1 UN number</b>	Not regulated.	Not regulated.	Not regulated.
<b>14.2 UN proper shipping name</b>	-	-	-
<b>14.3 Transport hazard class(es)</b>	-	-	-
<b>14.4 Packing group</b>	-	-	-
<b>14.5 Environmental hazards</b>	No.	No.	No.

**Additional information**

**14.6 Special precautions for user** : **Transport within user’s premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**UK (GB)/REACH**

**Annex XIV - List of substances subject to authorisation**

**Annex XIV**

<b>Intrinsic property</b>	<b>Ingredient name</b>	<b>Status</b>	<b>Reference number</b>	<b>Date of revision</b>
<b>Anti-FITC-AP (Dako Omnis)</b> Substance of equivalent concern for environment	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated covering well-defined substances and UVCB substances, polymers and homologues	Listed	42	1/1/2021

Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A

## SECTION 15: Regulatory information

### Substances of very high concern

Intrinsic property	Ingredient name	Status	Reference number	Date of revision
<b>Anti-FITC-AP (Dako Omnis)</b> Substance of equivalent concern for environment	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated covering well-defined substances and UVCB substances, polymers and homologues	Candidate	-	12/19/2012
<b>BCIP-NBT Substrate (Dako Omnis)</b> Toxic to reproduction	N,N-dimethylformamide	Candidate	-	12/19/2012

### Ozone depleting substances

Not listed.

### Prior Informed Consent (PIC)

Not listed.

### Persistent Organic Pollutants

Not listed.

### Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

Product / Ingredient name	Identifiers	Status
<b>BCIP-NBT Substrate (Dako Omnis)</b> BCIP-NBT Substrate (Dako Omnis)	-	3 30
N, N-dimethylformamide	EC: 200-679-5 CAS: 68-12-2 Index: 616-001-00-X	30 72

**Label** : CISH Endogenous Enzyme Block (Dako Omnis) Not applicable.  
Anti-FITC-AP (Dako Omnis) Not applicable.  
BCIP-NBT Substrate (Dako Omnis) Restricted to professional users.

### Seveso Directive

This product is not controlled under the Seveso Directive.

### EU regulations

**Industrial emissions (integrated pollution prevention and control) - Air** : Not listed

**Industrial emissions (integrated pollution prevention and control) - Water** : Not listed

**15.2 Chemical safety assessment** : This product contains substances for which Chemical Safety Assessments might still be required.

### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 15: Regulatory information**

Not listed.

[Rotterdam Convention on Prior Informed Consent \(PIC\)](#)

Not listed.

[UNECE Aarhus Protocol on POPs and Heavy Metals](#)

Not listed.

[Inventory list](#)

**United States** : All components are active or exempted.

**SECTION 16: Other information**

Indicates information that has changed from previously issued version.

**Abbreviations and acronyms**

- : ATE = Acute Toxicity Estimate
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EUH statement = CLP-specific Hazard statement
- N/A = Not available
- PBT = Persistent, Bioaccumulative and Toxic
- PNEC = Predicted No Effect Concentration
- RRN = REACH Registration Number
- vPvB = Very Persistent and Very Bioaccumulative

[Procedure used to derive the classification](#)

Classification	Justification
<b>BCIP-NBT Substrate (Dako Omnis)</b> Repr. 1B, H360D Aquatic Chronic 3, H412	Calculation method Calculation method

[Full text of abbreviated H statements](#)

<p><b>Endogenous Enzyme Block (Dako Omnis)</b></p> <p>H271 May cause fire or explosion; strong oxidiser.</p> <p>H302 Harmful if swallowed.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H318 Causes serious eye damage.</p> <p>H332 Harmful if inhaled.</p> <p>H335 May cause respiratory irritation.</p>	
<p><b>Anti-FITC-AP (Dako Omnis)</b></p> <p>H302 Harmful if swallowed.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H400 Very toxic to aquatic life.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p>	
<p><b>BCIP-NBT Substrate (Dako Omnis)</b></p> <p>H226 Flammable liquid and vapour.</p> <p>H312 Harmful in contact with skin.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H360D May damage the unborn child.</p> <p>H410 Very toxic to aquatic life with long lasting effects.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>	

[Full text of classifications](#)

**Anti-FITC-AP CISH Accessory Kit (Dako Omnis), Box A**

**SECTION 16: Other information**

<b>CISH Endogenous Enzyme Block (Dako Omnis)</b>	
Acute Tox. 4	ACUTE TOXICITY - Category 4
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Ox. Liq. 1	OXIDISING LIQUIDS - Category 1
Skin Corr. 1A	SKIN CORROSION/IRRITATION - Category 1A
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE - Category 3
<b>Anti-FITC-AP (Dako Omnis)</b>	
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Acute 1	SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
<b>BCIP-NBT Substrate (Dako Omnis)</b>	
Acute Tox. 4	ACUTE TOXICITY - Category 4
Aquatic Chronic 1	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1
Aquatic Chronic 3	LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3
Eye Irrit. 2	SERIOUS EYE DAMAGE/EYE IRRITATION - Category 2
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3
Repr. 1B	REPRODUCTIVE TOXICITY - Category 1B

**Date of issue/ Date of revision** : 12/11/2024

**Date of previous issue** : 20/10/2023

**Version** : 6

**Notice to reader**

**Disclaimer:** The information contained in this document is based on Agilent’s state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.