

Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

1 Identification

· Product identifier

· Trade name: Acid Extractables Standard (1X1 mL)

· Part number: MISA-201-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc.

5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

dichloromethane

DNOC

2,4-dichlorophenol

2,3,5,6-tetrachlorophenol

(Contd. on page 2)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 1)

chlorocresol

· Hazard statements

Harmful if swallowed or in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause cancer.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 2)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
75-09-2	dichloromethane	96.984%
59-50-7	chlorocresol	0.151%
534-52-1	DNOC	0.151%
87-86-5	pentachlorophenol	0.151%
88-06-2	2,4,6-trichlorophenol	0.151%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \ \, \textbf{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
75-09-2	dichloromethane	200 ppm
59-50-7	chlorocresol	5.5 mg/m ³
95-57-8	2-chlorophenol	2.3 mg/m ³
534-52-1	DNOC	0.6 mg/m^3
105-67-9	2,4-xylenol	6.9 mg/m ³
51-28-5	2,4-dinitrophenol	0.61 mg/m
120-83-2	2,4-dichlorophenol	0.2 ppm
100-02-7	4-nitrophenol	0.69 mg/m
87-86-5	pentachlorophenol	1 mg/m³
95-95-4	2,4,5-trichlorophenol	2.5 mg/m ³
88-06-2	2,4,6-trichlorophenol	2.5 mg/m ³
87-65-0	2,6-dichlorophenol	8.8 mg/m³
108-95-2	phenol	15 ppm
· PAC-2:		
75-09-2	dichloromethane	560 ppm
59-50-7	chlorocresol	60 mg/m ³
95-57-8	2-chlorophenol	25 mg/m³
534-52-1	DNOC	0.83 mg/m
105-67-9	2,4-xylenol	76 mg/m³
51-28-5	2,4-dinitrophenol	6.8 mg/m ³
120-83-2	2,4-dichlorophenol	2 ppm
100-02-7	4-nitrophenol	7.6 mg/m ³
87-86-5	pentachlorophenol	15 mg/m³
95-95-4	2,4,5-trichlorophenol	27 mg/m³
88-06-2	2,4,6-trichlorophenol	27 mg/m ³
	2,6-dichlorophenol	97 mg/m³
108-95-2	phenol	23 ppm
· PAC-3:		
75-09-2	dichloromethane	6,900 ppn
59-50-7	chlorocresol	360 mg/m
95-57-8	2-chlorophenol	150 mg/m
534-52-1		5 mg/m³
105-67-9	2,4-xylenol	460 mg/m
51-28-5	2,4-dinitrophenol	16 mg/m³
120-83-2	2,4-dichlorophenol	20 ppm
100-02-7	4-nitrophenol	46 mg/m ³



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

		Contd. of page 4)
	-	150 mg/m ³
	*	160 mg/m ³
	1 1 1	160 mg/m ³
87-65-0	2,6-dichlorophenol	580 mg/m ³
108-95-2	phenol	200 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- ·Storage
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
75-09	2-2 dichloromethane
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 174 mg/m³, 50 ppm BEI
534-5	2-1 DNOC
PEL	Long-term value: 0.2 mg/m³ Skin
REL	Long-term value: 0.2 mg/m³ Skin
TLV	Long-term value: (0.2) NIC-0.2* mg/m³ *inhalable fraction + vapor; Skin
87-86	5-5 pentachlorophenol
PEL	Long-term value: 0.5 mg/m³ Skin
	(Contd. on page 6)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 5)

REL Long-term value: 0.5 mg/m³

Skin

TLV Short-term value: 1* mg/m³ Long-term value: 0.5* mg/m³ Skin; BEI;*inhalable fraction+vapor

· Ingredients with biological limit values:

75-09-2 dichloromethane

BEI 0.3 mg/L

Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

87-86-5 pentachlorophenol

BEI 2 mg/g creatinine

Medium: urine

Time: prior to last shift of workweek

Parameter: Total pentachlorophenol (background)

5 mg/L

Medium: plasma Time: end of shift

Parameter: Free pentachlorophenol (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 7)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 6)

• Eye protection: Safety glasses



Tightly sealed goggles

9 Physical and chemical proper	ties		
· Information on basic physical and c	· Information on basic physical and chemical properties		
· Appearance:			
Form:	Fluid		
Color:	Colorless		
Odor:	Like chlorine		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
· Change in condition			
Melting point/Melting range:	-95.1 °C (-139.2 °F)		
Boiling point/Boiling range:	40 °C (104 °F)		
· Flash point:	Not applicable.		
· Flammability (solid, gaseous):	Not applicable.		
· Ignition temperature:	605 °C (1,121 °F)		
· Decomposition temperature:	Not determined.		
· Auto igniting:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	13 Vol %		
Upper:	22 Vol %		
· Vapor pressure at 20 °C (68 °F):	360 hPa (270 mm Hg)		
· Density at 20 °C (68 °F):	1.3 g/cm³ (10.8485 lbs/gal)		
· Relative density	Not determined.		
· Vapor density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with Water at 20 °C (68 °F):	20 g/l		
Partition coefficient (n-octanol/wate	r): Not determined.		
· Viscosity:			
Dynamic at 20 °C (68 °F):	0.43 mPas		
Kinematic:	Not determined.		

(Contd. on page 8)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 7)

 • Solvent content:
 97.4 %

 Organic solvents:
 97.4 %

 VOC content:
 0.45 %

 4.5 g/l / 0.04 lb/gal

 Solids content:
 2.7 %

 • Other information
 No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· LD/LC50 values that are relevant for classification:

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

EDIECC	, turides tire	t are reaction classification.		
ATE (Ac	ATE (Acute Toxicity Estimate)			
Oral	LD50	963 mg/kg		
Dermal	LD50	>1,868 mg/kg		
Inhalative	LC50/4 h	62.3 mg/L		
75-09-2 d	75-09-2 dichloromethane			
Oral	LD50	1,600 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
Inhalative	LC50/4 h	88 mg/L (rat)		
935-95-5	2,3,5,6-teti	rachlorophenol		
Oral	LD50	109 mg/kg (rat)		
59-50-7 c	hlorocreso	i		
Oral	LD50	1,830 mg/kg (rat)		
Dermal	LD50	>2,000 mg/kg (rat)		
534-52-1	DNOC			
Oral	LD50	7 mg/kg (rat)		
Dermal	LD50	200 mg/kg (rat)		
		1,000 mg/kg (rabbit)		
87-86-5 p	87-86-5 pentachlorophenol			
Oral	LD50	27 mg/kg (rat)		
Dermal	LD50	96 mg/kg (rat)		
		(Contd. on page 9		

-US



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 8) Inhalative LC50/4 h 355 mg/L (rat) 58-90-2 2,3,4,6-tetrachlorophenol Oral LD50 140 mg/kg (rat) LD50 250 mg/kg (rabbit) Dermal 95-95-4 2,4,5-trichlorophenol 820 mg/kg (rat) LD50 88-06-2 2,4,6-trichlorophenol LD50 820 mg/kg (rat) Oral

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
75-09-2	dichloromethane	2A
15950-66-0	2,3,4-trichlorophenol	2B
933-78-8	2,3,5-trichlorophenol	2B
95-57-8	2-chlorophenol	2B
120-83-2	2,4-dichlorophenol	2B
87-86-5	pentachlorophenol	2B
58-90-2	2,3,4,6-tetrachlorophenol	2B
95-95-4	2,4,5-trichlorophenol	2B
88-06-2	2,4,6-trichlorophenol	2B
87-65-0	2,6-dichlorophenol	2B
108-95-2	phenol	3
· NTP (Natio	nal Toxicology Program)	
75-09-2 dic	hloromethane	R
87-86-5 per	ntachlorophenol	R
88-06-2 2,4	,6-trichlorophenol	R
OSHA-Ca	Occupational Safety & Health Administration)	<u>'</u>
75-09-2 dic	hloromethane	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- **Behavior in environmental systems:**
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 10)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

 $(Contd.\ of\ page\ 9)$

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 4 7	П.		e e	4.0
14	rans	port in	torma	tion

11 IT an sport information	
· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1593
· UN proper shipping name · DOT · IMDG, IATA	Dichloromethane DICHLOROMETHANE
· Transport hazard class(es)	
· DOT, IMDG, IATA	
· Class	6.1 Toxic substances

· Class · Label	6.1 Toxic substances6.1
· Packing group · DOT, IMDG, IATA	III
· Environmental hazards:	Not applicable.
 Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category 	Warning: Toxic substances 60 F-A,S-A Liquid halogenated hydrocarbons A

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 11)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 10)

· Transport/Additional information:

 \cdot DOT

• Quantity limitations On passenger aircraft/rail: 60 L

On cargo aircraft only: 220 L

· Hazardous substance: 1000 lbs, 454 kg

· IMDG

Limited quantities (LQ)Excepted quantities (EQ)5LCode: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· TSCA (Toxic Substances Control Act):

75-09-2 dichloromethane

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

· Section 35	5 (extremely hazardous substances):
95-48-7 c	p-cresol
534-52-1 I	DNOC
108-95-2 p	phenol
· Section 31.	3 (Specific toxic chemical listings):
75-09-2	dichloromethane
15950-66-0	2,3,4-trichlorophenol
933-78-8	3 2,3,5-trichlorophenol
95-57-8	2-chlorophenol
	o-cresol
108-39-4	m-cresol
	p-cresol
	DNOC
	2,4-xylenol
	2,4-dinitrophenol
	2,4-dichlorophenol
	4-nitrophenol
	pentachlorophenol
	2 2,3,4,6-tetrachlorophenol
	2,4,5-trichlorophenol
	2,4,6-trichlorophenol
	2,6-dichlorophenol
108-95-2	phenol

(Contd. on page 12)



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

59-50-7 chlorocresol	Contd. of page 11
95-57-8 2-chlorophenol	
95-48-7 o-cresol	
108-39-4 m-cresol	
106-44-5 p-cresol	
534-52-1 DNOC	
105-67-9 2,4-xylenol	
51-28-5 2,4-dinitrophenol	
120-83-2 2,4-dichlorophenol	
100-02-7 4-nitrophenol	
87-86-5 pentachlorophenol	
58-90-2 2,3,4,6-tetrachlorophenol	
95-95-4 2,4,5-trichlorophenol	
88-06-2 2,4,6-trichlorophenol	
87-65-0 2,6-dichlorophenol	
108-95-2 phenol	
TSCA new (21st Century Act): (Substances not listed)	
59-50-7 chlorocresol	
534-52-1 DNOC	
88-06-2 2,4,6-trichlorophenol	
Proposition 65	
· Chemicals known to cause cancer:	
75-09-2 dichloromethane	
87-86-5 pentachlorophenol	
88-06-2 2,4,6-trichlorophenol	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
75-09-2 dichloromethane	L
95-48-7 o-cresol	С
108-39-4 m-cresol	С
106-44-5 p-cresol	С
87-86-5 pentachlorophenol	L
88-06-2 2,4,6-trichlorophenol	B2
108-95-2 phenol	D, I
	Contd. on page 13



Printing date 03/29/2019 Version Number 3 Reviewed on 03/29/2019

Trade name: Acid Extractables Standard (1X1 mL)

(Contd. of page 12)

· TLV (Threshold Limit Value established by ACGIH)		
75-09-2	dichloromethane	A3
87-86-5	pentachlorophenol	A3
108-95-2	phenol	A4
· NIOSH-0	· NIOSH-Ca (National Institute for Occupational Safety and Health)	
75-09-2	dichloromethane	

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- · Date of preparation / last revision 03/29/2019 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation – Category 1

Carc. 1B: Carcinogenicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

* * Data compared to the previous version altered.