

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

1 Identification


- **Product identifier**
- **Trade name:** Organochlorine Pesticides Standard (1X1 mL)
- **Part number:** MISA-221-1
- **Relevant identified uses of the substance or mixture and uses advised against**
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
- **Further information obtainable from:**
Telephone: 1800 802 402
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(61) - 290372994

2 Hazard(s) Identification

- **Classification of the substance or mixture**



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Acute Tox. 1 H310 Fatal in contact with skin.



Muta. 1B H340 May cause genetic defects.

Carc. 1A H350 May cause cancer.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).
(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 1)

· Hazard pictograms

· Signal word Danger
· Hazard-determining components of labelling:

benzene
endrin ketone
dieldrin (ISO)
endosulfan sulfate

· Hazard statements

Highly flammable liquid and vapour.
Harmful if swallowed.
Fatal in contact with skin.
Causes skin irritation.
Causes serious eye irritation.
May cause genetic defects.
May cause cancer.
Causes damage to organs through prolonged or repeated exposure.
May be fatal if swallowed and enters airways.

· Precautionary statements

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Keep container tightly closed.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapours/spray.
Do not get in eyes, on skin, or on clothing.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves/protective clothing/eye protection/face protection.
Use personal protective equipment as required.
IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
Do NOT induce vomiting.
IF ON SKIN: Gently wash with plenty of soap and water.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Get medical advice/attention if you feel unwell.
Rinse mouth.
Specific measures (see on this label).
If skin irritation occurs: Get medical advice/attention.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 2)











If eye irritation persists: Get medical advice/attention.
Take off contaminated clothing and wash before reuse.
Wash contaminated clothing before reuse.
In case of fire: Use for extinction: CO₂, powder or water spray.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition and Information on Ingredients

- **Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

71-43-2	benzene	95.882%
		
309-00-2	aldrin (ISO)	0.229%
		
72-54-8	TDE	0.229%
		
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	0.229%
		
50-29-3	DDT (common name not adopted by ISO)	0.229%
		
60-57-1	dieldrin (ISO)	0.229%
		
76-44-8	heptachlor (ISO)	0.229%
		
1024-57-3	heptachlor epoxide - isomer B	0.229%
		
72-43-5	methoxychlor	0.229%
		
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane	0.229%
		
58-89-9	γ-HCH or γ-BHC	0.229%
		

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

AU

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 3)

4 First Aid Measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Call for a doctor immediately.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

AU

(Contd. on page 5)

Safety Data Sheet according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 4)

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Open and handle receptacle with care.
 - Prevent formation of aerosols.
- **Information about fire - and explosion protection:**
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
 - Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Keep container tightly sealed.
 - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· Ingredients with limit values that require monitoring at the workplace:	
71-43-2 benzene	
NES	Long-term value: 3.2 mg/m ³ , 1 ppm
WES	Long-term value: 3.2 mg/m ³ , 1 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

- **Respiratory protection:**

When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 5)

- **Material of gloves**
For normal use: nitrile rubber, 11-13 mil thickness
For direct contact with the chemical: butyl rubber, 12-15 mil thickness
- **Penetration time of glove material**
For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: > 4 hours
- **Eye protection:**



Tightly sealed goggles

9 Physical and Chemical Properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Fluid
Colour:	Colourless
- **Odour:** Aromatic
- **Odour threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/freezing point:	6 °C
Initial boiling point and boiling range:	80 °C
- **Flash point:** -11 °C
- **Flammability (solid, gas):** Not applicable.
- **Ignition temperature:** 555 °C
- **Decomposition temperature:** Not determined.
- **Auto-ignition temperature:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- **Explosion limits:**

Lower:	1.2 Vol %
Upper:	8 Vol %
- **Vapour pressure at 20 °C:** 100 hPa
- **Density at 20 °C:** 0.88 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with water at 20 °C:** 0.7 g/l
- **Partition coefficient: n-octanol/water:** Not determined.

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 6)

· Viscosity:	
Dynamic at 20 °C:	0.66 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	96.1 %
VOC (EC)	96.11 %
· Solids content:	
Other information	4.1 %
	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity**

· **LD/LC50 values relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	536 mg/kg
Dermal	LD50	48.8 mg/kg
Inhalative	LC50/4 h	131 mg/L

71-43-2 benzene

Oral	LD50	3,340 mg/kg (rat)
Dermal	LD50	48 mg/kg (mouse)
		>8,260 mg/kg (rabbit)
Inhalative	LC50/4 h	9,980 mg/L (mouse)

309-00-2 aldrin (ISO)

Oral	LD50	39 mg/kg (rat)
Dermal	LD50	98 mg/kg (rat)
		15 mg/kg (rabbit)

72-54-8 TDE

Dermal	LD50	1,200 mg/kg (rabbit)
--------	------	----------------------

72-55-9 2,2-bis(p-chlorophenyl)-1,1-dichloroethylene

Oral	LD50	880 mg/kg (rat)
------	------	-----------------

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 7)

50-29-3 DDT (common name not adopted by ISO)		
Oral	LD50	87 mg/kg (rat)
Dermal	LD50	2,510 mg/kg (rat) 300 mg/kg (rabbit)
60-57-1 dieldrin (ISO)		
Oral	LD50	38 mg/kg (mouse) 38 mg/kg (rat)
Dermal	LD50	10 mg/kg (rat) 250 mg/kg (rabbit)
959-98-8 endosulfan I		
Oral	LD50	76 mg/kg (rat)
33213-65-9 endosulfan II		
Oral	LD50	240 mg/kg (rat)
1031-07-8 endosulfan sulfate		
Oral	LD50	18 mg/kg (rat)
72-20-8 endrin (ISO)		
Oral	LD50	3 mg/kg (rat)
Dermal	LD50	60 mg/kg (rat) 60 mg/kg (rabbit)
76-44-8 heptachlor (ISO)		
Oral	LD50	40 mg/kg (rat)
Dermal	LD50	119 mg/kg (rat)
1024-57-3 heptachlor epoxide - isomer B		
Oral	LD50	15 mg/kg (rat)
53494-70-5 endrin ketone		
Oral	LD50	10 mg/kg (rat)
72-43-5 methoxychlor		
Oral	LD50	1,855 mg/kg (rat)
Dermal	LD50	6,000 mg/kg (rat)
319-85-7 (1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane		
Oral	LD50	6,000 mg/kg (rat)
58-89-9 γ-HCH or γ-BHC		
Oral	LD50	88 mg/kg (rat)
Dermal	LD50	900 mg/kg (rat)
Inhalative	LC50/4 h	1,560 mg/L (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:
Harmful

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 8)

Irritant
 Very toxic
 Danger through skin adsorption.
 The product can cause inheritable damage.
 · **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
 Muta. 1B, Carc. 1A

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
 Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.
 Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|---|---|
| · Not Regulated, De minimus Quantities | - |
| · UN-Number | |
| · ADG, IMDG, IATA | UN1114 |
| · UN proper shipping name | |
| · ADG | 1114 BENZENE solution, ENVIRONMENTALLY
HAZARDOUS |
| · IMDG | BENZENE solution, MARINE POLLUTANT |
| · IATA | BENZENE solution |

(Contd. on page 10)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 9)

· **Transport hazard class(es)**

· **ADG, IMDG**

· **Class**

3 Flammable liquids.

· **Label**

3

· **IATA**

· **Class**

3 Flammable liquids.

· **Label**

3

· **Packing group**

· **ADG, IMDG, IATA**

II

· **Environmental hazards:**

Product contains environmentally hazardous substances:
aldrin (ISO)

· **Marine pollutant:**

Symbol (fish and tree)

· **Special marking (ADG):**

Symbol (fish and tree)

· **Special precautions for user**

Warning: Flammable liquids.

· **Danger code (Kemler):**

33

· **EMS Number:**

F-E,S-D

· **Stowage Category**

B

· **Stowage Code**

SW2 Clear of living quarters.

· **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

· **ADG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category**

2

· **Tunnel restriction code**

D/E

· **IMDG**

· **Limited quantities (LQ)**

1L

· **Excepted quantities (EQ)**

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 11)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 10)

· **UN "Model Regulation":** UN 1114 BENZENE SOLUTION, 3, II,
ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Australian Inventory of Chemical Substances**

71-43-2	benzene
309-00-2	aldrin (ISO)
72-54-8	TDE
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
50-29-3	DDT (common name not adopted by ISO)
60-57-1	dieldrin (ISO)
959-98-8	endosulfan I
33213-65-9	endosulfan II
1031-07-8	endosulfan sulfate
72-20-8	endrin (ISO)
76-44-8	heptachlor (ISO)
1024-57-3	heptachlor epoxide - isomer B
72-43-5	methoxychlor
319-84-6	alpha-BHC (alpha-HCH)
319-85-7	(1alpha,2beta,3alpha,4beta,5alpha,6beta)-1,2,3,4,5,6-hexachlorocyclohexane
319-86-8	delta-BHC (delta-HCH)
58-89-9	gamma-HCH or gamma-BHC

· **Standard for the Uniform Scheduling of Medicines and Poisons**

71-43-2	benzene	S7
309-00-2	aldrin (ISO)	S6
72-54-8	TDE	S5, S6
50-29-3	DDT (common name not adopted by ISO)	S10
60-57-1	dieldrin (ISO)	S6
72-20-8	endrin (ISO)	S7
76-44-8	heptachlor (ISO)	S6
72-43-5	methoxychlor	S5
58-89-9	gamma-HCH or gamma-BHC	S2, S4, S5, S6

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category**

H1 ACUTE TOXIC

E2 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5 t

(Contd. on page 12)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

(Contd. of page 11)

- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 20 t
- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials, Annex II:**
Carcinogenic hazardous material group III (dangerous).
- **Information about limitation of use:**
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Relevant phrases**
H225 Highly flammable liquid and vapour.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H312 Harmful in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H340 May cause genetic defects.
H350 May cause cancer.
H351 Suspected of causing cancer.
H362 May cause harm to breast-fed children.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 1: Acute toxicity – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Muta. 1B: Germ cell mutagenicity – Category 1B
Carc. 1A: Carcinogenicity – Category 1A
Carc. 2: Carcinogenicity – Category 2
Lact.: Reproductive toxicity – effects on or via lactation
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

(Contd. on page 13)

Safety Data Sheet

according to WHS Regulations

Printing date 29.03.2019

Version number 2

Revision: 29.03.2019

Trade name: Organochlorine Pesticides Standard (1X1 mL)

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1

(Contd. of page 12)

AU