

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

1 Identification

- **Product identifier**
- **Trade name:** Chlorinated Extractables Standard (1X1 mL)
- **Part number:** MISA-231-1
- **Relevant identified uses of the substance or mixture and uses advised against**
Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies Australia Pty Ltd
679 Springvale Road
Mulgrave
Victoria 3170, Australia
- **Further information obtainable from:**
Telephone: 1800 802 402
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: +(61) - 290372994

2 Hazard(s) Identification

- **Classification of the substance or mixture**



health hazard

Carcinogenicity – Category 1B

H350 May cause cancer.

Specific target organ toxicity (repeated exposure) – Category 2

H373 May cause damage to organs through prolonged or repeated exposure.



Skin corrosion/irritation – Category 2

H315 Causes skin irritation.

Eye damage/irritation – Category 2A

H319 Causes serious eye irritation.

 Specific target organ toxicity (single exposure) – Category 3
3

H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements** The product is classified and labelled according to the Globally Harmonised System (GHS).

- **Hazard pictograms**



GHS07 GHS08

- **Signal word** Danger

- **Hazard-determining components of labelling:**

dichloromethane (>60 %)

hexachlorobenzene (<10 %)

- **Hazard statements**

H315 Causes skin irritation.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 1)

- H319 Causes serious eye irritation.
 H350 May cause cancer.
 H335 May cause respiratory irritation.
 H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P103 Read label before use.
 P260 Do not breathe vapours.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P264 Wash thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P321 Specific treatment (see on this label).
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P312 Call a POISON CENTER/doctor if you feel unwell.
 P332+P313 If skin irritation occurs: Get medical advice/attention.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P314 Get medical advice/attention if you feel unwell.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



· Other hazards
· Results of PBT and vPvB assessment

· PBT:	
87-61-6	1,2,3-trichlorobenzene
87-68-3	hexachlorobuta-1,3-diene
120-82-1	1,2,4-trichlorobenzene
· vPvB:	
87-68-3	hexachlorobuta-1,3-diene

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures
· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

75-09-2	dichloromethane	>60%
	 Carcinogenicity – Category 2, H351; Specific target organ toxicity (repeated exposure) – Category 2, H373;  Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319; Specific target organ toxicity (single exposure) – Category 3, H335	

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 2)

77-47-4	hexachlorocyclopentadiene ⚠ Acute toxicity - dermal – Category 3, H311; Acute toxicity - inhalation – Category 1, H330; ⚠ Skin corrosion/irritation – Category 1B, H314; ⚠ Acute toxicity - oral – Category 4, H302	<10%
87-61-6	1,2,3-trichlorobenzene ⚠ Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315; Eye damage/irritation – Category 2A, H319 PBT	<10%
87-68-3	hexachlorobuta-1,3-diene ⚠ Acute toxicity - oral – Category 3, H301; Acute toxicity - dermal – Category 2, H310; ⚠ Carcinogenicity – Category 2, H351; ⚠ Skin corrosion/irritation – Category 2, H315; Flammable liquids – Category 4, H227 PBT; vPvB	<10%
118-74-1	hexachlorobenzene ⚠ Carcinogenicity – Category 1B, H350; Specific target organ toxicity (repeated exposure) – Category 1, H372	<10%
120-82-1	1,2,4-trichlorobenzene ⚠ Acute toxicity - oral – Category 4, H302; Skin corrosion/irritation – Category 2, H315 PBT	<10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

· **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Protective equipment:** Mouth respiratory protective device.

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to section 13.
 Ensure adequate ventilation.
- **Reference to other sections**
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

7 Handling and Storage

- **Handling:**
- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Open and handle receptacle with care.
 Prevent formation of aerosols.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

* 8 Exposure controls and personal protection

- **Additional information about design of technical facilities:** No further data; see section 7.

- **Ingredients with limit values that require monitoring at the workplace:**

75-09-2 dichloromethane

WES	Long-term value: 174 mg/m ³ , 50 ppm
	Sk

77-47-4 hexachlorocyclopentadiene

WES	Long-term value: 0.11 mg/m ³ , 0.01 ppm
-----	--

87-68-3 hexachlorobuta-1,3-diene

WES	Long-term value: 0.21 mg/m ³ , 0.02 ppm
	Sk

120-82-1 1,2,4-trichlorobenzene

WES	Peak limitation: 37 mg/m ³ , 5 ppm
-----	---

- **Additional information:** The lists valid during the making were used as basis.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing
 Wash hands before breaks and at the end of work.
 Store protective clothing separately.
 Do not inhale gases / fumes / aerosols.
 Avoid contact with the eyes and skin.
- **Respiratory protection:**
 When used as intended with Agilent instruments the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 4)

needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device equipment with appropriate organic or acid gas cartridge.

- **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean up, nitrile gloves 11-13mil thickness are recommended for normal use. The breakthrough time is 1hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

- **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

- **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: > 4 hours

- **Eye protection:**

Safety glasses



Tightly sealed goggles

9 Physical and Chemical Properties

- **General Information**

- **Appearance:**

- **Form:**

Fluid

- **Colour:**

Colourless

- **Odour:**

Like chlorine

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

- **Melting point/freezing point:**

-95.1 °C

- **Initial boiling point and boiling range:**

40 °C

- **Flash point:**

Not applicable.

- **Flammability (solid, gas):**

Not applicable.

- **Auto-ignition temperature:**

605 °C

- **Decomposition temperature:**

Not determined.

- **Ignition temperature:**

Product is not selfigniting.

- **Explosive properties:**

Product does not present an explosion hazard.

- **Explosion limits:**

- **Lower:**

13 Vol %

- **Upper:**

22 Vol %

- **Vapour pressure at 20 °C:**

360 hPa

- **Density at 20 °C:**

1.3 g/cm³

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

- **Evaporation rate**

Not determined.

- **Solubility in / Miscibility with**

- **water at 20 °C:**

20 g/l

- **Partition coefficient: n-octanol/water:**

Not determined.

(Contd. on page 6)

AU

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 5)

· Viscosity:	
· Dynamic at 20 °C:	0.43 mPas
· Kinematic:	Not determined.
· Solvent content:	
· Organic solvents:	98.5 %
· VOC (EC)	98.49 %
· Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological Information

- **Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	54,377 mg/kg (rat)
Dermal	LD50	53,801 mg/kg (rabbit)
Inhalative	LC50/4 h	1,326 mg/L (rat)

75-09-2 dichloromethane

Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

77-47-4 hexachlorocyclopentadiene

Oral	LD50	315 mg/kg (rat)
Dermal	LD50	430 mg/kg (rabbit)
Inhalative	LC50/4 h	2 mg/L (rat)

87-61-6 1,2,3-trichlorobenzene

Oral	LD50	1,830 mg/kg (rat)
------	------	-------------------

87-68-3 hexachlorobuta-1,3-diene

Oral	LD50	82 mg/kg (rat)
Dermal	LD50	100 mg/kg (rabbit)
Inhalative	LC50/4 h	370 mg/L (mouse)

(Contd. on page 7)

-AU

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 6)

118-74-1 hexachlorobenzene

Oral	LD50	10,000 mg/kg (rat)
Inhalative	LC50/4 h	3,600 mg/L (rat)

120-82-1 1,2,4-trichlorobenzene

Oral	LD50	756 mg/kg (rat)
Dermal	LD50	6,139 mg/kg (rat)

- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** May cause cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** May cause damage to organs through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

12 Ecological Information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- **Results of PBT and vPvB assessment**

· PBT:

87-61-6	1,2,3-trichlorobenzene
87-68-3	hexachlorobuta-1,3-diene
120-82-1	1,2,4-trichlorobenzene

· vPvB:

87-68-3	hexachlorobuta-1,3-diene
---------	--------------------------

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 7)

- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Not Regulated, De minimus Quantities**

-

- **UN-Number**
- **ADG, IMDG, IATA**

UN1593

- **UN proper shipping name**
- **ADG**
- **IMDG, IATA**

1593 DICHLOROMETHANE
DICHLOROMETHANE

- **Transport hazard class(es)**
- **ADG, IMDG, IATA**



- **Class**
- **Label**

6.1 Toxic substances.
6.1

- **Packing group**
- **ADG, IMDG, IATA**

III

- **Environmental hazards:**

Not applicable.

- **Special precautions for user**
- **Hazard identification number (Kemler code):**
- **EMS Number:**
- **Segregation groups**
- **Stowage Category**

Warning: Toxic substances.
60
F-A,S-A
(SGG10) Liquid halogenated hydrocarbons
A

- **Transport in bulk according to Annex II of Marpol and the IBC Code**

Not applicable.

- **Transport/Additional information:**

- **ADG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

- **Transport category**
- **Tunnel restriction code**

2
E

- **IMDG**
- **Limited quantities (LQ)**
- **Excepted quantities (EQ)**

5L
Code: E1
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 8)

· UN "Model Regulation": UN 1593 DICHLOROMETHANE, 6.1, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Australian Inventory of Industrial Chemicals

75-09-2	dichloromethane
67-72-1	hexachloroethane
77-47-4	hexachlorocyclopentadiene
87-61-6	1,2,3-trichlorobenzene
87-68-3	hexachlorobuta-1,3-diene
120-82-1	1,2,4-trichlorobenzene
634-66-2	1,2,3,4-tetrachlorobenzene
634-90-2	1,2,3,5-tetrachlorobenzene
29082-74-4	octachlorostyrene

· Standard for the Uniform Scheduling of Medicines and Poisons

75-09-2	dichloromethane	S5
118-74-1	hexachlorobenzene	S7

· Australia: Priority Existing Chemicals

None of the ingredients is listed.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Additional classification according to Decree on Hazardous Materials, Annex II:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Relevant phrases

H227 Combustible liquid.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

(Contd. on page 10)

Safety Data Sheet

according to WHS Regulations

Printing date 26.03.2025

Revision: 26.03.2025

Trade name: Chlorinated Extractables Standard (1X1 mL)

(Contd. of page 9)

H330 Fatal if inhaled.
H335 May cause respiratory irritation.
H350 May cause cancer.
H351 Suspected of causing cancer.
H372 Causes damage to organs through prolonged or repeated exposure.
H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing SDS:** Document Control / Regulatory

· **Contact:** pdl-acg-regulatory-cq@agilent.com

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flammable liquids – Category 4: Flammable liquids – Category 4

Acute toxicity - oral – Category 4: Acute toxicity – Category 4

Acute toxicity - dermal – Category 2: Acute toxicity – Category 2

Acute toxicity - dermal – Category 3: Acute toxicity – Category 3

Acute toxicity - inhalation – Category 1: Acute toxicity – Category 1

Skin corrosion/irritation – Category 1B: Skin corrosion/irritation – Category 1B

Skin corrosion/irritation – Category 2: Skin corrosion/irritation – Category 2

Eye damage/irritation – Category 2A: Serious eye damage/eye irritation – Category 2A

Carcinogenicity – Category 1B: Carcinogenicity – Category 1B

Carcinogenicity – Category 2: Carcinogenicity – Category 2

Specific target organ toxicity (single exposure) – Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity (repeated exposure) – Category 1: Specific target organ toxicity (repeated exposure) – Category 1

Specific target organ toxicity (repeated exposure) – Category 2: Specific target organ toxicity (repeated exposure) – Category 2

· *** Data compared to the previous version altered.**