

Revision date 08/23/2024

# 1 Identification

· Product identifier

· Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

· Part number: NAIM-833B-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Germ Cell Mutagenicity 1B H340 May cause genetic defects.

Carcinogenicity 1B H350 May cause cancer.

Toxic to Reproduction 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed. Acute Toxicity - Dermal 4 H312 Harmful in contact with skin. Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling: acetonitrile

(Contd. on page 2)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 1)

- 2-nitrotoluene
- 2,6-dinitrotoluene
- 3-nitrotoluene

#### · Hazard statements

H225 Highly flammable liquid and vapor.

H302+H312 Harmful if swallowed or in contact with skin.

Causes serious eye irritation. H319 H340 May cause genetic defects.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

# · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

Keep container tightly closed. P233 Use only non-sparking tools. P242

P243 Take precautionary measures against static discharge.

Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

Obtain special instructions before use. P201

Do not handle until all safety precautions have been read and understood. P202

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P308+P313 IF exposed or concerned: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish. Take off contaminated clothing and wash it before reuse. P362+P364

P405 Store locked up.

Store in a well-ventilated place. Keep cool. P403+P235

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

### · Classification system:

# · NFPA ratings (scale 0 - 4)



Health = 2Fire = 3Reactivity = 0

# · HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 3)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

· vPvB: Not applicable.

(Contd. of page 2)

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
75-05-8	acetonitrile	99.1096%	
88-72-2	2-nitrotoluene	0.1272%	
99-08-1	3-nitrotoluene	0.1272%	
99-99-0	4-nitrotoluene	0.1272%	
479-45-8	N-methyl-N,2,4,6-tetranitroaniline	0.1272%	
606-20-2	2,6-dinitrotoluene	0.1272%	

# 4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eve contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 3)

# Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# · Protective Action Criteria for Chemicals

1 Totalive 1	retion Criteria for Chemicals	
PAC-1:		
75-05-8	acetonitrile	13 ppm
88-72-2	2-nitrotoluene	6 ppm
99-08-1	3-nitrotoluene	6 ppm
99-99-0	4-nitrotoluene	6 ppm
479-45-8	N-methyl-N,2,4,6-tetranitroaniline	4.5 mg/r
606-20-2	2,6-dinitrotoluene	0.6 mg/r
35572-78-2	2-amino-4,6-dinitrotoluene	4.2 mg/r
PAC-2:		
75-05-8	acetonitrile	50 ppm
88-72-2	2-nitrotoluene	33 ppm
99-08-1	3-nitrotoluene	14 ppm
99-99-0	4-nitrotoluene	33 ppm
479-45-8	N-methyl-N,2,4,6-tetranitroaniline	14 mg/r
606-20-2	2,6-dinitrotoluene	47 mg/r
35572-78-2	2-amino-4,6-dinitrotoluene	46 mg/r
PAC-3:		
75-05-8	acetonitrile	150 ppm
88-72-2	2-nitrotoluene	200 ppm
99-08-1	3-nitrotoluene	200 ppm
99-99-0	4-nitrotoluene	200 ppm
	N-methyl-N,2,4,6-tetranitroaniline	1,300 mg/r
606-20-2	2,6-dinitrotoluene	200 mg/m <sup>3</sup>
35572-78-2	2-amino-4,6-dinitrotoluene	280 mg/m³

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

(Contd. on page 5)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

75-05	5-8 acetonitrile
PEL	Long-term value: 70 mg/m³, 40 ppm
REL	Long-term value: 34 mg/m³, 20 ppm
TLV	Long-term value: 20 ppm Skin, A4
88-72	-2 2-nitrotoluene
PEL	Long-term value: 30 mg/m³, 5 ppm Skin
REL	Long-term value: 11 mg/m³, 2 ppm Skin
TLV	Long-term value: 2 ppm Skin; BEI-M
99-08	3-1 3-nitrotoluene
PEL	Long-term value: 30 mg/m³, 5 ppm Skin
REL	Long-term value: 11 mg/m³, 2 ppm Skin
TLV	Long-term value: 2 ppm Skin; BEI-M
99-99	-0 4-nitrotoluene
PEL	Long-term value: 30 mg/m³, 5 ppm Skin
REL	Long-term value: 11 mg/m³, 2 ppm Skin
TLV	Long-term value: 2 ppm Skin; BEI-M
	(Contd on no

(Contd. on page 6)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 5)

### 479-45-8 N-methyl-N,2,4,6-tetranitroaniline

PEL Long-term value: 1.5 mg/m<sup>3</sup>

Skin

REL Long-term value: 1.5 mg/m<sup>3</sup>

Skin

TLV Long-term value: 1.5 mg/m<sup>3</sup>

# · Ingredients with biological limit values:

### 88-72-2 2-nitrotoluene

BEI 1.5 % of hemoglobin

Medium: blood

Time: during or end of shift

Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

### 99-08-1 3-nitrotoluene

BEI 1.5 % of hemoglobin

Medium: blood

Time: during or end of shift

Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

### 99-99-0 4-nitrotoluene

BEI 1.5 % of hemoglobin

Medium: blood

Time: during or end of shift

Parameter: Methemoglobin (background, nonspecific, semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

### **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

### · Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

### · Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

#### · Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 7)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

· Eye protection:

(Contd. of page 6)



Tightly sealed goggles

9 Physical and chemical propert	ies
· Information on basic physical and cl · General Information · Appearance:	nemical properties
Appearance: Form: Color: Odor: Odor threshold:	Fluid Colorless Aromatic Not determined.
· pH-value:	Not determined.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	-46 °C (-50.8 °F) 81 °C (177.8 °F)
· Flash point:	2 °C (35.6 °F)
· Flammability (solid, gaseous):	Highly flammable.
· Auto igniting:	525 °C (977 °F)
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower: Upper:	4.4 Vol % 16 Vol %
· Vapor pressure at 20 °C (68 °F): · Vapor pressure at 50 °C (122 °F):	0 hPa 330 hPa (247.5 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.786 g/cm³ (6.55917 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.

(Contd. on page 8)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

	(Contd. of page 7)
· Solvent content:	
<b>VOC</b> content:	0.00 %
	0.0  g/l / 0.00  lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:				
ATE (Acu	ite Toxicity	y Estimate)			
Oral	LD50	1,296 mg/kg			
Dermal	LD50	>1,889 mg/kg			
Inhalative	LC50/4 h	120 mg/L			
75-05-8 ac	etonitrile				
Oral	LD50	1,320 mg/kg (rat)			
Dermal	LD50	>2,000 mg/kg (rabbit)			
Inhalative	LC50/4 h	3,587 mg/L (mouse)			
88-72-2 2-	nitrotolue	ene			
Oral	LD50	891 mg/kg (rat)			
99-08-1 3-	99-08-1 3-nitrotoluene				
		1.0=0 // / )			

#### Oral LD50 1,072 mg/kg (rat)

			_		- 1
99-99-0	4-nitrotolu	iene			
0 1	T D 50	1 0 6 0	/1	- /	. `

(0( 20 2 2	11 14	. 1
Dermal	LD50	>16,000 mg/kg (rat)
Oral	LD50	1,960 mg/kg (rat)

# **606-20-2 2,6-dinitrotoluene**

Oral LD50 177 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 9)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 8)

# · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

The product can cause inheritable damage.

## · Carcinogenic categories

· IARC (International Agency for Research on Cancer)			
88-72-2	2-nitrotoluene	2A	
99-08-1	3-nitrotoluene	3	
99-99-0	4-nitrotoluene	3	
606-20-2	2,6-dinitrotoluene	2B	
· NTP (Nat	tional Toxicology Program)		
88-72-2 2-nitrotoluene R			
· OSHA-Ca (Occupational Safety & Health Administration)			
None of the ingredients is listed.			

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

US



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 9)

Transport information	
· Not Regulated, De minimis Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1648
· UN proper shipping name · DOT · IMDG, IATA	Acetonitrile ACETONITRILE
· Transport hazard class(es)	
· DOT	
· Class · Label	3 Flammable liquids 3
· IMDG, IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
<ul> <li>Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> <li>EMS Number:</li> <li>Stowage Category</li> </ul>	Warning: Flammable liquids : 33 F-E,S-E B
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1648 ACETONITRILE, 3, II



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 10)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

· Section 355 (extremely hazardous substances	· Section 35	5 (extremely	hazardous	substances	):
---	--------------	--------------	-----------	------------	----

None of the ingredients is listed.

# · Section 313 (Specific toxic chemical listings):

75-05-8 acetonitrile

88-72-2 2-nitrotoluene

606-20-2 2,6-dinitrotoluene

# · TSCA (Toxic Substances Control Act):

75-05-8	acetonitrile	ACTIVE
88-72-2	2-nitrotoluene	ACTIVE
99-08-1	3-nitrotoluene	ACTIVE
99-99-0	4-nitrotoluene	ACTIVE
	- · · · · · · · · · · · · · · · · · · ·	ACTIVE
606-20-2	2,6-dinitrotoluene	ACTIVE

#### · Hazardous Air Pollutants

75-05-8 acetonitrile

Proposition 65

### · Chemicals known to cause cancer:

88-72-2 2-nitrotoluene

606-20-2 2,6-dinitrotoluene

# · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

# · Chemicals known to cause reproductive toxicity for males:

606-20-2 2,6-dinitrotoluene

## · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

### · EPA (Environmental Protection Agency)

75-05-8 acetonitrile

CBD, D

## · TLV (Threshold Limit Value)

75-05-8 acetonitrile

A4

# · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · National regulations:
- · Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

#### · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

(Contd. on page 12)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: Intermediate Stock Standard no. 2 (1X1 mL)

(Contd. of page 11)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- · Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 08/23/2024 / 4
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Oral 4: Acute toxicity - Category 4

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Germ Cell Mutagenicity 1B: Germ cell mutagenicity – Category 1B

Carcinogenicity 1B: Carcinogenicity - Category 1B

Toxic to Reproduction 2: Reproductive toxicity – Category 2

\* Data compared to the previous version altered.