

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

1 Identification

- **Product identifier**
- **Trade name:** Benzidines and Nitrogen Pesticide Standard (1X1 mL)
- **Part number:** NPM-531-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Tox. 3 H331 Toxic if inhaled.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

Repr. 1B H360 May damage fertility or the unborn child.

STOT SE 1 H370 Causes damage to organs.



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08

- **Signal word** Danger

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 1)

· Hazard-determining components of labeling:

methanol
linuron (ISO)
benzidine
acetonitrile

· Hazard statements

Highly flammable liquid and vapor.
Toxic if inhaled.
Causes serious eye irritation.
May cause cancer.
May damage fertility or the unborn child.
Causes damage to organs.

· Precautionary statements

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Ground/bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Do not breathe dust/fume/gas/mist/vapors/spray.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical advice/attention.
Specific treatment (see on this label).
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO₂, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:
· NFPA ratings (scale 0 - 4)


Health = 2
Fire = 3
Reactivity = 0

· HMIS-ratings (scale 0 - 4)


Health = *2
Fire = 3
Reactivity = 0

· Other hazards
· Results of PBT and vPvB assessment

· PBT: Not applicable.

(Contd. on page 3)

**Safety Data Sheet**
acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)· **vPvB:** Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients· **Chemical characterization: Mixtures**· **Description:** Mixture of the substances listed below with nonhazardous additions.· **Dangerous components:**

67-56-1	methanol	49.535%
75-05-8	acetonitrile	49.222%
330-55-2	linuron (ISO)	0.165%
63-25-2	carbaryl (ISO)	0.127%
92-87-5	benzidine	0.0317%

4 First-aid measures· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures· **Extinguishing media**· **Suitable extinguishing agents:**CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· **For safety reasons unsuitable extinguishing agents:** Water with full jet· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Advice for firefighters**· **Protective equipment:** Mouth respiratory protective device.**6 Accidental release measures**· **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 3)

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

67-56-1	methanol	530 ppm
75-05-8	acetonitrile	13 ppm
83-79-4	rotenone	15 mg/m ³
63-25-2	carbaryl (ISO)	1.5 mg/m ³
5344-82-1	1-(2-chlorophenyl)-2-thiourea	0.014 mg/m ³
119-90-4	3,3'-dimethoxybenzidine	20 mg/m ³
119-93-7	4,4'-bi-o-toluidine	0.0018 mg/m ³
91-94-1	3,3'-dichlorobenzidine	2.1 ppm
92-87-5	benzidine	0.93 mg/m ³

· **PAC-2:**

67-56-1	methanol	2,100 ppm
75-05-8	acetonitrile	50 ppm
83-79-4	rotenone	420 mg/m ³
63-25-2	carbaryl (ISO)	100 mg/m ³
5344-82-1	1-(2-chlorophenyl)-2-thiourea	0.15 mg/m ³
119-90-4	3,3'-dimethoxybenzidine	220 mg/m ³
119-93-7	4,4'-bi-o-toluidine	0.02 mg/m ³
91-94-1	3,3'-dichlorobenzidine	23 ppm
92-87-5	benzidine	10 mg/m ³

· **PAC-3:**

67-56-1	methanol	7200* ppm
75-05-8	acetonitrile	150 ppm
83-79-4	rotenone	2,500 mg/m ³
63-25-2	carbaryl (ISO)	600 mg/m ³
5344-82-1	1-(2-chlorophenyl)-2-thiourea	0.91 mg/m ³
119-90-4	3,3'-dimethoxybenzidine	380 mg/m ³
119-93-7	4,4'-bi-o-toluidine	36 mg/m ³
91-94-1	3,3'-dichlorobenzidine	140 ppm
92-87-5	benzidine	61 mg/m ³

US

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 4)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
Prevent formation of aerosols.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

Components with limit values that require monitoring at the workplace:

67-56-1 methanol

PEL	Long-term value: 260 mg/m ³ , 200 ppm
REL	Short-term value: 325 mg/m ³ , 250 ppm Long-term value: 260 mg/m ³ , 200 ppm Skin
TLV	Short-term value: 328 mg/m ³ , 250 ppm Long-term value: 262 mg/m ³ , 200 ppm Skin; BEI

75-05-8 acetonitrile

PEL	Long-term value: 70 mg/m ³ , 40 ppm
REL	Long-term value: 34 mg/m ³ , 20 ppm
TLV	Long-term value: 34 mg/m ³ , 20 ppm Skin

92-87-5 benzidine

PEL	see 29 CFR 1910.1003
REL	See Pocket Guide Apps. A and C
TLV	Skin; L

(Contd. on page 6)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 5)

· Ingredients with biological limit values:
67-56-1 methanol

BEI	15 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Methanol (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness
For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:


Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties
· General Information
· Appearance:

Form:	Fluid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

(Contd. on page 7)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 6)

· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
· Flash point:	2 °C (35.6 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	455 °C (851 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	4.4 Vol %
Upper:	44 Vol %
· Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)
· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	49.5 %
VOC content:	49.54 %
	495.4 g/l / 4.13 lb/gal
Solids content:	1.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 7)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimate)

Oral	LD50	2,270 mg/kg (rat)
Dermal	LD50	>4,063 mg/kg (rabbit)
Inhalative	LC50/4 h	6.05 mg/L

67-56-1 methanol

Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

75-05-8 acetonitrile

Oral	LD50	1,320 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3,587 mg/L (mouse)

83-79-4 rotenone

Oral	LD50	60 mg/kg (rat)
Dermal	LD50	>1,000 mg/kg (rabbit)

330-55-2 linuron (ISO)

Oral	LD50	1,146 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6,150 mg/L (rat)

63-25-2 carbaryl (ISO)

Oral	LD50	230 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)

5344-82-1 1-(2-chlorophenyl)-2-thiourea

Oral	LD50	4.6 mg/kg (rat)
------	------	-----------------

119-90-4 3,3'-dimethoxybenzidine

Oral	LD50	~1,920 mg/kg (rat)
------	------	--------------------

330-54-1 diuron(ISO)

Oral	LD50	1,017 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
Inhalative	LC50/4 h	>5.05 mg/L (rat)

92-87-5 benzidine

Oral	LD50	309 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**

· **on the skin:** No irritant effect.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

(Contd. on page 9)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 8)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic
Irritant

· Carcinogenic categories
· IARC (International Agency for Research on Cancer)

63-25-2	carbaryl (ISO)	3
119-90-4	3,3'-dimethoxybenzidine	2B
150-68-5	monuron (ISO)	3
119-93-7	4,4'-bi-o-toluidine	2B
58-08-2	caffeine	3
91-94-1	3,3'-dichlorobenzidine	2B
92-87-5	benzidine	1

· NTP (National Toxicology Program)

119-90-4	3,3'-dimethoxybenzidine	R
119-93-7	4,4'-bi-o-toluidine	R
91-94-1	3,3'-dichlorobenzidine	R
92-87-5	benzidine	K

· OSHA-Ca (Occupational Safety & Health Administration)

91-94-1	3,3'-dichlorobenzidine
92-87-5	benzidine

12 Ecological information

· Toxicity
· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

· Behavior in environmental systems:
· Bioaccumulative potential No further relevant information available.

· Mobility in soil No further relevant information available.

· Additional ecological information:
· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

· Results of PBT and vPvB assessment
· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods
· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 9)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· **Not Regulated, De minimus Quantities** -

· **UN-Number**
· **DOT, IMDG, IATA** UN1230

· **UN proper shipping name**
· **DOT** Methanol solution
· **IMDG** METHANOL solution
· **IATA** METHANOL mixture

· **Transport hazard class(es)**

· **DOT**

· **Class** 3 Flammable liquids
· **Label** 3, 6.1

· **IMDG**

· **Class** 3 Flammable liquids
· **Label** 3/6.1

· **IATA**

· **Class** 3 Flammable liquids
· **Label** 3 (6.1)

· **Packing group**
· **DOT, IMDG, IATA** II

· **Environmental hazards:** Not applicable.

· **Special precautions for user** Warning: Flammable liquids
· **Danger code (Kemler):** 336
· **EMS Number:** F-E,S-D
· **Stowage Category** B
· **Stowage Code** SW2 Clear of living quarters.

(Contd. on page 11)

Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 10)

- | | |
|--|---|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | |
| · DOT | |
| · Quantity limitations | On passenger aircraft/rail: 1 L
On cargo aircraft only: 60 L |
| <hr style="border-top: 1px dashed black;"/> | |
| · IMDG | |
| · Limited quantities (LQ) | 1L |
| · Excepted quantities (EQ) | Code: E2
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 1230 METHANOL SOLUTION, 3 (6.1), II |

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

5344-82-1	1-(2-chlorophenyl)-2-thiourea
-----------	-------------------------------

· Section 313 (Specific toxic chemical listings):

67-56-1	methanol
75-05-8	acetonitrile
330-55-2	linuron (ISO)
63-25-2	carbaryl (ISO)
119-90-4	3,3'-dimethoxybenzidine
330-54-1	diuron(ISO)
150-68-5	monuron (ISO)
119-93-7	4,4'-bi-o-toluidine
91-94-1	3,3'-dichlorobenzidine
92-87-5	benzidine

· TSCA (Toxic Substances Control Act):

67-56-1	methanol
75-05-8	acetonitrile
330-55-2	linuron (ISO)
63-25-2	carbaryl (ISO)
5344-82-1	1-(2-chlorophenyl)-2-thiourea
119-90-4	3,3'-dimethoxybenzidine
330-54-1	diuron(ISO)
150-68-5	monuron (ISO)
119-93-7	4,4'-bi-o-toluidine
58-08-2	caffeine

(Contd. on page 12)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 11)

91-94-1	3,3'-dichlorobenzidine
92-87-5	benzidine

· TSCA new (21st Century Act): (Substances not listed)

330-55-2	linuron (ISO)
63-25-2	carbaryl (ISO)
92-87-5	benzidine

· Proposition 65
· Chemicals known to cause cancer:

63-25-2	carbaryl (ISO)
119-90-4	3,3'-dimethoxybenzidine
330-54-1	diuron(ISO)
119-93-7	4,4'-bi-o-toluidine
91-94-1	3,3'-dichlorobenzidine
92-87-5	benzidine

· Chemicals known to cause reproductive toxicity for females:

63-25-2	carbaryl (ISO)
---------	----------------

· Chemicals known to cause reproductive toxicity for males:

63-25-2	carbaryl (ISO)
---------	----------------

· Chemicals known to cause developmental toxicity:

67-56-1	methanol
330-55-2	linuron (ISO)
63-25-2	carbaryl (ISO)

· Carcinogenic categories
· EPA (Environmental Protection Agency)

75-05-8	acetonitrile	CBD, D
91-94-1	3,3'-dichlorobenzidine	B2
92-87-5	benzidine	A

· TLV (Threshold Limit Value established by ACGIH)

75-05-8	acetonitrile	A4
83-79-4	rotenone	A4
63-25-2	carbaryl (ISO)	A4
330-54-1	diuron(ISO)	A4
119-93-7	4,4'-bi-o-toluidine	A3
91-94-1	3,3'-dichlorobenzidine	A3
92-87-5	benzidine	A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

119-90-4	3,3'-dimethoxybenzidine
119-93-7	4,4'-bi-o-toluidine
91-94-1	3,3'-dichlorobenzidine
92-87-5	benzidine

(Contd. on page 13)

Safety Data Sheet
acc. to OSHA HCS

Printing date 03/29/2019

Version Number 2

Reviewed on 03/29/2019

Trade name: Benzidines and Nitrogen Pesticide Standard (1X1 mL)

(Contd. of page 12)

- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials:**
Carcinogenic hazardous material group III (dangerous).
- **Information about limitation of use:**
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.
Exceptions can be made by the authorities in certain cases.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.
No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- **Department issuing SDS:** Document Control / Regulatory
- **Contact:** regulatory@ultrasci.com
- **Date of preparation / last revision** 03/29/2019 / 1
- **Abbreviations and acronyms:**
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2
Acute Tox. 3: Acute toxicity – Category 3
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 1A: Carcinogenicity – Category 1A
Repr. 1B: Reproductive toxicity – Category 1B
STOT SE 1: Specific target organ toxicity (single exposure) – Category 1
- *** Data compared to the previous version altered.**

US