US

Safety Data Sheet acc. to OSHA HCS

Printing date 03/28/2019

Version Number 3

Reviewed on 03/28/2019

1 Identification

· Product identifier

· Trade name: Haloacetic Acid Standard (1X1 mL)

- · Part number: PHM-535-1
- · Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Agilent Technologies, Inc. 5301 Stevens Creek Blvd. Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770 e-mail: pdl-msds author@agilent.com · Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flam. Liq. 2 H225 Highly flammable liquid and vapor. GHS06 Skull and crossbones Acute Tox. 3 H331 Toxic if inhaled. GHS08 Health hazard Carc. 2 H351 Suspected of causing cancer. STOT SE 1 H370 Causes damage to organs. GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02 GHS06 GHS07 GHS08 · Signal word Danger (Contd. on page 2)



US

Safety Data Sheet acc. to OSHA HCS

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

(Contd. of page 1) · Hazard-determining components of labeling: methanol chloroacetic acid bromoacetic acid · Hazard statements Highly flammable liquid and vapor. Toxic if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs. **Precautionary statements** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 1Fire = 3Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH ^{*1} Health = *1FIRE 3 Fire = 3**REACTIVITY** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. (Contd. on page 3)



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

(Contd. of page 2)

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
67-56-1	methanol	98.862%		
79-43-6	dichloroacetic acid	0.126%		
76-03-9	trichloroacetic acid	0.126%		
79-08-3	bromoacetic acid	0.126%		
5589-96-8	bromochloroacetic acid	0.126%		
631-64-1	dibromoacetic acid	0.126%		

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

(Contd. on page 4)



Printing date 03/28/2019

Version Number 3

version runnoer 5

Version Number 3

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

(Contd. of page 3)

6 Accidental release measures

· Perso	onal	preca	autions,	pre	otective	equipment	and	emergency procedures	
16		•		. •	1 .				

Mount respiratory protective device.

- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
67-56-1	methanol	530 ppm
79-11-8	chloroacetic acid	1.5 ppm
79-43-6	dichloroacetic acid	1.5 ppm
76-03-9	trichloroacetic acid	1.5 ppm
79-08-3	bromoacetic acid	0.023 mg/m ³
· PAC-2:		
67-56-1	methanol	2,100 ppm
79-11-8	chloroacetic acid	6.6 ppm
79-43-6	dichloroacetic acid	8.9 ppm
76-03-9	trichloroacetic acid	16 ppm
79-08-3	bromoacetic acid	0.26 mg/m ³
· PAC-3:		
67-56-1	methanol	7200* ppm
79-11-8	chloroacetic acid	15 ppm
79-43-6	dichloroacetic acid	140 ppm
76-03-9	trichloroacetic acid	99 ppm
79-08-3	bromoacetic acid	1.5 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.

(Contd. on page 5)



Printing date 03/28/2019

⁻ US

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

(Contd. of page 4)

· Conditions for safe storage, including any incompatibilities

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

67-56-1 methanol PEL Long-term value: 260 mg/m³, 200 ppm REL Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin, BEI 79-43-6 dichloroacetic acid TLV Long-term value: 2.64 mg/m³, 0.5 ppm Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm * Ingredients with biological limit values: 67-56-1 methanol BEI I5 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) * Additional information: The lists that were valid during the creation were used as basis. * Exposure controls * Personal protective equipment: * General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective	· Components with limit values that require monitoring at the workplace:
REL Short-term value: 325 mg/m³, 200 ppm Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 328 mg/m³, 200 ppm Skin; BEI 79-43-6 dichloroacetic acid TLV Long-term value: 2.64 mg/m³, 200 ppm Skin; BEI 79-43-6 dichloroacetic acid TLV Long-term value: 2.64 mg/m³, 0.5 ppm Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm *Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solid and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. • Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Und	67-56-1 methanol
Long-term value: 260 mg/m³, 200 ppm Skin TLV Short-term value: 328 mg/m³, 250 ppm Long-term value: 262 mg/m³, 200 ppm Skin; BEI 79-43-6 dichloroacetic acid TLV Long-term value: 2.64 mg/m³, 0.5 ppm Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 7 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	PEL Long-term value: 260 mg/m ³ , 200 ppm
Long-term value: 262 mg/m³, 200 ppm Skin: BEI 79-43-6 dichloroacetic acid TLV Long-term value: 2.64 mg/m³, 0.5 ppm Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore resp	Long-term value: 260 mg/m ³ , 200 ppm
TLV Long-term value: 2.64 mg/m³, 0.5 ppm Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	Long-term value: 262 mg/m ³ , 200 ppm
Skin 76-03-9 trichloroacetic acid REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	79-43-6 dichloroacetic acid
REL Long-term value: 7 mg/m³, 1 ppm TLV Long-term value: 3.34 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	
TLV Long-term value: 3.34 mg/m³, 0.5 ppm Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	76-03-9 trichloroacetic acid
 Ingredients with biological limit values: 67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) Additional information: The lists that were valid during the creation were used as basis. Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved 	REL Long-term value: 7 mg/m ³ , 1 ppm
67-56-1 methanol BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all solied and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	TLV Long-term value: 3.34 mg/m ³ , 0.5 ppm
BEI 15 mg/L Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	· Ingredients with biological limit values:
Medium: urine Time: end of shift Parameter: Methanol (background, nonspecific) • Additional information: The lists that were valid during the creation were used as basis. • Exposure controls • Personal protective equipment: • General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. • Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved	67-56-1 methanol
 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved 	Medium: urine Time: end of shift
 Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed. Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved 	• Additional information: The lists that were valid during the creation were used as basis.
	 Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Breathing equipment: When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is no needed.



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

 $(Contd. \ of \ page \ 5)$

device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

- · Penetration time of glove material
- For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties
General Information	
Appearance: Form:	Liquid
Form: Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-98 °C (-144.4 °F)
Boiling point/Boiling range:	64.7 °C (148.5 °F)
Flash point:	9 °C (48.2 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	5.5 Vol %
Upper:	44 Vol %
Vapor pressure at 20 °C (68 °F):	100 hPa (75 mm Hg)
Density at 20 °C (68 °F):	0.8 g/cm ³ (6.676 lbs/gal)
Relative density	Not determined.



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

		(Contd. of page 6
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	98.9 %	
VOC content:	98.86 %	
	988.6 g/l / 8.25 lb/gal	
Solids content:	0.9 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

L D/L CEA	·	
· LD/LC50	values that	at are relevant for classification:
ATE (Acu	ite Toxicit	y Estimate)
Oral	LD50	23,860 mg/kg (rat)
Dermal	LD50	37,274 mg/kg
Inhalative	LC50/4 h	2.97 mg/L
67-56-1 m	ethanol	
Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)
79-43-6 d	ichloroace	tic acid
Oral	LD50	2,820 mg/kg (rat)
Dermal	LD50	799 mg/kg (rabbit)
76-03-9 tı	ichloroace	etic acid
Oral	LD50	3,320 mg/kg (rat)
	•	(Contd. on page 8



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

79-08-3	bromoace	ic acid	(Contd. of pag
Oral	LD50	50 mg/kg (rat)	
Dermal	LD50	59.9 mg/kg (rabbit)	
631-64-1	dibromoa	icetic acid	
Oral	LD50	1,737 mg/kg (rat)	
Sensitiza Addition	tion: Sens al toxicol	ating effect. itization possible through skin contact. ogical information: the following dangers according to internally approved ca	
Toxic Irritant			alculation methods for preparations:
Toxic Irritant Carcino _s	genic cate	gories	alculation methods for preparations:
Toxic Irritant Carcinos IARC (I	genic cates nternatior		alculation methods for preparations:
Toxic Irritant Carcinog IARC (I 79-43-	genic cates nternatior 6 dichlore	gories al Agency for Research on Cancer)	
Toxic Irritant Carcinog IARC (I 79-43- 76-03-	genic cates nternation 6 dichloro 9 trichloro	gories al Agency for Research on Cancer) acetic acid	2
Toxic Irritant Carcinog IARC (I 79-43- 76-03- 5589-96-	genic cates nternation 6 dichloro 9 trichloro 8 bromoc	gories al Agency for Research on Cancer) pacetic acid pacetic acid	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Toxic Irritant Carcinog IARC (I 79-43- 76-03- 5589-96- 631-64-	genic cate nternation dichloro trichloro bromoc dibromo	gories al Agency for Research on Cancer) acetic acid pacetic acid hloroacetic acid	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Toxic Irritant Carcino IARC (I 79-43- 76-03- 5589-96- 631-64- NTP (Na	genic categ nternation dichloro trichloro bromoc dibromoc tional To	gories al Agency for Research on Cancer) pacetic acid pacetic acid nloroacetic acid pacetic acid	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Toxic Irritant Carcino IARC (I 79-43- 76-03- 5589-96- 631-64- NTP (Na None of 1	genic cates nternation 6 dichloro 9 trichloro 8 bromoc 1 dibromo tional To the ingredi	gories al Agency for Research on Cancer) acetic acid bacetic acid hloroacetic acid bacetic acid bacetic acid bacetic acid bacetic acid	2

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- \cdot Other adverse effects No further relevant information available.



Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

(Contd. of page 8)

US

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	-
· UN-Number · DOT, IMDG, IATA	UN1230
· UN proper shipping name · DOT · IMDG, IATA	Methanol solution METHANOL solution
· Transport hazard class(es)	
DOT	
· Class · Label	3 Flammable liquids 3, 6.1
·IMDG	
· Class	3 Flammable liquids
· Label	3/6.1
· Class	3 Flammable liquids
·Label	3 (6.1)
[·] Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
• Special precautions for user • Danger code (Kemler):	Warning: Flammable liquids 336



*

Printing date 03/28/2019

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

	(Contd. of page
· EMS Number:	F-E,S-D
· Stowage Category	В
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
• Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1230 METHANOL SOLUTION, 3 (6.1), II

15 Regulatory information

 $^\circ$ Safety, health and environmental regulations/legislation specific for the substance or mixture $^\circ$ Sara

· Section 3	55 (extremely hazardous substances):
79-11-8 c	chloroacetic acid
· Section 3	13 (Specific toxic chemical listings):
67-56-1 r	nethanol
79-11-8 c	chloroacetic acid
· TSCA (T	oxic Substances Control Act):
67-56-1	methanol
79-11-8	chloroacetic acid
	dichloroacetic acid
76-03-9	trichloroacetic acid
79-08-3	bromoacetic acid
631-64-1	dibromoacetic acid
75-96-7	tribromoacetic acid
· TSCA ne	w (21st Century Act): (Substances not listed)
76-03-9	trichloroacetic acid
79-08-3	bromoacetic acid
5589-96-8	bromochloroacetic acid
631-64-1	dibromoacetic acid
 Propositi 	on 65
· Chemical	s known to cause cancer:
79-43	-6 dichloroacetic acid
76-03-	-9 trichloroacetic acid
	(Contd. on page 1



Printing date 03/28/2019

Version Number 3

19

Printing date 03/28/2019

Version Number 3

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

	(Contd. of page 1
5589-96-8 bromochloroacetic acid	
71133-14-7 bromodichloroacetic acid	
631-64-1 dibromoacetic acid	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
79-43-6 dichloroacetic acid	
Chemicals known to cause developmental toxicity:	
67-56-1 methanol	
79-43-6 dichloroacetic acid	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
79-43-6 dichloroacetic acid	L
76-03-9 trichloroacetic acid	SC
TLV (Threshold Limit Value established by ACGIH)	· · ·
79-11-8 chloroacetic acid	A
79-43-6 dichloroacetic acid	A
76-03-9 trichloroacetic acid	A.
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
	ed out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

\cdot Date of preparation / last revision 03/28/2019 / 2

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

- LC50: Lethal concentration, 50
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- BEI: Biological Exposure Limit

Reviewed on 03/28/2019

Trade name: Haloacetic Acid Standard (1X1 mL)

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Skin Sens. 1: Skin sensitisation - Category 1

Carc. 2: Carcinogenicity – Category 2

STOT SE 1: Specific target organ toxicity (single exposure) – Category 1 • * Data compared to the previous version altered.

Printing date 03/28/2019

Version Number 3

(Contd. of page 11)

