

# Safety Data Sheet

acc. to OSHA HCS

Revision date 08/24/2024

## 1 Identification

- **Product identifier**
- **Product Name: Haloacetic Acid Standard (1X1 mL)**
- **Part number:** PHM-570-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 Agilent Technologies, Inc.  
 5301 Stevens Creek Blvd.  
 Santa Clara, CA 95051 USA
- **Information department:**  
 Telephone: 800-227-9770  
 e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2      H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Dermal 3    H311 Toxic in contact with skin.



GHS08 Health hazard

Carcinogenicity 2      H351 Suspected of causing cancer.



GHS07

 Skin Irritation 2      H315 Causes skin irritation.  
 Sensitization - Skin 1    H317 May cause an allergic skin reaction.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS02



GHS06



GHS07



GHS08

- **Signal word** Danger

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 1)

**· Hazard-determining components of labeling:**

tert-butyl methyl ether  
 dichloroacetic acid  
 bromoacetic acid  
 trichloroacetic acid

**· Hazard statements**

H225 Highly flammable liquid and vapor.  
 H311 Toxic in contact with skin.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H351 Suspected of causing cancer.

**· Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
 P241 Use explosion-proof electrical/ventilating/lighting/equipment.  
 P261 Avoid breathing dust/fume/gas/mist/vapors/spray  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P240 Ground/bond container and receiving equipment.  
 P233 Keep container tightly closed.  
 P242 Use only non-sparking tools.  
 P243 Take precautionary measures against static discharge.  
 P264 Wash thoroughly after handling.  
 P272 Contaminated work clothing must not be allowed out of the workplace.  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P321 Specific treatment (see on this label).  
 P312 Call a poison center/doctor if you feel unwell.  
 P308+P313 IF exposed or concerned: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P370+P378 In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.  
 P361+P364 Take off immediately all contaminated clothing and wash it before reuse.  
 P405 Store locked up.  
 P403+P235 Store in a well-ventilated place. Keep cool.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Classification system:**
**· NFPA ratings (scale 0 - 4)**


Health = 2  
 Fire = 3  
 Reactivity = 0

**· HMIS-ratings (scale 0 - 4)**


Health = 2  
 Fire = 3  
 Reactivity = 0

**· Other hazards**
**· Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

· vPvB: Not applicable.

(Contd. of page 2)

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1634-04-4	tert-butyl methyl ether	98.3782%
76-03-9	trichloroacetic acid	0.2703%
79-08-3	bromoacetic acid	0.2703%
79-11-8	chloroacetic acid	0.2703%
79-43-6	dichloroacetic acid	0.2703%
631-64-1	dibromoacetic acid	0.2703%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
In case of irregular breathing or respiratory arrest provide artificial respiration.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 3)

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
 Dispose contaminated material as waste according to section 13.  
 Ensure adequate ventilation.

**· Reference to other sections**

See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

**· Protective Action Criteria for Chemicals**
**· PAC-1:**

1634-04-4	tert-butyl methyl ether	50 ppm
76-03-9	trichloroacetic acid	1.5 ppm
79-08-3	bromoacetic acid	0.023 mg/m <sup>3</sup>
79-11-8	chloroacetic acid	1.5 ppm
79-43-6	dichloroacetic acid	1.5 ppm

**· PAC-2:**

1634-04-4	tert-butyl methyl ether	570 ppm
76-03-9	trichloroacetic acid	16 ppm
79-08-3	bromoacetic acid	0.26 mg/m <sup>3</sup>
79-11-8	chloroacetic acid	6.6 ppm
79-43-6	dichloroacetic acid	93 mg/m <sup>3</sup>

**· PAC-3:**

1634-04-4	tert-butyl methyl ether	5300* ppm
76-03-9	trichloroacetic acid	99 ppm
79-08-3	bromoacetic acid	1.5 mg/m <sup>3</sup>
79-11-8	chloroacetic acid	15 ppm
79-43-6	dichloroacetic acid	560 mg/m <sup>3</sup>

## 7 Handling and storage

**· Handling:**
**· Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.  
 Open and handle receptacle with care.  
 Prevent formation of aerosols.

**· Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.  
 Keep respiratory protective device available.

**· Conditions for safe storage, including any incompatibilities**
**· Storage:**

**· Requirements to be met by storerooms and receptacles:** Store in a cool location.

**· Information about storage in one common storage facility:** Not required.

**· Further information about storage conditions:**

Keep receptacle tightly sealed.  
 Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 4)

· **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

#### 1634-04-4 tert-butyl methyl ether

TLV	Long-term value: 50 ppm A3
-----	-------------------------------

#### 76-03-9 trichloroacetic acid

REL	Long-term value: 7 mg/m <sup>3</sup> , 1 ppm
TLV	Long-term value: 0.5 ppm A3

#### 79-11-8 chloroacetic acid

TLV	Long-term value: 0.5* ppm Skin;*as inhalable fraction and vapor, A4
WEEL	Long-term value: 0.5 ppm Skin

#### 79-43-6 dichloroacetic acid

TLV	Long-term value: 0.5 ppm Skin, A3
-----	--------------------------------------

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.  
Avoid contact with the skin.  
Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 5)

- **Material of gloves**

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

- **Penetration time of glove material**

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: &gt;4 hours

- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless

<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

<b>pH-value:</b>	Not determined.
------------------	-----------------

- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	55.2 °C (131.4 °F)

<b>Flash point:</b>	0 °C (32 °F)
---------------------	--------------

<b>Flammability (solid, gaseous):</b>	Highly flammable.
---------------------------------------	-------------------

<b>Auto igniting:</b>	374 °C (705.2 °F)
-----------------------	-------------------

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

<b>Ignition temperature:</b>	Product is not selfigniting.
------------------------------	------------------------------

<b>Danger of explosion:</b>	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
-----------------------------	--

- **Explosion limits:**

<b>Lower:</b>	1.6 Vol %
<b>Upper:</b>	8.4 Vol %

<b>Vapor pressure at 20 °C (68 °F):</b>	279 hPa (209.3 mm Hg)
---	-----------------------

<b>Density at 20 °C (68 °F):</b>	0.75629 g/cm <sup>3</sup> (6.31124 lbs/gal)
----------------------------------	---

<b>Relative density</b>	Not determined.
-------------------------	-----------------

<b>Vapor density</b>	Not determined.
----------------------	-----------------

<b>Evaporation rate</b>	Not determined.
-------------------------	-----------------

- **Solubility in / Miscibility with**

<b>Water at 25 °C (77 °F):</b>	51 g/l
--------------------------------	--------

<b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 6)

<b>· Viscosity:</b>	
<b>Dynamic at 20 °C (68 °F):</b>	0.27 mPas
<b>Kinematic:</b>	Not determined.
<b>· Solvent content:</b>	
<b>Organic solvents:</b>	98.4 %
<b>VOC content:</b>	98.38 %
	744.0 g/l / 6.21 lb/gal
<b>Solids content:</b>	1.1 %
<b>· Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

**· LD/LC50 values that are relevant for classification:**
**ATE (Acute Toxicity Estimate)**

Oral	LD50	11,158 mg/kg (rat)
Dermal	LD50	960 mg/kg
Inhalative	LC50/4 h	49 mg/L

**1634-04-4 tert-butyl methyl ether**

Oral	LD50	4,000 mg/kg (rat)
Dermal	LD50	1,000 mg/kg (rabbit)
Inhalative	LC50/4 h	23,576 mg/L (rat)

**76-03-9 trichloroacetic acid**

Oral	LD50	3,320 mg/kg (rat)
------	------	-------------------

**79-08-3 bromoacetic acid**

Oral	LD50	50 mg/kg (rat)
Dermal	LD50	59.9 mg/kg (rabbit)

**79-11-8 chloroacetic acid**

Oral	LD50	76 mg/kg (rat)
Dermal	LD50	305 mg/kg (rat)
Inhalative	LC50/4 h	0.18 mg/L (rat)

(Contd. on page 8)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 7)

**79-43-6 dichloroacetic acid**

Oral	LD50	2,820 mg/kg (rat)
Dermal	LD50	799 mg/kg (rabbit)

**631-64-1 dibromoacetic acid**

Oral	LD50	1,737 mg/kg (rat)
------	------	-------------------

**· Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.
- **on the eye:** No irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

**· Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic  
Irritant

**· Carcinogenic categories**
**· IARC (International Agency for Research on Cancer)**

1634-04-4	tert-butyl methyl ether	3
76-03-9	trichloroacetic acid	2B
79-43-6	dichloroacetic acid	2B
631-64-1	dibromoacetic acid	2B

**· NTP (National Toxicology Program)**

631-64-1	dibromoacetic acid	R
----------	--------------------	---

**· OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

**· Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.

**· Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

**· Additional ecological information:**
**· General notes:**

Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

US

(Contd. on page 9)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024



**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 8)

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### \* 14 Transport information

<b>· Not Regulated, De minimis Quantities</b>	-
<b>· UN-Number</b>	UN2350
<b>· DOT, IMDG, IATA</b>	UN2350
<b>· UN proper shipping name</b>	Butyl methyl ether solution
<b>· DOT</b>	BUTYL METHYL ETHER solution
<b>· IMDG, IATA</b>	BUTYL METHYL ETHER solution
<b>· Transport hazard class(es)</b>	
<b>· DOT</b>	
	
<b>· Class</b>	3 Flammable liquids
<b>· Label</b>	3
<b>· IMDG, IATA</b>	
	
<b>· Class</b>	3 Flammable liquids
<b>· Label</b>	3
<b>· Packing group</b>	II
<b>· DOT, IMDG, IATA</b>	II
<b>· Environmental hazards:</b>	Not applicable.
<b>· Special precautions for user</b>	Warning: Flammable liquids
<b>· Hazard identification number (Kemler code):</b>	33
<b>· EMS Number:</b>	F-E,S-D
<b>· Stowage Category</b>	B
<b>· Stowage Code</b>	SW2 Clear of living quarters.
<b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.

(Contd. on page 10)



## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/24/2024

Revision date 08/24/2024

**Product Name: Haloacetic Acid Standard (1X1 mL)**

(Contd. of page 10)

· <b>TLV (Threshold Limit Value)</b>		
1634-04-4	tert-butyl methyl ether	A3
75-99-0	2,2-dichloropropionic acid	A4
76-03-9	trichloroacetic acid	A3
79-11-8	chloroacetic acid	A4
79-43-6	dichloroacetic acid	A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Contact:**
**· Date of preparation / last revision** 08/24/2024 / 3

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety &amp; Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Acute Toxicity - Dermal 3: Acute toxicity – Category 3

Skin Irritation 2: Skin corrosion/irritation – Category 2

Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 2: Carcinogenicity – Category 2

**· \* Data compared to the previous version altered.**