

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

## 1 Identification

- **Product identifier**
- **Product Name:** PAH Standard (1X1 mL)
- **Part number:** PM-022-1
- **Restrictions**  
This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Agilent Technologies, Inc.  
5301 Stevens Creek Blvd.  
Santa Clara, CA 95051 USA
- **Information department:**  
Telephone: 800-227-9770  
e-mail: pdl-msds\_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

## 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carcinogenicity 1B

H350 May cause cancer.

Specific Target Organ Toxicity - Repeated Exposure 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Skin Irritation 2

H315 Causes skin irritation.

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H335 May cause respiratory irritation.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
dichloromethane  
Dibenzo(a,l)pyrene  
benzo[a]pyrene  
dibenz[a,h]anthracene

(Contd. on page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 1)

**· Hazard statements**

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H350 May cause cancer.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.

**· Precautionary statements**

- P260 Do not breathe dust/fume/gas/mist/vapors/spray.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P201 Obtain special instructions before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P321 Specific treatment (see on this label).
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a poison center/doctor if you feel unwell.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P302+P352 If on skin: Wash with plenty of water.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Classification system:**
**· NFPA ratings (scale 0 - 4)**

**· HMIS-ratings (scale 0 - 4)**

**· Other hazards**
**· Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## 3 Composition/information on ingredients

**· Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 2)

**· Dangerous components:**

75-09-2	dichloromethane	99.6678%
50-32-8	benzo[a]pyrene	0.0151%
53-70-3	dibenz[a,h]anthracene	0.0151%
191-30-0	Dibenzo(a,l)pyrene	0.0151%

## 4 First-aid measures

**· Description of first aid measures**
**· General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** If symptoms persist consult doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

## 5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Advice for firefighters**

· **Protective equipment:** Mouth respiratory protective device.

## 6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.

· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**

· **PAC-1:**

75-09-2	dichloromethane	200 ppm
---------	-----------------	---------

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 3)

50-32-8	benzo[a]pyrene	0.6 mg/m <sup>3</sup>
53-70-3	dibenz[a,h]anthracene	0.093 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	0.6 mg/m <sup>3</sup>
83-32-9	acenaphthene	3.6 mg/m <sup>3</sup>
85-01-8	phenanthrene	5.4 mg/m <sup>3</sup>
86-73-7	fluorene	6.6 mg/m <sup>3</sup>
91-20-3	naphthalene	15 ppm
120-12-7	anthracene	48 mg/m <sup>3</sup>
129-00-0	pyrene	0.15 mg/m <sup>3</sup>
191-24-2	benzo[ghi]perylene	30 mg/m <sup>3</sup>
192-65-4	dibenzo[a,e]pyrene	30 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	0.12 mg/m <sup>3</sup>
206-44-0	fluoranthene	8.2 mg/m <sup>3</sup>
208-96-8	acenaphthylene	10 mg/m <sup>3</sup>
218-01-9	chrysene	0.6 mg/m <sup>3</sup>

**· PAC-2:**

75-09-2	dichloromethane	560 ppm
50-32-8	benzo[a]pyrene	120 mg/m <sup>3</sup>
53-70-3	dibenz[a,h]anthracene	1 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	1.4 ppm
83-32-9	acenaphthene	40 mg/m <sup>3</sup>
85-01-8	phenanthrene	1.8 ppm
86-73-7	fluorene	72 mg/m <sup>3</sup>
91-20-3	naphthalene	83 ppm
120-12-7	anthracene	530 mg/m <sup>3</sup>
129-00-0	pyrene	1.7 ppm
191-24-2	benzo[ghi]perylene	330 mg/m <sup>3</sup>
192-65-4	dibenzo[a,e]pyrene	330 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	1.3 mg/m <sup>3</sup>
206-44-0	fluoranthene	8.0 ppm
208-96-8	acenaphthylene	110 mg/m <sup>3</sup>
218-01-9	chrysene	12 mg/m <sup>3</sup>

**· PAC-3:**

75-09-2	dichloromethane	6,900 ppm
50-32-8	benzo[a]pyrene	700 mg/m <sup>3</sup>
53-70-3	dibenz[a,h]anthracene	2.9 mg/m <sup>3</sup>
56-55-3	benz[a]anthracene	8.5 ppm
83-32-9	acenaphthene	240 mg/m <sup>3</sup>
85-01-8	phenanthrene	10 ppm

(Contd. on page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 4)

86-73-7	fluorene	430 mg/m <sup>3</sup>
91-20-3	naphthalene	500 ppm
120-12-7	anthracene	3,200 mg/m <sup>3</sup>
129-00-0	pyrene	10 ppm
191-24-2	benzo[ghi]perylene	2,000 mg/m <sup>3</sup>
192-65-4	dibenzo[a,e]pyrene	2,000 mg/m <sup>3</sup>
193-39-5	indeno[1,2,3-cd]pyrene	79 mg/m <sup>3</sup>
205-99-2	benz[e]acephenanthrylene	7.9 mg/m <sup>3</sup>
206-44-0	fluoranthene	48 ppm
208-96-8	acenaphthylene	660 mg/m <sup>3</sup>
218-01-9	chrysene	69 mg/m <sup>3</sup>

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.  
At this time, the other constituents have no known exposure limits.

### 75-09-2 dichloromethane

PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 50 ppm BEI, A3

(Contd. on page 6)

US

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 5)

**50-32-8 benzo[a]pyrene**

PEL	Long-term value: 0.2 mg/m <sup>3</sup> see Coal tar pitch volatiles
REL	Long-term value: 0.1 mg/m <sup>3</sup> Coal tar pitch volatile; Pocket Guide Apps. A+C
TLV	L; BEIp, A2

**· Ingredients with biological limit values:**
**75-09-2 dichloromethane**

BEI	0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)
-----	---

**50-32-8 benzo[a]pyrene**

BEI	- Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)
-----	---

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

· **Breathing equipment:**

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· **Protection of hands:**

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· **Material of gloves**

- For normal use: nitrile rubber, 11-13 mil thickness
- For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· **Penetration time of glove material**

- For normal use: nitrile rubber: 1 hour
- For direct contact with the chemical: butyl rubber: >4 hours

· **Eye protection:**

- Safety glasses

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 6)



Tightly sealed goggles

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Like chlorine
Odor threshold:	Not determined.

· pH-value: Not determined.

#### · Change in condition

Melting point/Melting range:	-95.1 °C (-139.2 °F)
Boiling point/Boiling range:	40 °C (104 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Auto igniting: 605 °C (1,121 °F)

· Decomposition temperature: Not determined.

· Ignition temperature: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

#### · Explosion limits:

Lower:	13 Vol %
Upper:	22 Vol %

· Vapor pressure at 20 °C (68 °F): 360 hPa (270 mm Hg)

· Density at 20 °C (68 °F): 1.3 g/cm<sup>3</sup> (10.8485 lbs/gal)

· Relative density: Not determined.

· Vapor density: Not determined.

· Evaporation rate: Not determined.

#### · Solubility in / Miscibility with

Water at 20 °C (68 °F): 20 g/l

· Partition coefficient (n-octanol/water): Not determined.

#### · Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.

#### · Solvent content:

Organic solvents:	99.7 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal

(Contd. on page 8)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 7)

**Solids content:** 0.3 %

**Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

· **Information on toxicological effects**

· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**
**75-09-2 dichloromethane**

Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

· **Primary irritant effect:**

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

75-09-2	dichloromethane	2A
50-32-8	benzo[a]pyrene	1
53-70-3	dibenz[a,h]anthracene	2A
56-55-3	benz[a]anthracene	2B
83-32-9	acenaphthene	3
85-01-8	phenanthrene	3
86-73-7	fluorene	3
91-20-3	naphthalene	2B
120-12-7	anthracene	2B
129-00-0	pyrene	3
189-55-9	Dibenzo(a,i)pyrene	2B

(Contd. on page 9)



# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 8)

189-64-0	Dibenzo(a,h)pyrene	2B
191-24-2	benzo[ghi]perylene	3
191-30-0	Dibenzo(a,l)pyrene	2A
192-65-4	dibenzo[a,e]pyrene	3
192-97-2	benzo[e]pyrene	3
193-39-5	indeno[1,2,3-cd]pyrene	2B
198-55-0	perylene	3
205-99-2	benz[e]acephenanthrylene	2B
206-44-0	fluoranthene	3
207-08-9	benzo[k]fluoranthene	2B
218-01-9	chrysene	2B

**· NTP (National Toxicology Program)**

75-09-2	dichloromethane	R
50-32-8	benzo[a]pyrene	R
53-70-3	dibenz[a,h]anthracene	R
56-55-3	benz[a]anthracene	R
85-01-8	phenanthrene	R
86-73-7	fluorene	R
91-20-3	naphthalene	R
120-12-7	anthracene	R
129-00-0	pyrene	R
189-55-9	Dibenzo(a,i)pyrene	R
189-64-0	Dibenzo(a,h)pyrene	R
191-30-0	Dibenzo(a,l)pyrene	R
192-65-4	dibenzo[a,e]pyrene	R
192-97-2	benzo[e]pyrene	R
193-39-5	indeno[1,2,3-cd]pyrene	R
198-55-0	perylene	R
205-99-2	benz[e]acephenanthrylene	R
206-44-0	fluoranthene	R
207-08-9	benzo[k]fluoranthene	R
218-01-9	chrysene	R

**· OSHA-Ca (Occupational Safety & Health Administration)**

75-09-2	dichloromethane
---------	-----------------

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.

(Contd. on page 10)

## Safety Data Sheet

### acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**




(Contd. of page 9)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
 Water hazard class 3 (Self-assessment): extremely hazardous for water  
 Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
 Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- |   |                                   |
|---|-----------------------------------|
| · <b>Not Regulated, De minimis Quantities</b>   | -                                 |
| · <b>UN-Number</b>  | UN1593                            |
| · <b>DOT, IMDG, IATA</b>  | UN1593                            |
| · <b>UN proper shipping name</b>  | Dichloromethane                   |
| · <b>DOT</b>  | DICHLOROMETHANE, MARINE POLLUTANT |
| · <b>IMDG</b>   | DICHLOROMETHANE                   |
| · <b>IATA</b>   | DICHLOROMETHANE                   |
| · <b>Transport hazard class(es)</b>   |                                   |
| · <b>DOT</b>  |                                   |
|    |                                   |
| · <b>Class</b>  | 6.1 Toxic substances              |
| · <b>Label</b>  | 6.1                               |
| · <b>IMDG</b>   |                                   |
|   |                                   |
| · <b>Class</b>  | 6.1 Toxic substances              |

(Contd. on page 11)

## Safety Data Sheet


acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 10)

· <b>Label</b>	6.1
· <b>IATA</b>	
	
· <b>Class</b>	6.1 Toxic substances
· <b>Label</b>	6.1
· <b>Packing group</b>	
· <b>DOT, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: benzo[e]pyrene
· <b>Marine pollutant:</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Toxic substances
· <b>Hazard identification number (Kemler code):</b>	60
· <b>EMS Number:</b>	F-A,S-A
· <b>Segregation groups</b>	(SGG10) Liquid halogenated hydrocarbons
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL/73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: 60 L On cargo aircraft only: 220 L
· <b>Hazardous substance:</b>	1000 lbs, 454 kg
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1593 DICHLOROMETHANE, 6.1, III, ENVIRONMENTALLY HAZARDOUS

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

#### · Section 355 (extremely hazardous substances):

129-00-0 pyrene

#### · Section 313 (Specific toxic chemical listings):

75-09-2 dichloromethane

50-32-8 benzo[a]pyrene

53-70-3 dibenz[a,h]anthracene

(Contd. on page 12)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 11)

56-55-3	benz[a]anthracene
85-01-8	phenanthrene
91-20-3	naphthalene
120-12-7	anthracene
189-55-9	Dibenzo(a,i)pyrene
189-64-0	Dibenzo(a,h)pyrene
191-24-2	benzo[ghi]perylene
191-30-0	Dibenzo(a,l)pyrene
192-65-4	dibenzo[a,e]pyrene
193-39-5	indeno[1,2,3-cd]pyrene
205-99-2	benz[e]acephenanthrylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

**TSCA (Toxic Substances Control Act):**

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

75-09-2	dichloromethane	ACTIVE
50-32-8	benzo[a]pyrene	ACTIVE
53-70-3	dibenz[a,h]anthracene	ACTIVE
56-55-3	benz[a]anthracene	ACTIVE
83-32-9	acenaphthene	ACTIVE
85-01-8	phenanthrene	ACTIVE
86-73-7	fluorene	ACTIVE
91-20-3	naphthalene	ACTIVE
120-12-7	anthracene	ACTIVE
129-00-0	pyrene	ACTIVE
193-39-5	indeno[1,2,3-cd]pyrene	ACTIVE
198-55-0	perylene	ACTIVE
206-44-0	fluoranthene	ACTIVE
208-96-8	acenaphthylene	ACTIVE
218-01-9	chrysene	ACTIVE

**Hazardous Air Pollutants**

75-09-2	dichloromethane
50-32-8	benzo[a]pyrene
53-70-3	dibenz[a,h]anthracene
56-55-3	benz[a]anthracene
85-01-8	phenanthrene
86-73-7	fluorene
91-20-3	naphthalene
120-12-7	anthracene

(Contd. on page 13)

# Safety Data Sheet acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 12)

129-00-0	pyrene
189-55-9	Dibenzo(a,i)pyrene
189-64-0	Dibenzo(a,h)pyrene
191-30-0	Dibenzo(a,l)pyrene
192-97-2	benzo[e]pyrene
193-39-5	indeno[1,2,3-cd]pyrene
198-55-0	perylene
205-99-2	benz[e]acephenanthrylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

**· Proposition 65**
**· Chemicals known to cause cancer:**

75-09-2	dichloromethane
50-32-8	benzo[a]pyrene
53-70-3	dibenz[a,h]anthracene
56-55-3	benz[a]anthracene
91-20-3	naphthalene
120-12-7	anthracene
189-55-9	Dibenzo(a,i)pyrene
189-64-0	Dibenzo(a,h)pyrene
191-30-0	Dibenzo(a,l)pyrene
192-65-4	dibenzo[a,e]pyrene
193-39-5	indeno[1,2,3-cd]pyrene
205-99-2	benz[e]acephenanthrylene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

75-09-2	dichloromethane	L
50-32-8	benzo[a]pyrene	CaH
53-70-3	dibenz[a,h]anthracene	B2
56-55-3	benz[a]anthracene	B2
85-01-8	phenanthrene	D
86-73-7	fluorene	D

(Contd. on page 14)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 13)

91-20-3	naphthalene	C, CBD
120-12-7	anthracene	D
129-00-0	pyrene	D
191-24-2	benzo[ghi]perylene	D
193-39-5	indeno[1,2,3-cd]pyrene	B2
205-99-2	benz[e]acephenanthrylene	B2
206-44-0	fluoranthene	D
207-08-9	benzo[k]fluoranthene	B2
208-96-8	acenaphthylene	D
218-01-9	chrysene	B2

**· TLV (Threshold Limit Value)**

75-09-2	dichloromethane	A3
50-32-8	benzo[a]pyrene	A2
56-55-3	benz[a]anthracene	A2
91-20-3	naphthalene	A4
205-99-2	benz[e]acephenanthrylene	A2
218-01-9	chrysene	A3

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

75-09-2	dichloromethane
50-32-8	benzo[a]pyrene
218-01-9	chrysene

**· National regulations:**
**· Additional classification according to Decree on Hazardous Materials:**

Carcinogenic hazardous material group III (dangerous).

**· Information about limitation of use:**

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation.

Exceptions can be made by the authorities in certain cases.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation.

No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

**· Department issuing SDS:** Document Control / Regulatory

**· Contact:** pdl-acg-regulatory-cq@agilent.com

**· Date of preparation / last revision** 08/23/2024 / 5

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 15)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 08/23/2024

Revision date 08/23/2024

**Product Name: PAH Standard (1X1 mL)**

(Contd. of page 14)

VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
BEI: Biological Exposure Limit  
Skin Irritation 2: Skin corrosion/irritation – Category 2  
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A  
Carcinogenicity 1B: Carcinogenicity – Category 1B  
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3  
Specific Target Organ Toxicity - Repeated Exposure 2: Specific target organ toxicity (repeated exposure) – Category 2

· **\* Data compared to the previous version altered.**

US