

Revision date 08/23/2024

1 Identification

· Product identifier

· Product Name: PAH Standard (1X1 mL)

· Part number: PM-613A-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Agilent Technologies, Inc.
 5301 Stevens Creek Blvd.
 Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS07

Acute Toxicity - Oral 4 H302 Harmful if swallowed.

Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: acetonitrile
- · Hazard statements

H225 Highly flammable liquid and vapor.

H302 Harmful if swallowed.

H319 Causes serious eye irritation.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

(Contd. on page 2)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 1)

P233 Keep container tightly closed. P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

Wash thoroughly after handling. P264

Do not eat, drink or smoke when using this product. P270

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

If swallowed: Call a poison center/doctor if you feel unwell. P301+P312 P337+P313 If eye irritation persists: Get medical advice/attention.

P330 Rinse mouth.

P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 3

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

75-05-8 acetonitrile

99.9115%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

(Contd. on page 3)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
75-05-8	acetonitrile	13 ppm
83-32-9	acenaphthene	3.6 mg/m ³
85-01-8	phenanthrene	5.4 mg/m ³
86-73-7	fluorene	6.6 mg/m ³
91-20-3	naphthalene	15 ppm
120-12-7	anthracene	48 mg/m ³
208-96-8	acenaphthylene	10 mg/m ³
50-32-8	benzo[a]pyrene	0.6 mg/m ³
53-70-3	dibenz[a,h]anthracene	0.093 mg/m ³
56-55-3	benz[a]anthracene	0.6 mg/m ³
129-00-0		0.15 mg/m^3
	benzo[ghi]perylene	30 mg/m ³
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m ³
		(Contd. on page 4



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

205-99-2	benz[e]acephenanthrylene	(Contd. of pa 0.12 mg/n
	fluoranthene	8.2 mg/m ³
218-01-9		0.6 mg/m ³
· PAC-2:		0.0 mg/m
	acetonitrile	50 ppm
83-32-9	acenaphthene	40 mg/n
	phenanthrene	1.8 ppm
	fluorene	72 mg/n
91-20-3	naphthalene	83 ppm
120-12-7	anthracene	530 mg/
208-96-8	acenaphthylene	110 mg/
50-32-8	benzo[a]pyrene	120 mg/
53-70-3	dibenz[a,h]anthracene	1 mg/m ²
56-55-3	benz[a]anthracene	1.4 ppm
129-00-0	pyrene	1.7 ppm
191-24-2	benzo[ghi]perylene	330 mg/
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/r
205-99-2	benz[e]acephenanthrylene	1.3 mg/s
206-44-0	fluoranthene	8.0 ppm
218-01-9	chrysene	12 mg/n
PAC-3:		
	acetonitrile	150 ppm
	acenaphthene	240 mg/m
	phenanthrene	10 ppm
	fluorene	430 mg/m
	naphthalene	500 ppm
	anthracene	3,200 mg/
	acenaphthylene	660 mg/m
	benzo[a]pyrene	700 mg/m
	dibenz[a,h]anthracene	2.9 mg/m ²
	benz[a]anthracene	8.5 ppm
129-00-0		10 ppm
	benzo[ghi]perylene	2,000 mg/
	indeno[1,2,3-cd]pyrene	79 mg/m ³
	benz[e]acephenanthrylene	7.9 mg/m ²
	fluoranthene	48 ppm
218-01-9	chrysene	69 mg/m ²



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 4)

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-05-8 acetonitrile

PEL	Long-term value: 70 mg/m³, 40 ppm
REL	Long-term value: 34 mg/m³, 20 ppm
TLV	Long-term value: 20 ppm
	Skin A4

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

(Contd. on page 6)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 5)

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

• **Penetration time of glove material** For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:



Tightly sealed goggles

Information on basic physical and cl	hemical properties
General Information	in the properties
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Aromatic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	-46 °C (-50.8 °F)
Boiling point/Boiling range:	81 °C (177.8 °F)
Flash point:	2 °C (35.6 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	525 °C (977 °F)
Decomposition temperature:	Not determined.
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
Vapor pressure at 20 °C (68 °F):	0 hPa
Vapor pressure at 50 °C (122 °F):	330 hPa (247.5 mm Hg)
Density at 20 °C (68 °F):	0.786 g/cm³ (6.55917 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.

(Contd. on page 7)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

| Contd. of page 6|
| Partition coefficient (n-octanol/water): Not determined.
| Viscosity:
| Dynamic: Not determined.
| Kinematic: Not determined.
| Solvent content:
| VOC content: 0.00 %
| 0.0 g/1 / 0.00 lb/gal
| Solids content: 0.1 %

No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability

· Other information

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:			
ATE (Acu	ATE (Acute Toxicity Estimate)			
Oral	LD50	1,321 mg/kg (rat)		
Dermal	LD50	>2,002 mg/kg (rabbit)		
Inhalative	LC50/4 h	3,590 mg/L (mouse)		

75-05-8 acetonitrile		
Oral	LD50	1,320 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	3,587 mg/L (mouse)

- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

(Contd. on page 8)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 7) · Carcinogenic categories · IARC (International Agency for Research on Cancer) 83-32-9 acenaphthene 85-01-8 phenanthrene 3 86-73-7 fluorene 3 91-20-3 naphthalene 2B 120-12-7 anthracene 2B 50-32-8 benzo[a]pyrene 1 53-70-3 dibenz[a,h]anthracene 2A 56-55-3 benz[a]anthracene 2B 129-00-0 pyrene 3 191-24-2 benzo[ghi]perylene 3 193-39-5 indeno[1,2,3-cd]pyrene 2B 2B 205-99-2 benz[e]acephenanthrylene 206-44-0 fluoranthene 3 218-01-9 chrysene 2B 2B 207-08-9 benzo[k]fluoranthene · NTP (National Toxicology Program) 85-01-8 phenanthrene R 86-73-7 fluorene R 91-20-3 naphthalene R 120-12-7 anthracene R 50-32-8 benzo[a]pyrene R R 53-70-3 dibenz[a,h]anthracene 56-55-3 benz[a]anthracene R 129-00-0 pyrene R 193-39-5 indeno[1,2,3-cd]pyrene R 205-99-2 benz[e]acephenanthrylene R 206-44-0 fluoranthene R 218-01-9 chrysene R 207-08-9 benzo[k]fluoranthene R

12 Ecological information

None of the ingredients is listed.

- · Toxicity
- · Aquatic toxicity: No further relevant information available.

· OSHA-Ca (Occupational Safety & Health Administration)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 9)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 8)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 4 70			• •		. •
14 1	rans	port	mto	rma	non

· Not Regulated, De minimis Quantities	-

- · UN-Number
- · **DOT, IMDG, IATA** UN1648
- · UN proper shipping name
- · **DOT** Acetonitrile
- · **IMDG, IATA** ACETONITRILE
- · Transport hazard class(es)
- \cdot DOT



- · Class 3 Flammable liquids
- · Label
- · IMDG, IATA



- · Class 3 Flammable liquids
- · Label 3
- · Packing group
- · DOT, IMDG, IATA
- · Environmental hazards: Not applicable.

(Contd. on page 10)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

	(Contd. of page
Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler cod	e): 33
EMS Number:	F-E,S-E
· Stowage Category	В
Transport in bulk according to Annex II of	•
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
• • •	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1648 ACETONITRILE, 3, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara · Section 3:	55 (extremely hazardous substances):	
129-00-0	•	
	13 (Specific toxic chemical listings):	
75-05-8	acetonitrile	
85-01-8	phenanthrene	
91-20-3	naphthalene	
120-12-7	anthracene	
50-32-8	benzo[a]pyrene	
53-70-3	dibenz[a,h]anthracene	
56-55-3	benz[a]anthracene	
191-24-2	benzo[ghi]perylene	
193-39-5	indeno[1,2,3-cd]pyrene	
205-99-2	benz[e]acephenanthrylene	
206-44-0	fluoranthene	
218-01-9	chrysene	
207-08-9	benzo[k]fluoranthene	
· TSCA (T	oxic Substances Control Act):	
75-05-8	acetonitrile	ACTIVI
83-32-9	acenaphthene	ACTIVI
85-01-8	phenanthrene	ACTIVI
	(Conto	d. on page



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

		(Contd. of page
	fluorene	ACTIV
	naphthalene	ACTIV
	anthracene	ACTIV
208-96-8	acenaphthylene	ACTIV
	benzo[a]pyrene	ACTIV
	dibenz[a,h]anthracene	ACTIV
	benz[a]anthracene	ACTIV
129-00-0	* *	ACTIV
	indeno[1,2,3-cd]pyrene	ACTIV
	fluoranthene	ACTIV
218-01-9	chrysene	ACTIV
Hazardo	us Air Pollutants	
75-05-8	acetonitrile	
85-01-8	phenanthrene	
86-73-7	fluorene	
91-20-3	naphthalene	
120-12-7	anthracene	
50-32-8	benzo[a]pyrene	
53-70-3	dibenz[a,h]anthracene	
56-55-3	benz[a]anthracene	
129-00-0	pyrene	
193-39-5	indeno[1,2,3-cd]pyrene	
205-99-2	benz[e]acephenanthrylene	
206-44-0	fluoranthene	
218-01-9	chrysene	
207-08-9	benzo[k]fluoranthene	
Proposit	ion 65	
	ls known to cause cancer:	
	naphthalene	
120-12-7	anthracene	
50-32-8	benzo[a]pyrene	
53-70-3	dibenz[a,h]anthracene	
	benz[a]anthracene	
	indeno[1,2,3-cd]pyrene	
	benz[e]acephenanthrylene	
	chrysene	
207-08-9	benzo[k]fluoranthene	
Chemica	ls known to cause reproductive toxicity for females:	
None of	the ingredients is listed.	
Chemica	ls known to cause reproductive toxicity for males:	
Chemica		



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 11)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (En	vironmental Protection Agency)			
75-05-8	acetonitrile	CBD, D		
85-01-8	phenanthrene	D		
86-73-7	fluorene	D		
91-20-3	naphthalene	C, CBD		
120-12-7	anthracene	D		
208-96-8	acenaphthylene	D		
50-32-8	benzo[a]pyrene	СаН		
53-70-3	dibenz[a,h]anthracene	B2		
56-55-3	benz[a]anthracene	B2		
129-00-0	pyrene	D		
191-24-2	benzo[ghi]perylene	D		
193-39-5	indeno[1,2,3-cd]pyrene	B2		
205-99-2	benz[e]acephenanthrylene	B2		
206-44-0	fluoranthene	D		
218-01-9	chrysene	B2		
207-08-9	benzo[k]fluoranthene	B2		
TIV/TL	TIV/Thoulast 1.44 Value			

· TLV (Threshold Limit Value)

(
	acetonitrile	A4
	naphthalene	A4
1	benzo[a]pyrene	A2
56-55-3	benz[a]anthracene	A2
	benz[e]acephenanthrylene	A2
218-01-9	chrysene	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

50-32-8	benzo[a]pyrene

²¹⁸⁻⁰¹⁻⁹ chrysene

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- Department issuing SDS: Document Control / Regulatory
- · Contact: pdl-acg-regulatory-cq@agilent.com
- · Date of preparation / last revision 08/23/2024 / 4
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 13)



Printing date 08/23/2024 Revision date 08/23/2024

Product Name: PAH Standard (1X1 mL)

(Contd. of page 12)

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Oral 4: Acute toxicity – Category 4

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

* Data compared to the previous version altered.

HC.