

Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

1 Identification

· Product identifier

· Trade name: PAH Standard (1X1 mL)

· Part number: PM-831A-1

· Application of the substance / the mixture Reagents and Standards for Analytical Chemical Laboratory Use

· Details of the supplier of the safety data sheet

Manufacturer/Supplier:
 Agilent Technologies, Inc.
 5301 Stevens Creek Blvd.
 Santa Clara, CA 95051 USA

· Information department:

Telephone: 800-227-9770

e-mail: pdl-msds author@agilent.com

· Emergency telephone number: CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

STOT SE 2 H371 May cause damage to organs.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS07

7 GHS08

· Signal word Danger

· Hazard-determining components of labeling:

acetonitrile methanol dibenz[a,h]anthracene

(Contd. on page 2)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 1)

· Hazard statements

Highly flammable liquid and vapor.

Harmful if swallowed.

Causes serious eye irritation.

May cause cancer.

May cause damage to organs.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 3

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *2

Fire = 3

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 2)

· Dangero	· Dangerous components:		
75-05-8	acetonitrile	89.677%	
67-56-1	methanol	9.964%	
53-70-3	dibenz[a,h]anthracene	0.0254%	

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

Protectiv	e Action Criteria for Chemicals	(Contd. of pag
PAC-1:	Action Criteria for Chemicals	
75-05-8	acetonitrile	13 ppm
67-56-1	methanol	530 ppm
83-32-9	acenaphthene	3.6 mg/m ³
208-96-8	acenaphthylene	10 mg/m ³
91-20-3	naphthalene	15 ppm
53-70-3	dibenz[a,h]anthracene	0.093 mg/s
129-00-0	pyrene	0.15 mg/m
86-73-7	fluorene	6.6 mg/m ³
191-24-2	benzo[ghi]perylene	30 mg/m^3
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m ³
218-01-9	chrysene	0.6 mg/m ³
	benzo[a]pyrene	0.6 mg/m ³
56-55-3	benz[a]anthracene	0.6 mg/m ³
206-44-0	fluoranthene	8.2 mg/m³
85-01-8	phenanthrene	5.4 mg/m ³
205-99-2	benz[e]acephenanthrylene	0.12 mg/m
120-12-7	anthracene	48 mg/m³
PAC-2:		-
75-05-8	acetonitrile	50 ppm
67-56-1	methanol	2,100 pp
83-32-9	acenaphthene	40 mg/m
208-96-8	acenaphthylene	110 mg/s
91-20-3	naphthalene	83 ppm
53-70-3	dibenz[a,h]anthracene	1 mg/m³
129-00-0	pyrene	1.7 mg/n
86-73-7	fluorene	72 mg/m
191-24-2	benzo[ghi]perylene	330 mg/s
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/m
218-01-9	chrysene	12 mg/m
50-32-8	benzo[a]pyrene	120 mg/s
56-55-3	benz[a]anthracene	120 mg/s
206-44-0	fluoranthene	90 mg/m
85-01-8	phenanthrene	59 mg/m
205-99-2	benz[e]acephenanthrylene	1.3 mg/n
120-12-7	anthracene	530 mg/s
PAC-3:		<u> </u>
	acetonitrile	150 ppm
	methanol	7200* ppn
	acenaphthene	240 mg/m ³



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

		(Contd. of page 4)
208-96-8	acenaphthylene	660 mg/m ³
91-20-3	naphthalene	500 ppm
53-70-3	dibenz[a,h]anthracene	2.9 mg/m ³
129-00-0	pyrene	110 mg/m ³
86-73-7	fluorene	430 mg/m ³
191-24-2	benzo[ghi]perylene	2,000 mg/m ³
193-39-5	indeno[1,2,3-cd]pyrene	79 mg/m ³
218-01-9	chrysene	69 mg/m ³
50-32-8	benzo[a]pyrene	700 mg/m ³
56-55-3	benz[a]anthracene	700 mg/m ³
206-44-0	fluoranthene	400 mg/m ³
85-01-8	phenanthrene	360 mg/m ³
205-99-2	benz[e]acephenanthrylene	7.9 mg/m ³
120-12-7	anthracene	3,200 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

75-05-8 acetonitrile

PEL Long-term value: 70 mg/m³, 40 ppm REL Long-term value: 34 mg/m³, 20 ppm

(Contd. on page 6)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

TLV Long-term value: 34 mg/m³, 20 ppm
Skin

67-56-1 methanol

PEL Long-term value: 260 mg/m³, 200 ppm
REL Short-term value: 325 mg/m³, 250 ppm
Long-term value: 260 mg/m³, 200 ppm
Skin

TLV Short-term value: 328 mg/m³, 250 ppm
Long-term value: 328 mg/m³, 250 ppm
Skin; BEI

Ingredients with biological limit values:

67-56-1 methanol

BEI 15 mg/L

Medium: urine Time: end of shift

Parameter: Methanol (background, nonspecific)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness

For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour

For direct contact with the chemical: butyl rubber: >4 hours

(Contd. on page 7)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

· Eye protection:

(Contd. of page 6)



Tightly sealed goggles

	rties
Information on basic physical and	chemical properties
General Information	
Appearance:	T1 - 1
Form:	Fluid
Color:	According to product specification Characteristic
Odor: Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	64 °C (147.2 °F)
Flash point:	2 °C (35.6 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	455 °C (851 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	4.4 Vol %
Upper:	16 Vol %
Vapor pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 8)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 7)

(common pri
10.0 %
9.96 %
99.6 g/l / 0.83 lb/gal
0.4 %
No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	· LD/LC50 values that are relevant for classification:		
	ATE (Acute Toxicity Estimate)		
Oral	LD50	1,472 mg/kg (rat)	
Dermal	LD50	>2,230 mg/kg (rabbit)	
Inhalative	LC50/4 h	29.9 mg/L	
75-05-8 ac	etonitrile		
Oral	LD50	1,320 mg/kg (rat)	
Dermal	LD50	>2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	3,587 mg/L (mouse)	
67-56-1 m	ethanol		
Oral	LD50	5,628 mg/kg (rat)	
Dermal	LD50	15,800 mg/kg (rabbit)	
208-96-8 ส	cenaphth	ylene	
Oral	LD50	1,760 mg/kg (mouse)	
· Primary i	rritant off	oct•	

- **Primary irritant effect:**
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful Irritant

(Contd. on page 9)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 8) · Carcinogenic categories · IARC (International Agency for Research on Cancer) 83-32-9 acenaphthene 91-20-3 naphthalene 2B 53-70-3 dibenz[a,h]anthracene 2A 129-00-0 pyrene 3 86-73-7 fluorene 3 191-24-2 benzo[ghi]perylene 3 193-39-5 indeno[1,2,3-cd]pyrene 2B218-01-9 chrysene 2B 50-32-8 benzo[a]pyrene 1 56-55-3 benz[a]anthracene 2B 206-44-0 fluoranthene 3 85-01-8 phenanthrene 3 207-08-9 benzo[k]fluoranthene 2В 205-99-2 benz[e]acephenanthrylene 2B 120-12-7 anthracene 3 · NTP (National Toxicology Program) 91-20-3 naphthalene R 53-70-3 dibenz[a,h]anthracene R 129-00-0 pyrene R 86-73-7 fluorene R 193-39-5 indeno[1,2,3-cd]pyrene R R 218-01-9 chrysene 50-32-8 benzo[a]pyrene R 56-55-3 benz[a]anthracene R 206-44-0 fluoranthene R 85-01-8 phenanthrene R 207-08-9 benzo[k]fluoranthene R 205-99-2 benz[e]acephenanthrylene R 120-12-7 anthracene R · OSHA-Ca (Occupational Safety & Health Administration)

12 Ecological information

None of the ingredients is listed.

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 10)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 9)

- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities	-	
· UN-Number · DOT, IMDG, IATA	UN1992	
· UN proper shipping name		
· DOT	Flammable liquids, toxic, n.o.s. (Acetonitrile, Methanol)	
·IMDG	FLAMMABLE LIQUID, TOXIC, N.O.S. (ACETONITRILE,	
	METHANOL), MARINE POLLUTANT	
· IATA	FLAMMABLE LIQUID, TOXIC, N.O.S. (ACETONITRILE,	
	METHANOL)	

- · Transport hazard class(es)
- \cdot DOT



· Class 3 Flammable liquids

· **Label** 3, 6.

· IMDG



· Class 3 Flammable liquids

(Contd. on page 11)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

	(Contd. of page
Label	3/6.1
·IATA	
Class	3 Flammable liquids
Label	3 (6.1)
Packing group	
DOT, IMDG, IATA	II
Environmental hazards:	Product contains environmentally hazardous substances:
	naphthalene, dibenz[a,h]anthracene
Marine pollutant:	Symbol (fish and tree)
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	336
EMS Number:	F-E,S-D
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 60 L
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
1 1 ()	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
	(ACETONITRILE, METHANOL), 3 (6.1), II,
	ENVIRONMENTALLY HAZARDOUS

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- ·Sara

· Section 3	Section 355 (extremely hazardous substances):		
129-00-0	129-00-0 pyrene		
· Section 3	· Section 313 (Specific toxic chemical listings):		
75-05-8	acetonitrile		
67-56-1	methanol		
91-20-3	naphthalene		

(Contd. on page 12)



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

53-70-3	dibenz[a,h]anthracene (Contd. of page
	benzo[ghi]perylene
	indeno[1,2,3-cd]pyrene
	chrysene
	benzo[a]pyrene
	benz[a]anthracene
	fluoranthene
	phenanthrene
	benzo[k]fluoranthene
	benz[e]acephenanthrylene
	anthracene
· TSCA (T	Toxic Substances Control Act):
	acetonitrile
	methanol
	acenaphthene
	acenaphthylene
	naphthalene
	dibenz[a,h]anthracene
129-00-0	
	fluorene
	indeno[1,2,3-cd]pyrene
	chrysene
	benzo[a]pyrene
	benz[a]anthracene
	fluoranthene
	phenanthrene
	anthracene
· TSCA ne	ew (21st Century Act): (Substances not listed)
	dibenz[a,h]anthracene
· Propositi	
· Chemica	ls known to cause cancer:
91-20-3	naphthalene
	dibenz[a,h]anthracene
193-39-5	indeno[1,2,3-cd]pyrene
218-01-9	chrysene
50-32-8	benzo[a]pyrene
	benz[a]anthracene
	benzo[k]fluoranthene
	benz[e]acephenanthrylene
	ls known to cause reproductive toxicity for females:
	the ingredients is listed.
	(Contd. on page



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 12)

None of t	he ingredients is listed.	
Chemica	s known to cause developmental toxicity:	
67-56-1	nethanol	
Carcinog	enic categories	
_	vironmental Protection Agency)	
75-05-8	acetonitrile	CBD, I
83-32-9	acenaphthene	A (oral
208-96-8	acenaphthylene	D
91-20-3	naphthalene	C, CBI
	dibenz[a,h]anthracene	B2
129-00-0	pyrene	D
86-73-7	fluorene	D
	benzo[ghi]perylene	D
	indeno[1,2,3-cd]pyrene	B2
218-01-9		B2
	benzo[a]pyrene	СаН
	benz[a]anthracene	B2
	fluoranthene	D
	phenanthrene	D
	benzo[k]fluoranthene	B2
	benz[e]acephenanthrylene	B2
120-12-7	anthracene	D
TLV (Th	reshold Limit Value established by ACGIH)	
75-05-8	acetonitrile	A
91-20-3	naphthalene	A
218-01-9	chrysene	A
	benzo[a]pyrene	A
	benz[a]anthracene	A
205-99-2	benz[e]acephenanthrylene	A
NIOSH	Ca (National Institute for Occupational Safety and Health)	

· National regulations:

50-32-8 benzo[a]pyrene

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 03/30/2019 Version Number 2 Reviewed on 03/30/2019

Trade name: PAH Standard (1X1 mL)

(Contd. of page 13)

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

- Department issuing SDS: Document Control / Regulatory
- · Contact: regulatory@ultrasci.com
- \cdot Date of preparation / last revision 03/30/2019 / 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LC50: Lethal concentration, 50 per

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flam. Liq. 2: Flammable liquids – Category 2

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1B: Carcinogenicity - Category 1B

STOT SE 2: Specific target organ toxicity (single exposure) – Category 2

* * Data compared to the previous version altered.

US