

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

1 Identification

- **Product identifier**
- **Trade name:** Pesticides Standard (1 x 1 mL)
- **Part number:** PPM-110-1
- **Application of the substance / the mixture** Reagents and Standards for Analytical Chemical Laboratory Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Agilent Technologies, Inc.
5301 Stevens Creek Blvd.
Santa Clara, CA 95051 USA
- **Information department:**
Telephone: 800-227-9770
e-mail: pdl-msds_author@agilent.com
- **Emergency telephone number:** CHEMTREC®: 1-800-424-9300

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H335 May cause respiratory irritation.

- **Label elements**

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

- **Hazard pictograms**



GHS07



GHS08

- **Signal word** Warning

- **Hazard-determining components of labeling:**

dichloromethane

- **Hazard statements**

Harmful if swallowed.

Causes skin irritation.

Causes serious eye irritation.

Suspected of causing cancer.

May cause respiratory irritation.

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 1)

May cause damage to organs through prolonged or repeated exposure.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

Rinse mouth.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**



Health = 2

Fire = 0

Reactivity = 0

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

75-09-2	dichloromethane	99.246%
---------	-----------------	---------

US

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 2)

4 First-aid measures· **Description of first aid measures**· **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Immediately call a doctor.· **Information for doctor:**· **Most important symptoms and effects, both acute and delayed** No further relevant information available.· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire-fighting measures· **Extinguishing media**· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.· **Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

· **Advice for firefighters**· **Protective equipment:** Mouth respiratory protective device.**6 Accidental release measures**· **Personal precautions, protective equipment and emergency procedures** Mount respiratory protective device.· **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· **Protective Action Criteria for Chemicals**· **PAC-1:**

75-09-2	dichloromethane	200 ppm
86-50-0	azinphos-methyl (ISO)	0.6 mg/m ³
8065-48-3	demeton	0.18 mg/m ³
78-34-2	dioxathion (ISO)	0.31 mg/m ³
2385-85-5	mirex	6.3 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	1.2 mg/m ³

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 3)

· PAC-2:

75-09-2	dichloromethane	560 ppm
86-50-0	azinphos-methyl (ISO)	0.7 mg/m ³
8065-48-3	demeton	2 mg/m ³
78-34-2	dioxathion (ISO)	3.4 mg/m ³
2385-85-5	mirex	69 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	13 mg/m ³

· PAC-3:

75-09-2	dichloromethane	6,900 ppm
86-50-0	azinphos-methyl (ISO)	20 mg/m ³
8065-48-3	demeton	20 mg/m ³
78-34-2	dioxathion (ISO)	39 mg/m ³
2385-85-5	mirex	410 mg/m ³
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	78 mg/m ³

7 Handling and storage

· Handling:
· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities
· Storage:
· Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

· Further information about storage conditions: Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters
· Components with limit values that require monitoring at the workplace:
75-09-2 dichloromethane

PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 174 mg/m ³ , 50 ppm
BEI	

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 4)

· Ingredients with biological limit values:
75-09-2 dichloromethane

BEI	0.3 mg/L
	Medium: urine
	Time: end of shift
	Parameter: Dichloromethane (semi-quantitative)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the eyes and skin.

· Breathing equipment:

When used as intended with Agilent instruments, the use of the product under normal laboratory conditions and with standard practices does not result in significant airborne exposures and therefore respiratory protection is not needed.

Under an emergency condition where a respirator is deemed necessary, use a NIOSH or equivalent approved device/equipment with appropriate organic or acid gas cartridge.

· Protection of hands:

Although not recommended for constant contact with the chemicals or for clean-up, nitrile gloves 11-13 mil thickness are recommended for normal use. The breakthrough time is 1 hr. For cleaning a spill where there is direct contact of the chemical, butyl rubber gloves are recommended 12-15 mil thickness with breakthrough times exceeding 4 hrs. Supplier recommendations should be followed.

· Material of gloves

For normal use: nitrile rubber, 11-13 mil thickness
For direct contact with the chemical: butyl rubber, 12-15 mil thickness

· Penetration time of glove material

For normal use: nitrile rubber: 1 hour
For direct contact with the chemical: butyl rubber: >4 hours

· Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties
· General Information
· Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Like chlorine
Odor threshold:	Not determined.

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 5)

· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	-95.1 °C (-139.2 °F)
Boiling point/Boiling range:	40 °C (104 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	605 °C (1,121 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	13 Vol %
Upper:	22 Vol %
· Vapor pressure at 20 °C (68 °F):	360 hPa (270 mm Hg)
· Density at 20 °C (68 °F):	1.3 g/cm ³ (10.8485 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water at 20 °C (68 °F):	20 g/l
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic at 20 °C (68 °F):	0.43 mPas
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	99.3 %
VOC content:	0.08 %
	0.8 g/l / 0.01 lb/gal
Solids content:	0.6 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 6)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

ATE (Acute Toxicity Estimate)

Oral	LD50	1,612 mg/kg (rat)
Dermal	LD50	>2,015 mg/kg (rat)
Inhalative	LC50/4 h	88.7 mg/L (rat)

75-09-2 dichloromethane

Oral	LD50	1,600 mg/kg (rat)
Dermal	LD50	>2,000 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/L (rat)

86-50-0 azinphos-methyl (ISO)

Oral	LD50	7 mg/kg (rat)
Dermal	LD50	250 mg/kg (rat)

8065-48-3 demeton

Oral	LD50	1.7 mg/kg (rat)
Dermal	LD50	8.2 mg/kg (rat)

78-34-2 dioxathion (ISO)

Oral	LD50	23 mg/kg (rat)
Dermal	LD50	63 mg/kg (rat)
Inhalative	LC50/4 h	1,398 mg/L (rat)

95-06-7 sulfallate (ISO)

Oral	LD50	850 mg/kg (rat)
------	------	-----------------

1582-09-8 trifluralin (ISO) (containing < 0,5 ppm NPDA)

Oral	LD50	1,930 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)

Primary irritant effect:

· **on the skin:** Irritant to skin and mucous membranes.

· **on the eye:** Irritating effect.

· **Sensitization:** No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

75-09-2	dichloromethane	2A
2385-85-5	mirex	2B
95-06-7	sulfallate (ISO)	2B
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	3

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 7)

· NTP (National Toxicology Program)		
75-09-2	dichloromethane	R
2385-85-5	mirex	R
95-06-7	sulfallate (ISO)	R
· OSHA-Ca (Occupational Safety & Health Administration)		
75-09-2	dichloromethane	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 3 (Self-assessment): extremely hazardous for water
Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Danger to drinking water if even extremely small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· Not Regulated, De minimus Quantities		-
· UN-Number		
· DOT		not regulated
· IMDG, IATA		UN3082
· UN proper shipping name		
· DOT		not regulated
· IMDG		ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (mirex, trifluralin (ISO) (containing < 0,5 ppm NPDA)), MARINE POLLUTANT

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS


Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 8)

· IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (mirex, trifluralin (ISO) (containing < 0,5 ppm NPDA))
· Transport hazard class(es)	
· DOT	
· Class	not regulated
· IMDG, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· DOT	not regulated
· IMDG, IATA	III
· Environmental hazards:	
· Marine pollutant:	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Danger code (Kemler):	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (MIREX, TRIFLURALIN (ISO) (CONTAINING < 0,5 PPM NPDA)), 9, III

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· Section 355 (extremely hazardous substances):

86-50-0	azinphos-methyl (ISO)
8065-48-3	demeton
78-34-2	dioxathion (ISO)

(Contd. on page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 9)

· Section 313 (Specific toxic chemical listings):

75-09-2	dichloromethane
101-05-3	anilazine (ISO)
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)

· TSCA (Toxic Substances Control Act):

75-09-2	dichloromethane	ACTIVE
117-80-6	dichlone (ISO)	ACTIVE

· Hazardous Air Pollutants

75-09-2	dichloromethane
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)

· Proposition 65
· Chemicals known to cause cancer:

75-09-2	dichloromethane
2385-85-5	mirex
95-06-7	sulfallate (ISO)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.	
------------------------------------	--

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.	
------------------------------------	--

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.	
------------------------------------	--

· Carcinogenic categories
· EPA (Environmental Protection Agency)

75-09-2	dichloromethane	L
1582-09-8	trifluralin (ISO) (containing < 0,5 ppm NPDA)	C

· TLV (Threshold Limit Value established by ACGIH)

75-09-2	dichloromethane	A3
86-50-0	azinphos-methyl (ISO)	A4
78-34-2	dioxathion (ISO)	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

75-09-2	dichloromethane
---------	-----------------

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

The information contained in this document is based on Agilent's state of knowledge at the time of preparation. No warranty as to its accurateness, completeness or suitability for a particular purpose is expressed or implied.

· Date of preparation / last revision 04/22/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association

(Contd. on page 11)

Safety Data Sheet
acc. to OSHA HCS

Printing date 04/22/2019

Version Number 1

Reviewed on 04/22/2019

Trade name: Pesticides Standard (1 x 1 mL)

(Contd. of page 10)

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 2: Carcinogenicity – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

US